

Europe's
new Internet
services, see page 32S-5

COMPUTING'S GRAND CHALLENGES

FEBRUARY 1995



BYTE

THE MAGAZINE OF TECHNOLOGY INTEGRATION

Scalable RAID

I see you: software
to recognize faces PAGE 85

40 new true-color graphics
cards for PCs and Macs PAGE 136

THE NEW WORLD OF

NOVELL

Beyond the horizon of **NetWare!** From

AppWare to **UnixWare**

to **SuperNOS**, we chart

your journey across the

stormy seas of the **new Novell.**



REVIEWS:

- Sony's Magic Link PAGE 103
- Esperant: Bulletproof SQL Queries

International Edition



9 770360 528001

£2.20 U.K./Lit. 7,000 ITALY/ASH 94
\$3.50 U.S.A./A McGraw-Hill Publication/0360-5280

WE JUST GOT

HONEYMOON

Who says the desert's a dry, heartless place? We just came back from COMDEX, and to us it was a love-in.

We showed our wares to throngs of receptive computer fans, including the editors of BYTE magazine, who award the coveted "Shellys" for excellence and who aren't exactly a bunch of pushovers.

Three different Digital products were recognized (more than any other COMDEX exhibitor), each in an area of universal importance:

Most Significant Technology went to Digital's Clusters for Windows NT™ software. What Clusters does is allow multiple servers (both Intel and RISC-based) to work as one. This is *Most Significant* because it will give your business all the pluses of client/server computing but with serious improvements in reliability, simplicity and economy.

For example, clustering makes it easy to grow without replacing existing hardware and software. You've probably heard this promised before, but Clusters for Windows NT is different. It really works.

Best System went to Multia,™ a new Digital product that's been called the computer equivalent of the impossible dream: a desktop device that lets you run software on several different operating



BACK FROM A

IN VEGAS.

systems simultaneously. Multia can easily run PC, UNIX® and host applications (Digital's, IBM's, anybody's) side by side and share data among them. In a poof, barriers that have constrained businesses for years just evaporated.

And finalist for *Best System* was Digital's AlphaServer™ 2100 4/275. You decide why. Was it for being fastest in its class? Was it for costing 40% less than slower servers from our competition? Was it for having a 3-year warranty with 1-day service (as opposed to their 1-year warranties with up to 3-day service)? Or all of the above?

Anyway, thanks to the editors of BYTE and everyone else who came to see us at COMDEX. We like you, too.

We also like the folks at AIM Technology. They give out UNIX EXPO's Hot Iron Awards, which are based strictly on unbiased performance tests. This fall, Digital workstations and servers earned an unheard-of 10 out of 16.

Maybe all these experts are trying to tell you something. For more information, call your local Digital sales office or reach us via our Internet address: moreinfo@digital.com.

digital™

A man with dark, wavy hair, wearing a dark suit, white shirt, and a patterned tie, is smiling and clapping his hands. In the background, a red Mazda sports car is visible, slightly out of focus.

MAZDA'S I.S. CHIEF

CAN'T WAIT TO


GET WARPED.



OS/2 is in its third rev, so it's solid, stable, and mature.

Mike Anzis is the I.S. man behind the wheel of Mazda's computers. And OS/2® Warp is about to make his life easier.

From a basic 4MB laptop to a client/server system, the OS/2 family now scales an even



The BonusPak gives mobile users the applications they need.

As Mike puts it: "We use OS/2 on our headquarters' client/server systems. It's also installed in our 900 dealerships.

But until now, we haven't been able to get

**IT'S ONE MODEL
THEY REALLY NEED
ON THE ROAD.**

OS/2 everywhere we need it - on laptops in the field. OS/2 Warp changes all that." OS/2 Warp is the 32-bit, multitasking, Windows™-friendly way to run a computer. With simple installation and



A toolbar gets users into their applications quickly and easily.

proven reliability, OS/2 Warp is a total computing solution that performs ruggedly at every level.

wider variety of PC platforms.

And OS/2 Warp is a real communicator.

With fax, Internet e-mail, and desktop conferencing, there

isn't an easier way to keep those out on the road in the loop.

OS/2 Warp also offers Mike Anzis rock-solid reliability. "I know from years of experience with OS/2, I can trust it to keep performing. Now I can enjoy this peace of mind at every level."

OS/2 Warp is available for under \$90. To get warped, stop by your local software dealer, or call 1 800 3 IBM-OS2. Ask for a free demo disk.

The new 32-bit, multitasking, multimedia, Internet-accessed, crash-protected, Windows-friendly, totally cool way to run your computer. **OS/2® WARP**



OS/2 Warp is available from your software dealer. It's also available from IBM for \$89 by calling 1 800 3 IBM-OS2.

Reseller prices may vary. OS/2 Warp consists of OS/2 version 3 and BonusPak. IBM, Operating System/2 and OS/2 are registered trademarks of the International Business Machines Corporation. Crash Protection and the OS/2 logo are trademarks of IBM. Windows is a trademark of Microsoft Corporation. ©1994 IBM Corp. All rights reserved.

Circle 236 on Inquiry Card.

News & Views

VISUAL PROGRAMMING

Visual Pascal with a Punch 22

Borland's Delphi unites a visual design environment with the industrial strength of Borland's Pascal compiler and database connectivity engines.

PRINTERS

LexMark Delivers Outstanding Resolution 23

Lexmark's new 1200-dpi printer delivers excellent quality when printing gray-scale images, such as photographs. But when printing standard text, the differences between 1200 and 600 dpi are not as noticeable.



BEST OF COMDEX

Notebooks, NT Clusters Capture Awards 24

BYTE editors searched throughout the convention halls of Fall Comdex 1994 for innovative new products that had been publicly announced within 30 days of the show and that would have a strong influence on business computing.

MAC AND PC NOTEBOOK COMPUTERS

High-End Portables Take Off 26

High-end notebook computers are accounting for an increasing percentage of portable sales thanks in part to a higher demand by businesses for desktop PC replacements. Here's what to expect from new product introductions in 1995.

OPTICAL STORAGE

Rewritable Drive Integrates Two Optical Technologies 28

Phase change promised much as a rewritable medium, but high costs have kept it out of the mainstream. Matsushita hopes to change that.

INTERCOMPANY FAX

Brooktrout Cuts the Cost of Internal Faxing 32

A new device from the Brooktrout Networks Group could save you a lot of money on intracompany fax phone calls.

NEW PRODUCTS

What's New 180

The CruisePad provides wireless control locally; Process Charter for Windows does smart flowcharting; WinDD puts Windows on Unix; and more.

Cover Story



NETWORKING

Novell's Campaign 42

BY JON UDELL
Novell is embarking on a grand strategy to get 1 billion users and devices connected to NetWare by the year 2000.


Features

SUPERCOMPUTING

The Grand Challenges 65

BY OLIVER SHARP

Researchers are beginning to tackle problems in geography, weather, and other areas that require more computing capability than today's most powerful computers can muster. Here's a look at the biggest of these challenges and the ways in which scientists are attacking them with supercomputers.



TECHNICAL-SUPPORT SCHEDULING

Solutions Focus: Moody's Evolving Help Desk 76

BY MARK CLARKSON


A distinctly different approach to departmental scheduling uses genetic algorithms to maximize productivity.

State of the Art

PATTERN RECOGNITION

Piecing Together Puzzles 82

Finding and understanding patterns in data are key to creating mainstream applications for speech- and handwriting-recognition or machine-vision systems.



Face Value 85

BY EDMUND X. DEJESUS


New facial-recognition research is yielding fast, accurate, and commercially viable algorithms for a variety of applications.



Reviews




PAGE 103




1	CUSTOMERS.NAME	CUSTOMERS.PH
1	AMERICAN BUTCHER BLOCK	2032556666
2	BARN DOOR FURNITURE	2122380123
3	BOND DINETTES	6172379882
4	CARROLL CUT-RATE	2135625065
5	MILFORD FURNITURE	2039345644
6	PORCH AND PATIO	4157822222
7	RAILROAD SALVAGE	2035631952
8	SHEFFIELD SHOWROOMS	2127720595
9	SPECTOR FURNITURE	5082261354
10	TELEVISION DESIGNS	2037851414

PAGE 111



PAGE 115



Eyes, Ears, & Brains on a Chip 91

BY MARK CLARKSON

Economical pattern-recognition horsepower comes to the desktop thanks to the latest generations of DSPs (digital signal processors) and dedicated processors. Here's how systems developers are using this power in commercial products.

COMMUNICATIONS

- Agent-Enhanced Communicator** 103
BY PETER WAYNER Sony's Magic Link provides phone, modem, sendfax, E-mail, pager, and infrared communications abilities.

DIGITAL VIDEO

- Video for Free** 105
BY STANFORD DIEHL AND GREG LOVERIA High-performance desktop systems, graphics-chip innovations, and the new DCI (Display Control Interface) software layer will soon make digital video a standard feature for Windows graphics cards.

DATABASES

- Make Bulletproof SQL Queries** 111
BY DAVID S. LINTHICUM Software AG's Esperant, a front end for SQL database querying, uses an SQL "expert" to guard against syntactically flawed queries.

DATA STORAGE

- Simple, Scalable RAID** 115
BY STEVE APIKI Micropolis makes RAID both scalable and multipatform with the Raidion LTX, a modular RAID system that works with any SCSI host.

NETWORKS

- Software Roundup: Networks for the Enterprise** 119
BY TADESSE W. GIORGIS Heterogeneous enterprise networks require a robust, reliable, and secure software environment. NSTL evaluates the major server-based network operating systems, including OS/2 Lan Server, Windows NT, and two flavors of NetWare.

FILE MANAGEMENT

- File Transfer on Steroids** 129
BY BARRY NANCE LapLink for Windows includes some additional features beyond simple file transfers, including remote access, file synchronization, a chat facility, file-delta transfers, and security features.

BBS SOFTWARE

- On-Line Service on the Cheap** 131
BY BILL ESPOSITO Mustang Software's popular Wildcat BBS software gets increased capacity, customizable menus, V.34 modem support, and an optional utilities suite that includes a QuickBasic-like language.

PCI AND MAC GRAPHICS ADAPTERS

- Lab Report: True-Color Graphics Accelerators** 136
PCI cards are finally delivering on earlier promises. Our custom tests find the fastest PCI graphics accelerators under Windows, as well as some hot new Macintosh cards.

The Best Graphics Accelerators for General Business—138

Graphics Glossary—138

Video Tests—140

The Best PCI Graphics Adapters for Drafting—142

How We Tested—144

The Best Graphics Accelerators for Macintosh NuBus Systems—145

Video Glossary—146

Honorable Mentions—146



- Mining Statistics** 97
BY JOHN L. CUADRADO Statistical-pattern analysis provides the technical underpinnings to make many types of recognition systems more accurate.


Core Technologies

CPUS

- Transport-Triggered Architectures** 151
BY DICK POUNTAIN The ultimate expression of the RISC philosophy is the Transport-Triggered Architecture.

OPERATING SYSTEMS

- The Great Little File System** 155
BY TOM YAGER Flexible and secure, Veritas sets the standard for Unix file systems.



PROGRAMMING

- Constraint Logic Programming** 159
BY DICK POUNTAIN CLP's power to tackle difficult combinatorial problems may make it the most significant commercial programming paradigm over the next five years.

NETWORKS

- The PGP Web of Trust** 161
BY WILLIAM STALLINGS Managing public keys with the PGP (Pretty Good Privacy) web of trust.



Opinions

- Pournelle: Software-Installation Hell** 165
BY JERRY POURNELLE Jerry finds installing software a pain.

- Books and CD-ROMs: A Savvy Guide to Client/Server Computing** 17
BY JON UDELL, RICK GREHAN, AND REX BALDADO Programming CD-ROMs, LANs, and the development of Windows NT.

- Commentary: Needed: A GUI Revolution** 238
BY EZRA SHAPIRO GUIs have become fat—and not very intuitive.

- Editorial** 10
BY RAPHAEL NEEDLEMAN

- Blasts from the Past** 33
Highlights from two decades of covering the PC revolution.

- Letters** 18
February letters cover platform debates and programming issues.

- Reader Survey** 166

READER SERVICE

- Editorial Index by Company 236
Alphabetical Index to Advertisers 232
Index to Advertisers by Product Category 234
Inquiry Reply Cards: 160A, 232A

BUYER'S GUIDE

- Mail Order
Hardware/Software Showcase
Buyer's Mart

PROGRAM LISTINGS

- From BIX: Join "listings/frombyte95" and select the appropriate subarea (i.e., "feb95").
From the UUNET: ftp to ftp.uu.net, log on as "anonymous," and enter your user ID as your password. Type "cd/published/byte" and type "DIR." Files appear in subdirectories by month.
From the BYTE BBS at 1200-9600 bps: Dial (603) 924-9820 and follow the instructions at the prompt.

BYTE (ISSN 0360-5280) is published monthly by McGraw-Hill, Inc. U.S. subscriber rate \$29.95 per year. In Canada and Mexico, \$34.95 per year. European surface mail subscriptions \$60, airmail \$85. Non-European subscriptions, \$60 surface mail or \$85 airmail. All foreign subscriptions are payable in U.S. funds that can be drawn on a U.S. bank. Single copies \$3.50 in the U.S., \$4.50 in Canada. Executive, Editorial, Circulation, and Advertising Offices: One Phoenix Mill Lane, Peterborough, NH 03458. Second-class postage paid at Peterborough, NH, and additional mailing offices. Postage paid at Winnipeg, Manitoba. Canada Post International Publications Mail Product Sales Agreement No. 246492. Registered for GST as McGraw-Hill, Inc., GST #123075673. Printed in the United States of America. **Postmaster:** Send address changes and fulfillment questions to BYTE Subscriptions, P.O. Box 552, Hightstown, NJ 08520.

This page presents the articles in this issue according to computing platform.

DOS/WINDOWS

Visual Pascal with a Punch...22

If you've been waiting patiently for Borland to offer an alternative to Microsoft's Visual Basic, your wait is almost over. We examine an early beta version of Borland's Delphi, a well-integrated tool for Windows applications development.

High-End Portables Take Off.....26

Here's a look at the current crop of high-end notebooks, including several Pentium-based systems, and some predictions about where this important category is headed.

Code Talk: Leadtools' Comprehensive Imaging Development Toolkit.....30

Leadtools Professional 4.0 for DOS and Windows is an image-manipulation package that stands out from the pack.

Video for Free.....105

New products and innovations promise to dramatically improve motion-video playback within Windows. The new Windows Display Control Interface lets video codecs access video-acceleration hardware directly. We evaluate the video architectures of major graphics vendors.

Make Bulletproof SQL Queries.....111

The SQL standard for database querying can sometimes allow incorrect results to sneak through unnoticed. Software AG's Esperant puts a natural-language interface on top of SQL while guarding against queries that don't do what the user intends.

File Transfer on Steroids.....129

The popular file transfer utility comes to Windows. LapLink for Windows enables some powerful features—remote access, file synchronization, a chat facility, and file-delta transfers—from an interface that takes advantage of the Windows GUI and memory management.

On-Line Service on the Cheap.....131

Though, like other BBS programs, it hasn't made the transition to

Windows, Mustang Software's Wildcat 4 offers friendly, customizable menus; systems-administration tools; and drastically increased message capacity.

Lab Report: True-Color Graphics Accelerators.....136

Our tests reveal the fastest PCI-based graphics accelerators under Windows and some hot new Mac cards.

OS/2

Software Roundup: Networks for the Enterprise.....119

This month, NSTL evaluates four major players in the NOS market: OS/2 Lan Server 4.0 from IBM, Windows NT Advanced Server 3.5 from Microsoft, and NetWare versions 3.12 and 4.02 from Novell.

MACINTOSH

High-End Portables Take Off.....26

There's been a wave of high-end notebook introductions in recent months, including two from Apple.

Simple, Scalable RAID.....115

A RAID option for the Mac: The Raidion LTX is a scalable RAID system that looks like a standard SCSI device. You'll want a fast and wide SCSI-2 card to connect the Raidion LTX.

Lab Report: True-Color Graphics Accelerators.....136

Here's the results of our custom tests of 35 PCI-based graphics accelerators and five high-end NuBus Mac adapters.

UNIX

Novell's Campaign.....42

Novell's new strategy, called pervasive computing, starts with a hybrid NOS called SuperNOS, which will blend the power of NetWare with the robust applications server known as UnixWare and will support massive complexes of clustered servers.

Simple, Scalable RAID.....115

Because the Raidion LTX is a scalable stack of drives that looks like a single SCSI device, it's a RAID solution for Unix and Mac systems, as well as the more commonly targeted NetWare servers.

The Great Little File System.....155

Rest assured that your critical data is safe with the Veritas File System on the job. Created to work with System V release 4.2 Unix, this well-rounded file-storage and management scheme is how a file system should work.

NETWORKS

It's Getting Easier to Integrate Multiple CDs.....30

Integrating a CD changer onto a network is not always straightforward. But thanks to some new hardware and software products for LAN administrators, the task is becoming more seamless.

Brooktrout Cuts the Cost of Internal Faxing.....32

The Brooktrout Networks Group has developed a way to convert a fax to digital traffic so it can be carried over a traditional network and then converted back to analog for delivery to a fax machine. FaxRouter's big advantage is in cost savings when you use private networks to bypass the public telephone network.

Novell's Campaign.....42

With a grand new strategy, dubbed pervasive computing, Novell reaffirms its mission: to scale networks from the department to the enterprise and beyond.

Simple, Scalable RAID.....115

The Raidion LTX is a scalable RAID array that can attach to any server that supports external SCSI devices. BYTE's NetWare tests measure system performance.

Software Roundup: Networks for the Enterprise.....119


Large multiclient, multiprotocol networks require a full-featured, robust NOS. NSTL evaluates OS/2 Lan Server, Windows NT, and two flavors of NetWare.

On-Line Service on the Cheap.....131

Wildcat 4 is a network-compatible, multiuser BBS program. If you put the BBS host computer on a LAN, you've got an instant groupware conferencing system.

Agents.....	103
Awards.....	24
BBS.....	131
Books.....	37
CD-ROM.....	30, 37
Communications.....	32, 42, 103, 131
CPUs.....	151
DCI.....	105
Databases.....	111
Digital signal processors.....	91
Fax.....	32, 103
File transfer.....	129
Fuzzy logic.....	76
Graphics adapters.....	136
Groupware.....	46, 131
Help-desk scheduling.....	76
Internet.....	54
Magic Cap.....	103
Messaging.....	46, 103, 131
Multimedia.....	24, 28, 105, 140
Networks.....	30, 32, 42, 76, 115, 119
Neural networks.....	88, 91
Notebooks.....	26
Operating systems.....	42, 119, 155
Optical storage.....	28
OS/2.....	119, 174
Pattern recognition.....	82, 85, 91, 97
PDA's.....	103
Portables.....	26
Printers.....	23
Programming.....	22, 30, 76, 131, 159
RISC.....	151
SQL.....	111
Storage.....	28, 30, 60, 115, 155
Supercomputers.....	65
Telescript.....	103
Unix.....	42, 115, 155
Video.....	105, 140
WANs.....	42

XXXXL STORAGE



Pinnacle Sierra 1.3GB™ Optical Hard Drive • 4500 RPM Rotational Speed • 19 msec Effective Access Time • 2.0MB/sec Data Throughput

It seems impossible to find a hard drive that's large enough to fit your storage needs today. That XL hard drive you just bought is now full.

Introducing a solution that's large enough to solve any storage problem... the Sierra 1.3 Gigabyte rewritable magneto-optical hard drive. It has the speed of a hard drive with an infinite capacity. So every time you fill up an optical disk, just add another one.

You can store online data, secondary data or even backup your files on your Sierra optical drive. It will never let you down. Optical is the most reliable storage device available. You can erase and write over four million times on optical media that has a shelf life of over 30 years. Save XL amounts of money over magnetic media which costs

about \$1.50 per megabyte, as compared to optical which costs only 15¢ per megabyte. Perfect for applications that demand XL amounts of data such as graphics, prepress, imaging, networking, digital audio and video, multimedia, and any other data intensive applications.

So the next time you're shopping for that XL hard drive... just keep the one you have and buy something that you will never outgrow... the Sierra 1.3GB™. To order or for a local reseller call:

800-553-7070

PINNACLE MICRO
THE OPTICAL STORAGE COMPANY

International Tel. 714-727-3300 U.S. Fax 714-727-1913

All Trademarks and Registered Trademarks of Their Respective Owners.

Circle 108 on Inquiry Card (RESELLERS: 109).



Hey,

Windows NT.

Prepare

to meet

your

server.



**THE NEW ALPHASERVER FAMILY.
THE ULTIMATE LAUNCHPAD
FOR WINDOWS NT 3.5.**

Microsoft® Windows NT,™ the
most powerful, easy-to-use

client server software, now has
the hardware it deserves:

Introducing the AlphaServer™
family, the most powerful, easy-
to-own client server hardware.

Each AlphaServer is powered
by Alpha, the world's fastest, most
advanced microprocessor,
designed to deliver incredible
performance for Windows NT.

Only an AlphaServer can
offer you on-line access to the
huge chunks of data required for

the latest applications. So when
you run Windows NT on an
AlphaServer, you can handle
more users, more applications
(over 1,700 committed), and more
work with less hardware.

You'll pay less, too, because the
AlphaServer family is priced so

low—and backed **ALPHA**
by a three-year **GENERATION**
warranty, which you won't find
anywhere else in the category.

If this sounds like a perfect match
for your organization, call your
authorized Digital reseller or
1-800-DIGITAL.



	AlphaServer 1000 4/200	AlphaServer 2000 4/200	AlphaServer 2100 4/275
PROCESSORS (SMP)	1	1-2	1-4
TPS	Up to 285	Up to 400	Up to 850
SPECINT92	135.8	131.8	200.1
MAX SPECRATE INT92	3,136	6,178	15,470
I/O SLOTS	2 PCI, 7 EISA, 1 both	3 PCI, 7 EISA	3 PCI, 8 EISA
MAX I/O BANDWIDTH	132MB/s	132MB/s	132MB/s
MAX MEMORY	512MB	640MB	2GB
MAX INT. STORAGE	14GB	16GB	32GB

digital™

Information Underload



We have the capability to process a lot more data than we're getting now—it's all a matter of presentation

Information overload is a myth. We don't get anywhere near the data it takes to overload our neurons. According to some estimates, our mind is capable of processing and analyzing many gigabits of data per second—a lot more data than any of today's supercomputers can process and act on in real time.

So why do we feel overloaded by the quantity of information we receive? Because we're getting it unfiltered. Anyone who has ever tried to follow more than a few Internet newsgroups is aware of the high signal-to-noise ratio in unmoderated groups. It's the same with TV, newspapers, and—dare I say it—magazines. You and I can process information in ways that AI researchers haven't dreamed about, but a lot of our bandwidth is consumed with the boring act of filtering out the junk.

A few things make information more digestible. As the new kid on the block here, I'm making an early pledge to ensure that BYTE continues to explore the most modern ways to present information. And as readers of this magazine, as the people who decide how to implement technology, I'm going to suggest that you continue to pay close attention to how your products present information. Because getting the data across the gap from screen to mind is what it's all about.

Most important, let's get the data into a form we understand; let's turn it into valuable information. Of the part of the human mind that processes incoming signals, 90 percent is devoted to input from our stereoscopic visual system. Presented correctly, we can understand data in multidimensional form extremely well.

Perhaps you're tired of poring over stock tables and can't find the patterns in a typical price/earnings chart. Some new programs take the sea of stock market data and shape it into a visual, moving, morphable picture that's much better suited to our analog pattern-matching machinery. That's the best way to leverage high-tech horsepower: Use it to turn data into shapes that make sense to us.

In the case of the interface to BYTE, expect to see more hard data expressed in new and compelling ways. Today I can't give you a time-lapse view of the workings of a complex technology like OCR in the pages of BYTE. But I wish I could, and I'll do everything I can to do the next best thing—even if I have to resort to flip-books in the corners of the magazine's pages.

I'm also a proponent of using all available technology to disseminate information. Luddites cry "so much for the face-to-face meeting" every time a new communications technology comes along. But a quick hop across the country in a crowded airliner quickly reminds you that people are still rushing to meetings around the globe.

Look at the communications channels in front of you. Some are based on new technology (e.g., E-mail, pagers, and voice mail), but some are relatively old (e.g., the telephone and postal mail). The one thing they share in common is that when they were introduced, just about all of them were decried as culture killers of the worst degree.

But the interesting thing is, almost all media are still being used, and we're better off for each of them. As each new method of transmitting information has come to be, we have come to understand which communications niche it fits best—even if it is a new niche. Every time we dash off a letter or pick up the phone, we make an information-routing decision based on the nature of the information we have to transmit, the feedback we want, and cost. Most of the time we make the right decision, and mostly we make it automatically—cellular phones for urgent conversations, E-mail for reasoned discussion, and pagers for immediate one-way short notes.

I say, give me more. Give me videoconferencing, give me wireless access to the Web, give me a (safe) implanted cellular phone. I'll still go out with friends on Friday nights, and I'll always know where the off switch is when I want privacy.

I love magazines—their portability, information density, and character—but we all know that the paper magazine isn't the best way to get every kind of information across. So stay tuned for initiatives that use the latest media to expand the bandwidth of the BYTE information flow. And write to me—paper, fax, or E-mail—and tell me what you'd like to see in BYTE. ■

A handwritten signature in black ink, reading "Raf Needleman".

RAPHAEL NEEDLEMAN, EDITOR IN CHIEF
(rafe@mcimail.com)
fax: (603) 924-2550


1995

Femme Naturelle



£

\$



Tektronix


Color is color, unless you have delicate skintones.

Introducing the Phaser™ 540 color laser printer, the first desktop laser to print with photographic quality. It uses our continuous tone technology to produce prints unequalled by any half-tone color laser—that is, by *any* other desktop color laser. Imagine how polished your business charts will be at 600 dpi! And how easily they will print at nearly 4 pages per minute in full color. Naturally the

Phaser 540 prints on your letterhead in elegant color or precision black. And features Adobe™ PostScript™ Level 2 and Pantone's certified color. It networks to support any computers you choose. And it's from Tektronix, a Fortune 500 leader, where quality in workgroup color lasers passes the skin test with flying colors.



Tektronix



Realtime technology...

Scale it **Down, Up, Out**

QNX's modular architecture lets you scale down the OS to fit on a tiny ROM-based platform. Or scale it up to drive a resource-rich workstation equipped with X and TCP/IP.

Or scale it out to build a vast network running hundreds of CPUs. You can even "hot-swap" OS modules (filesystems, device drivers, system processes) *on the fly at run time!*

You'll also like our distributed debugger, profiler, trace analysis tools, code-generating GUI builder – they're all engineered to save you time.

Let's Talk **Technology**

If your realtime apps call for a proven, high-performance OS, call us. And ask all the detailed technical questions you can think of. After all,

QNX is made by programmers for programmers.



Why do so many realtime developers like working with QNX?

POSIX Outside, Performance Inside

If you know the UNIX® OS, you know the API and utilities of QNX or any POSIX OS. But when it comes to performance, you can't judge a POSIX OS by its cover – they're all *supposed to* look alike. Check out QNX's numbers (e.g. 5 µsec per context switch on an 80486).

Tools for **Speed**

You'll like the tighter, faster code you get with the Watcom C/C++ optimizing compiler.



...for the bottom line

Why do so many corporations succeed with QNX?

One OS Fits All

From cash registers to instrumentation, PDAs to robotic controllers, QNX is the only realtime OS that can be scaled to fit the platform. So your programmers won't waste time learning a new OS for every project. And you won't have to make another OS buying decision. Naturally, a single modular OS will cut the cost of your runtime systems, because you pay for only the OS modules you use.

Tools for Productivity

Runtime performance is critical, but so is beating your competitors to market. With QNX's rich development environment, your programmers will have the tools they need to produce better software sooner.

POSIX for Open Systems

As a certified POSIX OS, QNX lets you port applications quickly and easily across platforms. And programmers who know UNIX or any POSIX OS will be productive with QNX immediately.

Let's Talk Business

Why is QNX the leader in realtime OS technology? Proven 14-year track record, satisfied Fortune 500 customers, no-nonsense licensing policy, Gold support plan...

The bottom line? QNX can give your realtime applications a real advantage.






The Leading Realtime OS for PCs

- **Leading in Experience** (Realtime OS for PCs since 1981)
- **Leading in Innovation** (Microkernel distributed OS for PCs since 1984)
- **Leading in Market Share** (QNX outsells every other realtime OS for PCs)

800-676-0566 (EXTENSION 1002)

Circle 240 on Inquiry Card.

QNX Software Systems Ltd., 175 Terence Matthews Crescent, Kanata, Ontario, Canada K2M 1W8 Tel: 613-591-0931 Fax: 613-591-3579 Internet: info@qnx.com
European Division: 17 Bishops Court, Church Road, Bishopstoke, Hampshire, SO50 6PE, England Tel: (+44) 0703 611800 Fax: (+44) 0703 641153
© QNX Software Systems Ltd. 1994. QNX is a registered trademark of QNX Software Systems Ltd. All other trademarks belong to their respective owners.



EDITOR IN CHIEF
Raphael Needleman

Editor in Chief's Assistant: Linda Higgins

EXECUTIVE EDITOR
Rich Friedman

CHIEF OF CORRESPONDENTS
Dennis Barker

MANAGING EDITOR
Lauren Stickler Thompson

ASSISTANT MANAGING EDITOR
Tom Kevan

NEWS
Peterborough:
News Editors: David L. Andrews,
Carol J. Swartz
International: Martha Hicks
New York:
News Editor: Salvatore Salamone
San Mateo/West Coast:
Bureau Chief: Andrew Reinhardt
Senior Editor: Tom Halfhill

PRODUCT REVIEWS
Director: Stanford Diehl
Senior Technical Editors: Rick Grehan,
Douglas Tamasanis
Technical Editors: Rex Baldazo,
Selinda Chiquoine, David Essex,
Dave Rowell
Reviews Assistant: Lisa O'Neill

STATE OF THE ART/FEATURES
Peterborough:
Senior Editor: Alan Joch
Technical Editor: Russell Kay
Lexington:
Senior Editor: Edmund X. DeJesus

SENIOR TECHNICAL EDITORS
At Large: Tom Thompson, Jon Udell

SENIOR RESEARCHER
Rowland Aertker

ASSOCIATE TECHNICAL EDITORS
Susan Colwell, Cathy Kingery,
Mark Reynolds, Warren Williamson

SENIOR CONTRIBUTING EDITOR
Jerry Pournelle

CONTRIBUTING EDITORS
Stephen Apiki, Dick Pountain

CONSULTING EDITORS
Nicholas Baran, Raymond GA Côté,
Howard Eglowstein, Trevor Marshall,
Stan Miaszkowski, Barry Nance,
Roberta Pournelle, Ellen Ullman,
Peter Wayner

EDITORIAL ASSISTANTS
Tammy Grenier, June Sheldon

DESIGN
Design Director: Roger Goode
Associate Director: Joseph A. Gallagher
Production Manager: David R. Anderson
Editorial Graphics Manager:
Virginia Reardon
Designers: Barbara Busenbark, Jan Muller,
Sharon Price, Donna Sweeney

FINANCE AND OPERATIONS
Director: Claudia Flowers

ADVERTISING PRODUCTION
Advertising Production Manager:
Linda Fluhr
Senior Advertising Services
Representative: Lyda Clark
Advertising Services Representatives:
Dale J. Christensen, Karen Cilley,
Rod Holden
Operations Assistant: Lisa Jo Steiner
Advertising Graphics Manager:
Susan Kingsbury
Graphics Production Coordinator:
Christa Patterson

FINANCE
Senior Financial Analyst: Kathleen Deigue
Financial Analyst: Kenneth A. King
Systems Administrator: Peggy Dunham
Data Processing Coordinator: Diane Henry
Production Assistant/Purchaser:
Agnes Perry

MARKETING AND PLANNING
Director: L. Bradley Browne
Administrative Assistant: Arja Neukam
Marketing Communications Manager:
Rob Mitchell
Marketing Art Director:
Stephanie Wamesky
Market Research Manager: William Zhao
Copyrights Manager: Faith Kluntz
Reader Service: Cynthia Sands
Assistant Manager, Marketing Events:
Carol Sanchioni

CIRCULATION
Director: Glyn Standen
Subscriptions Manager: Paul Ruess
Assistant Manager: Lynn Lagasse
Subscriptions Assistant: Christine Tourgee
Newsstand Manager: Vicki Weston
Assistant Manager: Karen Desroches
Back Issues: Jill Wood
Direct Accounts Coordinator: Ellen Dunbar

PUBLISHER
David B. Egan

Publisher's Assistant: Donna Nordlund

V.P. OF SALES
ADVERTISING DIRECTOR
William M. Dwyer (415) 513-6864

ADVERTISING SALES
NEW ENGLAND
Sanford L. Fibish (617) 860-6344
Patricia Payne (603) 924-2654

EAST COAST
Kim Norris (212) 512-2645
Jonathan Sawyer (603) 924-2665

SOUTHEAST
Mary Ann Goulding (404) 843-4782
Brian Higgins (603) 924-2651

MIDWEST
Lori Silverstein (614) 899-4908
Ed Ware (603) 924-2664

SOUTHWEST, ROCKY MOUNTAIN
Jennifer Walker (214) 701-8496
Kevin Lary (603) 924-2527

SOUTH PACIFIC
Beth Dudas (714) 753-8140
Mark Seros (714) 753-8140
Brad Dixon (603) 924-2574

NORTH PACIFIC
Roy J. Kops (415) 513-6861
Susan Werner (415) 513-6862
James Bail (603) 924-2662

INSIDE ADVERTISING SALES
Director of Sales Operations:
Diane Lieberman
Assistants: Susan Monkton, Vivian Bernier

THE BUYER'S MART (1 x 2)
Margot Swanson (603) 924-2656

HARDWARE/SOFTWARE SHOWCASE
Ellen Perham (603) 924-2598
Mark Stone (603) 924-2695

REGIONAL
Ed Ware (603) 924-2664

BYTE DECK
Susan Rastellini (603) 924-2596

EURO-DECK
Joseph Mabe (603) 924-2533

INTERNATIONAL ADVERTISING SALES STAFF
See listing on page 233.

PERSONNEL
Human Resources Administrator:
Patricia Burke
Assistant: Fran Wozniak
Receptionist: Beverly Goss

How to Contact the Editors

We welcome your questions, comments, complaints, kudos, and submissions.

MAIN OFFICE: One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.

San Mateo: 1900 O'Farrell St. #200, San Mateo, CA 94403, (415) 513-6912.

New York: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3175.

Lexington: 24 Hartwell Ave., Lexington, MA 02173, (617) 863-5100.

U.K./EUROPE: 34 Dover St., London W1X 4BR, England, +44 71 495 6780.

ELECTRONIC MAIL: On BIX, send to "editors." All BYTE editors and columnists also have individual mailboxes on BIX for easy access.

MCI: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own name.

OTHERS: Many editors also are reachable through unet, AppleLink, CompuServe, and numerous other services.

U.S. fax: Editorial: (603) 924-2550

Advertising: (603) 924-7507

U.K. fax: +44 71 495 6734

SUBMISSIONS:

Authors: We welcome article proposals and submissions. Unacceptable manuscripts will be returned if accompanied by sufficient return postage. Not responsible for lost manuscripts or photos.

Vendors: We welcome news of your new products; please call the News department or the BYTE Lab at the earliest possible date. We cannot be responsible for unsolicited product samples.

ARTICLE REPRINTS:

For price quotations on customized reprints of BYTE articles, contact Susan Monkton, reprints manager, at (603) 924-2618. (Minimum quantity: 500.)

Subscription Customer Service

Inside U.S. (800) 232-BYTE; outside U.S. +1 609 426 7676. International subscribers may also contact our international customer service facility in Galway, Ireland, by calling +1 353 91 752792 or via fax: +1 353 91 752 793. **For a new subscription, (800) 257-9402** U.S. only, or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520. Subscriptions are \$29.95 for one year, \$54.95 for two years, and \$74.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$34.95 for one year, \$64.95 for two years, \$87.95 for three years. In Europe, £42 (US\$60) for fast surface delivery, £55 (US\$80) for air delivery. Non-European countries US\$60 for surface mail, or US\$85 for air mail. Single copy price is \$3.50 in the U.S. and its possessions, \$4.50 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION:

Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to Faith Kluntz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PF, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EU, U.K.

Copyright © 1995 by McGraw-Hill, Inc. All rights reserved. BYTE and BIX are registered trademarks of McGraw-Hill, Inc. Trademark registered in the United States Patent and Trademark Office.

 Member Audit Bureau of Circulation

BIX Interactive On-line Service

MANAGING EDITOR
Christine Taylor

EXCHANGE EDITORS
Amiga Exchange: Joanne Dow
Entertainment and Leisure Exchange:
Rich Taylor
IBM Exchange: Barry Nance
Programmers Exchange: Bill Nicholls
Professionals Exchange: David Reed
Tojerry Exchange: Jerry Pournelle
WIX Exchange: Karen Kenworthy
Writers Exchange: Wayne Rash Jr.

TECHNICAL ASSOCIATE
Mark Lavi

BIX, owned and operated by Delphi Internet Services Corporation, is a worldwide, low-cost, on-line information service featuring industry news, downloadable software, powerful electronic mail, previews of upcoming BYTE articles, the full text of published issues of BYTE, and source and/or executable code for BYTE benchmarks and noncommercial software mentioned in feature articles. BIX also offers unmatched "conferences" on virtually every computer-related topic imaginable, where you can share information with thousands of other computer pros. To subscribe via modem, set your communications software to full duplex, 7 bits, even parity, 1 stop bit, and then call (800) 695-4882 or (617) 491-5410, or telnet to x25.bix.com and type "bix" at the USERNAME prompt. At the Name? prompt, type bix.ville. For more information, call (800) 695-4775 or (617) 354-4137 (voice); send a fax to (617) 491-6642; or send Internet mail to info@bix.com.

MEMBER SERVICES MANAGER
Kevin Plankey

OFFICERS OF MCGRAW-HILL, INC.:

Chairman and Chief Executive Officer: Joseph L. Dionne; *President and Chief Operating Officer:* Harold W. McGraw III; *Executive Vice President, General Counsel, and Secretary:* Robert N. Landes; *Executive Vice President and Chief Financial Officer:* Robert J. Bahash; *Senior Vice President, Treasury Operations:* Frank D. Penglase; *Executive Vice President, Publication Services:* Norbert Schumacher.

Founder: James H. McGraw (1860-1948).


"Actually, we were quite lost without Axis print servers"



Printers in mixed environments are often a problem to both users and network managers. But it does not have to be like that.

Axis print servers, AXIS NPS 550 Risc and AXIS NPS 530/532, connect printers directly to your network, enabling all Ethernet benefits: the printer can be connected anywhere in the network, providing all users with access to high speed printing. Supervision and control over the printer is performed centrally.

In short: Network printing made easier.



**Call now or fax this coupon for a free evaluation unit,
tel +46 46 14 05 00, fax +46 46 14 05 10**

☐ Call me, to arrange a
14 day "free trial".

☐ Ethernet environment.
☐ Token Ring environment.

☐ Send me a copy of
Axis Guide to Open
Network Printing.

Name _____

Position _____

Company Name _____

Address _____

Post Code _____

Tel _____

Fax _____

AXIS®
COMMUNICATIONS
Lund-Boston-Tokyo-Hong Kong

Axis Communications AB
Scheelevägen 16
S-223 70 Lund
Sweden

Call from: France (16) 8532 6550, Germany 06404-91050, UK 01483-797 787.

Circle 520 on Inquiry Card.

BULLET PROOF

Introducing the latest additions to 1

We've just introduced a host of new ways to benefit from APC's award-winning reliability. With solutions from surge protectors through midrange UPS systems to protect anything from a basic PC to the most advanced superserver, APC is your one-stop shop for reliable power protection. Call today for a more information on our new, enhanced product line of "bulletproof" protection!

Use APC's new UPSs with our other award-winning products and accessories...



SurgeArrest® AC surge suppressors...



New ProtectNet™ data line surge suppressors...



Accessories including Measure-UPS™, Call-UPS™ II and Share-UPS™...



PowerManager™ power control centers...

KEY:

Performance, price increase left to right

APC Exclusive:



Back-UPS®

BEST VALUE POWER PROTECTION FOR PC WORKSTATIONS

Use with Compaq Presario, IBM ValuePoint and equivalent 386 and 486 PC workstations

SIMPLE SIGNALING


- Unmatched surge and lightning protection for maximum hardware safety
- Site diagnostics automatically spot missing ground and reversed polarity
- LAN signaling allows simple shutdown with interface kits (400 and above)
- ▶ User replaceable, hot-swappable batteries insure uptime safe disposal
- \$25,000 lifetime Equipment Protection
- Available in 200, 280, 400, 600, 900, 1250 Volt-Amps. Starting at \$119 list.

Software capability rating (1 good-3 best)

Simple signaling provides safe shutdown in the event of an extended power loss. APC offers the industry's widest selection of kits, including PowerChute.



Serial signaling allows UPS queries, and data logging



Back-UPS® Pro™

PERFORMANCE PROTECTION FOR ADVANCED UNIX WORKSTATIONS

Use with SUN, HP, Silicon Graphics, IBM RISC 6000, and UNIX workstations

SIMPLE SIGNALING

All the protection of Back-UPS, plus:

- Automatic voltage regulation provides enhanced protection against long duration brownouts and overvoltages
- Built-in network card/modem surge protection for maximum system integrity
- ▶ Intelligent Battery Management extends battery life and increases runtime
- Line-interactive design for better performance and reliability
- Available in 280, 420, 650 Volt-Amps. Starting at \$199 list.

and analysis. PowerChute v/s offers serial signaling.

Enhanced serial signaling and SNMP management allow full wide-area control, such as PowerChute PLUS and PowerNet.



© 1994, American Power Conversion. All rights reserved. All trademarks are the property of their respective owners.



PROTECTION

world's best-selling UPS protection



NEW!

Smart-UPS® v/s™

BEST VALUE SERVER PROTECTION FOR SMALL BUSINESS NETWORKS

Use with PS/2, Dell, ProLine and equivalent small business or department servers

SERIAL SIGNALING

All the protection of Back-UPS Pro, plus:

- Serial communication for enhanced network shutdown and control. Allows power quality event log, scheduling and UPS self-test.

▶ Ships with PowerChute v/s software for maximum reliability and convenience

- Available in 420, 650 Volt-Amps. Starting at \$349 list.



NEW!

Smart-UPS®

PERFORMANCE POWER MANAGEMENT FOR ADV'NC'D BUSINESS NETWORKS

Use with Proliant, IBM PC 55, Alpha and equivalent servers and internet devices



ENHANCED SERIAL SIGNALING & SNMP MANAGEABLE

All the protection of Smart-UPS v/s, plus:

- Software configurable features
- ▶ SmartSlots for SNMP manageability means wide-area reliability and uptime
- Full sine wave output
- Supports APC monitoring accessories, such as Share-UPS, Measure-UPS, Call-UPS and more.
- Rackmount and extended run models
- Available in 250, 400, 700, 900, 1400, 2000, 3000 Volt-Amps. Starting at \$299.



Matrix-UPS™

ADVANCED MODULAR PROTECTION FOR DATACENTERS

Use with AS/400, HP9000, VAX, NetFrame and equivalent minis-servers

All the protection of Smart-UPS, plus:

- ▶ Modular hot-swappable design for 100% uptime
- Add runtime quickly and easily with microprocessor-controlled SmartCells
- 60% lower lifecycle costs than comparable brands.
- Available in 3000 and 5000 Volt-Amps. Starting at \$3499 list.

Solutions to suit any application

APPLICATION	VALUE	PERFORMANCE	HI-PERFORMANCE
WORKSTATIONS	BACK-UPS	BACK-UPS PRO	SMART-UPS
SERVERS	SMART-UPS v/s	SMART-UPS	MATRIX-UPS
DATACENTERS	--	SMART-UPS	MATRIX-UPS



APC™
 AMERICAN POWER CONVERSION
 Dept. A2
800-800-4APC

Circle 62 on Inquiry Card.

On the Fence

I read your fascinating cover story "Apple's High-Tech Gamble" (December 1994). You'll hate this one: I bought the magazine and read the article because I am a long-time Amiga guy whose wife is forcing him to give up the ghost and get a multimedia set-up for the kids. I'm trying to figure out what to buy—a Mac or a PC? Although I loved your piece, I'm as confused as ever and can't get off the fence.

J. Romaner

73241.204@compuserve.com

The standard argument is there's more software available for PCs than for Macs, and that includes multimedia software as well. However, as an Amiga user, you'd probably be happier with a Mac. I am biased, though: I formerly owned an Amiga and now own a Mac.—Tom Halfhill

Real Programmers and Sine Waves

Thanks for reminding your readers that there are still some "real" programmers in the world. Although the intent of "Programming in Tight Spaces" (December 1994) was not to present Chip Gracey's sine-wave generator for its own sake, it would have been nice if you had published it without errors. After all, it's only six instructions. The first two lines of the loop should have read:

```
loop mov w,-velo
      snb sine.7
```

Also, the listing caption on page 217 should have mentioned that the program's six steps actually consume seven instruction cycles. At 20 MHz, those seven cycles will take 1.4 microseconds, not the 1 microsecond quoted.

Finally, Rick Grehan should have noticed that the program doesn't actually produce a sine wave at all. Its output is a series of parabolas, generated by the well-known "double-the-difference" algorithm.

Andy Warren
FastForward Engineering
Vista, CA

Thanks for the catches in the program listings. I feel particularly guilty about the sine-wave generating program itself. Chip Gracey presented it to me as an ap-

proximating function, suitable only for low-overhead waveform production in those cases where space is more important than accuracy. Obviously, I failed in passing on that intention in the article—mea culpa.—Rick Grehan



The Pickiest Readers

Just to prove that BYTE readers can really sweat the details, in Dean Abramson's "Globalization of Windows" (November 1994), his explanation of the grouping of characters into scripts in Unicode

contains a flaw. Abramson writes, "...a B in Russian...shares the same glyph as the Latin B but belongs to the Cyrillic script." But the Cyrillic letter for V, not B, is shaped like a Latin B. Abramson could have selected the letters A, E, K, M, O, or T to make his point.

Doug Ewell
Placentia, CA

74273.1010@compuserve.com

Ouch! I studied Russian for two years and really do know the difference between the glyphs for the letters B and V. Too bad I didn't remember them when I was editing the article!—Russell Kay

You Didn't Gush Enough

In the article "Starting with a Clean Sheet" (November 1994), Dick Pountain is not doing justice to modern APL when he says, "it is tempting to describe CleanSheet as a visual APL for the 1990s." That's like saying, "Counting is likely to be a good mathematics for the twenty-first century." Because of its nature, APL is not only one of the oldest computing languages but also one of the most promising of the next century. Ignoring APL is like sticking by writing the word *plus* rather than the symbol $+$. APL is the only language that can describe a problem and then execute it on a computer in the same code—and because that code is interpreted, at the speed of thought. "APL as a Tool of Thought" is not just a phrase.

Jan Karman
Almer, The Netherlands

Leading the Witness?

After I finished reading the article "Exploring Chicago and Daytona" (November 1994), I wondered about BYTE's motives to create such useless drivel. Maybe, 1) you forgot about integrity and jumped on the Microsoft bandwagon; or 2) BYTE editors had too much time on their hands; or 3) space aliens invaded BYTE.

If you ask, "Do you agree...," then you should allow the reader to respond, "No." You have assumed that Chicago and Daytona are the greatest operating systems and have completely ignored the possibility that some people may not want to upgrade to another Microsoft operating system.

Grant Likely
Calgary, Alberta

A Compelling Compiler Request

As a professional programmer, I am delighted at the turn toward more in-depth and technical reports on trends, alliances, hardware, software, and standards. However, I was disappointed that you only allotted one page to the differences between Microsoft Visual C++ 2.0 and Borland C++ 4.5 (News & Views, November 1994), especially since it affects so many programmers. I'm looking forward to a feature soon on the lowdown between all the compilers.

Ted Gaunt
Dearborn, MI
tgaunt@pms701.pms.ford.com



The Problem's in the Premise

Ben Smith's review of *The Unix Hater's Handbook* (Books & CD-ROM, December 1994) is really off-base. I picked up the book for the company library, and it has passed from hand to hand ever since. I've heard nothing but favorable comments from Unix and VMS programmers alike. Not only is the book humorous, it's also rather accurate technically. It may not be a literary work of

We want to hear from you. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458; or you can send E-mail via the Internet or BIX to editors@bix.com. Letters may be edited.

Exabyte's new 8mm XL tape drive is the perfect union of capacity and reliability.

- ▶ 14 GB capacity compressed
- ▶ 1 MB/second transfer rate compressed
- ▶ 160,000 hours MTBF
- ▶ Extended-length media
- ▶ Half-high form factor
- ▶ Backward compatible

EXABYTE IS
EVERYWHERE

8mm

4mm

Quarter-Inch

Libraries

Media

Accommodating the new eXtended Length data-grade 8mm media, the EXB-8505XL 8mm tape drive can store 14 gigabytes of compressed data per cartridge. That's nearly two times the capacity of DDS-2 drives. Using the EXATAPE™ 160XL data cartridge with its Recognition System assures users of the highest data reliability and integrity. And this new high-capacity tape drive can read the tapes written on any of the 750,000 8mm tape drives in use today. Seamless integration with latest-generation 8mm libraries protects your 8mm investment.

EXABYTE® 

For more information call the Exabyte office nearest you: The Netherlands (31) 3405-51347, Germany (49) 69-45-925-220, France (33) 1-69-41-16-17, United Kingdom (44) 492-874855, Asia (65) 271-6331.

©1994 Exabyte Corporation. Exabyte is a registered trademark and "Exabyte is Everywhere" and EXATAPE are trademarks of Exabyte Corporation. Exabyte Corporation, 1685 30th Street Boulder, Colorado 80301 USA Phone (303) 442-4333 Fax (303) 447-7501.

Circle 78 on Inquiry Card (RESELLERS: 79).

art, but it is fun reading and doesn't deserve to be trashed. Read the book. Then fire the reviewer.

Mike Parker
CEO of Rincon Research
Tucson, AZ

Why Systems Fail

In Scott Wallace's article "Experts in the Field" (October 1994), he states, "Given that TestBench [a model-based expert system] focuses on failures and their causes, model-based reasoning tends to have limited applicability for most prospective users." This could not be further from the truth.

Model-based systems are much more applicable in the field of maintenance, because it is much easier to design a test to determine how a system is functioning correctly than to design one for how it might fail. A correctly designed model-based system can detect problems that have never occurred, where a rule-based system cannot; the rule to take you down that branch of the diagnostic tree would not yet exist.

Leonard J. Sparks
Silverthorne, CO

RISC Registers

I read "AMD vs. Superman" (November 1994) and was wondering how the registers are selected for the r-ops (RISC operations). Are they predefined? If so, how do they interact with the compiler-generated ones? Wouldn't you need to introduce some additional registers to hold the temporary results?

Nader Bagherzadeh
nader@ece.uci.edu

AMD's K5 has twice as many physical GPRs (general-purpose registers) as a conventional x86 processor, and it dynamically renames those 16 GPRs to represent the architectural set of eight logical GPRs. Temporary/intermediate results are held in a physical register until validated, and then the physical register is renamed as a logical register. This is becoming a common technique in modern processors. It's also used in the Cyrix M1 and the Mips T5 (R10000). Basically, it's just a way of getting around the limited register files of existing CPU architectures.

—Tom Halfhill

Plug and Play and Warp

The article "PCMCIA: Past, Present, and Promise" (November 1994) contains a glaring error. OS/2 2.1 does indeed support PCMCIA on third-party platforms (e.g., Toshiba laptops). IBM's OS/2 Warp includes PCMCIA Plug and Play already. Unfortunately, that fact destroys the author's thesis: that Windows 95 is the first Plug and Play OS.

Mike Potter
Atlanta, GA
mpotter@lanierwsm.atl.ga.us

BYTE Could Be an Addiction!

Thanks for a great magazine. I have been an avid reader since 1987 or thereabouts. Reading BYTE has enabled me to earn my Electrical Engineering degree and stay ahead of the pack. A number of times I've considered giving up my subscription only to have someone at work ask me a question that just happened to be covered in BYTE the month before. If you keep this up, I'll never be able to cancel my subscription.

Alan Ibbett
Rosemedow, N.S.W., Australia

Byte: The Word

I would like to get the following on record: The word *byte* was coined around 1956 to 1957 at MIT Lincoln Laboratories within a project called SAGE (the North American Air Defense System), which was jointly developed by Rand, Lincoln Labs, and IBM. In that era, computer memory structure was already defined in terms of word

size. A word consisted of x number of bits; a bit represented a binary notational position in a word. Operations typically operated on all the bits in the full word.

We coined the word *byte* to refer to a logical set of bits less than a full word size. At that time, it was not defined specifically as x bits but typically referred to as a set of 4 bits, as that was the size of most of our coded data items. Shortly afterward, I went on to other responsibilities that removed me from SAGE. After having spent many years in Asia, I returned to the U.S. and was bemused to find out that the word *byte* was being used in the new microcomputer technology to refer to the basic addressable memory unit.

Louis G. Dooley
Ocala, FL

Fixes

Headquarters Software (What's New, December 1994, page 242) has changed its name to Zantel and is located in Pleasant Hill, California.

In the "Don't Write Off the Internet" text box (October 1994, page 52), Enterprise Integration Technologies, or EIT (Menlo Park, CA), was incorrectly referred to as Electronic Information Technologies.

In "These Maps Lead to the Desktop" (December 1994, page 38), ArcView 2.0, mentioned in the map caption, is developed and marketed by ESRI (Environmental Systems Research Institute). First St., a separate product developed on top of ArcView, is marketed solely by Wessex. ■

COMING UP IN MARCH

• 27 TAPE DRIVES

The BYTE/NSTL lab tests several technologies of tape drives, ranging from 4- to 20-GB native capacity, for speed, interchangeability, reliability, and usability.

• HSM SOFTWARE

Finding the right Hierarchical Storage Management system for your company is akin to finding the Holy Grail. Using NetWare and a mix of operating systems, we'll discover the best and the worst of each.

• AGENTS AWAY

Our State of the Art section reports on the latest research on agent technology.

• THE POST OFFICE GOES HIGH-TECH

Client/server and object-oriented technology are helping to modernize the U.S. Post Office.

• BYTE'S NEW CROSS-PLATFORM BENCHMARKS

Our new low-level native-mode benchmarks are ready to roll. With a quick compile, these tests enable comprehensive comparisons of CPU and FPU performance across operating systems and processors.

**Never mind the box.
The goodies are inside.**

Also
available
for Windows NT

When you buy a box of sweets, you couldn't care less about the box. It's the goodies you're after.

In the same way, the hardware in a UPS system is a necessity to make the system work in the first place.

But what turns this power backup into a true network power protection solution is intelligent software. Such as Fiskars' LanSafe III for Novell NetWare, Novell NMS, OS/2, UNIX and Windows NT environments. LanSafe III for Novell NMS is fully SNMP compatible.



Real-time graphical management console for complete UPS control on the LAN. Any UPS in the network is just a click away.

Network shutdown

LanSafe III is the core of Fiskars' new network power protection solution. In the case of a power outage, it provides sequenced shutdown for the whole network.

Step 1: LanSafe III tells the workstations to send all data from their RAM caches to the server. Then it shuts the workstations down. It even saves all unsaved data in a Windows workstation and shuts it down in an orderly fashion - something no other software can do!

Step 2: Bridges and other communications devices stay on long enough for the data to pass through. Then they are shut down.

Step 3: The servers are supplied with power long enough so that all data is written on hard disk before the server is powered down.

This new level of security is made possible by LanSafe III and a wide range of PowerRite Plus and PowerServer UPSs, covering all your power needs from 250 VA to 6 kVA.

When other UPS vendors offer "easy battery replacement", Fiskars UPSs feature Advanced Battery Management (ABM™) technology which more than doubles battery life, typically outlasting the protected equipment!* And unlike competitive brands, Fiskars UPSs never crash the network even if a battery test fails.

Fiskars Corporation's UPS Group comprises two divisions: Deltec in the United States and Fiskars Power Systems in Europe. The Group has production facilities in the US, Finland and Mexico.

The quickest way to really protect your network is to contact a Fiskars authorised reseller right away. Phone us for the address of your nearest stockist.



* In a traditional UPS the battery typically needs replacing every 2 to 4 years, while in a Fiskars UPS with ABM the batteries live up to 8 — 10 years.

FISKARS

POWER SYSTEMS

Fiskars Power Systems, P.O. Box 54, FIN-02921 Espoo, Finland
Phone +358 0 452661, fax +358 0 45266396

Circle 531 on Inquiry Card.

News & Views

VISUAL PROGRAMMING

Visual Pascal with a Punch

Borland's Delphi program addresses client/server and general-purpose applications development needs

TOM R. HALFHILL

Programmers have been waiting since 1991 for Borland International (Scotts Valley, CA, (800) 891-2223) to offer an alternative to Microsoft's Visual Basic, the leading tool for rapid applications development on Windows. The wait is nearly over. Delphi, scheduled for release early this year, unites a VB-like visual design environment with the industrial strength of Borland's Pascal compiler and database-connectivity engines. Judging from an early beta version, Delphi is a well-integrated tool that will bring new versatility and performance to Windows development.


It's not that Windows developers are starved for tools. On the contrary, they're well served by such products as VB, Visual C++, PowerBuilder, SQL Windows, Clarion for Windows, Smalltalk, Borland's own C++ and Pascal compilers, Computer Associates' CA-Realizer, and many others. What's different is that Delphi bridges two important gaps. One is the conceptual gap between visual tools primarily intended for client/server applications versus full-blown programming languages more suitable for

general-purpose applications development. The other is the performance gap between interpretive or p-code languages versus true native compilers.

For desktop developers, Delphi has native connections for dBase and Paradox, as well as support for ODBC (Open Database Connectivity). Borland will bundle Delphi with Database Desktop, a tool for manipulating dBase and Paradox tables, and ReportSmith, a report generator. Borland says this version of Delphi will be priced competitively with the professional edition of VB, which sells for about \$330 retail.

A high-end client/server version of Delphi will add ReportSmith SQL; Local InterBase Server, which is a utility for developing networked InterBase applications on single-user systems; SQL-Links, native drivers that let you connect to Sybase, InterBase, Informix, and Oracle; support for ODBC; and Visual Query Builder, from Coromandel Industries (Forest Hills, NY). Borland says this version of Delphi will be priced "very competitively" with PowerSoft's PowerBuilder Enterprise, which sells for about \$3295.

But Delphi is much more than a client/server tool. It's also a full-featured OOP (object-oriented programming)



Delphi's visual design environment is highly interactive. It lets you build native compiled programs with little effort. Key parts are the object inspector (left), component toolbar (top), and form designer (right).

language capable of tackling almost any task, from casual freeware to commercial software. The underlying language is Object Pascal, a descendant of Turbo Pascal, which revolutionized DOS development in the 1980s and launched Borland. The compiler generates fast-running stand-alone executable files, as well as DLLs that are callable from C++, VB, dBase, Paradox, and other tools.

Delphi's front end is a visual interface that closely resembles VB. You create a user interface by drawing buttons, listboxes, text windows, menus, and other controls on a form. An object inspector lets you set the controls' properties and define the events they'll respond to. When you define an event, Delphi automatically creates a hollow procedure in a separate code window, ready for you to plug in your code.

Unlike the interface builders tacked onto some compilers, Delphi lets you move seamlessly back and forth between the design environment and code windows. As you make changes to your forms, Delphi automatically generates, modifies, or removes the appropriate code, and it does so without

disturbing the code you've written manually.

While Delphi imposes an object-oriented structure on your program, it doesn't prevent you from reusing procedural legacy code. For example, I pasted large chunks of a DOS program that was written in Turbo Pascal into Delphi's code window. Within a remarkably short time, I had a


spanking new Windows version of my program up and running.

You can also use VBXes (Visual Basic custom controls) and create your own reusable components. The components, however, are Delphi-specific. You can create VBXes with Delphi, but not until Microsoft releases Windows 95 will a subsequent version of Delphi


allow you to build OCXes (OLE custom controls). A 32-bit version of Delphi will ship shortly after the release of Windows 95.

Is Delphi the long-rumored "VB killer"? Probably not. However, it is a powerful tool that no longer requires you to sacrifice performance or versatility in return for rapid development.

Comdex Attendees Say Windows 95 Will Dominate



Pentium and PowerPC Battle for Market Share



BYTE polled attendees at Fall Comdex to see which operating system and processor family will be dominant over the next five years. In operating systems, Windows 95 took the highest number of votes with 1497, almost twice the votes that OS/2 received. Attendees overall were not as definitive when answering which desktop processor will be dominant. The Pentium and PowerPC were close in the vote.

PRINTERS

Lexmark Delivers Outstanding Resolution

How much resolution do you really need from your printer? That is the question that Lexmark ((800) 358-5835) is asking—and hoping to answer—with its Optra line of laser printers, which leapfrogs the Hewlett-Packard LaserJet standard by providing selectable resolutions of 300, 600, and 1200 dots per inch.

The Optra R, Lexmark's entry-level model, is an impressive product. For a list price of \$1749 (or about the same price as an HP 600-dpi printer), you get a 12-page-per-minute print engine (8 ppm at 1200 dpi), PostScript Level 2 and PCL (Printer Control Language) 5, up to 129 shades of gray, au-

tomatic emulation and interface switching, 2 MB of RAM, and an easy setup. Options include a long-life (14,000-page) toner and duplexing. Print quality was outstanding.

But what does the average user gain from 1200-dpi printing? While it does produce four times the dots in a square inch (1200 by 1200 versus 600 by 600), the difference in text quality is probably not apparent to most observers. However, for reproducing photographic and other gray-scale images, the extra resolution makes a significant and clearly discernible difference. "For text only, 1200 dpi doesn't make a big difference, except with

small [e.g., 5 point] text," says Charlie LeCompte, analyst for Lyra Research (Newton, MA), which tracks the printer industry. "But you don't have to be a visual scientist to see the difference in photographs. If printing out gray-scale images, you'll be able to see the difference pretty easily."

However, don't expect to see lots of other printer manufacturers jumping on the 1200-dpi bandwagon anytime soon. Cost is an issue, and 1200-dpi technology is too expensive for the burgeoning home-office and personal laser-printer market. Another drawback: Canon, the world's leading engine manufacturer, has no immedi-

ate plans for a 1200-dpi engine in the near term. "It isn't easy to build a true 1200-dpi by 1200-dpi engine," says Marco Boer, a printer analyst with International Data Corp. (Framingham, MA). He adds: "Memory overhead is costly, and even Lexmark recommends at least 8 MB of memory for 1200 printing, which would drive up the price."

What Boer and other analysts do expect to see is improved gray-scale printing from the competition. "For desktop publishing, the Lexmark is probably your best buy," Boer says. And for now, Lexmark has the market to itself.

—Jon Pepper

BEST OF COMDEX

Notebooks, NT Clusters Capture Awards

The 1994 Fall Comdex in Las Vegas featured scads of sleek new notebooks, numerous Internet-navigation programs, and the commercial debut of the 32-bit Windows NT Workstation 3.5 and OS/2 Warp operating systems. BYTE editors searched the convention halls for innovative new products that had been publicly announced within 30 days of the show and that would strongly influence business computing.

IBM's ThinkPad 755CD notebook PC ((800) 426-2968), winner of Best Portable System and Best of Show, features a 10.4-inch active-matrix screen (65,536 colors at 640-by-480-pixel resolution); speakers; a double-speed multisession Photo CD CD-ROM drive; video acceleration that supports full-screen, full-motion video; video capture and output; infrared ports; and much more. An IBM MWave DSP (digital signal processor) delivers CD-quality

sound and Sound Blaster support. The ThinkPad also has a 14.4-Kbps data/fax modem and a digital answering machine. The notebook, which is based on an Intel DX4 100/33 processor, weighs about 7 pounds and starts at \$7599.

DEC's Clusters for Windows NT ((800) 344-4825), a scalable set of servers that are addressed and managed as a single system, won as Most Significant Technology. Windows NT Server systems, which can be based on Intel 486, Pentium, and Alpha AXP PCs, offer redundancy of CPUs, storage, and communications hardware to minimize disruptions of the network due to server downtime. Backup systems in a cluster can be active, performing normal server functions.

DEC also won for Best System. Its Multia MultiClient Desktop ((800) 777-4343) Alpha-based system combines Windows NT Workstation 3.5, an X11.R6 server,

and support for IPX/SPX, TCP/IP, DECnet, LAN Manager, NetBEUI, NetBIOS, and Pathworks. In another hardware category, Citizen America ((800) 477-4683) took the Best Printer award for its PN 60, a 2-page-per-minute, 360-dot-per-inch unit that weighs about a pound and costs \$399.

Caere's PageKeeper 2.0 ((800) 535-7226), a program that automatically indexes your PC files and lets you retrieve the information you need, won as Best Application Software. Borland won the Best Development/System Software award for Delphi 95 (see page 22).

Avid Technology's ((508) 640-6789) Media Suite Pro for Windows, a 32-bit professional, nonlinear video-editing program, won as Best Multimedia Software. Video NT, a real-time MPEG compression card that sells for just \$600 from France-based Vitec Multimedia (+33 1 47730606), won as Best Multimedia Hardware. The card supports a maximum of 15-frame-per-second, full-screen, real-time encoding.

ConnectSoft ((800) 234-9497) took honors for the Best Connectivity Software with its Internet Connection, which supports Internet E-mail, a WWW (World Wide Web) browser, a graphical ftp interface, and a gopher application. Xircom's ((800) 438-4526) CreditCard Ethernet+Modem II, which combines Ethernet, a 19.2-Kbps data/14.4-Kbps send/receive fax modem, and cellular modem connectivity on one PCMCIA card, took the Best Connectivity Hardware award.

The Best Peripheral award went to Panasonic's CD-ROM/Optical Disk System (see the related story in this section). The award for Fall Comdex 1994 Rookie went to BookLink Technologies ((800) 453-7873), developer of the Windows-based InternetWorks viewer/browser for the Internet. InternetWorks' multithreading, support for OLE 2, and customizability make it a worthy contender in the Internet surfing arena.



Best of Comdex Finalists

Portable System: Tadpole's ((800) 232-6656) 100-MHz Pentium-based P1000 notebook; Hewlett-Packard's backlit, 3.8-pound, 486-based OmniBook 600 ((800) 443-1254).

Technology: A 4-Mbps infrared-technology proposal from HP, IBM, and Sharp; Digital Simultaneous Voice and Data, which is being developed by a number of companies.

Printer: Tektronix's ((800) 835-6100) \$8995 Phaser 540 color laser printer; the dual-function dye-sublimation, wax-thermal-transfer Pictura 310 Color Printer (\$4995) from Fargo Electronics ((800) 327-4622).

System: DEC's Alpha Server 2100 4/275, which combines four 275-MHz Alpha CPUs; the Apple Power Mac 8100 running a PowerPC 601 chip at 110 MHz ((408) 996-1010).

Applications Software: Odyssey Development's ((303) 689-9998) Isys information retrieval and management software for Windows; Quattro Pro 6.0 for Windows from WordPerfect, Novell's Application Group ((801) 429-7000).

Development Software: OCR Document Recognition Technology toolkit for Windows, which is being used by Delrina, WordPerfect, and other major software de-

velopers, by Xerox Desktop Document Systems ((800) 248-6550); MediaForge, a Windows multimedia authoring system from Strata ((800) 678-7282).

Multimedia Hardware: 3 Demon, a 3-D graphics accelerator from OmniComp Graphics ((713) 464-2990); Media-Tel, a telephony, fax/modem, and sound card for the PC from American Megatrends ((800) 828-9264).

Multimedia Software: The Hotz Translator for Windows, a real-time computer-aided music performance and composition tool ((310) 474-0406); The Wall, A Living Memorial CD-ROM about the Vietnam Veterans Memorial, by Magnet Interactive Studios ((202) 625-1342 ext. 275).

Connectivity Software: The forthcoming Microsoft Network on-line service; LANtastic, a peer operating system for OS/2, by Artisoft ((800) 233-5564).

Connectivity Hardware: The Timex Data Link watch, which lets you transfer up to 70 PIM (personal information manager) entries from your PC into the watch ((800) 367-8463); the Cyberspace Internet Card, from ISDN*tek (\$395, (415) 712-3000).

Peripheral: IBM Storage System Division's Ultrastor XP SSA hard drive ((800) 426-3333, Dept. * 30); the MBR-7 CD-ROM Changer, by Mountain (see page 30).

The New Watcom SQL 4.0. You Would Think We Looked at Your Wish List.

Introducing the database server you've been waiting for: **Watcom SQL 4.0.**

With powerful features like stored procedures, triggers and cascading updates and deletes, Watcom SQL 4.0 can enforce your business rules and ensure data integrity.

In addition, dynamic multiple database support gives you and your users the unique ability to add and remove databases on the fly.

And, take a look at our self-tuning query optimizer; it learns as you use it. Each query performed against your database teaches the optimizer about your data, making it smarter... and faster. This dramatically reduces the costs associated with set-up and performance optimization of your DBMS by expert personnel. Also, the Watcom SQL product line includes both standalone and network servers built to allow you to move seamlessly between single and multi-user environments.

SQL DATABASE REQUIREMENTS

- ✓ STORED PROCEDURES
- ✓ TRIGGERS
- ✓ CASCADING UPDATES & DELETES
- ✓ DYNAMIC MULTIPLE DATABASE SUPPORT
- ✓ HIGH PERFORMANCE-ADVANCED OPTIMIZER
- ✓ LOW MAINTENANCE-SELF TUNING
- ✓ STANDALONE-WORKGROUP-DEPARTMENTAL
- ✓ SEAMLESS SCALABILITY
- ✓ NETWARE, WINDOWS, OS/2, NT
- ✓ LOW PRICE

6 USER - \$795
UNLIMITED - \$4995
WATCOM SQL V4.0
1-800-395-3525



This is the
database server with the
functionality, performance and
versatility you've been waiting for.

Don't let the price fool you!

To check out the new features of Watcom SQL 4.0,
call 1-800-395-3525 today.

Watcom
A Powersoft Company

Watcom and the Lightning Device are trademarks of Watcom International Corporation. Other trademarks are the properties of their respective owners. Copyright 1994 Watcom International Corporation.

Circle 238 on Inquiry Card.

MAC AND PC NOTEBOOKS

High-End Portables Take Off

High-end notebooks, which pack performance and multimedia capabilities in about a 7-pound package, are accounting for an increasing percentage of portable sales. This is due in part to a higher demand by businesses for desktop PC replacements. The increased demand for these diminutive powerhouses—along with the appearance of 3.3-V Pentium chips and greater availability of 9.5- and 10.4-inch active-matrix displays—has led to a wave of notebook introductions in recent months. Meanwhile, vendors are tracking advances in battery, screen, storage, processor, and bus technologies as they prepare the next versions of their products.

High-end notebooks that sell for \$4000 or more jumped from about 10 percent in 1993 to 25 percent in 1994 of the total number of portable units shipped in the U.S., according to Bruce Stephen, an analyst at International Data Corp. (Framingham, MA). "We expect the premium products to hit and create a stir in Europe and Japan, too," Stephen says.

More and more companies are saying employees can have a desktop PC or a notebook PC, but not both. The high-end notebook lets mobile workers take their computing act on the road without sacrificing performance. When they return to the office, the notebook goes into a networked docking station with a full-size keyboard and display.

High-end notebooks such as Compaq's LTE Elite or Gateway 2000's new ColorBook² typically come with a 486DX4 or Pentium processor (or a 68040 processor if you own an Apple PowerBook), PCMCIA, a data/fax modem, and up to an 810-MB hard drive. Other features can include an integrated CD-ROM drive, infrared I/O, removable components (e.g., screens, floppy drives, and hard drives), sound and video I/O, and active-matrix or less expensive dual-scan passive-matrix screens. BYTE surveyed a number of notebook vendors to gauge where this category is headed. Here are their predictions:



The IBM ThinkPad 755CD's lift-up keyboard lets you remove the CD-ROM drive and install a removable disk drive or a PCMCIA cartridge to add an additional card slot.

Displays: The 10.4-inch screen will become the standard, and 9.4-inch active-matrix screens will migrate to value and midrange notebook lines. Look for 11-inch displays and wider availability of notebooks with better than 640- by 480-pixel resolution. NEC sells a model with 800- by 600-pixel SVGA resolution and another that supports up to 16 million colors. Bob Levin, director of product marketing for NEC Technologies' portable computer systems group (San Jose, CA), predicts the arrival of notebooks with 1024- by 768-pixel resolution sometime this year. The 800- by 600-pixel resolution should hold appeal for CAD/CAM, heavy-duty spreadsheet, and engineering applications.

Hard drives: Users can select hard drives of up to 810 MB, but 2½-inch 1-GB drives should be introduced early this year. Look for drives to get slimmer, migrating from 17 and 19 mm down to a height of 12 mm.

PCMCIA: This has become a standard I/O interface for notebooks. Look for the first notebooks that implement the 32-bit PCMCIA (aka Card Bus) standard to be introduced in the fall.

Batteries: High-end notebooks use either NiMH (nickel-metal-hydride) or the newer lithium-ion technology, but most vendors predict a migration to lithium-ion this year. It holds its charge better and delivers more power than NiMH.

PCI: Look for PCI (Peripheral Component Interconnect) to emerge as more Pentium-based notebooks come on-line. Apple should also unveil its first PCI notebook this year.

Integrated CD-ROM: Some units (e.g., the IBM ThinkPad 755CD) already have built-in CD-ROM drives, and other vendors will introduce them.

This year should see a continued series of balancing acts by engineers looking to add bigger screens while measuring the trade-off in battery life and weight. However, the compromises should be less obvious as notebooks are introduced throughout the year. This means you'll have more full-featured computers with about the same size and weight to choose from the next time you upgrade your "desktop" computer.

—Dave Andrews

NEW HIGH-END NOTEBOOKS

IBM ThinkPad 755CD ((800) 426-2968); see page 24.

NEC Technologies Versa M Series ((800) 632-8377). High-resolution and true-color displays highlight NEC's Versa M family, available with a 75- or 100-MHz 486 processor and 9.5-inch active-matrix or dual-scan passive-matrix displays. True-color active-matrix models are capable of displaying 16 million colors at 640- by 480-pixel resolution, and high-resolution-color active-matrix models offer 800- by 600-pixel resolution with 256 colors.

Texas Instruments TravelMate 5000 ((800) 848-3927). TI's 75-MHz Pentium notebook features PCI-bus architecture, NTSC, PAL, and SuperVideo out; built-in sound and speakers; dual lithium-ion battery packs; and a 10.4-inch active-matrix screen.

Apple Computer PowerBook 540c and 520c ((800) 538-9696). Apple's 540c (active-matrix) and 520c (dual-scan passive-matrix) are now available with 500- and 320-MB hard drives, respectively.

Apple says it will formally introduce its first PowerPC-based notebook this summer.

Hewlett-Packard OmniBook 4000 PC ((800) 752-0900). HP's first high-end notebook features either a 10.3-inch passive-matrix or 10.4-inch active-matrix screen.

Tadpole P1000 ((800) 232-6656). Tadpole now has a Pentium-based notebook with PCI-based graphics, built-in sound, SCSI, and PCMCIA.

Toshiba 4900CT ((714) 583-3000). The T4900CT, a 75-MHz Pentium-based notebook, ships with 8 to 40 MB of fast EDO RAM, which the company says eliminates the need for an L2 cache controller.

Epson ActionNote 800 series ((800) 374-7300 or (800) 289-3776). Epson's first multimedia-ready notebooks will include active- and passive-matrix models.

AST Research Ascentia 910N ((800) 876-4278). AST's 910N features an Intel 486DX4/75 processor and is the company's first notebook to use lithium-ion batteries.


Create
your own:

Data discs

•
Audio discs

•
Mixed mode
discs

•
Jewel case
inserts



COREL

CD CREATOR

The Easiest Way to Create CDs

Corel CD Creator records CD-ROM, CD-Audio, and mixed mode discs in a few easy steps. Simply design the layout of the information and let Corel CD Creator record your disc using any Corel certified recorder!

So Easy!

- Create layouts in only a few steps
- The Disc Wizard guides you through every step
- Add information from other applications using "drag and drop"
- "Drag and drop" layout design using OLE 2.0

So Powerful!

- Data and audio can be recorded to the same disc
- Supports single session and multisession discs
- Allows incremental or multivolume sessions on multisession discs
- Writes MS-DOS or ISO-9660 format

Ideal For:

- Archiving data
- Distributing data
- Mixing music
- Multimedia presentations
- CD-ROM publishing

Corel CD Creator works with the following recorders:

Kodak CD Writer 200+
Kodak PCD200/225
Microboards Playwrite 1000

Philips CDD521/522
Philips Magnavox CDD521
Plesman RF4000/RF4100

Ricoh RS9200CD
Smart & Friendly CD-R 1002/2000/4000
Yamaha CDE 100/CDR 100
... with more added monthly!



CONFERENCE
& SHOWCASE
June 1-2, 1995
Ottawa, Canada
Call to reserve your seat!
1-800-896-2056

Insight

\$179*

We ship FedEx standard overnight shipping

1-800-733-0889

Call 24-hours a day
Or order via Internet!

INFO@INSIGHTTD.COM

*US\$ plus applicable
taxes and shipping.



All product and company names are trademarks of their respective companies.

Circle 72 on Inquiry Card.

OPTICAL STORAGE

Rewritable Drive Integrates Two Optical Technologies

Optical phase change has promised the most as a rewritable medium, but high hardware and medium costs have kept it out of the mainstream. Matsushita hopes to change that. At Comdex, its Panasonic Communications and Systems Co. (Secaucus, NJ) showed a hybrid quad-speed CD-ROM reader/phase-change read-write device that it refers to as PD (phase-change dual). The half-height drive uses the same laser mechanism to read CD-ROMs and to read and write phase-change cartridges. The one-sided phase-change discs can hold up to 650 MB of uncompressed data, and a PD drive delivers a claimed average read rate for the phase-change disc of 870 Kbps.

The laser mechanism is surprisingly simple for a hybrid device (see the figure), especially when you consider the differences between phase-change and CD-ROM media. Tracks on a CD-ROM, for example, are arranged in a spiral. Phase change, on the other hand, uses the same concentric track arrangement as your hard drive.

The Matsushita device automatically senses which type of medium is in the unit and handles it accordingly. The loading

mechanism had to be redesigned, because the phase-change medium is enclosed and the CD-ROM medium is not.


According to Rich Harada, Panasonic's national marketing manager for optical drive products, the most difficult part of the design process was to develop a more sensitive phase-change medium that was also cheaper. This allowed the use of a smaller, less powerful laser. However, the new medium is incompatible with all other current phase-change drives.

Panasonic expects a complete PD drive kit to retail for less than \$1000 and appear sometime this quarter. Plasmon Data, which collaborated with Matsushita on developing the medium, says the price for the medium could go under \$50 per disc in quantity. Plasmon has already announced a commercial PD drive that's called the PD2000e. NEC Technologies has said it will use PD drives in a line of multimedia PCs to be sold in Japan. Harada says that several U.S. manufacturers will make similar announcements early this year.

Will PD fly? Its pricing is attractive for a removable high-capacity storage device. The phase-change medium is faster and more durable than tape and much cheaper than removable hard drives. Both Panasonic and Plasmon say they will first target traditional users of removable storage, in areas such as prepress and imaging.

Bob Katzive, an analyst with Disk/Trend (Mountain View, CA), thinks PD may succeed in the mass market. "The optical industry in the past, except for CD-ROM, has shown the ability to shoot itself in the foot. [PD] may be the way to break out of this pattern."

—Michael Nadeau



The PD laser mechanism is similar to that of a standard CD-ROM drive. A key difference is the use of a polarized hologram, which improves the efficiency of the laser while reading phase-change discs.

SIGNIFICANT ENTERPRISE DATA-STORAGE-DEVICE DEVELOPMENTS

PRODUCT/COMPANY	DESCRIPTION/AVAILABILITY	SIGNIFICANCE
Low-cost CD-Recordable, multiple vendors	Drives for under \$1000, this year	In-house publishing
Rewritable CD-ROM, JVC, Ricoh, Sony	Phase-change technology, this year or 1996	Rewritable, not multisession; challenges MO
MiniDisk, Sony, MO (magneto-optical)	2½-inch 140-MB, now	Potential CD-ROM replacement
3½-inch MO/high-density 3½-inch MO	120-, 240-MB now/650-MB this year or 1996	Low-cost optical storage
5¼-inch 4X MO, Sony, HP, Maxoptix	5.2-GB, faster access, 1996	Increased capacity, I/O
100-GB digital linear tape, DEC	Half-inch DLT cartridge, 1996	Increased 5¼-inch capacity
Tape mini loaders, HP, Conner, REXON, Sony	4-mm DAT technology/robotics, now	Automated media handling, high capacity
New technology prototype tape, IBM	IBM 3490 half-inch cartridge, this year	10-GB, fills 3490 capacity gap
Nontracking tape, Sony, Datasonix	1.2-GB, now	Postage stamp-size cartridge
1.8-inch 1-GB/1-inch 1-GB hard drive	This year/1998	High-capacity storage/multiple-GB RAID on a card
2½-inch 1-GB hard drive	MR thin-film heads, alternate substrate, fluid-film motors, this year	Up to 5-GB multidrive internal storage per bay
Compact flash solid-state, SunDisk	32-Mb EEPROMs, up to 15 MB, this year	See January News&Views, page 30
Cached-actuator storage device, DEC, Zitel	Solid-state cache at actuator level of single hard drive; highly interactive algorithms, now	Higher I/O speed, better performance
Network storage appliances, multiple	Device with 16-MB RAM cache, 2-GB disk cache, and 60-GB optical jukebox, now	High-performance networked optical storage

(Source: Strategic Research Corp. (formerly Peripheral Strategies), Santa Barbara, CA)

Daewoo Crystal Monitors. Get a sharper view.

MARCH 8 - 15, 1995



CeBIT '95
HANNOVER

Hall 11, D72



Crystal 17HQ^{eco}

Daewoo Crystal Monitors offer incredibly sharp, flicker-free picture quality. Which explains why, last year alone, we shipped several million of them to some of the world's biggest and most respected companies. Our range of power-

saving Crystal Monitors offers a variety of screen sizes and features to suit different needs. And compatibility with important industry standards. So take a good look at Daewoo Crystal Monitors. And get a sharper view.

DAEWOO

European headquarters: Daewoo Electronics BV, Kruisweg 821, 2132 NG Hoofddorp, The Netherlands,
Tel. +31 (0)2503-36530, Fax +31 (0)2503-37214.

Circle 518 on Inquiry Card (RESELLERS: 519).

NETWORKING

It's Getting Easier to Integrate Multiple CDs

The integration of CD-ROM jukeboxes (i.e., changers) and towers on a network is becoming more seamless, thanks to new hardware and software products for LAN administrators. Companies often have multiple electronic reference libraries on CD-ROMs that users must have access to, according to Patty Chang, principal analyst in the computer systems and peripherals group at Dataquest (San Jose, CA). "Research groups frequently use many databases," says Chang. "Some of which the entire company might use, while other [discs] might be needed for only a handful of people."

One way to handle these different needs when it comes to accessing CDs is to swap discs in and out of a single drive. A more efficient approach is to use a CD-ROM drive that accommodates multiple CDs. However, integrating a CD changer onto a network is not always straightforward.

Products such as MacProducts USA's Magic CD 6 Quadraspin and Pioneer's DRM-602X offer a six-drive unit with a device driver that identifies multiple CDs in the unit's changer through different drive letters (see "Fast Access to Multiple CDs," September 1994 BYTE, page 182). But when you remove a specific library from one slot and place it in another, an application may not be able to find the CD. That's because the cartridge slots are mapped to separate network or user drives. When this happens, someone has to return the CDs to their correct slots or remap the drives to run a particular application. This exercise in CD-ROM swapping can annoy and frustrate users.

Both hardware and software vendors have devised solutions to this problem. Mountain Network Solutions' (Scotts Valley, CA, (408) 438-6650) double-speed CD7 Minichanger (it will sell on the street for about \$499), which accommodates seven CDs, virtualizes all the CDs into one drive, thus eliminating the need to remap drives to specific applications. When you request a program or data on a CD, the drive looks for the CD with the particular application and loads it. The CD7 Minichanger lets you pop out a CD in the drive while still letting users access the remaining CDs. This makes accessing frequently used databases, as well as the occasionally needed CD, easier for most users.

Smart Storage (Andover, MA, (508) 623-3300) took a similar but more ambitious approach by providing single-drive-letter access to multiple CD-ROM drives and jukeboxes. Smart Storage already sells SmartCD, a program for PC networks or NFS (Network File System) clients that provides application- and device-independent access to CD-ROM drives, jukeboxes, and towers. The company plans to introduce two new programs in the first quarter: Smart CD Library for networks and Smart CD Manager for stand-alone PCs (the pricing of these programs was undetermined at press time). In addition to virtualizing CDs into one drive letter, both products will present users with a friendly DOS or Windows interface for selecting a CD-ROM application to run from a pool of CDs.

—Salvatore Salamone

CODE TALK

RICK GREHAN



Leadtools' Comprehensive Imaging Development Toolkit

In rare instances, I have the privilege of working with packages void of feature-bedecked user front ends that need a CD-ROM's worth of documentation to master. Such is the case with Leadtools, from Lead Technologies ((704) 332-5532; fax (704) 372-8161). Leadtools does one thing—image manipulation—and it does it right.

The whole package amounts to a floppy disk and a book. Leadtools



The image of this airplane was enhanced using Leadtools' emboss function.

Professional 4.0 (for both DOS and Windows) consists of a DLL and a library that lets you call the DLL. You'll need a Borland or Microsoft C compiler (or a compiler that is compatible enough to read standard .LIB files; I used Watcom C/C++ 10.0). The product is also available in versions for Windows NT and Clipper, Visual Basic, and FoxPro programmers.

The Leadtools DLL provides routines that can read, write, and manipulate image files. It understands more file formats than I can list—some, I am embarrassed to say, I hadn't even heard of. Some of the familiar formats it understands are Targa, TIFF, PCX, GIF, EPS, Windows Metafiles, MacPaint, WordPerfect raster files, and the lowly BMP (i.e., bit-map) file. Leadtools does have access limitations on some formats. For example, it can read Kodak Photo CD files, but it can't write them due to licensing restrictions by Kodak.

Leadtools' manipulation functions are similarly diverse. You can sharpen, blur, rotate, flip, posterize, filter, and create mosaic (i.e., pixel-tiled) images. Every function I've ever seen in professional image-manipulation packages is here—and then some. Additionally, when you tell Leadtools to actually display an image, you can control the painting effect. It can "wipe" from left to right, right to left, top to bottom, or bottom to top. The image can "materialize" as random pixels are properly illuminated. You can even have the image spiral into existence.

The Leadtools disk is crawling with sample programs, each exercising a different class of functions from the DLL. If you need to see what an effect looks like (some are often hard to describe), the designers have thankfully provided several "exerciser" programs in executable form, along with sample images. You can load an image and try out the effect before adding it to your program.

Granted, the \$795 price is steep, but it gets you DOS and Windows, plus royalty-free distribution rights to whatever applications you build. If I had to write my own personal version of Adobe Photoshop, Leadtools is where I'd start.

NEED THE TIME?

WE'VE GOT PLENTY OF IT!

UPSONIC's
Double Conversion
Generates Pure
Continuous Sine Wave
Power



You decide. One hour, four hours, eight hours; whatever your emergency backup time requirements are...UPSONIC System Series is the answer.

As a world leader with over 2 million units installed, UPSONIC now announces the next generation "SYSTEM SERIES" UPS, built to ISO-9001 manufacturing standards.

Most single conversion UPS systems only filter the power. UPSONIC SYSTEM SERIES converts and regenerates the utility to constantly deliver the Ultimate Computer Grade Power.

*Extend your Run Time Indefinitely.
Hour, after hour, after hour...*



UPSONIC's A-Series
Family of UPS Systems



COMPARE UPSONIC	UPSONIC SYSTEM	BEST FORTRESS	APC MATRIX
TECHNOLOGY	DOUBLE CONVERSION ON-LINE	SINGLE CONVERSION	SINGLE CONVERSION
WARRANTY*	STANDARD ON SITE	OPTIONAL ON SITE	OPTIONAL ON SITE
SOFTWARE INTERFACE PORTS	3-STANDARD	1-STANDARD	1-STANDARD

* Continental USA only.

For a detailed explanation of why you should demand Double Conversion vs. Single Conversion

UPS technology, Call UPSONIC TODAY.

UK (44)-1-793-875-787

*When Quality and Reliability Count.
You can Count on UPSONIC.*

Time After Time

UPSONIC®

Australia 61-3-764-0074 • China 86-20-221-6573 • Hong Kong 852-413-3855 • South Africa 27-11-474-2587/8/9
Taiwan 886-2-501-5516 • United Kingdom 44-1-793-875-787 • Germany 49-2234-79911 • United States - North & South America 714-448-9500

Developer tested only. Novell makes no warranty with respect to this product. All brand or product names are trademarks or registered trademarks of their respective holder. Competitive information based on available product information August 1994.

Circle 244 on Inquiry Card (RESELLERS: 245).

INTRACOMPANY FAXING

Brooktrout Cuts the Cost of Internal Faxing

Faxing is popular to everyone except, perhaps, the person responsible for paying the phone bill to send all those faxes. Fortune 500 companies spend between \$5.4 and \$7.2 million annually (36 percent of their total telecommunications charges) for fax transmissions, according to a 1994 Gallup poll on fax usage conducted for Pitney Bowes. That figure is certain to grow, because the number of devices that let you send faxes is predicted to increase by more than 20 percent per year over the next four years, according to BIS Strategic Decisions (Norwell, MA).

Many companies have existing private networks to carry their voice and data traffic, but less than 20 percent of the Fortune 500 companies use those private networks to send faxes between sites. Instead, they use the public telephone network, incurring dial-up charges for each transmission. The Gallup poll found that 55 percent of the fax traffic is destined for a fax machine within the organization. Companies could save millions of dollars a year if they used their private networks for this traffic.

Until recently, there's been a good reason not to send faxes over those private networks. Because faxing is analog, it is treated as voice traffic. And most companies compress this traffic before letting it traverse their digital networks. This can play havoc with fax transmissions, causing fax machines at opposite ends of a connection to get out of sync and drop the link, requiring the fax to be retransmitted. Additionally, analog faxing takes 64 KB of bandwidth; few companies are willing to allocate that much bandwidth simply for faxing.

The Brooktrout Networks Group (Richardson, TX, (214) 907-0885) developed a novel approach that gets around these problems and lets you send faxes over existing time-division multiplexing and X.25 networks and other LAN/WAN technologies. The company's DAFS FaxRouter first digitizes the fax and then

transmits it in a store-and-forward manner to another FaxRouter. The FaxRouter then converts the digital signal back to analog for delivery to a fax machine.

This lets a company allocate a low-speed channel (e.g., a 19.2-Kbps data channel in a multiplexer) to fax traffic. And transmissions can be sent at even lower rates, such as 1.2 Kbps, thanks to the store-and-forward capability.

The big advantage to using the FaxRouter is the cost savings when private networks are used to bypass the public telephone network. One user of the FaxRouter, a Fortune 500 manufacturer that has an international private network (who didn't want to be identified), says the pay-back period for the \$2500 unit is about two weeks.

The FaxRouter also lets a person working at home send a fax to a long-distance location for the cost of a local call. For example, suppose a company has FaxRouters in New York and San Francisco and the sites are connected by a private network. A home-based worker in Brooklyn wishing to send a fax to the San Francisco office simply dials the FaxRouter in the New York office and enters the destination phone number. The Brooktrout unit will deliver the fax to the San Francisco office.

Because the fax is converted to digital traffic, it can also be carried over traditional data networks. For example, Brooktrout, in conjunction with Cisco Systems (Menlo Park, CA), has demonstrated that it can send digitized fax traffic over LAN internetworks. In the demonstration, fax data packets were sent over an Ethernet LAN to a Cisco 4000 router, which bridged the traffic over an internetwork. A second Cisco 4000 router received the fax data packets and forwarded them to a FaxRouter, which then converted the packets into G3 format and delivered them to a fax machine.

—S.S.



U.S. Computer Fax Shipments (In thousands of units)

Fax transmissions are likely to continue to grow as more devices are installed to send faxes. The figure includes centralized systems, LAN fax servers, and fax modems.

Whatever Happened to...


U.S. Memories?

In January 1990, a group of major U.S. semiconductor and computer firms, including Advanced Micro Devices, DEC, HP, IBM, Intel, LSI Logic, and National Semiconductor, announced plans to form a new independent company called U.S. Memories. The intention was to make the U.S. once again a major producer of DRAMs and to ensure a domestic supply of the memory chips. U.S. production of DRAMs had dwindled to under 10 percent, with Texas Instruments and Micron the only commercial suppliers. Headed by former IBM executive Sanford Kane, U.S. Memories was announced before it had the required funding to begin construction of a factory and to begin production of IBM-designed 4-Mb DRAMs.

The plan was to raise about \$500 million from a variety of semiconductor and computer companies. Because many of the potential investors got cold feet, U.S. Memories never got off the ground. Other companies, such as Sun and Apple, declined to join the cooperative venture. Today, Micron and TI are still the only major producers of DRAMs in the U.S., although Motorola has begun commercial manufacture of DRAMs again. According to statistics from the market research firm Instat, U.S. production of DRAMs accounts for only 15 percent of the world market, with Japan and Korea holding the lion's share of the rest. This is some improvement over 1990 (largely due to the reentry of Motorola into the market), but it's a far cry from the ambitious goals of U.S. Memories.

—Nick Baran

BYTE What's New International



Hardware,
Software, and More

The Internet Takes Off

32IS 5



Pentium PCI Multimedia Bundle

32IS 21



Reduce Development Time

32IS 27



PHILIPS INVENTS

Brilliance 21A Monitor with CyberScreen® Technology

It's hard to imagine how you can improve the picture quality of a Brilliance Monitor. But take a look at the new Brilliance 21A with CyberScreen Technology and you'll see that Philips' latest invention has just done that. Philips 21 inch with CyberScreen Technology is the world's first totally digitalized monitor. This means that it gives you unparalleled monitor performance in terms of digital convergence correction and colour and brightness uniformity right to the very edge of the screen. This degree of accuracy is absolutely essential for design work, DTP, CAD/CAM and all operations where colour matching is critical. CyberScreen Technology also features the magnetometer which completely neutralizes magnetic variations. So take a look at the Philips 21A with CyberScreen Technology and you'll be amazed just how clever Brilliance can be. 

Look how clever Brilliance

MARCH 8 - 15, 1995



CeBIT'95
HANNOVER

Hall 8
B02-04

BRILLIANCE®
HIGH RESOLUTION MONITORS

®Brilliance and CyberScreen are registered trademarks of Philips Electronics N.V.



can be.


**PHILIPS
INVENTS
FOR
YOU**



PHILIPS

Circle 541 on Inquiry Card.

THE SMART ALTERNATIVE ..



Snap into the future with the LEO DESIGNNote which provides full flexibility and upgradeability in a modular package. The interchangeable LCD allows effortless upgrades from a mono STN display to either a color dual-scan STN or color TFT display. The removable HDD lets you swap drives with up to 500 MB of storage, and you can also replace the 3.5" FDD with additional modules. Intergrated with VESA local bus VGA Graphics, a built-in trackball, a built-in microphone and speaker for on-board audio, ports for PCMCIA type II or III, a choice from a full line of CPUs, and a host of other innovative features, the LEO DESIGNNote is the most powerful and versatile notebook solution around.



MARCH 8 - 15, 1995
CeBIT'95
HANNOVER
Hall 11 F 35

Authorized Distributor:

BADER AL MULLA & BROTHERS CO.WLL.(KUWAIT)
 TEL: 965-244-5040 FAX: 965-243-7285
 AMERICAN TECHNOLOGIES, INC. (PHILIPPINES)
 TEL: 63-2-774002 FAX: 63-2-788629
 CENTERPRISE INTERNATIONAL LIMITED. (UK)
 TEL: 44-256-463754 FAX: 44-256-843174
 GOOD LUCK IMPORT EXPORT Co.Ltd. (THAILAND)
 TEL: 662-2132800 FAX: 662-2125810

ICL (INTERNATIONAL COMPUTER (SA) (PTY) LTD. (SA)
 TEL: 27-11-3141023 FAX: 27-11-314-2299
 JETDATA AB. (SWEDEN)
 TEL: 46-8-960985 FAX: 46-8-960089
 M.L.L. SOFTWARE AND COMPUTERS INDUSTRIES LTD. (ISRAEL)
 TEL: 972-3-5785511 FAX: 972-3-7518615
 NATION-TECH SDN.BHD. (MALAYSIA)
 TEL: 60-3-9053878 FAX: 60-3-9051357

WIRAINDO MULTISAKTI SETIAPUTRA, P.T. (INDONESIA)
 TEL: 62-21-6256975 FAX: 62-21-6010184
 READ ARABI COMPUTER CORP. (JORDAN)
 (LEO MIDDLE EAST REPRESENTATIVE)
 TEL: 962-6-684343 FAX: 962-6-683754
 SEH COMPUTER-SYSTEME-VERTRIEBS GMBH. (GERMANY)
 TEL: 49-6184-95010 FAX: 49-6184-950188

... LEO DESIGNNote



6F, FORMOSA PLASTICS REAR BUILDING
 201, TUNG HWA NORTH ROAD,
 TAIPEI, TAIWAN
 Tel: 886-2-7174500 Fax: 886-2-7182782
 Telex 23056 Charlene

First International Computer, Inc.

FIC EUROPE BV
 FIC USA
 FIC AUSTRALIA
 FIC JAPAN

Tel: 31-73-148555
 Tel: 1-510-2527777
 Tel: 61-2-7484568
 Tel: 81-3-5481-2181

Fax: 31-73-145546
 Fax: 1-510-2528888
 Fax: 61-2-7484633
 Fax: 81-3-5481-2345

FIC SPAIN
 FIC HK
 FIC CZECH
 FIC France

Tel: 34-1-6373613
 Tel: 852-677-3713
 Tel: 42-5-41122643
 Tel: 33-1-47670598

Fax: 34-1-6373863
 Fax: 852-677-4055
 Fax: 42-5-41213144
 Fax: 33-1-47745102

Circle 540 on Inquiry Card.

* Specifications subject to change without notice. The Intel Inside logo is a trademark of Intel Corporation.

The Internet Takes Off

ADELE HARS

You want to get on the Internet, but you don't have a connection at work. And you can't find an access provider. Don't worry; the situation is changing.

Until recently, you had to belong to an academic or research center or invest some money in your own connection to get an Internet account. That situation has started changing in a serious way. This year, with big guns jumping into the business of providing commercial service, Internet access will become available to individuals throughout Europe.

Europe is now the fastest-growing part of the Internet. There were 54,000 commercial Internet accounts in Europe last year, according to analyst Robin Scurlock at BIS Strategic Decisions. That figure is expected to double by the end of this year. Over 75 percent of them are corporate dial-up accounts or single-mailbox users, BIS says. The number of corporations buying access through leased lines is still relatively small.

Current figures from RIPE (the organization that coordinates European Internet activity) indicate that by the time you read this there will be over 1 million hosts in Europe. The U.K. is the leader in terms of sheer numbers, followed by Germany and France. But in terms of penetration per capita, Finland, Norway, and Sweden lead, with Switzerland also high on the list.

The greatest growth is coming from Spain, Portugal, Greece, and the Czech Republic, according to the BIS study. The biggest economies are not exactly slouching, however, boasting growth rates of 55 percent to 75 percent.

One of the main obstacles to Internet access is the high cost of telecommunications. Also, some southern and eastern countries have basic infrastructure issues to address.



FRANKLIN HAMMOND © 1995

The number of service providers is growing at a fast pace. This year, easy Internet access will become available throughout Europe.

Nevertheless, everywhere you look, the Internet is exploding. In some locations, service providers are adding new lines to keep up with demand. As BYTE correspondent Bram Vermeer reports from Amsterdam, some providers in the Netherlands have tripled their number of phone lines in recent months. Dutch Telecom is also preparing a large-scale Internet service, Vermeer says.

Proliferation of Providers

EUnet: Virtually alone in its field for more than a decade, EUnet is Europe's largest commercial service provider. It's been growing at

a furious pace and adding nodes in countries where none have gone before (e.g., Bulgaria). All of a sudden, however, EUnet is starting to get a lot of competition.

The company has a large installed base, with more than 10,000 accounts in over 40 countries in Europe. Its focus is on small- and medium-size companies, although it also offers a low-cost

service for individuals. CEO Glenn Kowak, one of Europe's best-known Internet evangelists, says he welcomes the competition as a "validation of the business." The Internet, he says, is the best thing to happen to commerce since the PC. He estimates it will be another 10 years before the saturation point is even approached.

Pipex International: Pipex, a leading U.K. commercial service provider, has formed Pipex International to go after the European market. It's doing this through strategic alliances with companies in Belgium, France, Germany, Italy, Luxembourg, the Netherlands, and Slovenia, as well as relationships with companies in Portugal, Sweden, and the U.S. Since the company took its first order in June 1992, it has been growing consistently at a rate of 10 percent a month, says Pipex marketing consultant David Mooring.

While Pipex provides a variety of services, including individual dial-up accounts, it is specializing in the corporate market, offering end-to-end managed services. Mooring explains that a corporation that wants to put its branches on the Internet should consider carefully how they'll be used. For example, a company with multiple sites in both the U.K. and Germany might want to use leased lines in the U.K. In Germany, where leased lines are expensive, it might want to use ISDN.

IBM: IBM has thrown its Big Blue hat into the European ring as well with the IBM Internet Connection Service. For the equivalent of US\$20 a month and an initial setup charge of about US\$45, users will get software, network services, and 3 free hours of access time per month. After that, it's about US\$5 per hour.

"Users will be able to access the service and use it from any Internet access point on the IBM Global Network," says

marketing manager Jonathon Fleet. The service will initially offer 25 points of presence, covering 14 European countries, and provide access to the full range of Internet services. OS/2 Warp users will be able to sign up with the click of an icon. Warp includes TCP/IP software, as well as software for gopher, Usenet, and WWW (World Wide Web) services. Mac, Windows, and Unix versions will follow later in the year, IBM says.

Apple: Apple will open a place in its Eworld service for accessing Internet files. Currently available in the U.S. and U.K., it will be available on the Continent sometime this year. For now it is primarily a "get an account; send and receive mail" service, but ftp will be added in the future. Pascal Cusset, manager of on-line services for Apple Computer Europe, says that Eworld will be bundled with all Macs this year. "The goal," he says, "is not to use the Internet. The goal is to find information. Normal people will want packaged services." Apple has also made its AppleSearch server software tool Internet-compliant.

IDT: IDT (International Discount Telecommunications) is known primarily in Europe as a call-back telecommunications operator. However, after a successful move into Korea, IDT has turned its eyes to Europe, looking for joint-venture partners



The clean interface of Pipex Solo lets you quickly launch mail and other applications.

with whom to provide full, icon-driven access to the Internet for cut-rate prices. The first node will go into Geneva, Switzerland, followed by seven in Germany. Other European countries will roll out at the rate of one a month. IDT will also layer a transparent call-back fax mechanism over its Internet offering, so users can send faxes internationally at local phone rates. **Deutsche Telekom:** German users will soon have some options from Deutsche

Telekom to consider. Company spokesman Hans Martin Lichtenthaeler says that in the "near future" the country's 700,000 users of the Dateg-J videotex system will have access to the Internet. The company has signed a memorandum of understanding with Microsoft for the development of a software interface for E-mail and services. More intelligence may be added to the terminals so that data is exchanged on delta transmission basis.

Lichtenthaeler says that DT is adding more than 20,000 Dateg-J customers each month. Since October, DT has offered Internet access to the 10,000 users of its X.400-based data communications service, commonly referred to as Telebox. It is working on a Mosaic-based project.

ISDN-based Internet access in Germany is one of the most reasonably priced services in Europe, and DT has just changed the infrastructure to make it more affordable. Now ISDN users won't have to make long-distance calls to access the service. By dialing 1910, users will pay only for a local call.

Look for more developments from DT, especially under a memorandum of understanding with Sprint and France Telecom. The three companies are expected to provide international, high-speed services, although the specifics have yet to be determined.

British Telecom: In December, British Telecom was to start providing Internet access aimed at corporate customers, with initial points of presence in London and Manchester. It will add 12 to 16 more points throughout the U.K. over the next 18 months, says IP services program manager Steve Bartholomew. BT has also joined the

How to Find a Service Provider

With so many choices, how do people find Internet service providers that meet their needs? Word of mouth is a common way, and the nontechnical press is starting to publish Internet-related articles. Even MTV fans are informed about where to go on the Web to download the tunes of their favorite indie bands. Charles Ashley, who's heading up Learned Information's new Internet publishing service in the U.K., says he saw four new Internet magazines on the

newsstand in one week alone.

If word has not yet spread to your region, RIPE NCC may be able to help you find a service provider who can give you an Internet connection (fax: +31 20 592 5090; or send traditional mail to RIPE, Kruislaan 409, NL-1098 SJ Amsterdam, The Netherlands). Just send a note with your address, include a brief description of your needs, and RIPE will forward it to the appropriate service providers in your area, who will then contact you.

Ergonomic Furniture for every Computerized Work Environment



ORGANIZE COMPUTER EQUIPMENT

Ergotron LAN Furniture organizes monitors, servers and other equipment upward into previously unused "free" air space. For existing equipment, this immediately reduces floor space requirements. As your LAN grows, Ergotron can help you potentially triple or even quadruple available floor space without costly building expansion.

IMPROVE COMPUTER ACCESS

With the flexibility of Ergotron's open architecture, you can custom-configure standard components to organize equipment, improve computer access and reduce system downtime. The unique Cable Management System not only hides cables, but organizes them for easy access and identification.

ERGONOMIC ADJUSTABILITY


And with Ergotron's patented monitor suspension, you can lift, glide, tilt, swing, and rotate every monitor until they're "just right" for easy access and comfortable viewing.

Tested at over 900kg, Ergotron systems are ruggedly built to protect your computer investment and last a lifetime.

For more information and a free brochure, contact our European sales office:

Ergotron Europe
Karepeldreef 19
1102 BB AMSTERDAM
The Netherlands

Tel: +31 20 696.60.65
Fax: +31 20 609.04.59



ERGOTRON EUROPE
Ergonomic Computer WorkCenters

London Internet Exchange—which includes Pipex, EUnet, and Demon—to provide 2-Mbps service to London. It is also involved in initiatives to bring the Internet into schools and is looking to increase services in Scotland and Northern Ireland, an effort mirrored by the Republic of Ireland's telecommunications company.

Europe Online: Toward the middle of the year, Europe Online will be rolling out a dial-up PC networking service—including Internet access—throughout all of Europe. A brief glance at the founding members indicates that it will be heavy on content: U.S. publisher Meigher Communications, cofounded itself by some of the people who founded America Online; Pearson, which owns the *Financial Times* and Penguin Books; and giants Burda and Matra Hachette. Based in Luxembourg, the service will be available in English, French, German, Italian, and Spanish. **CompuServe:** CompuServe's 2.4 million members include 170,000 in Europe, says Paulette White, vice president of international operations. The European population has doubled in each of the three years the company has been here, and 120 percent growth is expected this year, White says.

CompuServe is still a world unto itself, although users have been able to exchange mail over the Internet (and with other mail



CompuServe plans to provide full Internet access by the middle of the year.

services) since 1989. Now it's opening up, and members will have full access (e.g., ftp, telnet, Mosaic, and gopher) in mid-1995. (You can also access CompuServe via telnet from the Internet.)

At US\$8.95 a month, CompuServe is an on-line bargain. There are currently nodes in 24 European cities. Also, there are 28 local content services (e.g., news wires and magazines) in Germany, 23 in the U.K., and five in France. Support of accented and extended characters helps, too. English, French, and German versions of the GUI are available in major software stores, on-line, or by mail.

A potentially useful attraction is a new machine-translation service (see below). It's being experimented with in the support

forums (CompuServe's equivalent of the Internet's Usenet). The machine translation is estimated to be about 60 percent accurate; right now it works only back and forth between English and French, and English and German. If the trial is successful, the service may be made available in other forums and languages and possibly for E-mail. White cautions, however, that because it's computer-generated, the translation will give you only a general idea of what is said; it will never be perfect.

Internet on the Road

Another interesting development is the possibility of accessing the Internet via your mobile GSM phone. This is an area where Europe may be leading the world. GSM is now the standard in 60 countries. Using it for Internet access has been demonstrated by Pipex, and others will no doubt be doing it soon. Five GSM operators offer digital communications services: Vodafone in the U.K., Telia in Sweden, Radiolinja in Finland, Sonophone in Denmark, and Mannesmann in Germany. Roaming agreements are yet to be established, and only Nokia sells a compatible phone system.

Mark Squires, Nokia major accounts manager, explains that all that's required is the Nokia Cellular Data Card (which can be inserted in any PCMCIA Type II slot), standard communications software, and a short cable to connect your portable PC and Nokia 2110 phone.

France: Internet vs. Minitel?

French PC vendors note that when their customers come in to buy a modem, the first question they ask is, "Does it work with the Minitel?" The Minitel is France Telecom's big videotex success story. In a country of 57 million, there are 6.5 million Minitel terminals in service and another half-million Minitel emulation boards in PCs. (The Minitel was originally given away free with telephones; the current model is available for the equivalent of just a few dollars a month.)

Besides using the Minitel for 23 million hours as an electronic phone book in 1993, the French use it for almost everything you can imagine: banking, making all types of reservations, checking schedules, ordering groceries or taxis, exchanging professional information, finding jobs and apartments, checking dating-service data banks, and even viewing on-line pornography. There are 23,200 services (with a 15 percent growth rate).

These services generated 6.7 billion francs in revenues (US\$1.34 billion, which

Machine-Translation Service

In this example of CompuServe's experimental machine-translation service, a message written in English in the English-language MacCIM Forum appears translated into French if you view it in the French-language MacCIM Forum. You could see it translated into German by tuning into the German-language MacCIM Forum.

French-Language Forum

***** Message traduit par ordinateur
***** sujet original: Test to French

M'excuser, je seulement faire un examen de traduction ici. Si je comprends correctement, je devrais pouvoir aller a FMCIMSUP et vois ce message traduit dans francais. Je me demande comment long il prend pour aller ceci dirige.

J'aimerais entendre des reactions de ceux-la qui a fait des examens similaires.

Bye.
Adele


English-Language Forum

***** texte original ...


Excuse me, I'm just doing a translation test here. If I understand correctly, I should be able to go to FMCIMSUP and see this message translated into French. I wonder how long it takes to go this route.

I'd like to hear any reactions from those who have done similar tests.

Bye.
Adele

A chain-link fence is superimposed over the entire text, with its diamond-shaped mesh pattern clearly visible across all lines.

**Until Now,
Technological
Limitations Have
Defied Your
Efforts To Access
PC, Legacy And
UNIX Applications
Simultaneously.**



**Introducing
We Defy
Find An E
To Access
Inform**

g Multia. You To asier Way All Your ation.

The barriers are down. The days of compromise computing are over. The era of the multiclient desktop is here and Multia is its name.



MultiClient Desktop

Multia is the one desktop that provides full information access in any networked environment. And enables users to share data between PC, legacy, and X-based applications simultaneously.

Multia lets you run PC applications locally. Built-in terminal emulators and our optimised X-server deliver access to legacy and UNIX-based applications. Embedded multiple protocol support ensures seamless access to the data you require. Multia, driven by the Alpha processor and Microsoft NT Workstation 3.5, delivers industry-leading power.



It's also easy to centrally manage your Multia desktops from one location. The Configuration Manager in Multia makes remote application and desktop management a snap.

Multia has everything to satisfy your emerging client/server needs. To learn more about how to break down barriers in the era of the multiclient desktop, complete and fax or post the reply coupon today.



Digital, the Digital logo and Alpha are trademarks or registered trademarks of Digital Equipment Corporation. Unix is a registered trademark of UNIX System Laboratory, Inc. Microsoft, Windows, and NT are trademarks or registered trademarks of Microsoft Corporation. Netware is a registered trademark of Novell, Inc. All of these and other company and / or product names are trademarks and / or registered trademarks of their respective owners. Digital disclaims the rights to those marks.

Circle 542 on Inquiry Card (RESELLERS: 543).

Please send more information on Multia.

My operating environment solutions are:

☐ Novell ☐ NT ☐ UNIX ☐ Other _____

The types of applications I need to run simultaneously are:

☐ PC ☐ X based

Text based : ☐ Digital VT ☐ IBM 3270 ☐ Other _____

We plan to install a desktop solution:

☐ Immediately ☐ In the next 3 months ☐ In the next 6 months

Name _____

Title _____

Company _____

Address _____

Post code _____

City _____

Country _____

Tel. _____

Fax _____

Contact address: Digital Information Service
World Trade Center - P.O.Box 306 - CH-1215 Geneva 15,
Switzerland. Fax: +41 (22) 791 08 85

Multia /44/ Grey e2 BYT

New Internet Interfaces

Although much of the Internet interface software for E-mail as well as things like Mosaic, gopher, and WAIS (Wide Area Information Service) has been free, software companies are suddenly realizing that there's money to be made here. Some mass-market Internet interface software is already available in the U.S. However, a lot of the big players' offerings won't be available in Europe until midyear, with localized versions following. Networked solutions are also in the pipeline. Here's a brief overview of what your local service provider might be recommending.

Microsoft will ship Windows 95 with PPP and SLIP. (PPP and SLIP are data transfer protocols that facilitate high-speed data transfer between a dial-up host and your

through installation and navigation (with SLIP and PPP support). It also has MIME-supported E-mail, gopher, telnet, ftp, and Query, a collection of utilities such as WHOIS and finger. Future versions will integrate the company's news reader, which can be downloaded only from ftp's server.

Sometime this year, Novell will be coming out with the Ferret Information Browser. A departure from your typical icon-driven interface, this is a "virtual world," where you start at your desk, go through doors, and so forth (reminiscent of General Magic's Magic Cap). AT&T will provide it with advanced network services in the U.S., but Novell is talking to the major European telecommunications companies as well. All versions will be localized, as the language

interface is handled by NetWare 4.x.

Sun Microsystems has long been an Internet player. Product manager Alain Risbourg claims that 70 percent of all Internet servers are from Sun and 80 percent of all applications on the Internet are developed on

Sun machines. So it's no surprise that the company will offer Netra i for PC servers. Risbourg explains that it hides Unix for PC and Mac users. Sun also plans to add another Sunsite at a university in the next six months and establish a Web server for its partners.


Lest you think that everything is coming from the other side of the pond, one of the most important new products comes from an Israeli company called CheckPoint Software Technologies. Security is a big Internet issue for corporations worldwide; CheckPoint's FireWall-1 Internet gateway (see the photo) is meant to address those concerns. "European companies want to use the Internet, which is cheap, and still have a virtual private network," says CheckPoint director Shlomo Kramer. First



FTP's Explore OnNet provides a range of information tools.

you have to decide who can access what network resources without compromising security, he says. FireWall, which monitors individual packets, addresses the security issue, and CheckPoint is working on connecting remote branches, a feature for which it believes there will be a large European market.


Another recently announced European offering comes from the U.K.-based Firefox. It bills its NOV*IX for Internet as a "server-based Internet cruiser for NetWare users." Equipped with a full set of Internet access tools (e.g., enhanced NCSA Mosaic and gopher), it also provides controlled access to Internet services and prevents unauthorized access from the Internet to NetWare services. Marketing manager Francois Mazoudier explains that NOV*IX for Internet is not sold on your typical one-license-per-user basis, but rather on the basis of a maximum number of concurrent sessions. Pricing starts at five sessions, which is US\$850.



FireWall's rules editor lets you specify what's to be done with each packet.

PC.) It has also announced a free add-on for Word called the Internet Assistant for Microsoft Word. In addition to being a GUI for standard Internet operations, it provides tools for creating hypertext Web documents. It also provides a Windows NT Resource Kit for companies that want to provide Internet services to their customers and is shipping Windows NT Workstation 3.5 with PPP and SLIP built in.

FTP Software, which specializes in TCP/IP networking, has announced the European availability in midyear of its Windows-based Explore OnNet Internet interface. Besides Enhanced NCSA Mosaic, it features the Connection Wizard, which the company says guides you painlessly



Firefox's "Internet cruiser for NetWare users" includes NCSA Mosaic, gopher, and other access tools.



Two information services in one window: the minimalist Minitel screen (left), showing an electronic phone book, and Olean's service.

is equivalent to the sales of national daily newspapers in France). FT collected this from its customers through the regular phone bills. Under a "kiosk" system, FT pays the service provider for the connection time, turning back roughly half the collected revenues to them.

The current Minitel model is 1200 bps in, 75 bps out. This year, however, FT is launching a 9600-bps version, which will

support more multimedia services. It will cost more, and few service providers are on-board yet.

It's not surprising that there are those who say, "We've got the Minitel—why do we need the Internet?" Or that the press is asking if the Internet will be a contender against the Minitel. But Olivier Andrieu, author of a book entitled *Internet—Guide de Connexion* (Eyrolles), maintains that "1995 will be the year of the Internet in France."

He sees it starting with individuals and then being professionalized.

The speed at which the situation is changing is staggering. Whereas a year ago you could get a connection only through EUnet or Renater (the massive French research network), there are now over 20 commercial service providers, with more on the way.

After EUnet, one of the first major service providers in France was Olean (which is affiliated with Pipex International). Denis Lafont, Olean's manager of new technology, cites demand from people who have used the Internet in universities or companies. He does not see the Minitel and the Internet as being competitive—the first is for French internal use, the second is international. "My grandmother uses the Minitel," he says, adding that he doesn't imagine her using a PC in the near future.

Lafont cites three business concerns that are being surmounted and driving Internet deployment in France. Flat fees are addressing cost, word of mouth is convincing people that the Internet is stable, and new offers are answering security needs. Olean, which has points of presence in Grenoble, Paris, and Strasbourg, is adding two more points in an effort to put the client closer to the service.

The big thing that's missing from the Internet is a mechanism by which companies can transparently charge for services (as in the Minitel kiosk system), says Lafont. Pipex International, he says, will introduce a response in the first quarter of this year.

continued

COMPUTER Quick

Multimedia

SoundBlaster 32 AWE	235
Panasonic LF-7010	1397
Proxima Ovalon 820 Active Matrix	4340
Radius VideoVision Basic	1574
Sony CVD-1000 Vdeck	1398
Turtle Beach Multisound Monterey	335
TrueVision Bravo 16 MB	955

Backup

Colorado 250 MB	165
Exabyte 4200C 4GB Int/Ext	940/1105
Exabyte 8505 8MM 10GB Tape Int	2099
HP DAT 3.5" 2/48-16GB	825/940/1160
WangDat 2/48 DAT	868
WangDat 4/8 DAT	1057

CAD

IBM CAD/PLS OS/2	1630
Calcomp 12x12 Cordless	295
Calcomp 12x18 Cordless	690
Calcomp CM Thermal A-B Size	6715
Calcomp DM A-D Size 1MB 8Pin	2250
NuMetric AccuGrid 20x24	1525
SummaSketch III 12x12	334
SummaSketch MicroGrid III 4x6	2970

Chips

All Upgrades - AST, Apple, Compaq, DEC, HP, IBM, Silicon Graphics, SUN, Toshiba	
CPU (Intel, Cxix, AMD-DX2, DX4) - CALL	
SIMM - ALL CONFIGURATIONS - CALL	

Hard Drives

CALL for today's price!

Conner 420MB IDE	200
Conner/Maxtor 540MB IDE	274
Conner/Quantum 1GB SCSI	605
Conner 1.0GB IDE 3.5"	565
Microplus 4110 1.2GB SCSI 3.5"	814
Microplus 2112 1.05GB IDE 3.5"	820
Quantum 2.1GB	1200
Seagate 2.1GB Barracuda	1355

Computers

pentium™ PROCESSOR	
DEC ALPHA PC 150MHz 17" Monit	7308
ALR Revolt Q-SMP EISA 100MHz	6625
ALR Revolt PCIEISA 100MHz	4565

Controllers

Adaptec 2742WK Wide EISA Kit	389
Adaptec 1542C/Plus Contel	199/300
Adaptec 2742A EISA SCSI	327
Adaptec 2942C VLB SCSI	296
BuSlogic ST445 SCSI VLB	290
DPT Sm Cache EISA SCSI	298
Orchid Super IDE/VLB	58
OLogic FastSCSI PCI	295
OLogic FastSCSI EISA/PCI	294

Graphics Cards

ATI Gr Ultra Pro TURBO 4MB VLB	580
Diamond Stealth 32 2MB VLB/PCI	180
Diamond Stealth 64 4MB VLB/PCI	472
Diamond Viper 2MB VLB/PCI	314/330
Matrox MGA 2+ 64-bit VLB/PCI	493
Mitac S3 PS805	80
Mitac W32P	112
Number 9 GXE Level 11 VLB	351
Orchid Kelvin 2 MB 64-bit VLB	224

- Quantity Discounts
- Dealer Discounts

PHONE: (415) 861-8330
Español: (415) 861-8376
FAX: (415) 861-8380
CQK@AOL.COM

Low freight rates • No handling charge • Prices are for cash payment • VISA/MC/AMEX accepted • Products may be USA versions • No returns on opened software • Prices are FOB USA & subject to change • 15% restocking charge for non-defective returns

Computer Quick, 165 - 8th Street, No. 309
San Francisco, CA 94103, USA

International
Orders our
Specialty

Modems/FAX

BOCA 14.4/14.4 Int/Ext	87/112
BOCA VFAST 28.8 Int/Ext	183/222
Hayes Optima 14.4/14.4 Int/Ext	280/320
Hayes Optima 288V FC	438
Intel SatisFAXion400 Int/Ext	280/320
Multitech 19.2 ZPK/ZDX	158
Multitech MT1932BL	403
SHIVA NET Modem WIN	1400
Supra 14.4/14.4 Ext	129
Supra 14.4/14.4 Int	98
USR Sports 14.4/14.4 Int/Ext	115/135
Zyrex ALL MODELS	CALL

Network

Novell Netware 3.12/4.01/SFT	CALL
SCOM Tokenlink III 16Bn/Combo	105/135
SCOM Tokenlink III 64	455
Lan Performance 100Mbps TP	188
Intel EtherExpress 16/Combo	100/116
Intel EtherExpress FlashC	127
Intel EtherExpress 32 EISA	383
NE 2000 Compatible	35
NE 2000 Plus	100
NE 2000 Plus 5 Pack	450
NE 3210 EISA	195
SMC Elite-16 Ultra	100
SMC Elite-16 Ultra Combo	118
Thos C Fiber Optic 16Bn/100Mbit	715
Thos C EISA Fiber Optic	599
Thos C 16/4TR	289
5-PACK/20-PACK/50-PACK/100-PACK	

OS

DOS 6.21	CALL
OS/2 3.0 CD-ROM	88
SCO UNIX OS MultiUser	840
SCO UNIX OS Dev System	840
SCO Open Server Enterprise User	1250
SCO ODT DEV Sys on CD	1235
Windows 3.11 Upgrade	42
Windows NT 3.5 WorkStation	298
Windows NT Server	640
Windows for WG Starter Kit	458

UNIX

Fox Base MultiUser	775
MS Word MultiUser	970
SCO UNIX Unimail	1029
SCO NFS v1.2.1	450
TCPIP Runtime Unlimited	450

CD-ROM/Optical

Fujitsu MagOpt 128MB 3.5 Ext	892
NEC Triple Speed OEM SCSI Int	350
Toshiba Quad Speed SCSI Int	360
Plexstor Quad Speed/4XCD ROM Int	445
PinnacleRecordable CD ROM Ext	2550
Pinnacle RW 650MB 5.25	2915

30,000 Item
Catalog
Program
with
Current
Prices
*
FREE
with Order

What About X.400?

Some observers say there's a debate over the Internet versus X.400, but Jean-Charles Cointot, European regional manager of X.400 vendor Isocor, says that the two should not be viewed as competitors.

X.400 has a significant share of the electronic business in the European community. Cointot maintains that although the Internet is a good way of reaching people, it was not designed to be a business network. With X.400, you have to pay, but you know what you get, he says, which is particularly important for business exchanges like EDI.

But even Isocor is adopting a compromise solution with the recent introduction of its Internet Router. It gives you the control mechanism of X.400, says Cointot, but also lets you access the Internet as a database.

"Administrators of large companies in Europe are asking for X.400 connections and backbones," says Cointot. "They understand there's no religion. You have to find the best solution in each case."



The mobile Keyboard
for mobile People
Saves Power
Saves Space



CHERRY 

Keyboards Made in Europe.

Circle 501 on Inquiry Card.

AUS: Cherry ☎ (03) 5 44 86 44 · A: Cherry Germany ☎ (0 96 43) 18-2 06 · B: Multiprox ☎ (0 53) 78 77 78 · CH: Ineltro ☎ (01) 8 43 33 77 · CZ: Nepras ☎ (01) 64 25 54 · D: Cherry ☎ (0 96 43) 18-2 06
DK: Johanssen ☎ (03 18) 3 90 22 · E: Barcronic ☎ (03) 2 07 71 12 · F: Cherry ☎ (01) 43 77 29 51 · FIN: RepiComp ☎ (0) 7 55 72 01 · GB: Cherry ☎ (0 15 82) 76 31 00 · GR: Paranelas ☎ (0 31) 51 84 8
HK: Cherasia ☎ (8 52) 5 65 66 78 · I: Silverstar ☎ (02) 6 61 25-1 · IL: Astragal ☎ (03) 5 59 16 60 · IND: Cherry ☎ (022) 6 45 25 82 · J: Cherry ☎ (0 44) 9 33 35 11 · N: BEXAB ☎ (63) 83 38 00 · NL: Vierpor
☎ (0 34 65) 9 45 11 · P: Niposom ☎ (01) 8 49 46 37 · RC: Greendich ☎ (2) 7 86 22 33 · ROK: KML ☎ (02) 5 95-91 01 · S: BEXAB ☎ (08) 6 30 88 00 · SLO/HR/BAH/MK: TIPRO ☎ (0 61) 33 25 44 · TR: EMO ☎ (04) 4 46 15 5

If you are on the move and use your notebook extensively you need an external keyboard. It must have a super low profile, a small foot print and must be easy to transport. It should have low power consumption for the batteries to last longer and have the comfortable touch that only mechanical keymodules can offer. In one word: you need our new Cherry 4100. The mobile keyboard for mobile people. Free of CFCs. 90% recyclable. 100% tested. Because Cherry keyboards are quality products manufactured in our ISO 9001 certified company. Test our competence. Send today for further technical details!

Three of many applications:



External keyboard for pen-based computers.



External keyboard for notebooks.



Keyboard with waterproof membrane for measuring and medical equipment.

Maybe it lacks the suave look of some Internet home pages, but France's Minitel is used for all kinds of purposes, from E-mail to finding a vacation spot.



Another French service provider is taking a comprehensive approach. Jerome Lecat, founder and president of Internet Way, says his new company has two product lines, I-Way Access and I-Way Use. The first is a range of turnkey solutions tailored to a corporation's needs, which include built-in security. The second is a package of related services: I-Learn, for training internal technical support groups and end users; I-Search, offering Web navigation help and an information search service; and I-Publish, to help companies set up their own Web servers.

FT, too, has finally come out swinging. Yves Parfait, marketing manager for advanced telematics, denies that FT is trying to defend the Minitel at the expense of the Internet. He points to a number of FT initiatives and products:

- FT manages Internet traffic for the 300 Renater sites
- 19.2-Kbps access is available as part of the Transpac offering
- this year, the world will be able to access Minitel services over the Internet
- Minitel users in France can access E-mail and news over the Internet
- ISDN tariffs are coming down
- Transrel service offers ATM (Asynchronous Transfer Mode) in the backbone

However, FT is not prepared to accept the recent call for a US\$30 billion investment for fiber-in-the-loop over the next 20 years, made by Gerard Thery, former head of FT and "father of the Minitel." Rather, FT has chosen to target business districts for fiber-to-the-building and is running experiments in the residential market. "We have to follow the market and the services demanded," says Parfait.

The Internet world would do well to examine the Minitel experience, however. While the kiosk system works well, many



people keep their Minitels locked away so the kids don't rack up enormous bills playing games. The menuing system is frustratingly slow and tedious little graphics keep you longer, so you're charged more. What's more, recent scandals have revealed some unscrupulous content providers taking advantage of the unemployed, for example, by posting nonexistent positions in on-line job banks.

The Backbone Issue

There are essentially three main backbones in Europe now: the Ebone, Europanet, and EUnet's backbone. As Lecat explains, on the one hand, businesses and organizations are getting together to buy backbone links. On the other hand, he points out, owning a backbone is potentially a powerful position to be in. For this reason, he believes the European telecommunications companies will eventually devote infrastructure to the Internet, as Sprint did in the U.S. In fact, now that Sprint, FT, and DT are a team, this is an issue to watch.

How these backbones evolve and how the politics (read *funding*) play out have a lot to do with what services we'll see at what prices in the future. EUnet has added a second fully dedicated link to the U.S.; its capacity is 1.5 Mbps. The 23-member Ebone has a 3.5-Mbps link to the U.S.

The Ebone, which until now has been run by a consortium of research and commercial interests, has tried to strengthen its position by becoming an association.

What's Ahead?

Although there's been an awful lot of talk and political maneuvering at European Union and national levels of late, we are starting to see some progress that could affect Internet accessibility and pricing. The trans-European ATM test-bed is under way, telecommunications-company liberalization is lurching ahead, and equipment costs are tumbling. But telecommunications are still too expensive in most places, and those to the south and east are plagued

by inadequate infrastructures.

At Interop Paris, keynote speaker Andre Berroir, president of Renater, called for a distributed global Internet exchange (D-GIX) to address Internet growth and competition on a worldwide basis. He also had a few messages: "For the operators: Don't kill the goose that lays the golden egg with poorly adapted tariff policies and accept without restriction the rules of competition. For the European Union: Do the maximum to facilitate access for all to the

means of communication and organize healthy competition between services—for the benefit of the users, of course."

Let's hope someone's listening. Because as Philippe Brawerman, president of Cisco Systems Europe points out, whatever your interest, you'll find something you like on the Internet. ■

Adele Hars is a technology journalist with the G.E.I.D. Press Agency in Paris. She can be reached on BIX c/o "editors."

For More Information

ADIT

Strasbourg, France
+33 88214242
fax: +33 88214240
Circle 1146 on Inquiry Card.

Apple Computer Europe

Paris, France
+33 1 47146400
fax: +33 1 47146443
Circle 1147 on Inquiry Card.

British Telecom

Data Transport Services
Hertfordshire, U.K.
+44 1442 295829
fax: +44 1442 295858
Circle 1148 on Inquiry Card.

CheckPoint Software Technologies

Ramat-Gan, Israel
+972 3 6131833
fax: +972 3 5759256
Circle 1149 on Inquiry Card.

Cisco Systems Europe

Les Ulis, France
+33 1 69186100
fax: +33 1 69288326
Circle 1150 on Inquiry Card.

CompuServe

World Headquarters
Columbus, OH U.S.
+1 614 457 8600
fax: +1 614 457 1004
Circle 1151 on Inquiry Card.

Deutsche Telekom

Bonn, Germany
+49 228 1810
fax: +49 228 1818872
Circle 1152 on Inquiry Card.

EUnet Communications Services BV

Amsterdam, The Netherlands
+31 20 6233803
fax: +31 20 6224657
Circle 1153 on Inquiry Card.

Europe Online

Luxembourg
+352 47 0047
fax: +352 47 0303
Circle 1154 on Inquiry Card.

Firefox International

West Midlands, U.K.
+44 121 703 3000
fax: +44 121 703 3050
Circle 1155 on Inquiry Card.

France Telecom Transpac

Paris, France
+33 1 46481515
Circle 1156 on Inquiry Card.

FTP Software

North Andover, MA U.S.
+1 508 685 4000
fax: +1 508 659 6104
Circle 1157 on Inquiry Card.

IBM International Solutions Centre

Warwick, U.K.
+44 1926 464619
fax: +44 1926 407345
Circle 1158 on Inquiry Card.

IDT

Hackensack, NJ U.S.
+1 201 928 1000 ext. 189
fax: +1 201 928 1057
Circle 1159 on Inquiry Card.

Internet Way

Neuilly sur Seine, France
+33 1 41432114
fax: +33 1 41432111
Circle 1160 on Inquiry Card.

Isocor

Neuilly Plaisance, France
+33 1 43083888
fax: +33 1 43081662
Circle 1161 on Inquiry Card.

Learned Information

Oxford, U.K.
+44 865 730275
fax: +44 865 736354
Circle 1162 on Inquiry Card.

Microsoft Europe

Customer Service
Paris, France
+33 1 46351010
fax: +33 1 46351030
Circle 1163 on Inquiry Card.

Nokia Mobile Phones

U.K. Sales Ltd.
Cambridgeshire, U.K.
+44 480 434343
fax: +44 480 445888
Circle 1164 on Inquiry Card.

Novell GmbH

Customer Service
Düsseldorf, Germany
+49 211 56310
fax: +49 211 5631250
Circle 1165 on Inquiry Card.

Oleane

Vincennes, France
+33 1 43283232
fax: +33 1 43284621
Circle 1166 on Inquiry Card.

Pipex

Cambridge, U.K.
+44 223 250120
fax: +44 223 250121
Circle 1167 on Inquiry Card.

Renater

Paris, France
+33 1 44272612
fax: +33 1 44272613
Circle 1168 on Inquiry Card.

RIPE NCC


Amsterdam, The Netherlands
fax: +31 20 5925090
Circle 1169 on Inquiry Card.

Sun Microsystems

Velizy Cedex, France
+33 1 30675000
fax: +33 1 30675300
Circle 1170 on Inquiry Card.

Vodafone Ltd.

Berkshire, U.K.
+44 635 33251
fax: +44 635 503936
Circle 1171 on Inquiry Card.



Btrieve Technologies, Inc.
Authorized Channel Partners

AUSTRALIA

Fagan 6-13-6999899

BELGIUM

IQN 32-16-502381

CROATIA

SYS 385-1-615223

CZECH & SLOVAK REPUBLICS

Abakus 42-2-24510942
SWS 42-67-981446

FRANCE

Interquad 33-1-41101500
Micro Sigma 33-1-46229988

GERMANY

Compu-Shack 49-2631-9830
SOS 49-821-257820
Sienersoft 49-6126-5950

HUNGARY

Walton 36-1-2679010

ISRAEL

Mashov 972-3-7520190

ITALY

A&B 39-10-2770530

JAPAN

Novell Japan 81-3-54811161
AG-Tech 81-52-9517054

MALAYSIA

Autocomp 6-03-2442002

NETHERLANDS

Artefact 31-15-617532

RUSSIA

ELCO 7-095-1315555
Lanit 7-095-2673038
Unitech 7-095-9395069

SOUTH AFRICA

SYS:COMM 27-11-8867812

SWEDEN


Linsoft 46-13-111588
Scribona 46-8-7343400

UNITED KINGDOM

System Science 44-71-8331022

OTHER COUNTRIES

Contact Btrieve Technologies
512-794-1719
Fax-512-794-1778



THERE IS A SAFE, DIRECT ROUTE TO CLIENT/SERVER. NAVIGATE YOUR WAY WITH BTREIVE 6.

Now you can move to client/server without giving up the control professional programmers demand. The secret is Btrieve 6 Database Manager, and it makes the change to client/server far less uncertain.

INTRODUCING NAVIGATIONAL CLIENT/SERVER

Predetermined SQL optimization routines can limit your control and performance. With navigational client/server, you can chart the fastest path to your data by designing relational structures and following them with precise directional controls to retrieve, insert, delete and update distributed data.

As the first navigational client/server database, Btrieve 6

provides the infrastructure to build multigigabyte database servers that can support hundreds of users with sub-second response times. Using your existing 3, 4 and 5GL tools, create or replace your data management code with Btrieve 6. Couple it with the application code and you're there. Btrieve 6 supports the major server platforms, NetWare Windows NT, and OS/2 and the major client platforms.

Btrieve 6 directional controls integrate with existing application code so you can easily upgrade non-SQL applications to client/server. This way, your end-users won't need the kind of massive retraining that accompanies a change to SQL

applications, an effort that can take from 40 to 50% of the typical conversion budget. (Source: The Gartner Group)


THE PAINLESS WAY TO SQL

For SQL access, simply integrate Btrieve 6 with Scalable SQL, our award-winning relational database. Both are built on our

MicroKernel Database Engine,™ which allows both navigational and SQL applications concurrent access to data.

NAVIGATE SAFELY WITH BTREIVE 6.

Stories of time and money lost changing to client/server could fill volumes. With Btrieve 6, you can avoid the pitfalls. You'll have the control and convenience of using your own tools and writing in your own language. And you can add SQL technologies as required. So navigate the safer route to client/server with Btrieve 6.



IT SIMPLY WORKS
BTREIVE
TECHNOLOGIES

To receive a free white paper, call
(512) 794-1719.

Olivetti Suprema

Before choosing any other PC, count to ten.

complicated environments such as CAD and Full Motion Video.

2 Plug & Play.


The Suprema line, thanks to its adoption of the PCI Bus, ensures maximum installation simplicity. Suprema PCs are based on the new Plug & Play architecture for automatic expansion card configurations, optimizing and simplifying management



Multimedia communications management.

Suprema PCs are equipped with the most sophisticated technologies to improve the man/machine interface. In their selection of integrated audio solutions, Suprema PCs integrate audio capacities to implement vocal

To improve the man/machine relationship, Suprema PCs are equipped with technologies able to handle multimedia applications as well.



applications and multimedia platforms. Their powerful and sophisticated graphics management guarantees optimum performance in

and guaranteeing an enormous boost in production and efficiency.

3 Recyclable materials.

Respect for the environment has always been basic to Olivetti's choices. For this reason the Suprema, and all PCs in general, are produced with up to 84% recyclable materials.

But ecology also means reducing energy consumption: Suprema PCs apply the Power Saving mode and automatically deactivate after a given period of non-use.



4 Certified with 300 SW/HW products.

Besides being equipped with Microsoft Windows for Workgroup, Suprema PCs ensure hardware and software fully compatible with all present standards. Compatibility is guaranteed thanks to testing with over 300 applications and certification by the world's 10 leading software producers.



5 Pentium® power.

Suprema PCs are enhanced with the Intel family's most powerful microprocessors. The 486 Series utilizes the DX2 and DX4 versions, while the Pentium® range presents the latest member of this family: the 90 MHz version. Pentium® processing speed and power allow full exploitation of the new generation application programs. The result is faster, more precise and more productive work. At the same time, the adoption of a PCI local bus on all models allows peripherals to travel at the same speed as the processor, with more and more tangible speed.



6 7 models, 156 configurations.

The Suprema line offers a wide range of choices: two types



SUPREMA:	M6-750	M6-750 S	M6-760	M6-760 S	M6-770	M6-770 S	M6-640
CPU	i486DX2/50	i486DX2/50	i486DX2/66	i486DX2/66	INTEL DX4/100	INTEL DX4/100	Pentium 90 MHz
BUS	PCI/ISA	PCI/ISA	PCI/ISA	PCI/ISA	PCI/ISA	PCI/ISA	PCI/ISA
PLUG & PLAY	Y	Y	Y	Y	Y	Y	Y
RAM ON MB	8-128 MB	8-128 MB	8-128 MB	8-128 MB	8-128 MB	8-128 MB	8-128 MB
SLOTS / BAYS	5/7	3/4	5/7	3/4	5/7	3/4	5/7

of casing, 7 different models of CPU and clock speed, expandable audio and graphics subsystems which can be updated to meet individual requirements. With Olivetti technology to guarantee an investment that's always in step with the times.

7 2.5 million test hours.

CSA, DEMKO, DER GRÜNE PUNKT, FCC, GS, IMQ, NEMKO, ÖVE, SETI, UL, VDE, EPA are the international brands which, along with 2,500,000 hours of testing, guarantee the absolute quality of Olivetti PCs. Total reliability, therefore, with complete adherence to the most exacting international standards: only the best for companies that demand the best.

8 3-level security.

Options on three levels (hardware, software and mechanical) is the Suprema offer for data security and secrecy. Information and applications, vital for the life of a company, are thus completely safeguarded.



Thanks to options on three security levels (hardware, software and mechanical) Suprema PCs guarantee complete data security and secrecy.

9 ISO 9000 Certification.

Olivetti holds the needs and safety of its users in the highest regard. That is why the Olivetti PCs come with a low flicker, low radiation monitor. The casing and keyboard are also designed in accordance with the very latest ergonomic standards to be easy and comfortable to use. In addition, Modulo, Suprema, PCS 52 and the Systema line are developed and manufactured in premises that have received full ISO 9000 quality certification.



10 Customer care: 15,000 specialists.

Those selecting the Suprema, or any other Olivetti PC, find an international network of 5,500 Dealers and System Partners and 15,000 specialists to provide companies with all of the assistance, support and advice they need. This, like the others listed above, is only one of the many reasons for relying on Olivetti. And for counting to ten before choosing any other PC.

For further information, phone:
Austria (1) 816940 - Belgium (2) 2299111
Denmark (31) 201000 - Finland (0) 88741
France (1) 49067000 - Germany (69) 66922755 - Greece (1) 9373800 - Holland (71) 319931 - Israel (3) 7516879 - Italy (167) 012587 - Norway (22) 186100
Portugal (1) 3558260 - Spain (900) 370370 - Sweden (8) 59005200
Switzerland (1) 8391565 - Turkey (212) 2750810 - U.K. (800) 447799.

olivetti

The Hardlock software protection system. Universal and individual.

Across the world, there are currently over 1.5 million Hardlocks in use. They are all virtually hackproof, daisy-chainable, individually interchangeable, compatible, and with an almost incredible variety of forms and features, they are fast and easy to implement.

Want to know more? Want to find out which Hardlock will suit your application? Want to order the FREE Hardlock evaluation pack? No problem! Just dial...

BeNeLux, Crypsys Data Security, Tel: ++31-1830-24444, Fax: ++31-1830-22848 · Croatia, G&G Electronic, Tel: ++385-41-315794, Fax: ++385-41-333510 · Finland, FAST Finland Oy, Tel: ++358-0-5611001, Fax: ++358-0-5611006 · France, FAST Technologies, Tel: ++33-1-46211840, Fax: ++33-1-46210882 · Great Britain, FAST Electronic UK Ltd, Tel: ++44-1-71-2218024, Fax: ++44-1-71-7923449 · Greece, FAST Hellas AE, Tel: ++30-1-6854623, Fax: ++30-1-6854624 · Hungary, Recognita Corp., Tel: ++361-201-8925, Fax: ++361-201-7607 · Iran, SinaSoft Co. Ltd, Tel: ++98-21-622986, Fax: ++98-21-8865588 · Italy, Techne S.r.l., Tel: ++39-59-440690, Fax: ++39-59-440720 · Spain/Portugal, FAST Iberica S.L., Tel: ++34-1-7253626, Fax: ++34-1-7267219 · USA/Canada/Far East, Glenco Engineering Inc., Tel: ++1-708-808-0300, Fax: ++1-708-808-0313

Please contact FAST Electronic GmbH if your country is not listed.
Fast Electronic GmbH · Kaiser-Ludwig-Platz 5 · D-80336 Munich
Tel: ++49-89-53 98 00-20 · Fax: ++49-89-53 98 00-40

Circle 509 on Inquiry Card (RESELLERS: 510).

FAST
Fast Electronic GmbH

MICROSOFT
WINDOW
COMPATIBLE

yes
It runs with
NetWare

Available
and Ready
for OS/2

CE

What's New International Hardware

MOBILE STORAGE

Designed to meet the needs of portable computer users, Pereos is a



lightweight, low-power storage product. It can store 1.25 GB of data on a cartridge the size of a postage stamp. You can thus carry all your information with you at all times.

The external device from Datasonix (Eynsham, U.K.) attaches to a DOS- or Windows-based system through its parallel port; an optional connector allows pass-through of printer data. The base unit contains two AAA batteries and the circuits that control the device and the interface. A detachable unit holds the tape medium and contains the recording mechanism. You can detach the Pereos (£595) recording unit from the base and plug it into a base unit attached to another system, thereby sharing it between systems. The drive transfers data at 5 MB per minute without compression and up to 10 MB per minute with compression.

Software called PereoSoft lets you move data easily to and from the medium and a PC through its disk/file on- and off-load capability. PereoSoft lets you back up and restore individual files or all the data on a rigid drive.
Phone: +44 1865 883302;
fax: +44 1865 883305.

Circle 1424 on Inquiry Card.

FAST SCSI DISK ARRAY CONTROLLERS

The GDT6010, GDT6020, and GDT6050 disk array controllers have one, two, and five independent fast SCSI channels, respectively. Controller firmware is independent of the operating system. It supports disk mirroring (i.e., RAID 1) and the configuration of complex RAID 4 and 5 arrays. Hot-fix and hot-plug utilities let you replace a defective drive during a working session.

The Vortex Computersysteme (Flein, Germany) controllers (DM 2780 to DM 5250) have a transputer that has 20 MIPS of computing power and a cache memory that uses an IBM PS/2 SIMM of from 4 to 32 MB. To speed up the calculation of redundancy data, you can upgrade

the controllers with an XOR RAID accelerator. A three-channel module turns the GDT6020 into a five-channel disk array controller.

Phone: +49 7131 597214;
fax: +49 7131 255063.

Circle 1427 on Inquiry Card.

17-INCH COLOR MONITOR



The Ranger 17F2 microprocessor-based 17-inch color monitor has low-emission specifications that comply with ISO9241-3, MPR-II, VESA Display Power Management Signaling, and Energy Star standards. The monitor works with graphics resolutions of from 640 by 480 pixels to 1280 by 1024 pixels. A backlit LCD shows the selected adjustment parameters and the

current graphics mode. In addition to 12 sets of preprogrammed graphics parameters to cover common standards, the Ranger 17F2 (£960) comes with 15 additional sets for user settings. The Aydin Controls' (Hitchin, U.K.) monitor has an AGRAS black-matrix tube providing bright, high-contrast, and stable images. The flat square tube has a dot pitch of 0.27 mm and double focusing for optimum clarity.

Phone: +44 1462 458804;
fax: +44 1462 456761.

Circle 1425 on Inquiry Card.

COMPACT RS-232-TO-RS-422/485 CONVERTERS

The K422-99 and K485-99 (£39 each) miniature line-powered RS-232-to-RS-422/485 converters feature state-of-the-art low-



power CMOS circuitry. They have surface-mount components that eliminate external power supplies and bulky converter boxes. The converters support data transfer rates of up to 115.2 Kbps and provide an effective solution for interfacing between RS-232 and industrial control and instrumentation, according to KK Systems (Shoreham by Sea, U.K.).

Phone: +44 273 452357;
fax: +44 273 440535.

Circle 1428 on Inquiry Card.

PENTIUM PCI MULTIMEDIA BUNDLE

The PC-560B/1 Multimedia Special (£1295) includes a PCI local-bus motherboard (with three PCI slots and three ISA slots), with a 60-MHz Pentium processor and 256 KB of cache memory; 4 MB of RAM (expandable to 128 MB); a 210-MB hard drive, with a dual-channel PCI-enhanced IDE controller; a high-speed 64-bit PCI graphics accelerator, with 1 MB of DRAM; a double-speed, multi-session (Photo CD-compatible) CD-ROM drive; a 16-bit stereo sound card, with Altec Lansing speakers; a 14-inch SVGA color monitor, with a noninterlaced resolution of 1024 by 768 pixels; a 102-key keyboard; and a Microsoft Mouse. Software includes Microsoft Encarta, Microsoft Works,



Microsoft Money, Microsoft Scenes, 7th Level Tuneland, a CD-ROM containing 100 games, MS-DOS 6.22, Windows for Workgroups 3.11, Lotus Organizer 1.1, and Lotus Ami Pro 3.1.

Contact: Elonex plc, London, U.K., +44 81 452 4444; fax: +44 81 452 6422.

Circle 1421 on Inquiry Card.

If you would like your new product considered for publication in the international section of BYTE, send press releases to BYTE, Attention: Martha Hicks, One Phoenix Mill Lane, Peterborough, NH 03458, U.S.A., (603) 924-2638, fax (603) 924-2550.

What's New International Hardware

ALL-IN-ONE MOUSE AND GRAPHICS TABLET

The GeoMouse/GeoBoard (DM 325) combines a mouse and a graphics tablet. Both devices are contained in a single-plug unit, eliminating the need for a second serial port. The GeoMouse has five buttons, all of which you can assign to perform individual tasks. For example, if both right- and left-handers use a machine, you can reverse the left and right button function. When you put the GeoMouse on the GeoBoard tablet, you get a 305- by 305-mm, 500-dpi graphics tablet ready to input graphics or use paper maps and menu templates. The mouse recognizes the x,y grid electronically, switches itself and the current application into absolute mode, and transmits its position to the computer 75 times per second.

The GeoBoard tablet comes with a see-through menu cover to hold the standard tablet menus of CAD programs. You can run the GeoBoard using AAA batteries, allowing mobile use with a notebook.

Contact: Aristo, Hamburg, Germany, +49 40547 47296; fax: +49 40547 47111.

Circle 1422 on Inquiry Card.



tool is AutoCAD, and you can use 3D Studio and extensions to AutoCAD. You can import databases created with other tools and import texture from photographic packages.

Primary Image's (Kingston upon Thames, U.K.) P10 architecture provides peak drawing rates of from 200,000 to 1.6 million triangles per second, from 50,000 to 400,000 textured polygons per second, and from 20 million to 160 million textured pixels per second. True color with 16.7 million displayable colors is standard. On-board video memory is 4 MB (expandable to 8 MB). On-board system memory is 8 MB (expandable to 16, 32, or 64 MB).

Phone: +44 81 546 4908;
fax: +44 81 549 8035.

Circle 1429 on Inquiry Card.

SUPERCOMPUTER GRAPHICS

A single-board textured image generator, the P10 offers supercomputer graphics performance

that you can install in PCs. The P10 (call for price) includes perspective texturing, which gives maximum realism; antialiasing,

to eliminate distracting visual artifacts; and sustained update rate to let the visual scene keep pace in real time. The main drawing

BüKoMa'95

19th Istanbul, International Office Equipment and Automation, Office Organisation and Furniture, Data Processing, Information and Printing Technology Fair

March 9-12, 1995
Istanbul
Hilton Exhibition Center

interteks

Visiting Hours: 12.00-20.00

Mim Kemal Öke Cad.No:10 Nişantaşı 80200 Istanbul/TURKEY

Telephone:(0212) 225 09 25 (12 lines)

Fax:(0212) 225 09 33 / 225 09 34 / 225 09 36

Telex: 26855 Inas tr.

A&D



Natural colours, super fine pixels

Your eyes will tell you - Hitachi's new range of monitors takes image quality and user comfort to new levels.

You'll see more of your document, spreadsheet or drawing at up to 1600 x 1280 on our new CM2198ME and CM2199ME. (That's 2M super fine pixels on view!) You'll see rock steady pictures on these new 21" FST screens with refresh rates up to 150Hz, and even 1600 x 1280 at 80Hz on the TCO92 approved CM2199ME.

Your eyes will appreciate Hitachi's natural colours, which avoid the tiring harshness of some other monitors. They will also enjoy the crispness produced by the fine horizontal pitch of Hitachi's famous tri-dot shadow mask - 0.225mm is finer than any equivalent grill type mask.



Of course, all Hitachi's monitors, from 15" to 21", comply fully with MPR-II and other ergonomic and safety standards. And when the power management system blanks the screen they are still good to look at!

For details of a new generation of monitors, call your Hitachi sales office now - your eyes will appreciate the difference.

HITACHI

Business Systems Division

(BE) +32 67-88-25-50	(FR) +33 1-48 13 60 65
(CH) +41 (0)64 502211	(GB) +44 (0)181-849 2092
(DE) +49 (0)40-73411-133	(IT) +39 (0)2-483261
(DK) +45 43 99 92 00	(NO) +47 69 32 82 55
(ES) +34 (9)3 330 8652	(NL) +31 34 03 59140
(FI) +358 (9)18 752 7804	(SE) +46 (0)8-761 62 50

Circle 527 on Inquiry Card.

HyperMedia Professional

*intelligent large-scale
management of any type of information*

Information retrieval

retrieval by any combination of words and, or, not, proximity and adjacency dates and numbers with range queries support for most wp formats support for structured data 2-Gb text bases currently in operation

Object-oriented hypermedia

multilevel multimedia dossiers manage any type of digital data links automatically established during input or manually at any time full link control

Monochrome rasters

A0 formats and over TIFF CCITT G4 compression software compression and decompression certified Kofax support for fast scanners duplex scanning in software multiple raster layers anchors (hot spot links to multiple documents) retrieval through queries on anchored documents

Color and grayscale images

software ISO-JPEG compression multiresolution images miniature previews conversion and print

COLD output

automatic archival for mainframe print spools with indexing and document separation image synthesis of spool data over a raster background storage cost as low as \$1 per 15,000 pages

Full protection

extensive customizing network, optical disks and jukebox support and more...

special version for CD-ROM dissemination

available on:
Microsoft Windows
Microsoft Windows NT (Intel and Alpha)
UNIX (DEC Alpha, IBM Risc/6000, HP PA RISC)

Via Duchessa Jolanda 21
I-10138 TORINO (Italy)
Phone: +39 (11) 4341245
Fax: +39 (11) 4336637
e-mail: hyper@inrete.alpcom.it



HYPERSYSTEMS

Archival and retrieval systems since 1986



CeBIT'95
HANNOVER
8. — 15. 03. 1995
HALLE 11 — STAND B06

For example BOX and POCKET
INTERCON® - PRINTSERVER

ETHERNET **TOKEN RING**

NOVELL (IPX) ▶
UNIX (TCP/IP) ▶
LAN SERVER ▶
LAN MANAGER ▶
Apple EtherTalk ▶



Call for informations about all **INTERCON** products.

Sunderweg 4
D-33649 Bielefeld, Germany
P.O.Box 140829
D-33628 Bielefeld, Germany
Phone: +49 / 521 / 94226-0
Fax: +49 / 521 / 444049

SEH
Computertechnik GmbH

What's New

100-MHz PENTIUM NOTEBOOK

Based on the 3.3-V Intel P54C microprocessor, the Tadpole P1000 notebook provides 8 to 128 MB of user-upgradable RAM, a 256-KB secondary write-back cache, a 64-bit memory



interface, and a 340- to 810-MB removable hard drive. You can use the notebook for applications such as 3-D modeling and real-time data analysis.

It includes a PCMCIA slot that supports one Type III or two Type I or II PCMCIA cards; a large-format, active-matrix TFT color display; a

pointing stick in the keyboard, with a three-button mechanism; an external, low-profile 3½-inch floppy drive; and an internal NiMH battery. A mini-docking station and an external nickel-cadmium battery pack are optional.

The Tadpole P1000 (from £5495) has direct I/O ports for an external mouse, external video, a parallel port, a floppy drive, and headphones. The company is developing a full-feature docking station, which will provide a CD-ROM drive, a fixed SCSI hard drive, a removable hard drive, three 16-bit ISA expansion slots, a 16-bit Ethernet adapter card, and a 1.44-MB floppy drive.

Contact: Tadpole Technology plc, Cambridge, U.K.,
+44 1223 428200; fax: +44 1223 428201.

Circle 1423 on Inquiry Card.

ADD SOUND TO YOUR PORTABLE

Tempo offers all the features of AT-bus sound cards to PCMCIA-equipped portable PCs, according to Portable Add-ons (Guildford, U.K.). The PCMCIA Type II card provides a true stereo four-operator FM synthesizer, which can play 18 instruments at a time. The card can play MIDI files, including those conforming to the MIDI standard, when you use the supplied Voyetra Multimedia software. A five-pin DIN MIDI socket can drive external equipment, such as drum machines and external synthesizers. Tempo (£299) supports 8- or 12-bit stereo recording for WAV files, at sampling rates of up to

44.1 kHz. Stereo playback is possible at all rates. A built-in mixer offers microphone and line-level inputs (e.g., for tape machines and CD players). The sound card supports Video for Windows, Windows Sound System 2.0, and Windows Audio/MIDI applications. Phone: +44 483 440777; fax: +44 483 452304.

Circle 1434 on Inquiry Card.



What's New International Hardware

LARGE-FORMAT INK-JET PLOTTERS

The SummaJet 2M (monochrome) and 2C (color) ink-jet plotters are available in A1 and A0 sizes. A dual-head system improves throughput and, when it's used with Summagraphics' (Brussels, Belgium) inks, ensures better color clarity and plot quality, according to the company. The plotters are compatible with major plotter languages and include parallel and serial interfaces with automatic I/O switching. An Ethernet adapter is available as an option.

Designed for people who need to produce monochrome drawings with a high throughput, the SummaJet 2M (A1, £2495; A0, £3195) contains two black-ink cartridges. In addition, you can



upgrade the 2M to color capability. The SummaJet 2C (A1, £2850; A0, £3650) contains tri-color and black cartridges, and it can produce full-color and monochrome plots. The dual-cartridge system lets you substitute either two tricolor cartridges or two monochrome cartridges to give a higher throughput in appropriate applications. Phone: +32 2 7175033; fax: +32 2 7175289.

Circle 1433 on Inquiry Card.

PC VIDEOCONFERENCING

ATS Interact (Bracknell, U.K.) offers PictureTel's PC videoconferencing system, called Live PCS 100 (£4250). The system combines

standards-based video and audio with LiveShare, information-sharing software that allows remote viewing and editing of documents, even if both parties don't have the same application.

LiveShare lets you simultaneously open and share as many applications as desired, with only a small loss of system performance. You can gain access with the proper password, even when the other end is not tended, with a simple click on an icon. The Windows-based LiveShare uses icons, on-screen menus, and toolbars.

Phone: +44 1344

411011;

fax: +44

1344 411329.

Circle 1432

on Inquiry

Card.



COMPACT SCREEN PRINTER

You can print solder paste onto printed circuit boards reliably, using SMTech's (Dorchester, U.K.) AVP300 (US\$120,000). A compact screen printer, it prints on densely populated boards, even if components are mounted on the underside. The printer is designed for in-line operation. Maximum print speed is 0.4 to 2.5 inches per second.

The Windows-based control software accesses all the functions via on-screen menus using a light pen or trackball. The vision system uses closed-loop control with look up/down optics to adjust the alignment of the printed circuit boards to the stencil images.

Phone: +44 305 854441;

fax: +44 305 854435.

Circle 1426 on Inquiry Card.

HUNGARY 8th International Computer Exhibition and Fair



COMFAIR

Organizer:



COMPEXPO

COMFAIR 95

10-14 October, 1995

COMPEXPO, COMPUTER RELATED TRADE SHOW AND CONVENTION ORGANIZERS AND TRADING Ltd.Co.
H-1053 Budapest, Kálvin tér 5. Tel.: (361) 117-1933 (361) 117-6760 Fax: (361) 117-0436

BYTE Proudly Announces a New Awards Program to Recognize the Best Products of Europe...



BYTE magazine will honor **EUROPE'S BEST NEW PRODUCTS** at CeBIT'95. If your company plans to launch a new product that will be exhibited at CeBIT '95, you are encouraged to send product information to BYTE's editors and enter the Best of CeBIT '95 awards competition. The judging will take place during the trade fair in Hannover, Germany (8-15 March).

When evaluating eligible products, BYTE editors look for innovative new products that show potential influence on business computing worldwide, and have a strong impact on show attendees.

BYTE's Team of Editors will be Evaluating New Products in the Following Categories:

Best Printer	Best Development Software	Best Multimedia Hardware
Best System		
Best Portable System	Best Connectivity Hardware	Best Multimedia Software
Best Applications Software	Best Connectivity Software	Best Peripheral

If you'd like your product to be considered for these awards, please send us your product press releases (not products) by 28 February 1995. Be sure to include your stand number and exhibit hall.

Send to: Rainer Mauth, BYTE European Editor
Liebigstrasse 19
BYTE/McGraw-Hill, Inc.
D-60323 Frankfurt, Germany
Tel: + 49 69 71407 123
Fax: + 49 69 71407 148

BYTE editors will view products personally at CeBIT and determine nominees for the awards. Winners will be notified in advance of the formal announcement which will be made at the show.

To qualify for these awards, companies must have their corporate headquarters located in Europe or the Middle East.
BYTE editors reserve the right to determine the eligibility of any company entering this competition.



Because the *Experts* decide.



What's New International Software



JAPANESE LANTASTIC 6.0

Artisoft (Tokyo, Japan) offers a Japanese version of its LANTastic 6.0 network operating system (call for price). The system comes in one-, five-, 10-, 25-, 50-, and 100-node versions. It's compatible with major Japanese hardware platforms, including NEC's PC-9801 and Toshiba's J-3100. Version 6.0 includes a universal client technology that provides seamless desktop connectivity to Novell, Microsoft, and IBM network servers. An integrated communications system includes advanced E-mail, network scheduling, faxing, and paging.

Phone: +81 35 6879451;
fax: +81 35 6879455.

Circle 1464 on Inquiry Card.

LEARN SIX LANGUAGES

The EZ Language vocabulary and pronunciation tutors use pictures, words, and sounds to help you learn French, German, Italian, Japanese, Russian, and Span-

ish. The programs present words and phrases with colorful graphics to stimulate word-to-object association. Through your PC's speaker or a Sound Blaster-compatible sound card, IMSI's (Brentford, U.K.) EZ Language programs let you hear a native-language speaker correctly say words and phrases. With a microphone and a sound card, you can record your voice and compare it to the speaker.

Each EZ Language product (six languages on a CD-ROM, £69.95; a single language on a disk, £39.95) features more than 400 commonly used words and phrases; topics to assist travelers in a country; add-on products for students, professionals, and bilingual training; and multiple-choice tests to improve recognition.

Phone: +44 181 758 1447;
fax: +44 181 758 1667.

Circle 1451 on Inquiry Card.

CLEAN UP CLUTTERED WINDOWS

CleanSweep lets you increase available disk space and improve Windows performance by finding and removing unwanted applications and components.

Quarterdeck Office Systems' (Chelmsford, U.K.) program automatically locates backup, temporary, archive, help, bit-map, and lost cluster files. CleanSweep (£39.95) can also locate files that match a user-specified naming pattern and help you remove unneeded system components.

If you unintentionally remove a file, the Restore Backup feature can restore it quickly. You can also perform a trial run, which will have no effect on files suggested for deleting but will provide projected disk space savings. By default, CleanSweep automatically compresses and archives all uninstalled files and keeps a perpetual log of every action performed. Other features include the ability to track down unwanted files associated with a program and a network install



module that lets you erase unwanted programs from a network environment.

Phone: +44 245 496699;
fax: +44 245 495284.


Circle 1457 on Inquiry Card.

CHORUS FOR DISTRIBUTED EMBEDDED SYSTEMS

Based on the Chorus Nucleus open-microkernel standard, Chorus/ClassiX is a real-time execution and development environment for distributed embedded systems. The program offers a solution for real-time applications that need access to external Unix services while relying on open-microkernel technology. Chorus/ClassiX (call for price) offers transparent access to remote Unix file systems through NFS, BSD sockets over TCP/IP, and 100 system calls and library functions for I/O, string handling, character handling, and network handling. Chorus Systems' (Saint-Quentin-Yvelines, France) environment supports SunOS. You can transparently distribute Chorus/ClassiX applications on multiple target systems using the Chorus kernel-to-kernel connectivity services.

Phone: +33 1 30648200;
fax: +33 1 30570066.

Circle 1449 on Inquiry Card.



REDUCE DEVELOPMENT TIME

PC Guidelines is designed to reduce development times and ease the creation of graphical, platform-independent applications. The package uses an object-oriented high-level language called JOT, with full point-and-click code prompting to aid programmers. At the same time, more advanced developers wishing to use the full power of C++ and native platform-specific APIs can call on the language directly. PC Guidelines also allows you to reuse existing

C modules. In addition, you can generate DLLs or stand-alone executable programs.

PC Guidelines has an extensible range of controls, including support for IBM CUA '91 objects (e.g., containers, notebooks, sliders, and value sets), status bars, toolbars, business graphics, animated push buttons, picture fields, and formatted entry fields. To aid screen design, PC Guidelines (£395) provides a range of layout tools: horizontal/vertical control alignment, object spacing/sizing, and snap-to-grid.

Contact: JBA, Alcester, U.K., +44 789 400212; fax: +44 789 400675.

Circle 1446 on Inquiry Card.

Real-Time Multitasking

for Microsoft C, Borland C, Borland Pascal

Develop Real-Time Multitasking Applications with RTKernel!

RTKernel is a professional, high-performance real-time multitasking kernel. It runs under MS-DOS or in ROM and supports Microsoft C, Borland C++, Borland Turbo Pascal, and Stony Brook Pascal*. RTKernel is a library you can link to your application. It lets you run several functions/procedures as parallel tasks and offers the following advanced features:

- pre-emptive, event/interrupt-driven scheduling
- number of tasks only limited by RAM
- task-switch time of 6 μ s (33-MHz 486)
- up to 64 priorities (changeable at run-time)
- time-slicing can be activated
- timer interrupt rate of 0.1 to 55 ms
- high-resolution interval timer (1 μ s)
- activate or suspend tasks out of interrupt handlers
- programmable interrupt priorities
- inter-task communications using semaphores, mailboxes, and message-passing
- keyboard, hard disk, floppy disk idle times usable by other tasks
- supports math coprocessor and emulator
- supports up to 36 COM ports (DigiBoard and Hostess boards)
- protocols XON/XOFF, DTR/DSR, RTS/CTS
- full support of NS16550 UART chip
- fast, inter-network communication using Novell's IPX services
- runs under DOS, LANs, or without OS
- call DOS without re-entrance problems
- resident multi-tasking applications (TSRs)
- runs Windows or DOS Extenders as a task
- supports CodeView and Turbo Debugger
- Kernel Tracer for easy debugging
- ROMable
- full source code available
- no run-time royalties
- free technical support by phone or fax

RTKernel-C 4.0 DM 795 RTKernel-Pascal 4.0 DM 695

C Source Code: add DM 695 Pascal Source Code: add DM 595

International orders: add DM 50 shipping and handling. MasterCard, Visa, check, bank transfer accepted.

FREE DEMO DISK
Please request Info Kit B

On Time
MARKETING

Professional Programming Tools

On Time Marketing
Karolinenstrasse 32 • 20357 Hamburg
GERMANY • CompuServe 100140.633
Phone +49 - 40 - 437472 • Fax 435196

In Australia/New Zealand, contact:
MicroWay Pty. Ltd.
Unit 1, 16 Tarnard Drive
Braeside, VIC 3195 • AUSTRALIA
Phone (03) 580-1333 • Fax 580-8995

The OWL. A wireless,
mouse-compatible
3-D pointing device.

You're free at last. Now you can control point of view and movements in multi-dimensional environment just by moving your finger. The OWL ring-like transmitter wraps around your finger transmitting to a base unit which plugs into a serial port.

We specialize in the development of advanced peripheral devices.
**We're looking for strategic partners
to maximize our product's potential.**

See us at Cebit '95, Hall 4, EG, Booth F42

Pegasus Technologies Ltd., Beit Panarama,
84 Ben Zvi Road, Tel Aviv 68104, Israel
Tel: 972-3-5182422, Fax: 972-3-5182423
Internet: peg@goldnet.co.il

INNOVATIVE

SI
pegasus

Erlich/Pelleg

What's New

GENEALOGY SOFTWARE FOR WINDOWS

Banner Blue Software's Family Tree Maker 2.0 for Windows (£49) features an electronic scrapbook, where you can store scanned images, photos from Kodak Photo CDs, and even OLE objects, such as home video and audio clips. You can print family trees, reports, album pages with photos, and mailing labels and create your own on-screen family slide shows. The scrapbook's multimedia capabilities help you store, sort, and present your photos, video clips, and other kinds of family information. The scrapbook can store up to 16,000 images per person, each item having its own caption, date, and description.

Contact: The Roderick Manhattan Group,
London, U.K., +44 81 875 4400; fax: +44 81 877 1388.

Circle 1447 on Inquiry Card.



AUTOMATED DOCUMENT STORAGE AND RETRIEVAL

If you have storage and retrieval needs, International Software Systems' Fiche-Net provides an easy-to-use method to access information. You can set up and maintain your own reports and subreports with indexing on up to eight keys for each category. The system can retrieve data by executing multikey, wild-card, or ad hoc searches, and define report views by collapsing unwanted columns. In addition, you can generate reports from hit lists obtained from these searches.

Available from The York Group (St. Germain-en-Laye, France), Fiche-Net (call for price) runs on stand-alone or network-based DOS or Unix systems. You can store data on a hard disk, optical disk, or both.
Phone: +33 1 39739668;
fax: +33 1 39211128.

Circle 1458 on Inquiry Card.

fect your hard disk space; log files of icons, files, and directories you have deleted, with dates and hard disk space freed or the last installed program files, location, and size; and a system information display.

Phone: +44 181 758 1447;
fax: +44 181 758 1667.

Circle 1452 on Inquiry Card.

LOW-COST BACKUP FOR NETWARE SERVERS

Sytron ProServe CX Lite is an NLM for network file servers. Available as a stand-alone application, the product from REXON Europe (Aldermaston, U.K.) backs up a single NetWare 3.x or 4.x server to tape drives. You can do backup and restore operations from a Windows workstation or the NetWare server console.

Graphical representations of network maps and directory trees, with complete operation logs and media status, provide simple administration of backup, restore, and data-storage management tasks. Sytron ProServe CX Lite (from US\$145) supports file-server backup speeds of up to 44 MB per minute, and you can schedule backup and restore jobs to run during off-peak hours.

Phone: +44 1734 810072;
fax: +44 1734 810074.

Circle 1456 on Inquiry Card.

Introducing

TCP/IP for WINDOWS

Reflection does it right.

Announcing the Reflection Network Series® for Windows—the first TCP/IP for Windows developed specifically for corporate networks, designed for performance, reliability, and ease of use.

- **Powerful network management**—Extensive diagnostic and monitoring tools, including SNMP MIB II

- **True open connectivity**—100% Windows Sockets compatibility, drag-and-drop FTP, LPR/LPD, NS/VT, and LAT
- **Optimal performance and reliability**—A cooperative VxD/DLL design delivers superb performance while it protects vital data.

Try the new Reflection Network Series for yourself. It's done by Reflection®, so you know it's right.

Call your authorized Reflection distributor:

Australia—Megatec (03) 874 3633 Austria—SIS (01) 376316119 Benelux—C&SC bv (040) 434957, BMC (070) 360 6860 Czech Republic—INSEKO CS (067) 607 311 Denmark—Tempest 44 94 89 02 Finland—TT-Professional Solution Oy (90) 502 7612 France—ADE (Toulouse) (16) 61 73 32 49 Germany—GFKT (040) 23 73 01 0 Hong Kong—G.T.I. 753 8283 Ireland—Entropy (01) 294 0199 Israel—Lihad/Bina Systems Ltd. (03) 557 3636 Italy—Siosistemi (030) 2421074 Japan—Cybernet (03) 59 78 5410 Malaysia—SCS Computer Systems (03) 756 5800 Mexico—Infosistemas Financieros (5) 813 1325 New Zealand—Interconnect (09) 358 0758 Norway—Nocom 67581450 Poland—Softkom (22) 40 4631 Portugal—Silicon (01) 8151234 Singapore—SCS 441 2688 Slovak Republic—INSEKO a.s. (089) 64 88 08 South Africa—LAN Design (011) 444 1050 Spain—Scorpion Systems (3) 485 40 44 Sweden—Nocom AB (018) 65 55 00 Switzerland—Commcare (01) 730 24 31 United Kingdom—Wick Hill IMX Ltd. (0483) 772280 Venezuela—Lanka Sistemas (2) 959 2411

 **Reflection**
Making PC Connections Count

A Message to Our Subscribers

From time to time we make the BYTE subscriber list available to other companies whose products or services would be of interest to our readers. We take great care to screen these companies, choosing only those who are reputable. Furthermore, subscriber names are made available for direct mail purposes only; telemarketing calls are strictly prohibited.


Many BYTE subscribers appreciate this carefully managed program, and look forward to receiving information of interest to them via the mail. While we believe this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive promotional literature. Should you wish to restrict the use of your name, please send your request (including your magazine mailing label, name, address, and subscription account number) to:

**BYTE Magazine
Subscriber Services
PO Box 555
Hightstown, NJ 08520**

BYTE

Because the *Experts* decide.

What's New



QUALIFICATION AND FORECASTING SYSTEM

SalesVision for Windows, a qualification and forecasting system, is designed to give managers consistency in the sales forecast process so they can control activities. The program from Nomis (Camberley, U.K.) automates the process.


In the qualification stage, salespeople can measure the status of activities within each target account. You can customize the system for each company's sales activities, and the manager can forecast the probability of winning a particular order. SalesVision updates a standard qualification report for each account.

Once you have completed the qualifications, you can use them to produce an accurate sales forecast. You can view changes in the forecast report while updating the qualification report; classify accounts as won, lost, or suspended; and sort and print accounts by individual account representatives. SalesVision for Windows is available in Sales Manager (£950) and Account Manager (£450) versions. Phone and fax: +44 276 22168;

Circle 1459 on Inquiry Card.

CD DIRECTORY FOR THE MAC

With Insignia Solutions' (High Wycombe, U.K.) CD Directory (£49.95), you can create catalogs for more than 100 CDs, containing an exact representation of the file and folder layout of each CD and



where to find them, all of which you can view at the same time. You can configure the positioning of files within the folders in the catalogs and retain them even after

ter you remove the CD and restart the machine. In addition, CD Directory lets you browse archives at any time, even when CDs are locked in a safe.

Phone: +44 494 459426;
fax: +44 494 459720.

Circle 1453 on Inquiry Card.

MANAGEMENT SOFTWARE


Intasoft (Exeter, U.K.) offers the latest versions of AllChange and SMS. AllChange provides a configurable environment for controlling software development projects under DOS/Windows and Unix. The program incorporates full database facilities and uses a hierarchical design tree to model the product structure and provide a framework for development. AllChange 2 features a Motif user interface.

You can control access by definable rules and tailor commands, providing an open interface to other tools and letting the commands respond to specific actions. AllChange 2 (five-user license under DOS/Windows, from £1990; five-user license under Unix/Motif, from £2985) integrates with the SMS Version Control System.

The Windows version of SMS (single-user DOS version, £490) controls the management and maintenance of development projects. The program allows you to control and automate the development and maintenance of software throughout its life. Phone: +44 392 217670; fax: +44 392 437877.

Circle 1454 on Inquiry Card.

What's New International Software



STAR WARS SCREEN SAVER

Star Wars Screen Entertainment (£29.99) brings your favorite *Star Wars* characters to life. When you leave your PC alone for a few minutes, animations depicting space battles, lightsabre duels, and parties in the seedy watering hole in Moss Eisle replace whatever was on your screen. The screen saver from Virgin Interactive Entertainment (London, U.K.) lets you

wade through the top secret plans for the Death Star and call up the actual *Star Wars* screenplay, which includes scenes that were cut from the final print. Fourteen modules come with the movie's theme and 100 digitized

sound effects.

Phone: +44 81 960 2255;

fax: +44 81 960 9900.

Circle 1465 on Inquiry Card.


WINDOWS-BASED DEVELOPMENT TOOLS

VisualTools' Visual Developers Suite includes the Formula One spreadsheet, First Impression charting tool, Visual Writer text

editor, Visual Speller spelling checker, and ImageStream image conversion and management tools. Available from QBS Software (London, U.K.), the suite (£225) is compatible with such Windows development environments as Visual Basic, Visual C++, and Borland C++.

An Excel-compatible spreadsheet, Formula One has 126 functions. New features reduce programming time, increase speed, and provide a direct link to the First Impression charting tool. First Impression can display multidimensional data and features 3-D objects rendered in true 3-D space using light sources and perspective.

A WYSIWYG text editor, Visual Writer supports RTF, with



report-annotation and text-formatting features, such as multiple fonts and paragraph indentation. It integrates directly with Visual Speller. A 100,000-word dictionary, Visual Speller also contains custom dictionaries. ImageStream offers file conversion and image management through 26 graphic import filters and 20 export filters.

Phone: +44 81 994 4842;

fax: +44 81 994 3441.

Circle 1450 on Inquiry Card.

Your software is in danger... and not just at night!

It's by day in fact that software thieves are busiest, out for the blood of their victims the software-houses that invest thousands of hours in program developing. Now is the time to secure software with **Smartkey-plus**, the intelligent key for software protection.

Smartkey-plus plugs into the PC's parallel port. It works on stand-alone PC and LAN. You can protect software under DOS, WINDOWS, OS/2, UNIX, AUTOCAD, LAN.

Simple. Always active. Easy to use through a wide range of developer software tools.



- Unique personal code
- Memory up to 448 bytes
- Programmable algorithms
- Protection through linkable drivers or automatic .EXE files protection technology
- LAN license control
- High security ASIC technology
- Fully transparent to parallel port use for printers, pocket network adapters, SCSI adapters, etc.
- Daisy-chainable

Please call today for details and documentation. And you will be pleasantly surprised at the price.



Smartkey plus

The state of the art in Software Security

Eutron
THE SECURITY KNOW-HOW

EUTRON spa Via Gandhi 12 I-24048 Treviolo Bergamo Italy Tel +39-35-201003 Fax +39-35-201277 BBS +39-35-201144
BELGIUM: Vicking 011-431272 ■ FINLAND: Dalma 90-2711800 ■ FRANCE: Logidata 1-46454546 ■ SWEDEN: JM Data 042-123145 ■ SPAIN: Larcu 91-7952413


DATASCAN 7000

Distributed Data Acquisition System


Interfaces all standard transducers to any host computer system
Thermocouples, PT100, Strain gauges, Voltage, 4-20ma, Digital.

The I/O with the I/Q !

In use Worldwide for
Research, Test, Process control
and Manufacturing applications.




LABTECH



RT-DAS



SCAN 1000




INTOUCH




GENESIS





FIX-DMACS




REALFLEX




**FOR ALL YOUR DATA ACQUISITION
AND MONITORING REQUIREMENTS**



ORCHESTRATOR



FACTORY LINK



DASYLAB

Extensive SCADA software support including the above packages

- Mix and Match - Analogue and digital input and output modules, isolated and non isolated from 8 to 1000 Channels
- Distributed - Up to 4Km over 32 locations using RS485 twisted pair
- High accuracy - Low noise measurement
- Rugged - DIN rail mounted format

AVAILABLE THROUGH BUSINESS PARTNERS, RS COMPONENTS AND WORLDWIDE DISTRIBUTORS

PHONE FOR FULL INFORMATION PACK AND LATEST DRIVERS LIST

TELEPHONE (UK) + (44) 0270 886161

Blasts from the Past



DENNIS BARKER



Zenith's new EISA PC, a 33-MHz 386 machine, was our cover story. It was one of the first EISA boxes, and it had a drive controller that "leaves others in the dust."

Three things that haven't changed. A Microbytes story quoted David Liddle, then chairman of Metaphor Computer Systems, as saying users have three big needs the industry isn't filling: the ability to access data, no matter where it is; tools that everyone can use; and tools that let even technology novices build applications.

Department of It Sounded Like a Good Idea

We looked at some products that left the drawing



board with grand hope and hype but tanked when they hit the market. These micro Edsels included the Apple III, the TI-99/4A, and the IBM PCjr.

Motorola had just released the 68040. Notable enhancements: an integrated FPU, two 4-KB caches, and separate MMUs (memory management units)

for data and instructions. At approximately 20 MIPS and 3.5 MFLOPS, it would make the next generation of Macs run at the speeds of SparcStations.

Space Oddity An article called "Drowning in Data" proposed a serial memory system that involved bouncing data off the moon with a laser beam and using space as a recording medium. And did you know that digital tape has a bit-storage density that's about two orders of magnitude greater than the neuron density of the brain?



Spreadsheets

—Picking one then was like buying a bottle of iced tea today: There were about a dozen brands to choose from. We reviewed the three Excels (for Windows, OS/2, and the Mac), Lotus 1-2-3, Quattro Pro, SuperCalc, Lucid 3-D, PlanPerfect, Pro-Quibe, SmartWare 20/20, Twin, Full Impact, and Wingz.

Ray tracing—a technique for rendering photo-realistic images—was a natural application for transputers. Author Owen F. Rinsen showed how to use the Inmos chip's innate parallel processing power to whip up 3-D graphics.



Computers in the sciences. BYTE published articles that looked at using PCs for low-cost data acquisition, modeling kinetics, removing noise from data, interfacing with lab equipment, and viewing molecules—novel ideas back then.

"It may be worth it someday when there's a lot of great software. But right now not many are going to pay a thousand bucks to hook up a \$2000 computer to a network... because there isn't enough software that makes it worthwhile."

— Steve Jobs, in an interview with BYTE, on the lack of networked computers



Did you hear the one about the COBOL hacker who... Reader William Carlson wrote to suggest we add a "Jokes and Riddles" column and a comic strip or two. We haven't forgotten your suggestion, Mr. Carlson. We're just trying to figure out how to embed the sound of a rimshot in the pages of the magazine. (Ba-dum!)

Dick Pountain wrote from the U.K. about a system that almost attained his Platonic ideal of a computer. The MG-1 from Whitechapel Computer Works was powered by National Semiconductor's 32-bit 32016 processor. It was designed for speedy bit-mapped graphics. Fashion-wise, it was ahead of its time: It was housed in black.

Our West Coast bureau

reported Microsoft was delaying Windows. It took up too much memory—a humongous 156 KB—and certain functions were judged too slow. "Microsoft is also looking for a way to differentiate Windows from [IBM's] TopView." Is Presentation Manager, then, the TopView of the 1990s?



Our first column on computers and the law looked at Lotus's lawsuits against businesses it accused of illegally copying 1-2-3 for internal use. Other software companies were also lining up their lawyers. A "vocal group of users" charged that the lawsuits were "nothing more than an attempt to intimidate users into paying inflated license fees."



Graph theory was the major story, explaining how graphing programs could figure such things as the shortest distance between two cities. The big challenge with these graphs was storage. "Space should not be wasted on 0s that represent nonexistent edges."

Retro tech Robert Newcomb described how he built a plotter out of an Etch-A-Sketch, two stepper motors, gears, a circuit board, and a Tiny BASIC program. He hooked the device up to a KIM-1 computer. The Etch-A-Sketch drew quite nice graphs and had two advantages: It didn't use any memory to put information on the screen, and it was non-volatile—well, as long as you didn't shake it.



Steve Ciarcia's project was seasonal. It was something that BYTE's New Hampshire-based staff could really relate to: using a computer to control a wood stove.

The T2450CT boasts a 9.5" diagonal color active matrix screen with 64K simultaneous colors to provide vivid images and brilliant graphics for any presentation.



The AccuPoint™ integrated pointing device works in conjunction with click and drag buttons located comfortably beneath the thumbs.



THE NEW SATELLITE PRO

IT'S ABOUT POWER



Two separate PCMCIA slots (Type II and III) offer instant connection to your LAN, fax/modem and more.



Connect your CD-ROM drive or nearly any other peripheral through the standard SCSI-II port.



T2450CT FEATURES:

- 75MHz IntelDX4™, 3.3v
- 16KB cache
- 9.5" dia. color TFT-LCD active matrix display
- 520 Million Bytes (=500MB) or 340 Million Bytes (=320MB) HDD
- 8MB RAM expandable to 32MB
- 6.6 lbs.

T2400CT FEATURES:

- i486™DX2/50MHz, 3.3v
- 8KB cache
- 8.4" dia. color TFT-LCD active matrix display
- 340 Million Bytes (=320MB) or 260 Million Bytes (=250MB) HDD
- 8MB RAM expandable to 24MB
- 6.5 lbs.

T2400CS FEATURES:

- i486™DX2/50MHz, 3.3v
- 8KB cache
- 9.5" dia. color Dynamic-STN dual-scan display
- 340 Million Bytes (=320MB) or 260 Million Bytes (=250MB) HDD
- 4MB RAM expandable to 20MB
- 6.5 lbs.

ALL MODELS:

- Integrated math coprocessor
- Two PCMCIA slots (14.5mm/5mm)
- VL local-bus video
- SCSI-II Port
- NiMH battery with Toshiba MaxTime™ Power Management
- 3.5" 1.44MB floppy disk drive
- MS-DOS®, Microsoft Windows™ for Workgroups pre-installed
- Toll free technical support ~ 7 days a week, 24 hours a day





Now you only need one computer.
Replace your desktop system with a Satellite Pro™
and an optional Port Replicator, for easy
connection to your monitor, keyboard and printer.

SERIES. IT'S ABOUT VALUE. IT'S ABOUT TIME.

Introducing the Satellite Pro™ Series:
high-performance notebooks at an
affordable price. Offering scorching
i486™ processors up to 75MHz and hard
drives as big as 500MB.

These notebooks have impressive flexibility,
with instant Plug and Play connection to all
your peripherals. A built-in SCSI-II port and

Satellite Pro™
\$2999*

Prices starting at

optional 16-bit sound card give you
access to multimedia: audio, video
and CD-ROM.

Loaded with all these features, yet light
enough to go anywhere and rugged enough to
come back in one piece. Isn't it about time for a
Satellite Pro™ notebook?


For a dealer near you call 1-800-457-7777.

In Touch with Tomorrow
TOSHIBA

©1995 Toshiba America Information Systems, Inc. The Intel Inside logo is a trademark of Intel Corporation. All products indicated by trademark symbols are trademarked and/or registered by their respective companies. *T2400CS, 250MB HDD. Reseller prices may differ. All prices and specifications are subject to change. Shipping, handling, and applicable sales tax not included.

Circle 123 on Inquiry Card.

If You're Tired Of Waiting For Reports, Call Us For An Instant Solution.



Sitting and waiting for reports is something you no longer need to stand for.

Because now, there's new CA-Visual Express™.

A powerful, easy-to-use query and reporting tool for Windows that gives you instant access to more than 20 databases.

What's more, there are three levels of query-building methods that will make the novice or expert feel right at home: Quick Queries, Graphical Query By Example or SQL.




Visual Express can access:

- PC databases
 Btrieve, CA-Clipper®/dBase, Foxpro, CA-Datcom®/PC, Excel, Paradox, Text File, WATCOM SQL, XDB local
- Server databases
 CA-Ingres®, DB2/2, Informix, Netware SQL, Oracle, SQL/400, SQL Server, SQLBase, Sybase, XDB client/server
- Mainframe databases
 CA-Datcom, CA-IDMS®, DB2, SQL/DS

Analyze Your Data Any Number Of Ways.

Visual Express features more than 40 built-in functions for extensive analysis. So you can summarize operations, analyze sales and build financial reports. Plus, you can move this data



Choosing a new data source is as easy as point and click.

from one Windows application to the next with just a few clicks of the mouse.

It's Easy To Turn Hard Data Into Beautiful Reports. With Visual Express, the only thing as easy as accessing your data is



turning it into stunning reports. With just a few clicks of the mouse, you can use all your Windows fonts.

Highlight key areas with lines and boxes. Add colors and shading. Embed full-color 2D and 3D graphs and charts. Even insert your company logo.



Best of all, Visual Express leads you through every step and lets you customize any part of your report in seconds.

The end result: presentation-quality reports that speak highly of the author.


New CA-Visual Express. For those who want brilliant-looking reports and easy access to data, the wait is finally over.

**CA-Visual Express
 Is Only \$99*,
 Regularly Priced At \$495.
 Call 1-800-225-5224,
 Dept. 27500 To Order Now.**

COMPUTER ASSOCIATES
 Software superior by design.

New CA-Visual Express

© 1994 Computer Associates International, Inc., Ithaca, NY 14850-7000. All other product names referenced herein are trademarks of their respective companies. *Limit one copy of CA-Visual Express per customer. Additional copies may be purchased at regular price. Mainframe servers require additional purchase.



A Savvy Guide to Client/Server Computing

JON UDELL

These folks can sling acronyms like nobody's business. What's even more amazing is that they can make sense out of the alphabet soup. Two of the authors, Robert Orfali and Dan Harkey, have shown in previous (and more massive) tomes a remarkable grasp of the nuts and bolts of OS/2-based client/server software development. Those books are full of hands-on, code-rich tutorials on protocol stacks, RPCs (remote procedure calls) and messaging, SQL databases, TP (transaction processing) monitors, and more.

In *Essential Client/Server Survival Guide*, they emerge from the OS/2 programming trenches to deliver a sweeping survey of the entire client/server field. It's as savvy, informative, and entertaining as anything you are likely to read on the subject.

The problem, of course, is that client/server isn't one technology but many—remote SQL, TP, message-oriented groupware, distributed objects, and so on. Like the proverbial blind men feeling the elephant, most of us have a hard time seeing the whole picture. The authors succeed brilliantly in mapping the elephant. They build a taxonomy that neatly sorts out successive generations of technology.

For example, they classify stored procedures and triggers (Sybase and Oracle) as "TP lite," and load-balancing, distributed transaction systems (Encina and Tuxedo) as "TP heavy," a surprisingly useful way to clarify how these two sets of technologies are both similar and different. Later, in a masterful chapter on distributed objects, they build on the analogy by showing how a CORBA (Common Object Request Broker Architecture) object adapter is, in effect, the next wave of TP monitor.


Database servers, transaction servers, and object servers are overlapping parts of client/server technology. Informed analysis of any one of these subjects is rare enough. When writers/practitioners can define the evolution, uses, and limits of all three—as Orfali, Harkey, and Edwards ably do—they can justly claim to have created an essential guide. ■

Jon Udell is a BYTE senior technical editor at large. You can reach him on the Internet or BIX at judell@bix.com.

ESSENTIAL CLIENT/SERVER SURVIVAL GUIDE

Robert Orfali, Dan Harkey,
and Jeri Edwards
Van Nostrand Reinhold
ISBN 0-442-01941-6

\$24.95



AN EXCELLENT GUIDE TO LANS

LOCAL AREA NETWORKS: NEW TECHNOLOGIES, EMERGING STANDARDS, 3d ed., by Thomas W. Madron John Wiley & Sons,
ISBN 0-471-00959-8, \$29.95

If you are looking for a ground-floor introduction to LANs, this book is a good place for you to start. Obviously, no single book can cover every technical issue in networking, and this one thankfully avoids trying to do so. Instead, Thomas W. Madron focuses on the basic technologies that are needed to implement the first three layers of the OSI (Open Systems Interconnection)



A REMARKABLE PROGRAMMING RESOURCE

**THE COMPUTER EDUCATION SERIES
PROGRAMMER'S BUNDLE** RoundBook Publishing
Group, Inc., 5617 Scotts Valley Dr., Scotts Valley, CA
95066, (408) 438-8732

As I write this, the Programmer's Bundle from RoundBook Publishing Group is a set of three CD-ROMs that are being sold separately. However, RoundBook has learned that the public is buying the CDs together, so it has decided to release them as a package.

The three CDs—C/C++ Programming Reference volumes 1 and 2 and the Windows Programming Reference—hold 15 books, including all the associated tables, figures, and listings. The vehicle for accessing the titles is Microsoft's Multimedia Viewer.

Combined, the books give excellent coverage of C and C++, particularly if you are using a Microsoft or Borland product. One book does describe some features of version 9.01 of the Watcom compiler. The Windows CD contains books on OLE, ObjectWindows, serial communications, resources, and more.


My biggest gripe is with the operation of the Multimedia Viewer. Here's an example. You're reading one of the books and the text says: "See listing 2." The words *listing 2* are in green, so you can click on them to open a dialog box displaying listing 2. Do that, and all you can do is look at it—you can't cut it or copy its contents into the Clipboard. To get listings, you have to issue a separate series of commands that copy *all* listings onto your hard disk and then look for what you want.

Also, you can't search for a word or phrase from the table of contents screen. You have to click on a chapter and then on a topic. This gets you to actual text, and only then does the toolbar with the "search" button on it become available.

Still, this is a remarkable resource. Although the price for the bundle has not been set (the CDs retail for \$79.95 each), I suspect it will be stunning when you consider what the books would cost separately.

—Rick Grehan

NAFTA Is 1,100 Pages Long. Indexicon Created An Index For It In 10 Minutes.



Indexing used to be a long, difficult procedure. Not anymore. Introducing Indexicon—the first automatic indexing program, the first to understand the structures of the English language. At the click of the mouse, Indexicon reads through a document, locates key terms and phrases, and generates a back-of-the-book style at a rate of up to 50 pages per minute! If you're spending any amount of time manually indexing, Indexicon can pay for itself the first time you use it!

Only \$149.99. Call 1-800-943-0292 to order. (If not completely satisfied after 30 days, return for a full refund!) Plus, act now and get LexEDIT **FREE!** (A \$50 value!)



With LexEDIT you can tailor specific lexicons before you run the Indexicon program, for perfect indexes everytime! Available for Windows versions of MS Word 2.0, 6.0 and above, Word Perfect 6.0 and above. Call for other platforms.

Coming soon! Indexicon for the Macintosh.

To index NAFTA, we used Indexicon for WP/WIN on a 486/66 MHz.



ICONOVEX

7448 W. 78th St. • Bloomington, MN 55439
Phone: 612-943-0292 • Fax: 612-943-1087

ICONOVEX@Delphi.Com or Compuserve: 74064,440

Books & CD-ROMs

stack, with occasional forays higher up the stack.

After a brief overview of why you would want a network (e.g., E-mail and print servers), the book dives right into the maze of standards that glues the open-networking world together. The discussion depicts the seven-layer OSI stack and lists the relevant standards at each layer. Madron also discusses how support for different physical media (i.e., twisted-pair and fiber-optic cable) is included in the standards. The chapter on NOSes (network operating systems) skillfully navigates you through an ocean of network acronyms, such as NetBEUI (Net-BIOS Extended User Interface), SNA (Systems Network Architecture), and X.400. Coverage includes MAP (Manufacturing Automation Protocol) and NetWare, as well as a brief mention of additional NOS products, such as Banyan Vines and IBM LAN Server.


The following chapter is actually a continuation of the NOS chapter, but it's aimed at peer-to-peer networks. The author provides detailed discussions of the installation process for three of the biggest players in peer-to-peer networks: LANtastic, Personal NetWare, and Windows for Workgroups. He makes no attempt to provide an answer for which is best. Instead, he tries to leave you with the right questions to ask to find the solution for your particular needs.

The book also includes chapters on peer-to-peer versus client/server networks, bridging and using gateways to other networks, and security and implementation issues. Separate chapters are devoted to each of the main IEEE signaling schemes, for example, 802.3 (Ethernet), 802.4 (Token Bus), and 802.5 (Token Ring). For the network neophyte, this book covers a lot of ground in an easy-to-understand, readable way.

—Rex Baldazo

TOO MUCH OF AN INSIDE LOOK

SHOW-STOPPER!: THE BREAKNECK RACE TO CREATE WINDOWS NT AND THE NEXT GENERATION AT MICROSOFT by G. Pascal Zachary
The Free Press, ISBN 0-02-935671-7,
\$22.95



I found this inside account of Windows NT's development less satisfying than its role model, *The Soul of a New Machine*. Sure, it's titillating to read about Dave Cutler's Bunyan-like exploits and sobering to be reminded how a major software project can devastate the families of the engineers, but we've heard all this before. What I wanted from this book was more technical sophistication and more balanced reporting than it delivered.

A computer, we're told, is like a wealthy English household in the 1890s, in which the upstairs crowd (applications) is served by the downstairs crew (the operating system). Well yes, I suppose, but upstairs/downstairs analogies don't begin to unravel the political and technical issues driving Microsoft in its war with IBM and the Unix community. The problem is that while G. Pascal Zachary interviewed dozens of Microsoft employees, he talked to virtually no one outside the company. A wider net might have landed a livelier and more important book. ■


—Jon Udell



Network utilities—vital, but set aside 100K



DOS 6 utilities—handy, but about 120K



Multimedia—fun, but can you spare 50-80K?



Internet utilities—where will you get 120K?

If you don't have QEMM 7.5, what else have you sacrificed?

Sooner or later, as you push the limits of your PC's capabilities, you will run into a wall. Memory limits. Drivers that won't load. Crashes. "Out of Memory" messages. And you'll run into this wall whether you have one megabyte in your PC or 16.



That's why millions of people, from PC gurus to novice users run QEMM®. It fixes memory problems and keeps your PC performing at its best.

Introducing QEMM 7.5 It Makes Room for All the Good Stuff

Our newest QEMM takes into account the greater demands you're putting on 'conventional' memory today: device drivers, sound cards, disk compression, caches, network utilities, CD ROM drivers, etc. Not to mention all the stuff you want for tomorrow, like the drivers you'll need for Internet utilities. It finds room for all those things so you don't have to sacrifice capabilities you want—now or in the future.

MemMaker, the memory utility that comes with DOS 6, does an OK job of delivering additional memory, but it just hasn't kept up with demanding users.

Say you wanted to run a mouse, sound card, SmartDrive, your DOS 6 and Novell utilities, and your Microsoft Bookshelf '94 CD ROM. You couldn't with MemMaker. Not unless you were willing to manually

Hot new features

- 100% Windows installable
- Faster 32-bit memory model
- PCMCIA support
- *Stealth Stacker* saves 8-32K
- *QuickBoot* saves time
- *Optimize/Restore* lets you revert to recent settings

'tune' it. And then you might end up with 490K or so to use. But QEMM 7.5 routinely returns 634K of conventional memory. And when you consider as little as one 'K' of memory makes the difference between a program loading or not, you can see where an additional 140K or so could be vital.

A side benefit of running QEMM is that with memory 'elbow room' you get more reliability—fewer crashes and hangs. And some programs (especially games) run faster and smoother.

When you run DOS programs in Windows, QEMM 7.5 will provide benefits for those programs, too. Many productivity programs won't even run without it unless you sacrifice drivers and other goodies.

QEMM 7.5 comes with a new version of our award-winning memory utility, Manifest, which reports details you can't find out any other way—like how Windows and the programs running under it are using memory or what software is using your IRQs.



Our new Manifest memory analyzer now runs in Windows. And it's still free with QEMM.

There are dozens of new features and improvements to our new QEMM, making it even faster and safer. Find out for yourself. Visit your favorite software dealer or call (800) 571-4860 for a free brochure.


Stop making sacrifices. Get QEMM 7.5—the safest, most powerful memory manager for Windows, DOS and games.



©1994 Quarterdeck Office Systems, Inc. All rights reserved. Trademarks are property of their respective owners.

Quarterdeck, 150 Pico Boulevard, Santa Monica, CA 90405 (800) 571-4860 Fax (310) 314-4219
 Quarterdeck International Ltd., B.I.M. House, Crofton Terrace, Dun Laoghaire Co. Dublin, Ireland Tel. (353) (1) 284-1444 Fax: (353) (1) 284-4380
 Registered U.S. users of earlier versions of QEMM may purchase upgrades from dealers or direct from Quarterdeck for \$29.95 plus \$5 shipping & handling. Call (800) 354-4757.

Circle 112 on Inquiry Card (RESELLERS: 113).



How much real estate would 68000 CPU, a 24-bit DSP, and a


Introducing the 68356 Signal Processing Communications Engine.

THE 68356. THE SIDE
VIEW. ACTUAL SIZE.

If you're working on a groundbreaking design, but don't want to pay a premium in board space, Motorola has the solution. The new 68356 combines a multiprotocol processor with a general-purpose DSP, making it perfect for a wide range of communications and embedded control applications, including V.34 data/fax modems, central-office switches, multimedia, wireless data communications and ISDN.

The three most important things are
integration, integration & integration.

When it comes to integration, no other chip is even in the neighborhood. The dedicated RISC communication processor controls three serial communication channels, each of which supports five popular protocols. The 24-bit DSP engine, based on the DSP56002, gives the performance boost and flexibility you need for high-speed communications applications. And general systems management tasks are handled by a 68000 core processor, further increasing the performance of the other two processors.



And you expect to give up for a RISC communications engine?

This is one hot property that won't cost you a lot.

The 68356 is a smart investment in more ways than one. Thanks to its revolutionary ball grid array (BGA) package, the 68356 is less than 1/8" thick, and occupies only one square inch of board space. That size, along with the choice of 5-volt or 3.3-volt versions, makes it the ideal solution for a variety of portable applications, particularly on PCMCIA cards. And since the 68356 preserves all the working elements of a 68000 micro-processor and 24-bit DSP56002, you already have a full range of powerful development tools at your disposal.

So make a killing in real estate without losing your shirt.

Give us a call, or talk to your Motorola sales representative.

We'll help you integrate the 68356 into your next design. And put real distance between you and the competition.

CONTACT YOUR LOCAL MOTOROLA SALES
REPRESENTATIVE OR DISTRIBUTOR
FOR MORE INFORMATION.



MOTOROLA



Novell's

**The Vision: a billion connected users
and devices by the year 2000.**

**The Plan: reinvent its operating systems,
protocols, and services.**

JON UDELL

A few months ago, we pulled the plug on Guernsey, BYTE's original NetWare server. First powered up six years ago, Guernsey survived anachronistically into the mid-1990s alongside newer systems, because NetWare 2.15C kept flogging useful work out of the lowly 286 PC we ran it on. That says a lot about chief architect Drew Major's skill and about the quality of the special-purpose operating system he invented to run network services in the inaugural decade of the LAN.

Newer versions of NetWare still retain the legendary speed and reliability of its predecessors, but these qualities alone can no longer sustain the huge conglomerate that Novell has become. Last spring, at the 10th annual BrainShare '94 (Novell's devel-



Campaign

opers conference) in Salt Lake City, Utah, the message to 5000 attendees was that NetWare was but one of three pillars of the new Novell. In the future, AppWare and UnixWare would receive equal billing with NetWare.

The message continued: After digesting a series of acquisitions—including USL (Unix Systems Laboratories), Serius, Software Transformation, WordPerfect, and Borland International's spreadsheet division—Novell would redefine the second decade of PC networking just as it did the first. Directory, WAN, messaging, telephony, hierarchical storage, document, and other advanced network services would become as common as file and print services are today. Novell would field applications exploiting

those services and provide the tools and components needed to create and manage networked applications.

That was a fine vision, but the unrelated NetWare, AppWare, and UnixWare families of products formed an unsteady tripod, and Novell's network services (beyond file and print) are a mixed bag. Six months after BrainShare '94, at Networld+Interop in Las Vegas, Novell's CEO Robert Frankenberg emerged with a plan to regain the tight focus that Novell's hectic expansion had blurred. Dubbed *pervasive computing*, the new strategy ceded the desktop operating-system war to Microsoft's Windows and reaffirmed Novell's mission to scale networks from the department to the enterprise and beyond.

Frankenberg said that Novell would unify NetWare and UnixWare into an all-purpose Super-NOS and raise the ante on an embedded-systems framework called NEST (Novell Embedded Systems Technology) (see "Smarter Copiers, Printers, and Fax Devices Are Coming," November 1994 BYTE). The client-side focus would shift to Corsair, a new graphical NetWare shell featuring a Mosaic-like network navigator called Ferret. Casualties included the AppWare leg of the tripod, which Frankenberg sawed off at the knee when he halted development of the AppWare Foundation, a toolkit that would have enabled applications and Novell's brand of software components (AppWare loadable modules, or ALMs) to port across client (and eventually server) platforms. Frankenberg told BYTE that while the idea of portable components was appealing, Windows software developers just weren't lining up to support it.

More of that kind of brutal pragmatism will likely be required to meet Frankenberg's daring challenge. He wants a billion users and devices connected to NetWare by the year 2000 (versus an estimated 40 million today). Sheer hype and fantasy? Maybe not. Voice networks are that pervasive today,


Novell understands that its domination of LAN file and print services won't carry the company into the next century. The new strategy, called *pervasive computing*, just might.

- It starts with a hybrid NOS (network operating system), called SuperNOS, that will blend the pedal-to-the-metal power of NetWare with the robust applications server that is UnixWare and will support massive complexes of clustered servers.

- On this base it layers global directory, distributed management, advanced storage, and other services needed to scale networking from the department to the enterprise and beyond.

- Then it offers access technologies for vast numbers of never-before-connected LANs, devices, and users.

- Finally, it ices the cake with applications and services that live in the fabric of the network itself.



Four-Layer Model for Pervasive Computing

	Near-Term	Long-Term
Applications	WordPerfect, GroupWise, SoftSolutions, InForms, and Quattro Pro	More network-aware applications Consumer applications: finance, edutainment, and information
Access	Corsair/Ferret advanced client NEST AT&T NetWare Connect Services	Improved ease of use for home and business users Network-aware faxes, PBXes, and printers Business Internet
Services	File, print, global directory, messaging, distributed management, document, and telephony	Object-oriented file system Data migration/replication
Infrastructure	NetWare, UnixWare, IPX/SPX, TCP/IP, RIP, SAP, and NLSP	SuperNOS

data networks will be tomorrow. Bob Metcalfe, inventor of Ethernet, has recently noted that Ethernet LANs pump vastly more data than does the Internet; thus, they collectively form the true information superhighway. NetWare, of course, runs most of the world's Ethernet LANs. However, Microsoft wants those billion connections, too; it already owns the desktop and is encroaching on Novell's server stronghold. To meet this challenge, Novell will have to retool its operating systems, protocols, services, and tools. Here's how the current plan is shaping up.

The Crown Jewel

NetWare's modern era began in 1989 at the fifth BrainShare conference, when Novell rolled out NetWare 386 (also known as NetWare 3.0). Two demonstrations brought the crowd to its feet cheering. In the first, Novell showed how the NetWare kernel could install in minutes and then dynamically load (and unload) disk, network adapter, and network protocol drivers (NetWare 2.x, like most Unixes, had required a kernel rebuild to accomplish these tasks). That flexibility remains to this day an inspiring example. We can, for example, restart AppleShare or NFS (Network File System) services on one of BYTE's NetWare 3.1x servers without interrupting logged-on DOS users. OS/2,

Windows NT, and Unix can't match NetWare's dynamism; it's a key asset Novell must carry forward to SuperNOS.

The second demonstration showed how to write an NLM in C, pass it through the Watcom compiler, and then load and run it. The roar of approval that greeted the appearance of "Hello, world" on the NetWare console would have puzzled non-initiates. Only those familiar with the arcane hacking needed to create a NetWare 2.x VAP (value-added process) could fully appreciate how the new ability to write NLMs using standard C libraries and tools would advance the state of NetWare. The beauty of this, of course, was that now NetWare could natively support database, mail, and other advanced services. Unix and OS/2 developers could port to or directly target NetWare, gaining a performance edge and auto-


matic integration with NetWare's huge installed base.

C libraries and tools notwithstanding, NetWare 3.x was no more a general-purpose operating system than its predecessor had been. Running naked and fast at ring 0 on a 386, it made no use of the chip's ability to carve out separate, protected address spaces. (The newer NetWare 4's *domain* architecture now affords optional protection, but mostly for the convenience of developers; trusted production NLMs still run best in kernel address space at ring 0.) NetWare 3.x's new thread APIs were modeled after those of OS/2, but NetWare threads multitasked on a cooperative, not a preemptive, basis. Lacking real memory protection and preemptive scheduling, NetWare was—and remains—an eccentric platform for server applications.

The NLM Question

Advocates say the gain of porting to NLM is worth the considerable pain. It wasn't until late 1991, for example, that Gupta was able to convert SQL-Base, its SQL server, into an NLM. "But we topped 100 TPC [Transaction Processing Performance Council] transactions per second with our NLM," says Matt Miller, Gupta's marketing manager. Once available, NLMs seem to not only perform well but also run stably.

continued



In this Corsair virtual world, you might click on the capitol building to browse state government records and retrieve information about tax codes.

Cool Computer Upgrades.

POWER SUPPLIES

"The premier power-supply maker"

John Dvorak, *PC Magazine*, March 30, 1993

"The only company to go to for a power supply"

Jerry Pournelle, *Byte*, April 1993

ENERGY-SAVING UNITS

Save juice with our economical Energy-Star power supplies. Fully-tested, UL/CSA/TUV approved.
STAR 205 SLIM/DESK/TOWER\$79

ULTRA-QUIET UNITS



Unrattle your nerves with an ultra-quiet **Silencer** power supply. Appreciated by users since 1986, their high-efficiency fans and low-turbulence circuitry reduce noise up to 84%!

A must for home office or *multimedia* applications.

SILENCER 205 SLIM/BABY\$99

SILENCER 220 DESK/TOWER\$109

SILENCER 270 DESK/TOWER\$169

HIGH-PERFORMANCE UNITS



Upgrade your computer with one of our premium **Turbo-Cool** power supplies—the choice of PC professionals. You'll get 50% - 100% more power, built-in line conditioning, super-tight regulation, ultra-clean output, a high-capacity cooling fan, UL/CSA/TUV, a 3-year warranty for 300/400 models, and a **5-year warranty** for the 450! Ideal for high-end workstations and network file servers.

TURBO-COOL 300 SLIM/BABY\$149

TURBO-COOL 300 DESK/TOWER\$179

TURBO-COOL 400 DESK/TOWER\$219

TURBO-COOL 450 DESK/TOWER\$329

MINI-TOWER CASES

"The only worthy upgrade [cases] I've found"

Ed Bott, *PC Computing*, October 1994



For an easy-to-build system, there's nothing like our economical **Personal Mini-Tower** enclosure. Features: small footprint, (3) 5-1/4" bays, (4) 3-1/2" bays (2 int.), a removable motherboard cage for easy assembly.

Specs: FCC-B, 16.7"L x 7.2"W x 15.5"H, 16lbs.

PERSONAL MINI-TOWER\$79



For a professional, **solid-steel, USA-made** enclosure, choose our new **Commercial Mini-Tower**. Features: (3) 5-1/4" bays, (3) 3-1/2" bays (2 int.), accepts a baby or full-size motherboard, comes with a removable drive cage.

Specs: FCC-B, 16.2"L x 8.5"W x 15.4"H, 22lbs.

COMMERCIAL MINI-TOWER\$189

REDUNDANT POWER

Eliminate the risk of network downtime or data loss due to power supply failure with the **TwinPower 900** redundant power system. It delivers high-capacity, fault-tolerant power to your entire network server.

Consists of two parallel **Turbo-Cool 450** power supplies and a special interface. A must for *mission critical* LANs.

■ 900 watts peak power

■ 100X more reliable

than a single-unit

■ load-sharing design

■ hot-swap capability

TWIN-POWER 800\$795

TWIN-POWER 900\$995

OPTIONAL MONSTER CASE\$795



Optional all-steel, US-made Monster Case with (18) 5-1/4" bays, space for 2 MBs.

OVER-TEMP ALARMS

Don't let PC fan failure cost you your system! Install our


110 TwinAlert to detect overheating—*before* damage occurs. At 110°F, you'll get a loud audible alarm and a signal for optional network monitoring. And, if the computer is **unattended** and the temperature continues to rise to a dangerous 118°F, the TwinAlert will save your machine by automatically shutting-off its power! The **110 TwinAlert** is compact, easy to install, and compatible with any computer.

110 ALERT (audible alarm only)\$19

110 TWINALERT (all features)\$39



CPU COOLERS



It's a fact. 486 chips run hot, often exceeding 185°F! Now, you can cool your 486 to a safe 85°-95°F with our popular **CPU-Cool**. Consists of a long-life ball-bearing mini-fan inside a die-cast heat sink that easily mounts on the CPU. Powered by a spare drive connector. Effective, inexpensive insurance!

■ cools CPU 70° - 100°F

■ prevents system errors

■ adds years to CPU life

■ thinner, quieter, and

better-built than cheap


imported imitations.

■ safe, simple installation

CPU-COOL (486s)\$24

PENTACOOL-54 (90/100 PENTIUMs)\$24

PENTACOOL (60/66 PENTIUMs)\$29



PC POWER & COOLING, INC.

5995 Avenida Encinas, Carlsbad, CA 92008 • (619) 931-5700 • (800) 722-6555 • Fax (619) 931-6988

We accept Visa, MC, COD, or PO on approved credit. Warranty period: 5-years for CPU coolers, Turbo-Cool 450/550 and TwinPower. 3-years for Turbo-Cool (except 450/550). 2-years for all others.

Hours: 7 a.m. - 5 p.m. (PT) Mon. - Fri. Silencer, Turbo-Cool, TwinPower, CPU-Cool, PentaCool, 110 Alert and 110 TwinAlert are trademarks or registered trademarks of PC Power & Cooling, Inc. ©1994 PC Power & Cooling, Inc.


Circle 105 on Inquiry Card (RESELLERS: 106).

"My Oracle NLMs stay up for months on end," says Chris Cermak, lead systems analyst for Mettler-Toledo, a weighing and measuring equipment manufacturer in Worthington, Ohio. Phillip Ellis, project manager for MicroAge, a technology distributor based in Tempe, Arizona, reports similar success with the Lotus Notes NLM.

Critics say that these results are achieved in an extremely controlled environment. "Customers add a lot of memory, limit the number of users, and run just one application per server," charges Rich Finkelstein, president of Performance Computing, a Chicago-based client/server database consultancy. "Why? Because they don't want to learn Unix."

Indeed, Cermak and Ellis confirm that they run most NLMs on dedicated machines and that familiarity with NetWare—not performance—drove the decision to use NLMs. "At DBExpo, in an audience of 300 [developers], maybe a dozen showed interest in NLMs," says Finkelstein, "but two years ago, a third of the audience raised their hands." Finkelstein attributes the declining interest in

Processor-Independent NetWare Architecture



NLMs to an increasing concern about NetWare's shields-down mode of operation. "You can make a Sherman tank go faster if you take off the armor," he says, "but that's not the point."

Finkelstein and others point out that Unix, NT, and OS/2 alternatives are getting easier to use and are scalable to RISC and multi-processor hardware. Lisa Yi, senior product

manager for Sybase SQL Server, notes that "some diehard NetWare users have begun to react favorably to NT." Attractive pricing, built-in IPX/SPX connectivity, and GUI-based administration lure these users into the Microsoft camp, says Yi.

NetWare for RISC

Although Novell's initiative to move NetWare to RISC has done little to clarify NetWare's role, its technology yield is crucial to SuperNOS. For the RISC effort, Novell rewrote NetWare in C and abstracted its hardware dependencies. Because Novell had previously used the name Portable NetWare to denote versions of NetWare hosted on VMS and Unix, this truly portable NetWare was called PIN (Processor Independent

NetWare). It will run natively on PowerPC processors and support NLMs.

In his BrainShare '94 keynote address, Drew Major admitted that NetWare could have migrated to C years ago, with little impact on its performance, had he been comfortable programming in C back in the mid-1980s. "I'm still not always sure where the asterisks go," he joked. Atten-

Messaging and GroupWare

Novell's MHS is the Rodney Dangerfield of the store-and-forward world—it doesn't get any respect. Critics complain about the clumsy administrative interfaces to MHS and the newer server-based messaging engine, GMHS (Global MHS). Others point out that MHS and GMHS lack the client/server architecture of next-generation engines (e.g., Microsoft Exchange Server and Lotus Communications Server). Nonetheless, MHS traffic abounds on LANs, ranking third behind cc:Mail and Microsoft Mail.

MHS is pervasive because NetWare is, but also because it's exceptionally open to software developers. "Compared to VIM (Vendor-Independent Messaging) and MAPI, the MHS specs are so easy it's pathetic," says John Rizzi, vice president for sales and strategy with On Technology (Cambridge, MA), a software developer of group-scheduling applications. "Five lines of ASCII in a text file, placed in the right directory, goes anywhere in the world." You have to

take MHS criticism with a grain of salt. Sure it's a hassle to administer, but so are cc:Mail and Microsoft Mail. Neither of these can yet seamlessly integrate with a NOS (network operating system), as MHS under NetWare 4.1 can (see the screen).

Client/server messaging, however, is clearly the way to go. "File-based technologies are hard to constrain," says David Knight, vice president of marketing for Isocor (Los Angeles, CA), a vendor of E-mail applications, services, and transports. He argues that a protocol-driven engine, such as the forthcoming Microsoft Exchange Server, can better secure messages because it doesn't leave readable text files lying around in public places. It can also more reliably track messages because only well-defined API calls can manipulate them. Such engines can also free themselves from dependence on the location of a message store or its underlying technology (e.g., file, database, and object), says Anik Ganguly, vice president for product develop-

ment with Campbell Services (Southfield, MI), a network-scheduling vendor. Banyan's Intelligent Messaging service, he notes, offers these benefits now.

Of course, Novell now has two mail engines—Global MHS and the GroupWise engine that comes from WordPerfect. The latter, though also currently file-based, logically separates the mail client from the mail engine. "We have client/server messaging now," says A. J. Dennis, strategic planner for WordPerfect, the Novell Applications Group, "it just isn't protocol-based." That will happen in the second half of this year, says Stewart Nelson, vice president for R&D for Novell GroupWare. In addition to security and location independence, he notes, a client/server approach offers scalability. "Today we have 250-user post offices, because in file-sharing mode, you have limits," says Nelson. "In client/server mode, those limits go away."

A key GroupWise strength is its ability to track messages. Users know when messages are delivered, when they're opened, and when they're deleted. They can even withdraw unopened messages, a "save your job" feature for those who fire off hot-

dees laughed, but nervously. It was scary to think about NetWare's extreme dependence on a single mind. The merger of the PIN code base with that of NetWare 4.x, following the release of NetWare 4.1, will finally close a window of vulnerability that Novell left open far too long.

The PIN effort not only decouples NetWare from the x86 instruction set, it also isolates it from PC-style bus, memory, and interrupt architectures (see the figure "Processor-Independent NetWare Architecture"). This separation is defined by the NSI (NetWare Systems Interface), Novell's equivalent to the NT HAL (hardware abstraction layer). NSI's roots go way back, according to Carl Amdahl, CEO and chief technical officer of NetFrame Systems (Milpitas, CA), a company that has since 1989 adapted NetWare to run on superservers that are Intel-based but otherwise more like hardened mainframes than conventional PCs. "We licensed NetWare and stripped out all hard-coded references to the interrupt controller, to BIOS routines—everything around the Intel chip was up for grabs," says Amdahl. This work later found its way into NetWare 3.11,

which isolates platform dependencies into the module that loads the NetWare kernel, and has now evolved into NSI.

"Novell did a good, clean job of abstracting the kernel from the hardware," says Russell Sonnenschein, NetWare NSI engineering manager for Apple. "It covers everything you need to get to the system prompt: video, keyboard, I/O, timers, interrupts." Working from Novell's specification, his team built an NSI layer for the Power Mac. "When we first integrated Novell's kernel with our NSI," says Sonnenschein, "we were up and running 5 hours after we loaded the NetWare image." He also verifies Novell's claim that ANSI C drivers that conform to NSI will recompile for and run on NetWare for the PowerPC. Note that PIN's benefits aren't confined solely to RISC. "People forget that Intel is a PIN partner, too," says Glenn Thompson, manager of NT and NetWare server marketing for DEC, citing Pentium-optimized NetWare 4.1 as a key benefit of PIN.

Who Needs PIN?

NetWare servers are classically I/O-bound, not CPU-bound; the 486s and Pentiums in

these machines typically idle at a fraction of capacity. CPU-intensive NLMs that might soak up those

extra cycles are still relatively scarce. So who needs PIN? That's a hard question for Novell, especially since its original PIN partner, Hewlett-Packard, pulled the plug on NetWare for PA-RISC and plans for NetWare for the Alpha have been shelved. One answer is that NetWare 4.x targets the enterprise, not just the workgroup, and RISC-powered NetWare 4.x superservers can consolidate file and print services. "But now we believe the Intel binary compatibility of our new converged architecture [the forthcoming x86/PA-RISC hybrid] will meet that need," says Ray Mausling, HP's marketing program manager for NetWare.

Customers' and resellers' familiarity with NetWare is one key reason to deliver it on RISC hardware, says Michael Tiemann, president of Cygnus Support (Mountain View, CA), and blazing performance is another. Cygnus is providing versions of the GNU tools used to build NetWare and NLMs for RISC platforms. "People criticize Unix and NT for their massive overhead," says Tiemann. "There's a wide-open opportunity for a lightweight, portable OS that won't suck the cycles on your super RISC machine."

UnixWare Revisited

When Novell first acquired USL and launched its own System V release 4.2 offering (UnixWare), it further clouded the NLM picture. Tailored to fit neatly into IPX/SPX networks, UnixWare was billed as Novell's robust, general-purpose applications server. Novell claimed you could now build network services for NetWare and applications for UnixWare. What's the difference between a service and an application? In view of Novell's ongoing push to attract NLM versions of top-tier products, such as Oracle and Notes, the distinction was fuzzy at best. "Anything that sells in high enough volume is no longer an application," jokes Nina Lytton, president of Open Systems Advisors (Boston, MA), "it's a network service."

Still, Unix is where most of the world's downsized applications run, and UnixWare's affinity for standard Intel-based boxes and NetWare LANs makes it a potent asset. A much-improved UnixWare 2.0 (which is due to ship in the first quarter of this year) exploits SMP (symmetric multiprocessing) hardware in a multithreaded fashion and rivals NT in its wealth of GUI-based system administration tools and in its ability to detect and configure for standard peripherals (see the screen "UnixWare 2.0's New Look").

With a single log-on to NetWare and UnixWare and the ability of each to use the other's print queues, the two systems

In NetWare 4.1, at last, the administration of users and mailboxes happens on the same screen, reflecting the underlying integration of NDS and MHS.

headed missives and later regret them. Message tracking, which GroupWise users take for granted, isn't available in most LAN E-mail packages. It's not only a major benefit for users but also an enabler of work-flow software. Lotus Notes, for example, must use third-party engines for centralized monitoring and control of message and document traffic. GroupWise's built-in tracking capability, coupled with its planned integration into NetWare's directory and distributed management services, should help Novell address the emerging work-flow market. In addition, Novell plans to add conferencing to the mix. Collabra Share for GroupWise, jointly

developed by Novell and Collabra Software, is slated for mid-year.

Novell and WordPerfect engineers are still trying to figure out how to unite their separate technologies. "In Orem, you hear strong religious statements about the WordPerfect Office server, and in San Jose, they say the same things about Global MHS," says Isocor's Knight. "Eventually, you'll see Klingons working on the starship." They need to reach détente quickly, though. Novell networks right out of the box should provide interpersonal messaging services as complete, pervasive, and manageable as the basic file and print services, but today that's not the case.

The ZEOS® Pantera™... "This Is As Good As It Gets."

—PC World Best Buy, August 1994

It's true! The ZEOS Pantera is as good as it gets. Leading experts from top industry publications all agree that the ZEOS Pantera is the best PC available. Unparalleled in its field, the Pantera has continuously earned award after award—month after month.

There's no desktop system that comes close to the ZEOS Pantera in performance, reliability, and value. As *PC Magazine* said: "Overall performance leader...the Pantera line has a lot to offer—strong performance at a reasonable price, with excellent documentation."

Supreme Performance



The ZEOS Pantera, based on Intel's 486 and Pentium processors, is breaking record after record with its supreme power and awesome performance.

"Mark a new high on the performance

They said: "The clear winner is the ZEOS Pantera."

What makes the Pantera blow all others away? Superior engineering—starting with a ZEOS designed motherboard, created specifically to take full advantage of the latest technological advancements. The motherboard is stocked with exceptional features such as an on-board PCI Local Bus IDE Controller and support for up to four IDE devices. For the fastest video performance, we give you a Diamond Stealth 64-bit PCI video card with 1MB DRAM *standard*.

Valuable Extras

The Pantera is a first-rate example of ZEOS' commitment to provide you with an excellent value on an award-winning machine. With all the extras, options, and 100% compatibility with all major operating systems, you can't go wrong.

Many of our most popular money-saving Pantera packages are ready to ship *the same day you order*. We also give you the option to custom-design a system to your exact computing needs.

Either way, you can buy with confidence because of our on-going dedication to offer you high-quality features and state-of-the-art technology at an affordable price. As *PC/Computing* said: "... this is a deal you simply can't pass up."

And the value doesn't stop with your purchase. Nobody does more to support you after the sale. ZEOS has won seven *PC Magazine* Readers' Choice for Service & Reliability awards.


Unequalled in performance, reliability and value, the ZEOS Pantera "is the ultimate Power Desktop." *PC World* added: "It's lightning fast, beautifully configured, and priced right." To get your best buy, call a ZEOS Systems Consultant today at 800-554-5226.

chart!" *PC World* said the Pentium-66 and Pentium-90 Pantera PCs were "the fastest system(s) ever tested."

The ZEOS Pantera 66MHz and 90MHz also received the highest scores in all benchmark tests run by *Windows Sources*, and earned two Experts' Pick awards.



Pentium-66
April 12, 1994
DX4-100
June 28, 1994



Pentium-60
April 1994

Pentium-90
August 1994



486DX2-66
January 1994
February 1994
March 1994
June 1994
December 1994
January 1995

DX4-100
October 1994
November 1994
December 1994
January 1995

Pentium-60
December 1994
January 1995

Pentium-66
June 1994
July 1994
August 1994
September 1994

Pentium-90
August 1994
September 1994
October 1994
November 1994
January 1995



Pentium-66
May 1994



Pentium-66
June 1994

Pentium-90
August 1994



Pentium-90
November 1994



486DX2-66
March 1994



Package 1		Package 2		Package 3		Package 4	
486DX2-50	\$1395	486DX2-50	\$1695	486DX2-50	\$2195	486DX2-50	\$2595
486DX2-66	\$1445	486DX2-66	\$1745	486DX2-66	\$2245	486DX2-66	\$2645
DX4-100	\$1795	DX4-100	\$2095	DX4-100	\$2595	DX4-100	\$2995
Pentium-60	\$1795	Pentium-60	\$2095	Pentium-60	\$2595	Pentium-60	\$2995
Pentium-66	\$1945	Pentium-66	\$2245	Pentium-66	\$2745	Pentium-66	\$3145
Pentium-90	\$2095	Pentium-90	\$2395	Pentium-90	\$2895	Pentium-90	\$3295
Pentium-100	\$2495	Pentium-100	\$2795	Pentium-100	\$3295	Pentium-100	\$3695
➤ 4MB RAM ➤ 340MB local bus IDE hard drive with 120K cache ➤ 3.5" 1.44MB floppy disk drive ➤ Diamond Stealth 64-bit PCI local bus SVGA color graphics card with 1MB DRAM ➤ ZEOS 14" 1024 x 768 non-interlaced SVGA color monitor, .28mm dot pitch ➤ Six-bay desktop case with two cooling fans ➤ Microsoft Mouse ➤ MS-DOS 6.2, Windows for Workgroups 3.11		➤ 8MB RAM ➤ 528MB local bus IDE hard drive with 256K cache ➤ 4X CD-ROM drive and 3.5" 1.44MB floppy drive ➤ Diamond Stealth 64-bit PCI local bus SVGA color graphics card with 1MB DRAM ➤ ZEOS 14" 1024 x 768 non-interlaced SVGA color monitor, .28mm dot pitch ➤ Six-bay desktop case with two cooling fans ➤ Microsoft Mouse ➤ MS-DOS 6.2, Windows for Workgroups 3.11		➤ 16MB RAM ➤ 720MB local bus IDE hard drive with 128K cache ➤ 4X CD-ROM drive and 3.5" 1.44MB floppy drive ➤ Diamond Stealth 64-bit PCI local bus SVGA color graphics card with 1MB DRAM ➤ ZEOS 15" 1024 x 768 non-interlaced SVGA color monitor, .28mm dot pitch ➤ Six-bay desktop case with two cooling fans ➤ Microsoft Mouse ➤ MS-DOS 6.2, Windows for Workgroups 3.11 ➤ Lotus SmartSuite		➤ 24MB RAM ➤ 1GB local bus IDE hard drive with 256K cache ➤ 4X CD-ROM drive and 3.5" 1.44MB floppy drive ➤ Diamond Stealth 64-bit PCI local bus SVGA color graphics card with 1MB DRAM ➤ ZEOS 15" 1024 x 768 non-interlaced SVGA color monitor, .28mm dot pitch ➤ Six-bay desktop case with two cooling fans ➤ Microsoft Mouse ➤ MS-DOS 6.2, Windows for Workgroups 3.11 ➤ Lotus SmartSuite	

Included With Every ZEOS Pantera:

- Genuine Intel® Processor. ZIF socket for easy upgrading.
- Diamond Stealth PCI local bus color graphics card with 1MB DRAM, upgradable to 2MB DRAM.
- Two high-speed serial ports and one enhanced parallel port on the motherboard.
- Slots: Three PCI & 4 ISA (486), 3 PCI & 5 ISA (Pentium).
- Flash BIOS.
- 200 watt power supply with built-in surge suppressor. Switchable between 115/230V.
- ZEOS 101-key space-saving keyboard.
- FCC Certified Class B; UL Listed.
- ZEOS Customer Satisfaction Package.

486 & DX4 Extras:

- RAM expandable to 128MB.
- EPA Energy Star compliant.

Pentium™ 60 & 66 Extras:

- RAM expandable to 192MB.
- Integrated business audio.
- On-board Fast SCSI-2 option.

Pentium 90 & 100 Extras:

- RAM expandable to 192MB.
- Integrated business audio.
- On-board PCI local bus Fast SCSI-2 & Ethernet LAN options.
- EPA Energy Star compliant (Pentium-90).

Additional processors available.

Favorite Options

528MB to 1GB Hard Drive Upgrade\$190

1MB to 2MB Video RAM Upgrade.....\$59

Diamond Stealth 64/PCI Video Card with 2MB VRAM
Fastest 64-bit accelerated video\$249

Upgrade from a 14" to a 15" Monitor
ZEOS SVGA NI, 1024 x 768, flat screen\$95

Upgrade from a 15" to a 17" Monitor
ZEOS SVGA NI, 1280 x 1024, flat screen\$345

SCSI Controller Chip
For on-board SCSI. Includes drivers\$49

Internal 14,400 bps V.32 bis Modem with 14,400 bps Send/Receive Fax\$99

Internal 28,800 bps V.32 bis Modem with 14,400 bps Send/Receive Fax\$199

ZNYX EtherAction™ 32
32-bit PCI Ethernet LAN adapter. 10Base5, 10Base2 and 10BaseT connections\$199

Front Drive Bay PCMCIA SwapBox
Installs into 3.5" drive bay.....\$179

Internal Tape Backup
80 to 250MB includes backup software\$149

10-Bay Vertical Case\$95

Multimedia Upgrade
Turtle Beach sound card and stereo speakers\$128

Lotus SmartSuite Upgrade
Upgrade your existing Lotus application with Lotus SmartSuite (five applications)\$299

Many other affordable upgrades and options available. Call for details!

Now: Free Lotus SmartSuite!



All Pantera packages include Microsoft DOS 6.2 and Windows for Workgroups 3.11. In addition, packages 3 and 4 include Lotus SmartSuite—1-2-3, Ami Pro, Freelance Graphics, Organizer and Approach.

800-554-5226

**24 Hours a Day
365 Days a Year**






Fax Orders: 800-362-1205 or 612-362-1205. Phone Orders: Outside U.S. and Canada: 612-362-1212, Government: 800-245-2449, ZEOS Information Systems, Inc. GSA #GS00K94AG85176. Purchase Orders, MasterCard, VISA, Am Ex, Discover, COD and affordable leasing programs.

Purchase orders are subject to approval. Business leasing programs available. All prices, specifications and availability are subject to change without notice; call to confirm these and warranty details. Prices do not include shipping. Novell compatibility is Developer Tested Only. Novell makes no warranties with respect to this product. All products and company names are trademarks or registered trademarks of their respective holders. Intel Inside and Pentium Processor Logos are trademarks of Intel Corporation. ZEOS is a registered trademark. Computers Now! is a registered servicemark. Pantera is a trademark of ZEOS International Ltd. © 1995 ZEOS International Ltd., 1301 Industrial Blvd., Minneapolis, MN 55413 USA. ZEOS is a publicly traded company (NASDAQ symbol: ZEOS). PAN-BYT-9502

Circle 128 on Inquiry Card.

UnixWare 2.0's New Look



UnixWare 2.0's friendly face makes this powerful, SMP-capable applications server as approachable as its archival, Windows NT. The blowups here show that:

- Adding new users is a point-and-click affair.
- Processors can be individually enabled or disabled.
- Device settings are documented and accessible.

Not shown are new or improved graphical utilities for mail administration, system monitoring, and network administration.

integrate better than ever before. But they still don't couple as tightly as Novell would like. UnixWare 2.0 still won't run NDS (NetWare Directory Services); that support is slated for version 2.1, which is due before the end of the year.

Are customers confused by Novell's failure to integrate NetWare and UnixWare fully or to clarify the role of NLMs versus Unix applications? Perhaps not as much as analysts like to think. Holiday Inn Worldwide (Atlanta, GA) is equipping its 450 international hotels with a combination of NetWare and UnixWare. The two are nicely complementary, says Don Lynch, director of worldwide hotel systems development. The front desks use NetWare's file, print, and Btrieve database services but talk through a UnixWare gateway to the mainframe-based reservation system. Because a Unix process buffers all transactions, there's protection against glitches on either the LAN or the

WAN side of the gateway. Transactions can flow in both directions, because UnixWare can act as a client to a Btrieve database on a NetWare server.

Could NT fill UnixWare's shoes in this scenario? Perhaps, says Lynch, "but do you want to buy a car from somebody who's just built their first one or from somebody who's been building them for 20 years?" However, he notes that a one-box solution (which NT could provide) is more desirable than the current two-box arrangement—one for NetWare and one for UnixWare—and looks forward to a converged SuperNOS.

For Ameritech Library Services (Provo, UT), a leading vendor of public, private, and school library systems, UnixWare's connection to Novell opens doors in the K to 12 market. "When you come into a DOS environment with a Unix solution," says Bernadete G. Razevska, vice president and general manager of the compa-

ny's school division, "you may have some hard selling to do." UnixWare helps overcome that resistance, she says, because it slides neatly into the NetWare LANs now found in many schools. UnixWare 2.0's scalability is a boon, Razevska adds, because it will ease districtwide consolidation of library systems.

These developers don't fret about NLMs. They know their applications need to run on a general-purpose operating system, and they think UnixWare is a good choice when those applications target users on NetWare LANs.

Multiprocessor NetWare

The ability of Unix, NT, and now OS/2 to exploit multiple processors has been another thorn in Novell's side, and at BrainShare '94, the company rolled out a three-phase multiprocessor road map delineating a strategy it calls *distributed parallel processing*, or DPP (see the figure "Novell's

There are **Billions** of reasons to protect your software.

You only need one

reason to protect with Sentinel:

It's the worldwide standard in software protection.

Piracy is the greatest threat to the world's software industry. Developers lose billions in sales to software piracy each year. Protect your software and get all the revenue you deserve.



More developers rely on Sentinel®, from Rainbow, than any other software protection in the world.

And for good reason. Sentinel performs where it matters most: leading the industry in technology, quality, reliability and support.



So when it's time to protect your DOS, OS/2, Windows, NT, Macintosh, UNIX, XENIX, LAN or CD-ROM application – protect with Sentinel. Protect with confidence.

Call the Rainbow office or authorized distributor near you for a Sentinel Developer's Kit and more information on why Sentinel is *Securing the future of software.*

RAINBOW
TECHNOLOGIES

SENTINEL
Securing the future of software



Rainbow Offices: **USA / ASIA / LATIN AMERICA** 1-714-454-2100 ■ **U.K.** (44) 1932 570066 ■ **FRANCE:** (33) 1 47 38 21 21 ■ **GERMANY:** (49) 89 32 17 98 0
ARGENTINA: Agri-Aid, S.A. 54 1 3748364 **AUSTRALIA:** LOADPLAN 61 3 690 0455 **BENELUX:** IntroCom 31 74 430 105 **BRAZIL:** MIPS Sistemas Ltda. 55 11 574 8686 **BULGARIA:** KSIMETRO 3592 79 14 78 **CHILE:** ChileSoft Ltda. 56 2 639 8892
CHINA (Eastern): Shanghai Pudong Software Park Development Company 86 21 8787025 **COLOMBIA:** Construdata 57 1 6108549 **CZECH REPUBLIC:** ASKON International 42 2 3103 652 **GREECE:** Byte Computer S.A. 301 924 17 28
HONG KONG: Computers and Peripherals 852 515 0018 **HUNGARY:** Polyware Kft 36 76 481 236 **IRAN:** Gam Electronics 982 122 22374 **ITALY:** BFI IBOXSA SPA 39 23 31 00535 **ITALY:** Siosistemi 39 30 24 21074
JAPAN: Giken Shoji Co., Ltd. 81 52 972 6544 **JORDAN:** CDG Engineering 96 26 883 861 **KOREA:** Genesis Technologies 82 2 578 3528 **LEBANON:** National Group Consultants 961 1 494317
MALAYSIA: Eastern Systems Design (M) Sdn Bhd 60 3 241 1188 **MEXICO:** Impex Computacion, S.A. de C. V. 91 800 66 466 **MIDDLE EAST:** Hoche International 44 81 459 8822 **MOROCCO:** Futur & Soft 212 2 40 03 97
PORTUGAL: COMELTA 351 1 941 65 07 **SCANDINAVIA:** Perico A/S 47 2249 1500 **SINGAPORE:** Systems Design PTE LTD 65 747 2266 **SPAIN:** MECCO 34 3 422 7700 **SWITZERLAND:** IBV AG 41 17 412 140
SWITZERLAND: Safe Compaid S.A. 41 2 421 53 86 **THAILAND:** BCS International 66 2 319 4451 **TUNISIA:** ASCI 216 1 781 751 **TURKEY:** BIMEKS, Ltd. 90 216 348 3508 **VENEZUELA:** HRT-M Osers 58 2 261 4282
©1994 Rainbow Technologies, Inc. Sentinel is a registered trademark of Rainbow Technologies, Inc. All other product names are trademarks of their respective owners.

Circle 116 on Inquiry Card.


Distributed Parallel Processing Road Map"). In the first phase, NetWare will support SMP hardware. This implementation will be less symmetrical than the name implies, however. It entails only the minimal surgery required to spread NetWare's I/O processing (and specially adapted NLMs) across multiple CPUs (NetWare 4.1 and UnixWare 2.0 will share the same SMP APIs). A second phase will build on the NetWare 4 domain architecture and ASMP (asymmetric multiprocessing) to spread unmodified NLMs across CPUs in multiple protected domains. In the final phase, Novell wants to vault NetWare (by then converged with UnixWare to create SuperNOS) into the realm of clustered multiprocessing systems.

"You've always been able to scale NetWare by adding workstations," says Major. "We want you to be able to scale at the back end in the same way, by adding servers."

To coordinate such loosely coupled clusters of servers, Novell bought NetFrame's distributed lock manager, originally built for Oracle's Parallel Server. "It's a generic way to coordinate resource access and manipulation," says Amdahl. "The objects you register with the lock manager can represent not just files or records but resources of any arbitrary type."

Novell knows that PIN is a necessary short-term objective. The company has to gain control of the NetWare code, lay a foundation for hardware innovation, and allay concerns that arise when, as Tiemann notes, "people see Novell's NLM stalwarts fighting their real performance wars on RISC." The phased DPP initiative is, likewise, an impressive and ambitious long-term goal. Today's shared-memory SMP systems could ultimately become atoms bound together in much larger molecules enabled by DPP. As these strategies evolve, much will depend on when and how Novell unifies the APIs and, eventually, the guts of NetWare and UnixWare.

Novell's Distributed Parallel Processing Road Map



A staged evolution, coinciding with the transition from today's NetWare and UnixWare to a converged SuperNOS, leads eventually to a distributed NOS that harnesses the power of server complexes whose pluggable parts are single-processor and multiprocessor machines.

SuperNOS

Novell's grand vision crystallizes in SuperNOS. This new operating system will be built on a microkernel so that it can be portable, modular, and distributable. Novell's NetWare and UnixWare architects are hammering out just what that microkernel will be. An obvious choice is Chorus Systems' (Saint-Quentin-en-Yvelines, France) Chorus, which USL had selected as the base of its future Unix products prior to its acquisition by Novell (see "The Chorus Microkernel," January 1994 BYTE). It's particularly well suited because, unlike Mach and NT, Chorus blurs the boundary between kernel mode (privileged code in shared address space) and user mode (nonprivileged code in disjoint address spaces). In theory, that flexibility makes Chorus the ideal SuperNOS substrate, and Major says that a prototype of NetWare on Chorus is already up and running.

"We'll offer two execution environments—kernel and Spec1170 [X/Open's standard Unix API]," he says. A SuperNOS file server or router will use the kernel environment, where trusted NLMs can deliver maximum throughput and real-time response. A SuperNOS applications server would use the Spec1170 environment, where applications enjoy protection and standard APIs. When both environments coexist, the result will be a one-box NetWare and UnixWare solution.

At press time, however, Chorus had not yet been officially anointed as the Novell microkernel. "We'll take elements of it,"

says Major, "but we need a next generation of Chorus." That generation is at hand, counters Michel Gien, vice president of technology for Chorus Systems. He says the company is tuning the microkernel so that colocated server processes can use direct function calls, reserving the message-passing form of IPC (interprocess communications) for communication across address spaces. Gien also gently suggests that Major's team has not yet fully absorbed the Chorus

technology transfer. "They are new at this," he says, "and have not had a lot of hands-on experience [with the microkernel]."

Novell hopes that from this bubbling cauldron of egos and technologies will emerge the scalable multipurpose operating system on which its future depends. There is understandable friction but also a profound sense of synergy.

The Unix Systems Group, for example, has defined its own clustering initiative, SSI (single system image). "DPP and SSI are two sides of the same coin," says Major. The acronym doesn't matter, but the concept does. In today's client/server world, transaction-processing monitors handle load balancing and service replication for applications distributed across a few specialized servers. In tomorrow's intelligent networks, those servers will be numerous and standard, just as desktop systems are today, and the NOS will have to be able to recruit and reliably manage whole farms of them. Casting SuperNOS in that role is a vital initiative. Novell had better hurry, too. DEC, a pioneer in cluster computing, previewed an NT-based clustering technology at Fall '94 Comdex.

Rethinking IPX/SPX

NetWare takes a lot of heat for its favored transport protocol, IPX/SPX. Critics are right to point out that it scales ungracefully to WANs, but they are wrong to conclude that Novell should abandon it in favor of TCP/IP. "IPX has some great properties that IP bigots will never admit to," says



Sound Blaster
Value Edition
SRP, \$69.95



Sound Blaster Pro
Value Edition
SRP, \$105.95



Sound Blaster 16
Value Edition
SRP, \$139.95

The sound decision.

With hundreds of today's hottest games written for Sound Blaster™ cards, there are so many tough decisions. Will it be the thunderous explosions in *Rebel Assault*, or the eerie howling of *The 7th Guest*? The Sound Blaster Value Edition card is an economical way to get started. It's an 8-bit sound board that works with any Creative Labs CD-ROM drive and includes sound utilities and games.

The smart decision.

Games are not the only software designed for Sound Blaster cards. Imagine a math program with a vast array of sound effects. It's mesmerizing. It's hypnotic. Especially if you have the Sound Blaster Pro Value Edition, the 8-bit sound card with stereo sound. It's compatible with Creative Labs CD-ROM drives, and comes with innovative sound utilities and recording software.

The 16-bit decision.

The Sound Blaster 16 Value Edition is the best-selling sound card ever. It works with any Creative Labs CD-ROM drive and delivers stereo sound that meets MPC2 standards. It works with any speakers or headphones. And after experiencing a 16-bit game on Sound Blaster, you'll bolt to a nearby window, stick your reverberating head outside, and start screaming like a banshee, "I WANT 16-BIT SOUND!"

Tough decision. Choose one Sound Blaster or buy 5 more computers?



Sound Blaster
16 MultiCD
SRP, \$199.95

With Advanced
Signal Processor
SRP, \$249.95



Sound Blaster
16 SCSI-2
SRP, \$249.95

With Advanced
Signal Processor
SRP, \$299.95



With Advanced Signal
Processor SRP, \$399.95



The freedom decision.

Sound Blaster 16 MultiCD™ preserves your freedom of choice! It will connect a CD-ROM drive from manufacturers such as Sony, Mitsumi, and of course, Creative Labs. This 16-bit card is upgradeable to Wave Blaster™ II or an Advanced Signal Processor, the advanced technologies for MIDI music and more demanding sound-enhanced programs.

The I-want-it-all decision.

Sound Blaster 16 SCSI-2 delivers everything and compromises nothing. It's 16-bit sound with an optional Advanced Signal Processor and a collection of sound utilities. But best of all, it connects the sound card and up to six SCSI devices to a single port.

The next wave decision.

The next generation of games will arrive with sound so real, you'll have to hang on to your headphones. Only Sound Blaster AWE32 can deliver the ultimate CD-quality sound. Real instrument samples and real sound effects. It's a 16-bit card with Advanced WaveEffects™ and an optional Advanced Signal Processor. And other cool stuff. Like QSound, a 180° soundscape of intense virtual audio. Sound Blaster AWE32 has it all.



Of course, all Sound Blaster cards are easy to install and provide 100% compatibility with all software written for the Sound Blaster audio platform. Make your decision and visit your nearest Creative Labs dealer. Or call 1-800-998-5227 Ext. 111



© 1994 Creative Technology Ltd. The Sound Blaster and Creative Logos are registered trademarks. Sound Blaster, Sound Blaster 16 MultiCD, Sound Blaster 16 SCSI-2, Sound Blaster AWE32, Wave Blaster, WaveEffects, Creative Voice Assist, Multimedia is Creative, and the Sound Blaster Compatibility Logo are trademarks of Creative Technology Ltd. All other trademarks are the property of their respective holders.
U.S. inquiries: Creative Labs 1-800-998-5227. International inquiries: Creative Technology Ltd., Singapore. TEL: 65-773-0233 FAX: 65-773-0353.

Circle 131 on Inquiry Card.

Tim Gelinas, vice president of engineering for Spry (Seattle, WA). "You just kick-start a workstation and boom, you're on the network."

That's because IPX takes as its node address the unique number burned into every Ethernet or token-ring adapter. By contrast, administrators must dole out IP node addresses. While that tedious and error-prone chore can be automated using BOOTP or DHCP servers, such servers must be set up and cared for, and they can fail. With IPX, assigning node addresses is simply not an issue.

Another nice property of IPX is the generous size of its address space. An IPX address includes a 4-byte network number and a 6-byte node ID. IP, by contrast, crams the network number and the node ID into a 4-byte address. Apart from the administrative headaches caused by the sliding boundary between the network-number and node-ID parts of an IP address, there's real concern that the explosively growing Internet will exhaust the available supply of IP addresses. IPng (IP next generation), the Internet Engineering Task Force's proposed solution, will likely ease the crisis, but there's no guarantee that it will be

painless for administrators.

Given the reach and simplicity of IPX, why do WAN experts always give NetWare such a bad rap? It's not IPX's fault. The real culprits are RIP (routing information protocol) and SAP (service advertisement protocol). RIP, which has been

link can become confused and begin erroneously incrementing their hop counts, a syndrome known as the count-to-infinity problem. "Because this is engineering and not mathematics," jokes Novell senior consulting engineer Radia Perlman, "infinity turns out to be 15." In other words, the infamous 15-hop radius of an IPX internetwork is just an arbitrary limit.

Point	Counterpoint
NetWare isn't a general-purpose operating system.	That's right. It's a special-purpose operating system with its finger on the pulse of the hardware. NetWare's near-real-time characteristics mean that it can move a lot of data in a hurry.

Enter NLSP

A solution to the problems of RIP is at hand. NLSP (NetWare Link Services Protocol), like the OSPF routing protocol that is currently favored in the IP world, uses an alternative and more powerful *link-state* technology. Because a link-

state router periodically sends out a complete map of its neighborhood and stores the maps it receives from other routers, it knows a lot more about the network than does a distance-vector router, can react more quickly to change, and can find alternate paths when a link fails. Because updates occur only in response to change (in Novell's implementation, every 2 hours if there is no change), there's a lot less broadcast overhead. Link-state routers see the big picture, not relying on immediate neighbors for topology reports, so

used in both IP and IPX networks (see the figure "The Family Tree of Routing Protocols"), is a *distance vector* routing protocol. A RIP-based router maintains a table of distances (hops) to other routers, as reported by its neighbors. In Novell's implementation of RIP, routers broadcast updates every 30 seconds, whether network topology has changed or not. Those updates suck up bandwidth on a WAN, and RIP routers react slowly when topology changes. Worse, if a link to a router fails, routers with multiple paths to the failed

The AT&T Connection

Waiting in the wings is a development that could radically transform the significance of NetWare 4 and NDS (NetWare Directory Services). AT&T's forthcoming NetWare Connect Services marries these Novell technologies with its own InterSpan frame-relay network, and, eventually, ATM (asynchronous transfer mode) technology to create what will be, in effect, a business Internet. It's expected to debut in the fourth quarter of the year and will host, among other services, AT&T Network Notes, a smaller project based on Lotus Notes that is already in market trial. For NetWare Connect Services, AT&T will maintain the root of an NDS tree. Subscribers that attach their NetWare 4 LANs to the tree will enjoy intercompany and intracompany WANs through AT&T's public data network. To complement the InterSpan hookups, dial-up access will be available in 200 cities in the form of a 950 number that branch offices and individuals can use.

If this plan works well and is affordable, it will be a godsend for the many businesses that run LANs in multiple


locations and are struggling with the endless hassles of private, do-it-yourself WANs. Because the NDS root will be public, subscribing businesses will eventually be able to browse and search networkwide for other businesses' users, services, and published information. However, although AT&T will own and operate the root, it won't be able to snoop. In NDS, organizations are self-governing worlds not beholden to the galactic empire.

It's hard to exaggerate the potential importance of such a business Internet. The TCP/IP Internet now being pressed into the service of business-to-business networking is a horse of an entirely different color. True, companies are eagerly creating their own WWW (World Wide Web) home pages and deploying Mosaic as a business application. However, the Internet lacks a coherent directory, and the so-called Internet discovery tools (e.g., netfind, archie, and WebCrawler), are, while ingenious, a poor substitute for a real directory. Companies that engage in network-based commerce will ex-



pect to be able to find each other on the network in the same way that they now find each other in the phone book. They'll expect to be able to contact each other whenever they want, not just when an intervening name server happens to cooperate. And they'll want to be able to bill for services rendered through the network. Clearly AT&T's infrastructure is tuned to satisfy just these kinds of expectations.

Can NetWare 4 and NDS meet the challenge? "We don't think there are inherent scalability limits," says John Friedmann, senior product manager for AT&T NetWare Connect Services, "but certainly there's no one who's done anything this big yet." The best large-scale test of NetWare 4 has been Novell's own. According to Jim Greene, product line manager for NetWare server products, the company saw early on that "we couldn't test NetWare 4 in the superlab, that's not real life." So Novell began using it on a production basis when the software was still in prebeta form. "Not all the IS guys will agree," says Greene, "but I think it was the best decision we ever made." Many of the 4.1 enhancements reflect Novell's own experience as a large-scale user.

Highly informative
business applications
can also be great-
looking.



Developers: Bet You Haven't Seen Xbase Like This Before.



It's easy to create
Windows applications
with browsers and
editors that design
and manage the
process.

With CA-Visual Objects®, developing new applications is a sight to behold. Because for the first time, the ease of use of visual programming has been married with the fourth generation power of an Xbase language.

The result is the only application development tool that gives you full object orientation, GUI support and client/server architectures combined with existing Xbase technologies and databases.

And the advanced technology of Visual Objects doesn't stop there. The object orientation includes inheritance, polymorphism and encapsulation. And the native code compiler boasts an engine that drives Visual Objects at a speed that's as fast as lightning. Plus, the repository-based interactive development environment includes class browsers, painters, editors and prebuilt classes.

**Mission-Critical
Client/Server
Repository-based
Native Code Compiler
Fully Scalable
Class Libraries
OOP**



For More Information, Call 1-800-225-5224, Dept. 14500.

Phone soon for a closer look at new CA-Visual Objects. Your mind won't believe what your eyes are seeing.

New CA-Visual Objects®

© Computer Associates International, Inc., Ithaca, NY 14850-7000. "Light Lib" graphic developed in conjunction with Light Lib® Business for Windows from DFL Software, Inc. All products referenced herein are trademarks of their respective companies.

**COMPUTER
ASSOCIATES**
Software superior by design.

Circle 69 on Inquiry Card.

ViewSonic has become synonymous with providing superior high performance color monitors to a demanding industry. As a recognized price/performance leader, we are committed to designing outstanding monitors that continue to win awards. In fact, here are some comments from a few editors:



"Some folks crave performance. Some look for price. And then there are those who want it all. If you belong to the third crowd, the ViewSonic 17 is the monitor for you." – PC World; April 1994



"Best color quality, best sharpness and best versatility – what more could we ask of the ViewSonic 17? Frankly, we were surprised that one monitor could do it all."

– PC Computing; January 1994



"ViewSonic has one of the sharpest, most detailed and well-focused displays around."

– Windows; September 1994


Our **new** ViewSonic 17 monitor is loaded with features including OnView™ controls (on-screen menu to adjust screen images to your liking), ViewMatch™ (matches screen colors to printer output), ARAG® coating (virtually eliminates screen glare and reflection), and refresh rates up to 160Hz. No wonder this 17" monitor (15.7" diagonal viewable area) keeps on winning awards, generation ... after ... generation!

See. A



The Dif

nd Hear.



With an eye and ear
towards the future,
ViewSonic is expanding
into the world of
multimedia – with our
new **PerfectSound™**



Model VS127 speakers. These *amplified*,
magnetically shielded speakers are designed to
be attached to the monitor or stand alone. In
fact, when attached to our monitor they blend in
so well they appear to be built-in. And they utilize
state-of-the-art *wave guide technology*
combined with a bass enhancing *super woofer*.
These speakers pump out high fidelity sound
with such power and clarity that you'll find it
hard to believe you're listening to a compact 14
watt system. **PerfectSound™** speakers offer
advanced audio technology combined with an
ergonomic, space saving design – each
speaker is only 2.4" wide! Controls include bass,
treble, balance and master volume.

*Sounds so vibrant and realistic, you'll swear
you're sitting in front of an orchestra – not
your computer!*

The ViewSonic 17 is MPR-II low radiation and
EPA Energy Star™ compliant.



***The first of the multimedia product
line from ViewSonic!***

ViewSonic®
See The Difference!™
and Hear

Tel: (800) 888-8583 or (909) 869-7976
Fax: (909) 869-7958
Call FaxSonic at (909) 869-7318 (fax-on-demand)
Request Doc. 320 (VS127), 152 (17)
Applelink: VIEWSONIC Compuserve: 73374, 514
All products and trademarks are brand names of their respective companies.

Circle 126 on Inquiry Card (RESELLERS: 127).

no arbitrary count-to-infinity time-out restricts network diameter.

NLSP also cuts down on the once-per-minute SAP broadcasting that announces the availability of servers, printers, and all other advertised network services. Service advertisements propagate on the same bi-hourly schedule as do topology updates. Mark de la Vega, Novell's product line manager for Novell's NetWare infrastructure division, says that NLSP's elimination of RIP, its encapsulation of SAP, and its ability to compress SAP data—in concert with other optimizations, such as burst-mode IPX and large-packet IPX—can yield a 30-to-1 reduction in traffic on WAN links. Use of the NDS will improve matters still further, because you won't need to advertise services when you can simply look them up in a directory.

A Matter of Choice

Router vendors routinely include RIP and SAP filters that can control NetWare's appetite for WAN bandwidth. Now in NLSP, they have a much better tool for that job, and they're lining up to support it. "We'll have NLSP support in products in the first half of '95," says Dana Rasmussen, senior product manager for PC protocols at internetworking equipment vendor Bay Networks, formed by a merge between Wellfleet Communications (Billerica, MA) and SynOptics Communications (Santa Clara, CA). It is available now for Novell's servers and multiprotocol routers. Longtime critics of the IPX protocol suite may find to their surprise that it is about to become a quite credible substrate for networking on an enterprise or global scale. The remaining wrinkle is that Novell's implementation of NLSP lacks OSPF's ability to subdivide a large internetwork into smaller areas. Novell says that it or third parties can easily add this hierarchical routing capability on top of NLSP. "They've done the forward planning," agrees Wellfleet's Rasmussen, "and have proactively included router vendors to help define how NLSP goes beyond level one [flat, single-area] routing."

Enhancing IPX does not, of course, excuse Novell from catering to the IP bigots. Novell does offer NetWare/IP, which layers NCP (NetWare Core Protocol) on an IP sub-

strate, but users and analysts say that it's neither cheap nor convenient. "We thought it would be our be-all and end-all," says Blaine Bauer, network analyst for Mobil, "but installing and maintaining the domain servers [replicable databases of SAP and RIP information] was a hassle, and performance was poor." Moreover, NetWare/IP doesn't yet automate the allocation of IP addresses. "NetWare needs to come out of the box ready to run IP or IPX, just as Windows now does," says Jamie Lewis, president of The Burton Group (Salt Lake City, UT). "Microsoft

WinSock to work with SPX (on Windows 95 and NT), but transport independence won't be standard with all implementations until WinSock 2.0 arrives. TI-RPC, which is available on Sun systems and other Unix systems, as well as on all Novell-supported servers and clients, now offers transport independence. "You can build a TI-RPC server for either UnixWare or NetWare that can talk to both SPX and TCP clients at the same time," says Steve Lemmo, founder and chief technical officer of RPC tool vendor NobleNet (Southborough, MA), "and it'll be wire-compatible with a ton of Unix platforms."

Point	Counterpoint
IPX/SPX doesn't work well on WANs.	Actually, the IP crowd should envy IPX/SPX's large address space and its administrative simplicity. The real problems are RIP and SAP, outmoded routing protocols that NetWare 4.1 replaces with the far more robust and efficient NLSP.

has done for transports what Novell did for network hardware—they've taken that issue off the table."


When it comes to network APIs, though, Novell does have a valuable, if underappreciated, asset in the form of TI-RPC (transport-independent remote procedure call). Windows Sockets, in its current version 1.1, expects a TCP/IP substrate. Microsoft has privately extended

The Global Directory

NetWare 4's headline attraction was NDS, an X.500-inspired global directory service designed to bring an organization's users, servers, and network services under a single umbrella. NDS represents a great leap forward that, to Novell's chagrin, not many users have yet been willing to make. The great success of NetWare's golden release, 3.11, created equally great inertia. "We did all the planning for directory services and thought it would take off," says Mobil's Bauer, "but users don't see a big incentive, and site administrators don't like having to switch over to VLM [the new NetWare 4 shell that loads a set of virtual loadable modules]." Indications are that Microsoft may face similar resistance moving users from its golden release of Windows, coincidentally—or not—also numbered 3.11, to Windows 95. The Windows 3/NetWare 3 matched set has become a deeply entrenched corporate standard.

To overcome the inertia, Novell and third parties will have to add a rich assortment of applications and services to NDS. In the 4.0 release of NetWare, not even Novell's own MHS mail directory could integrate with NDS. Many NLM-based services—including those from Oracle, Sybase, and Lotus—now do, and in NetWare 4.1, so does MHS. NetWare 4.1 also supplies tools to prune and graft parts of NDS; the absence of these in the initial release was a deterrent for some users. And NetWare 4.1 will provide APIs for synchronizing with NDS so that an existing human-resources application, for example, might

The Family Tree of Routing Protocols



RIP isn't a Novell exclusive; originally IP networks used this distance-vector protocol, too. Novell's replacement for RIP, NLSP, is a cousin to OSPF, but most closely resembles the OSI link-state protocol, IS-IS (intermediate system to intermediate system).

NOW MANAGING THE WORLD'S MOST POWERFUL DATABASE IS CHILD'S PLAY.



ORACLE7 WORKGROUP SERVER™: REALLY, REALLY SIMPLE YET VERY, VERY POWERFUL.

Oracle7 Workgroup Server replaces SQL database complexity with point and click simplicity.

Pretuned and preconfigured for results right out of



Friendly graphics indicate systems status.

the box, Oracle7 Workgroup Server is the ideal database for workgroups. Best of all, it's 100% compatible with all leading Windows® applications and

blistering speed and infinite scalability (PC Magazine's Editors' Choice 1993, 1994 and PC

Week's Analyst's Choice

1994), and you have an affordable, simple yet powerful server the com-

petition may promise, but can't deliver.

With prices starting at \$995, there's no better solution for managing your workgroup information.



Simple checkboxes & pick lists make administration easy.

For a
FREE
informational
video call
1-800-633-0542 ext 4969.

tools. Add a powerful array of graphical administration tools plus Oracle7's

ORACLE®

PC
MAGAZINE
EDITORS'
CHOICE

10/11/94 Oracle7 Server
for NetWare 7.0.16

serve as the interface for adding new employees to NDS.

Despite its sluggish start, NetWare 4's ability to consolidate servers and other resources into a single system image has not gone entirely unappreciated. McGill University has already upgraded a few of its 120 NetWare servers and plans to complete the move to NetWare 4. "Directory services will be a great help," says McGill's senior network-systems analyst, Lisa Laing. "Users are logging in to servers all over campus looking for things; NDS will let us put our expensive new Xerox DocuTech printers where everyone can find them." And NetWare 4.1 will run at

each of Holiday Inn Worldwide's 450 international locations, because, says Don Lynch, "I just want the latest and greatest."

The AppWare Saga

When Novell combined Software Transformation, Inc., and Serius to create the AppWare Systems Division, it placed itself smack in the middle of the component revolution that is transforming the software industry. AppWare's mission, Novell said, was to expose network services to developers in the form of easy-to-use components and to field those components on a wide range of client and server platforms. STI's Universal Component Sys-

tem, or UCS (also known as AppWare Foundation), would provide the portability, abstracting a superset of the GUI facilities available in Windows, Macintosh, Motif, and Presentation Manager and defining common APIs across these platforms for file I/O, memory management, and IPC. Serius Developer, now called Visual AppBuilder, would be the first of potentially many implementations of Novell's component framework. It's a visual programming tool for the Windows and Macintosh environments that's used to plug Novell's ALM components into an interconnection framework called the AppWare Bus. Novell planned to converge

Storage Management

NetWare has a universal file system; it supports DOS (FAT), Macintosh (HFS), Unix (NFS), and OS/2 (HPFS) name spaces. As the file system evolved with each version of NetWare, vendors of backup software had to scramble to catch up.

Novell's solution to this problem was SMS (Storage Management Services), which abstracts storage data structures and uses TSA (Target Service Agents) to export data. TSAs typically export file system data but can work against any kind of data store—NetWare 4.0, for example, included a TSA for the global directory.

To encourage broader uses of SMS, Novell in partnership with Palindrome (Naperville, IL), a vendor of storage management software, has undertaken to port SMS to non-NetWare platforms. Given a generic SMS framework, says Palindrome's vice president of technology, Jim Gast, database vendors can create TSAs that understand table and row locking, and E-mail vendors can create TSAs that work with names meaningful only within message stores. "When you back up a message store with native file system names," says Gast, "you have no clue how to restore just one person's E-mail, because objects don't have names that are natural to the user of the restore utility."

Along with improved SMS support, NetWare 4.0 offered an embryonic HSM (hierarchical storage management) capability. In its first incarnation that technology, which came from Imagery Software (Bedford, MA), a Kodak subsidiary, was specific to MO (magneto-optical) jukeboxes and the HCSS (High Capacity Storage System) designed for such devices.

With HCSS, a vast quantity of image (or other) data can reside on a relatively small NetWare volume backed by an optical jukebox. Files not recently used migrate to optical storage; when requested, they migrate back. This application was the first to use NetWare's real-time data migration module; the next was CDISC, which caches NetWare-mounted CD-ROMs. It did not, however, use the SMS storage management data redirector, so SMS-enabled archival disk-grooming and HCSS-enabled file migration—though conceptually similar—remained two separate activities.

Imagery Software has developed an HCSS successor called MSS (Mass Storage Service). "HCSS was a jukebox manager," says John Hoyer, marketing manager for Imagery Software, "but jukeboxes are just one place that MSS can migrate files to." The other place is the hard disk.

With MSS, files from a group of small departmental servers can spill over to a single superserver and from there to an optical jukebox. But there's still no connection between HSM and SMS. "I've always felt that HSM and SMS are solutions to the same problem," says Gast. "One set of data replication primitives should support all the different scenarios in which you move data from point A to point B—mail, directory synchronization, archiving, and HSM."

He's right. Novell today solves these problems using four different technologies that cry out for integration. Because NetWare lives close to the hardware, it can pump a lot of data in a hurry. That capability, packaged as a standard data-migration service, would make Novell net-


works more attractive to a large and growing number of applications.

As the data itself evolves from raw files to structured documents and objects that bundle code and data, the file system needs to follow suit. Here, too, there's more than one approach to the problem.

In the realm of document management, the latest versions of WordPerfect, GroupWise, and SoftSolutions support the ODMA (Open Document Management API) (see "Managing the New Document," August 1994 BYTE), which enable ODMA-aware clients to bypass the raw file system and place documents under the control of ODMA-compliant repositories. SoftSolutions support for DEN (Document Enabled Networking), a Novell/Xerox-companion effort that splits monolithic repositories into component services (e.g., storing, indexing, and converting), is also forthcoming, according to Alvin Tedjamulia, director of research and strategic planning for Novell GroupWare.

OpenDoc's Bento, another document storage technology, is tuned for single-user compound documents. If Novell succeeds with its OpenDoc for Windows effort, ODMA and DEN-oriented document managers (e.g., SoftSolutions) will want to accommodate Bento-aware clients by directly implementing Bento structured storage and versioning or mapping Bento's APIs.

More generally, Novell aims to evolve NetWare's file system. "Apply NDS technology to a file map," says Joe Firmage, general manager of Novell's Network Development Tools division and vice president of strategic planning for the NetWare System's Group, "and you get an enterprise-wide attributed data store." Novell's Cairo? Exactly, says Firmage, "but we already have the network infrastructure today."



WINDOWS NT FLIES AT THE SPEED OF ALPHA ON ASPEN SYSTEMS.

ALPHA™ Aspen Systems understands that performance can be the key to your success. Our line of ALPINE™ workstations and servers meet your demands for extreme Windows NT™ performance with unsurpassed speed, reliability and flexibility. ALPINE systems power your applications with Alpha processors from Digital Semiconductor, a Digital Equipment Corporation business, at speeds from 166Mhz to 275Mhz. Aspen engineered the ALPINE with 128-bit memory

expandable to 1 gigabyte, 512K or 2MB on-board cache, FAST SCSI-2, 3 PCI and ISA slots, a remote diagnostics port and a host of other features that make Windows NT fly. In a reviewer's words, "...what we found was the best overall NT performance we have tested to date." * And the ALPINE boosts your buying power with one of the best price-performance ratios in the workstation/server marketplace.



To maximize your Windows NT performance, call Aspen Systems at (800)-992-9242.



4026 Youngfield St. • Wheat Ridge, CO 80033-3862 USA • Tel: +01 (303) 431-4606 • Fax: +01 (303) 431-7196 • Internet: aspen@aspsys.com

© Aspen Systems Inc. 1994. ALPINE is a trademark of Aspen Systems Inc. Windows NT and the Windows NT logo are trademarks of Microsoft Corporation. * Source: DIGITAL NEWS & REVIEW, October 1994. Alpha and the AlphaGeneration logo are trademarks of Digital Equipment Corporation.

Circle 152 on Inquiry Card.

these technology streams so that ALM components could build from a single source for all AppWare Foundation-supported platforms.

AppWare Foundation's demise came suddenly, and it left both Visual AppBuilder and Borland's OWL (Object Windows Library) for AppWare stranded. The latter, hosted on the AppWare Foundation and intended to enable OWL applications to recompile for non-Windows platforms, simply died. Embarrassingly, OWL for AppWare ads were in print when the announcement came. Visual AppBuilder, however, was merely wounded. The tool still supports ALMs on Windows and Mac systems, but developers must use platform-specific APIs to create those ALMs.

AppWare Foundation's API neutrality mattered most if your development plans were truly platform-neutral. In reality, the majority of developers heavily invested in the Windows API would have had to weigh the effort of porting to the AppWare Foundation against the free ride on MFC (Microsoft Foundation Classes) that Microsoft says can get Windows applications onto other platforms. In the end, Novell bowed out, electing not to buck the momentum of the Windows API. Will the AppWare Foundation survive? As we went to press, a small software tools company was courting venture capitalists and IBM for help in resurrecting it.

Why would OpenDoc require the AppWare Foundation? As with ALMs, OpenDoc parts issue platform-specific API calls; a neutral API would enable a part to be written once for a number of platforms. Partial solutions are coming from Apple (Mac and Windows) and IBM (Presentation Manager, Windows, and Unix), but neither of these covers the gamut of clients. "We're a long way from a business relationship," says Cliff Reeves, IBM's director of object technology, "but we're vitally interested in any powerful tool that supports OpenDoc." The irony here is that Novell, the developer of OpenDoc libraries for Windows 3.1, 95, and NT, would benefit from the existence of a universal AppWare Foundation-based part framework.

Network Componentware

ALM wrappers for the NetWare directory, mail, and authentication APIs and for the Tuxedo transaction monitor, shipped with Visual AppBuilder 1.0. Wrappers for tele-

phony, network management, and many other key NetWare services are slated to follow. Advocates say ALMs will do for network programmers what VBXes did for programmers of stand-alone Windows applications. "Controls are the right way to interact with NetWare," says Willie Neumann, president of Hyper Active (Columbus, OH), a middleware developer. "If you're building on NetWare services in C, you're spending man-years," says Steve Jones, vice president of ImPower, a Salt Lake City ALM developer. "The beauty of components is that I really can snap things together."

What about the loss of ALM portability? A pervasive computing strategy should reach all users, not just the 90 percent running Windows, particularly because Windows' dominance is almost never total. Joe Garnett, Chief of the Advanced Systems and Networks Element with the Pacific Air Force Computer Systems Squadron, says that the over 7000 clients

a relatively small effort.

Once ALMs exist, corporate IS organizations can use Visual AppBuilder—which runs on Windows and the Mac—to deploy single-source applications across multiple platforms. Visual Basic, hosted only on Windows, doesn't offer that option. Visual AppBuilder's scope will further expand if, as is now planned, Novell brings it to UnixWare by mid-year. According to Joe Firmage, general manager of Novell's Network Development Tools division and vice president of strategic planning for the NetWare Systems Group, the tool will also support VBXes, OLE controls, and OpenDoc parts. "The AppWare environment operates at a high level of abstraction," says Firmage, "so it can consolidate these lower-level components."

Riding the Software Bus

Novell's ambitions for AppWare go beyond just showcasing NetWare services. It wants ALMs to ride on a (still experimental) App-

Ware Distributed Bus over multiple transports. At BrainShare '94, Firmage showed dramatically how Visual AppBuilder can divide an application into client and server parts that distribute transparently across a network. In addition, he showed how the network service thus created will replicate automatically to accept multiple clients. While that demonstration used Apple protocols—ADSP for transport and NBP for name service—Firmage says the App-

Ware Distributed Bus will also work with IPX/SPX and NDS; TCP/IP, an object request broker that complies with CORBA (Common Object Request Broker Architecture); and other substrates, possibly PeerLogic's Pipes.

One intriguing substrate is Novell's Tuxedo, an OLTP monitor that runs on a variety of Unix platforms and—thanks to a recent Microsoft/Unisys deal—NT as well. In a client/server system built with Tuxedo, clients don't simply ask servers for data, they ask them to perform autonomous transactions against data accessible directly to the servers. High-availability, high-performance systems demand this kind of technology, says Robert Coven, president of InterAccess (Totowa, NJ), a client/server consultancy. "I can replicate a Tuxedo service on two servers, then take down server A, transfer all users to server B, rewrite the application logic, then bring up the service again on A, and transfer users back to it. That's 100 percent

Point	Counterpoint
Novell has abandoned the desktop operating-system battle.	As well it should, because Windows owns the desktop. Novell resources that were being spent to make its DOS or Unix products compete with Windows can now be diverted to the unification of NetWare and UnixWare into SuperNOS, a NOS with global, not departmental, reach. The Novell/AT&T "business Internet," NetWare Connect Services, promises to revolutionize WANs while leveraging Novell's existing LAN stronghold.

attached to his 17 NetWare LANs scattered around the Pacific basin include an ineradicable minority of Mac, OS/2, and Unix clients. If the military can't mandate homogeneity, clearly businesses can't either. Yet the kinds of new applications likely to be enabled by network-aware components are precisely the ones that should reach all users. A desktop CTI (computer/telephone integration) application, for example, should have the same 100 percent penetration that phones do. (For more on Novell's CTI initiative, see "Computer Telephony," July 1994 BYTE.)

For core NetWare services, that 100 percent reach will be assured if Novell keeps its promise to create ALMs for all supported client platforms. Third parties can follow suit if they choose. Hyper Active, for example, has ported its Oracle ALM from the Mac to Windows. Given the complex logic required for direct access to the database in the design-time environment, says Willie Neumann, the ALM port was

MEGA DRIVE STORES THE MISSION CRITICAL DATA OF SOME OF THE WORLD'S LARGEST CORPORATIONS

YOU ARE OUT OF BUSINESS EVERY MINUTE YOUR DATA IS UNAVAILABLE.

Which is why Mega Drive has created the MR and MK RAID disk arrays to be the most advanced, fault tolerant storage systems available. With 2 to 490+ GBs of **bulletproof reliability and 20 MB/second performance,** they meet and exceed all of your mission critical computing needs.

At the center of the Mega Drive's award winning RAID disk arrays is an active backplane that provides billions of hours of reliable performance. Built on a hardware-based RAID architecture, and **hot swappable** drives, power supplies and fans, Mega Drive RAID disk arrays run complex applications year after year without ever skipping a beat.

But real world storage systems require more than relentless reliability. They demand power and performance to handle your graphics, multimedia, imaging, **server, database** and general office applications. Which is why we've designed the MR and MK RAID disk arrays with a Fast & Wide SCSI-2 interface, a blazing fast i960 RISC processor, and up to 128 MB of cache. To further increase the **fault tolerance** of the Mega Drive arrays, we've added optional remote pager modules, tape backup units and a built-in UPS.

Just as important as reliability and performance is your need for flexibility. So naturally, all of Mega Drive's RAID disk arrays are **PC, Novell, Windows, NT and OS/2** ready. In addition, they support Macintosh, PowerPC, UNIX, SUN, DEC, RS/6000, HP, SGI, Apple Workgroup Server and A/UX. And for your evolving storage needs, they provide a **zero-cost upgrade** path using the same shock-mounted drives as our Mercury removable hard drive system.

Reliability. Performance. Flexibility. It all adds up to this: Mega Drive RAID disk arrays solve all your real world storage needs. For more information on the most advanced storage systems available, call Mega Drive today at **1-800-664-MEGA ext. 330.**



Mega Drive's MR and MK Series RAID disk arrays provide from 2.7 to 40+ GB of fault tolerant, high performance storage

MEGA DRIVE'S MR AND MK RAID DISK ARRAYS FEATURES:

- | | | |
|---|--|--------------------------------------|
| △ Support of RAID Levels 0, 3 and 5 | △ Scalable 2 to 490 GB of Safe Storage | △ High-Capacity, No Downtime System |
| △ Up to 128 MB of Cache | △ High Throughput Fast & Wide SCSI-2 | △ Optional DAT or 8mm Tape Drives |
| △ Intel i960 RISC-Based RAID Controller | △ Front Panel LCD Array Control Center | △ Optional Remote Pager Notification |
| △ Cableless, Active Backplane | △ Single-Ended/Differential Options | △ Hot Swappable Drives, P/S and Fans |

MEGADRIVE
THE POWER OF CRITICAL MASS STORAGE



489 South Robertson Boulevard, Beverly Hills, CA 90211
Phone 310.247.0006 • FAX 310.247.8118
E-mail: sales@uu1201.megadrive.com



MR/5, MR/10, MK/5 and Mercury are registered trademarks of Mega Drive Systems, Inc., within the United States and other countries. All other brand and product names are trademarks or registered trademarks of their respective companies. © Mega Drive Systems, Inc. Specifications subject to change.

Circle 91 on Inquiry Card.

Distributed OLE vs. Distributed AppWare



In Novell's view, distributed software should cleave between application partitions rather than between applications and their components.

availability, and when I upgrade B and bring it back on-line, Tuxedo balances the load between the two servers."

The Tuxedo model of distributed computing dovetails neatly with that of the AppWare Distributed Bus. Both divide applications into coarsely granular partitions. The key point, says Firmage, is that while client or server partitions may both profitably use pluggable software components (for UI on the client side or data access on the server side), "the useful point of distribution is not between application logic and reusable components but between pieces of application logic" (see the figure "Distributed OLE vs. Distributed AppWare").

In other words, network services are not simply remote components. Their execution environment is the network. They need to be able to do things like replicate for reasons of redundancy and load-balancing. That's a compelling feature of Tuxedo that Novell wants AppWare to expose to a much larger population of programmers.

Making It Happen

Pervasive computing, in the current Novell blueprint, entails a four-layer infrastructure. The foundation is SuperNOS, offering two execution environments—NetWare's for core network services and transports and UnixWare's for layered applications. The technical and political challenges here are equally daunting. Can the hybrid SuperNOS retain NetWare's speed and flexibility while at the same time empower Novell to lead the Unix community and challenge NT in the applications server realm? No one knows, because SuperNOS is still—literally—on the drawing board. But the answers to these questions define the future of Novell and its products. Quite simply, these are bet-the-company issues.

Atop SuperNOS ride essential network services, including two on which Novell's

growth critically depends—NDS and NDMS (NetWare Distributed Management Services). Reworked for NetWare 4.1 (and by year-end, for UnixWare 2.1), NDS is the fundamental enabler for pervasive computing. Given the slow uptake of NetWare 4.0x, the picture looks a bit gloomy. What could drive wider acceptance, though, is NetWare Connect Services, because 4.1 and NDS are the keys to the Novell/AT&T business Internet. How will companies manage these far-flung networks? That's the role of NDMS. But while NMS (NetWare Management System) 2.0 is a shipping product, with mon-

prise management system. Thus NDMS will generally enable, rather than specifically define, network management on the grand scale Novell envisions. However The Burton Group's Lewis cautions that "NDMS as a general statement of strategy is great, but they're a long way from delivering on it."

The third layer, which enables users and devices to access core services, includes NEST, Corsair, and AT&T NCS (NetWare Connect Services). NEST could enfold previously unconnected devices such as faxes, PBXes, and even (Frankenberg pointed out in his Comdex keynote speech) slot machines. Corsair, which Frankenberg demonstrated during that speech, presents a virtual-world interface intended to appeal not only to business users but to the vast and growing home market that Novell must reach to attain its billion connections. AT&T NCS aims to make the WAN as available as the LAN is today.

The icing on the cake is networked applications, including Novell's current and future groupware products, custom distributed applications enabled by Tuxedo and AppWare, and the distribution and sale

of information and software through AT&T NCS to businesses and—increasingly—to consumers. That's the plan, but Novell's blueprint for building this layer is hardest to decipher. Last year's tools strategy, AppWare, has lost much of its momentum. Next year's strategy, the company says, is distributed objects, OpenDoc, and CORBA. But what about right now? Novell's brand of computing can't become pervasive unless networked applications pull millions of new users into the fold. Where these new applications come from is the \$64,000 question. ■

Jon Udell is a BYTE senior technical editor at large. You can reach him on the Internet or BIX at judell@bix.com.

Point	Counterpoint
UnixWare and NetWare don't integrate well.	It's true that integration remains incomplete, but there's no question that UnixWare plugs into a NetWare environment more easily than any other version of Unix. With version 2.0, UnixWare's new SMP capability and ease of use make it an excellent choice for an applications server on a NetWare LAN.

itoring, analysis, software distribution, and licensing tools, NDMS is a strategic direction. Today, NMS monitoring is distributed, but NMS data is stored in local Btrieve databases. The NDMS strategy is to separate that data from the console and distribute it across SQL repositories accessible to non-Novell management platforms.

That way, if a third party creates "the AI, 3-D GUI wonder-of-all-wonders management platform," says Michael Smith, director of West Coast operations for NetWorth, a hub vendor in Irving, Texas, "the NetWare administrator won't need a Ph.D." to use it. The data used by the local NetWare Hubcon utility, for example, will also be directly usable by the enter-

The Grand Challenges


OLIVER SHARP

Even using the biggest, most powerful computers available today, we still cannot reliably predict the weather for next week in any significant detail. And this is just one of a number of problems that we would like to solve using computers, but which are so complex that they are essentially beyond the abilities of current technology.

Recently, a group of scientists and sympathetic policy makers joined together and devised the High Performance Computing and Communication (HPCC) project. This is a large effort that involves many government agencies, including NASA, NSF (National Science Foundation), the Departments of Energy and Defense, and NIH (National Institutes of Health). At the core of the project is a set of hard-to-solve problems that require much more performance than supercomputers can currently muster. With a dash of marketing flair, HPCC project agencies call these problems the grand challenges.

A *grand challenge* is an application that pushes well beyond the limits of today's fastest computers. Most of the problems that the HPCC group has identified require performance somewhere between 100 and a few thousand GFLOPS. The term *GFLOPS* denotes 1 billion floating-point computations per second, and *TFLOPS* denotes 1 trillion floating-point computations per second. The most powerful processors currently in use, such as those in the Cray C90, can deliver a sustained performance of somewhat less than 1 GFLOPS on highly tuned code.

In other words, computers that can run grand-challenge applications on a single processor need to be at least 100 times—and possibly several thousand times—faster than the best that can currently be achieved. Rather than waiting idly—for perhaps a decade or more—grand-challenge researchers are working with today's hardware to pursue the use of parallel architectures.



Some big and difficult computing jobs need more power than today's supercomputers can muster

High-Performance Computing

To understand HPCC's importance, it's helpful to recall that the U.S. government has supported computer research since the machines were invented. During the 1950s and 1960s, for example, most computer design focused on applications used in business, such as handling accounting. But scientists needed quite another kind of machine. So, with the support of large, government-funded research labs, a number of companies sprang up to build machines that would perform floating-point operations faster than anything in existence. These machines came to be known as supercomputers.

When the Cold War was at its height, supercomputing was a high governmental priority. But the world has changed. With the end of the Cold War, widespread defense cutbacks, and a flourishing commercial computer industry, the warm relationship between government and high-performance computer makers is largely a thing of the past. Government paternalism is out of vogue, and hard-headed market economics is the new imperative.

But weaning supercomputing companies away from govern-

© enigma studio

JOHN CORBITT © 1995

The Supercomputer Makers

Depending on how the term *supercomputer* is defined, there are between 10 and 20 supercomputer companies currently in existence. What follows is a rundown of some of the current crop of high-performance machines being offered by these companies.

Convex

Convex makes two lines of supercomputers, the SPP and the C4. The former is a parallel machine based on Hewlett-Packard's PA-RISC processors; the latter is a traditional vector supercomputer.

Cray Research

It's simply not possible to talk about the history of supercomputing without prominently featuring the name of Seymour Cray. For decades, the machines that he designed were the fastest in the world. In a field as volatile and competitive as the supercomputer field, he compiled an amazing record. He has since left Cray Research to form a new company, Cray Computer, that hasn't yet shipped any machines.

Cray Research still makes one of the fastest vector supercomputers, the 16-processor Cray C90, which is discussed in more detail in the text box "A Closer Look at Two Supercomputers."

While massively parallel machines offer much higher theoretical throughput, vector-based systems like the C90 are the workhorses of the supercomputer world. Getting peak performance from a vector machine is not easy, but scientific programmers have been working with these machines since the 1960s and are familiar with them.

In addition to offering its vector supercomputers, Cray has recently branched out into massively parallel architectures. Its T3D contains up to 256 DEC Alpha processors.

IBM

IBM recently announced the SP2, a parallel architecture based on Power2 RISC processors. The Power2 is a successor to

the RS/6000 chip, and the SP2 can contain as many as 128 of them. The SP2 machines supplant IBM's older ES-9000 line of traditional vector supercomputers.

Intel

In addition to offering its well-known CPUs for personal computers, Intel has a supercomputer division that has been selling parallel computers for 10 years. The current offering, which is called the Paragon, is discussed in more detail in the text box "A Closer Look at Two Supercomputers."

Meiko

Meiko is not as well known outside the supercomputer community as the other companies that are listed here. It sells a massively parallel machine called the

CS-2, which is based on SuperSparc chips optionally connected to a pair of high-performance vector units (Fujitsu μ VP vector processors).

Silicon Graphics

Best known as a graphics company, Silicon Graphics, Inc., has long had a significant presence at most supercomputing sites. Its workstations have excellent graphics performance and are often used to visualize

the results generated by big supercomputers. With its new Power Challenge system, SGI is trying to expand its market to include high-performance computation as well as graphics.

Japanese Companies

Although supercomputing has been dominated by U.S. companies, the Japanese have also been active in the field. Their machines have received somewhat less attention than they deserve, partly due to the reluctance of U.S. government agencies to purchase them.

The three major suppliers of Japanese supercomputers are Fujitsu, Hitachi, and NEC. All are household names in the U.S., but they are not widely known in the U.S. for their computers. According to some benchmarks, the Hitachi S-3800

contains the fastest single processor currently available. NEC's line of supercomputers is called the SX-3, and Fujitsu offers a line called the VP2000. All three use vector processing and are well represented in the upper ranks of floating-point benchmark results.

Recent Casualties

Trying to market a supercomputer is a dangerous business; the field is littered with the skeletons of dead companies that have failed in the attempt. It's extremely difficult to design and deliver a supercomputer; it's harder still to make money doing it. And even when a company manages to do both, few have been able to maintain a successful effort for an extended period of time.

For example, Kendall Square Research (Cambridge, MA) announced a massive layoff in September 1994 and stopped producing its line of supercomputers. The end was accompanied by a series of ugly revelations about financial shenanigans; corporate officers apparently tried to hide the shakiness of the company by manipulating sales and inventory figures.


Thinking Machines Corp. was once the golden child of supercomputing; it had the newest and most radical approach and was stocked with the best and brightest minds from MIT and other top universities. The company's first two machines supported only the data-parallel model, which demanded that programmers rewrite the computationally demanding parts of an existing application. Although scientific programmers were originally skeptical (and many stayed that way), many applications achieved impressive performance on the CM-1 and the CM-2.

However, the company ran into difficulties on its next generation, the CM-5. These were much more conventional machines than their predecessors, but TMC ran into serious problems in designing the vector processors that provided the machines' raw performance. The company also had difficulty building the compiler support to handle existing data-parallel applications efficiently and bringing in new users. In the high-performance-computing arena, companies don't generally get second chances.



Cray T3D

Climate Modeling



Averaged sea-surface temperatures are shown for the months of April (left) and October (right), using data from a multiyear simulation on a Cray YMP using UCLA's coupled atmosphere/ocean model. The atmospheric component is the UCLA General Circulation Model, and the oceanic component is the NOAA/GFDL (Geophysical Fluid Dynamics Laboratory) Modular Ocean Model. (Photo courtesy of C.-C. Ma, C. R. Mechoso, and W. Weibel, of the UCLA Department of Atmospheric Sciences, and the NCO [National Coordination Office] for HPCC)

weather evolves, but accurate short-term forecasting can save lives and prevent property damage as well.

Weather forecasting and global-climate modeling involve very different strategies. Current global-climate models may represent an area the size of California as a single point, but that wouldn't be satisfactory for weather prediction: The weather varies quite a bit between the top of Mount Whitney and the deepest point in Death Valley, a mere 140 miles away. A grid resolution of 5 kilometers would allow much more accurate weather prediction than current models, but it would also require orders of magnitude more computing power than is currently available.

Another focus of attention is *CFD* (computational fluid and plasma dynamics), the behavior of a body moving through a medium or vice versa. CFD can be used to design everything from high-pressure pipes to airplanes and automobiles. NASA has a large group of researchers who use CFD modeling for vehicles such as the space shuttles. Aerospace companies now employ computer models to supplement the traditional strategy of building a physical model and putting it into a wind tunnel.

Computational Biology

Biology has not traditionally involved as much computer simulation as physics, but that's changing. Drug research relies on vast amounts of manual testing and is an expensive, hit-or-miss proposition.

Computer models could transform this process. Organic substances, such as proteins, contain many atoms that attract or repel each other, twisting the whole structure into a 3-D shape. The effects of a drug are partly determined by its shape. Using computer models, researchers hope to design drugs to target particular diseases.

continued

ment-sponsored projects and refocusing them toward the commercial market carries the risk that basic research might be lost in the shuffle. Research into the frontiers of computer modeling is an expensive proposition that often pays no quick dividends. Thus, HPCC ensures that basic research will continue and will pay dividends.

A Few Examples

Most of the grand-challenge applications now being pursued represent big science at its finest. They range from pure physics to biology, from chemistry to engineering, from seismology to fluid dynamics.

Scientists spend a lot of their time studying physical systems, generating theories about the rules that control them and shape their evolution. Computer models allow researchers to build a system that embodies these theories and then, if possible, to compare the model's behavior to data gathered through observation.

The scale of these models ranges from the subatomic particle interactions of quantum chromodynamics to galaxy formation and the evolution of the universe. The next few sections explain in detail some specific grand-challenge applications.

Earth Sciences

In the middle of the broad scale of scientific models are a number of grand challenges relating to the earth and its climate. The most ambitious one is the quest to build a 3-D model of this entire system to predict the changes that will occur decades or more into the future. Such models must incorporate both atmospheric and oceanic physics if they are to be at all realistic.

The atmosphere and the ocean require different modeling strategies, but they have an enormous influence on each other and cannot be accurately simulated in isolation.

Global-climate models are the battleground of the global-warming controversy.


Scientists use coupled atmosphere/ocean models in their attempt to try and understand, and eventually predict, phenomena such as El Niño and the greenhouse effect and their global impact on climate. The development of improved representations of physical processes (e.g., cloud-radiation interaction) and the long-duration model simulations required for climate studies will demand a 100-fold to 1000-fold increase in computing, communications, and data management capabilities. Scalable parallel-computing systems and high-speed networks will help meet this demand.

Other earth-science projects are shorter-term or more restricted in scope, which allows greater accuracy. Environmental-impact projects try to predict the effects of various human activities and different environmental policies. For example, they might examine the air quality of a restricted area, such as the Los Angeles basin, or model acid-rain production.

Another long-standing goal is more-accurate weather forecasting. It's largely impossible to forecast too far into the future because of the way that

Aerodynamics

Scalable parallel computing enables flight-vehicle designers to use new simulation and optimization methods that combine several physical disciplines and integrate multiple vehicle components. This picture shows the airflow over and past the wing of a simulated high-performance aircraft that is using vectored thrust while descending to a few feet above the ground. (Photo courtesy of NASA and NCO HPCC)



Still another major goal is to use computers to map the sequence of genes that make up human genetic material. This would yield a much better understanding of inheritance and the process of mutation.

Imaging

Doctors have used x-ray images for decades, but one x-ray represents only one cross-section and may not reveal enough to support an accurate diagnosis. One solution is to take many x-rays from different angles and then piece the images together.

CT (computerized tomography) uses algorithms to take many readings and produce an image far more accurate than any single picture could be. While two-dimensional CT machines are in widespread use, researchers at institutions such as the Mayo Clinic are working on 3-D images.


To prepare for surgery on a brain tumor, for example, a surgeon could use imaging software to view and manipulate an image of the patient's head on a graphics workstation. The software could peel back layers and rotate the picture to show the exact location and dimensions of the tumor. But it requires a great deal of computation to turn hundreds or thousands of views into one detailed 3-D image.

CT is also being used outside the medical community. One new application involves finding cracks inside freeway supports caused by earthquake tremors, as well as erosion inside bridges caused by shifting sediment.

Industrial Applications

In addition to forming partnerships with laboratories and universities for carrying out basic scientific research, members of

Jet-Engine Simulation



Researchers at NASA's Lewis Research Center are developing a prototype numerical-propulsion-system simulator for dynamic numerical and visual simulation of jet-engine components. This multidisciplinary research, using scalable parallel-computing systems, will allow aircraft manufacturers to analyze options more rapidly and then design higher-performance propulsion systems at lower cost. Here, airflow through several components of a jet engine is simulated on a cluster of IBM RS/6000 workstations. (Photo courtesy of NASA and NCO HPCC)

the HPCC group have sought partnerships with various industries that have computationally demanding problems. In health care, for example, there are projects that search large databases of previous cases to help doctors diagnose patients with unusual ailments. Architects and engineers are using stress-and-shear models to predict how structures will react to earthquakes and violent storms.

Financial companies use supercomputers to model securities markets. These companies are also interested in mining their large databases to discover rules that accurately predict whether customers are credit-worthy and will pay their bills.

Oil companies want to use models to avoid drilling test wells that don't produce anything; dry holes are expensive and damaging to the environment. Companies such as Shell work on supercomputing research.

Major Obstacles

Each grand challenge poses its own set of difficulties, but there are a number of com-

mon problems that are all related to one of three categories: the raw capability of the hardware, the algorithms used to solve the problems, and the tools that a programmer has available to build applications and analyze the results.


The most obvious necessity for running a grand-challenge application is extremely good floating-point performance. In theory, current parallel machines are a great deal faster than the best vector supercomputers. If exploited with maximum efficiency, many of them offer well over 100 GFLOPS. But it's much harder to exploit hundreds or thousands of processors than it is to rely on a single one. Grand-challenge researchers are among the most active users of parallel machines, and they have the scars to prove it.

While the most widely quoted performance figures almost always relate to the CPU, a supercomputer's I/O bandwidth is often just as important. This is a weakness of many parallel architectures: They offer a potentially large increase in CPU performance, but their I/O throughput does not scale accordingly; in fact, it is often much lower than that of high-end supercomputers.

Many grand-challenge applications require massive amounts of data to execute properly. Mapping the human genome, for example, is largely a database problem that uses search techniques on gigabytes—and eventually terabytes—of data. Most physical simulations require less initial data, but while running they generate enormous numbers of intermediate results.

A climate model, for

Environmental Modeling




Contaminated bottom sediments and the associated decrease in water quality pose major problems in rivers, lakes, harbors, estuaries, and near-shore ocean areas. To study these problems, EPA-funded researchers at the University of California-Santa Barbara are developing computationally intensive, time-dependent, 3-D models of the hydrodynamics, particle transport, and sediment-bed dynamics, coupled with meteorology and significant biochemical reactions. The redistribution of toxic sediments in Lake Erie due to a large storm depends on wind direction, wind speed, and water depth; in the photo, sediment concentrations tend to be largest in shallow sections. Calculations were performed on a Cray YMP at the EPA's National Environmental Supercomputer Center. The visualization was done by the EPA's Scientific Visualization Center on an SGI workstation using Fast software. (Photo courtesy of EPA and NCO HPCC)

A high accuracy CAD.
Intuitive, easy to use, made
for the Windows environ-
ment, that enables powerful
communication with other
programs.

Acropolis[®] Win

... has arrived!



Some Features:

User Definable Menus, create Commands, Icons, Hotkeys and Buttons. Powerful and easy Macro Language. Handle and node based editing as easy as a paint program. Interact with other programs using DDE. Programmable with Visual Basic. Import/Export of DWG, DXF, HPGL and ASCII files. Import scanned photos or drawings using BMP format. 65,000 Layers. Truetype Fonts. Solid fills with 16 million colors. Special Versions: Steel detailing, CNC postprocessors, Mapping.

Acropolis[®] Win \$ 295*

We are looking for distributors

è un prodotto
KyberSoftTM

Kyber via Ferrari, 21 - 21047 Saronno (VA) Italy
tel +39-2-96703934 - fax +39-2-96703761

Distributed by:

ARTEK[®]

Via A. Volta, 9/A - 51100 Pistoia (Italy)
tel +39-573-934745 - fax +39-573-934912

Circle 526 on Inquiry Card.

ACROPOLIS WIN INFORMATION

For more information on Acropolis Win, mail or fax this coupon.

Name _____ Title _____
Company _____
Address _____ ZIP _____
City _____ Country _____
Phone _____ Fax _____

*Dealer copy also available at special price

A Closer Look at Two Supercomputers

Current supercomputers can be roughly divided into two categories: vector machines and massively parallel machines. The key distinction between the two is that almost all vector supercomputers can be purchased with multiple processors, but parallel supercomputers are dependent on using many processors at once to deal with a single problem.

Parallel machines rarely provide enough performance to handle a grand-challenge application using only one processor at a time. Vector machines, on the other hand, are almost exclusively used as a group of independent processors that share resources. A very small percentage of the applications currently running on vector machines use more than one processor at once.

A Vector Supercomputer: The Cray C90

The C90 comprises a family of related machines, the most powerful of which, the C916, can have between eight and 16 processors. It has a clock cycle of 4.2 nanoseconds; the 15-ns memory is implemented on BiCMOS. A C916 system can have as much as 8 GB of memory.

During each clock cycle, two operands can be loaded from memory, and one can be stored for each pipeline. But due to the latency of the memory subsystem, memory operations must be scheduled properly to achieve maximum throughput. (For applications that require more memory, Cray offers an alternate line called the M90; these systems have lower floating-point performance but can support several times more memory.)

The maximum I/O bandwidth of the C90 is 13.6 GBps; it's handled by a variety of networks. The system can be connected to a solid-state disk (i.e., a large RAM drive) that stores up to 32 GB and supports access at the full I/O bandwidth.

Physically, the machine takes up 48 square feet, and the Freon cooling unit requires another 50 square feet. The system can require more than 300 kilowatts of electrical power to run.

The core of the C90's floating-point performance, which peaks at about 1 GFLOPS per processor, comes from the vector processors. It's up to the programmer and the compiler to see that those processors are used effectively. Over the past few decades, scientific programmers have become used to programming for vector supercomputers and have learned how to write efficient code for them. Although it is rare to have code achieve a sustained throughput of anything close to 1 GFLOPS, a lot of real-world applications achieve hundreds of MFLOPS.

The C90's operating system is UNICOS, a Unix variant. The system comes with highly tuned compilers for various languages (including C and FORTRAN 77). Cray has also built a variety of tools for measuring the performance of an application and discovering inefficiencies or hot spots that need to be optimized.

A Parallel Supercomputer: Intel's Paragon

The Paragon is a descendant of earlier Intel machines. Intel began building parallel hypercube systems during the mid-1980s and then moved to a two-dimensional mesh with its Touchstone Delta.

The Paragon is similar in design to the Delta, but it uses faster, 50-MHz i860/XP processors with built-in support for network communications. Each processor

can have up to 128 MB. Routing communications between processors through the mesh is handled by separate network chips; the bisection bandwidth ranges from less than 1 GBps all the way up to several GBps, depending on the machine's configuration.

I/O is performed through a HiPPI (High-Performance Parallel Interface) that supports up to 100 MBps. For comparison, the Cray C90 supplies not only a HiPPI but also a variety of other interfaces that can support as much as 1.8 GFLOPS per channel.

I/O performance is often an Achilles' heel for parallel machines. This is particularly true of a system like the Paragon, which can be configured to provide much higher theoretical CPU performance than even the biggest Cray vector machine.

For some applications, the Paragon attains extremely high performance. For instance, a 3680-processor Paragon achieves 143 GFLOPS on the LINPACK benchmark, as compared to just 13.7 GFLOPS for a 16-processor C90.

But achieving such performance on a massively parallel machine is difficult. At present, virtually every application that executes efficiently on massively parallel systems is hand-coded; the programmer directly specifies the data that is to be communicated between nodes using message-passing primitives. Intel provides libraries of tuned communications routines and tools to aid in performance monitoring and debugging on the Paragon, but the process is far from painless.



example, might have a time-step of 15 minutes. Arrays of values store the current state of the simulated climate; at each time-step, the program modifies those values to reflect the changes that occurred in 15 simulated minutes. To compute the earth's climate after 10 days, the model would iterate for 960 steps and dump the resulting values. If the run takes an hour, and the amount of data needed to describe the climate takes up only 1 GB, the I/O requirements are

easily supported on a powerful system.

But suppose that the scientist working with this model is creating an animated view of the evolving climate that uses color to show temperature. The simplest strategy is to dump the current state of the simulated climate out to disk at every time-step. Suddenly, the I/O throughput goes from 1 GB per hour to 960 GB per hour. The programmer could reduce the I/O requirements by storing fewer temporary re-

sults, by storing them less often, or by being prepared to rerun the application.

But in spite of all these stratagems, grand-challenge applications generate a lot of data. Current supercomputers can transfer from 1 to 40 MBps of data to a hard disk. Larger, tertiary storage devices, such as tape drives, support much slower rates—between 0.5 and 5 MBps.

In the near future, grand-challenge applications will need to be able to transfer as

C & C++ FOR DOS

Comms	
Async Prof for C/C++ 2.0	£170
C Async Manager	£175
C Comms Toolkit	£215
COMM-DRV/LIB	£140
Essential Comm 5.0	£265
Greenleaf CommLib 5.0	£235
MagnaComm/DOS	£215
SilverComm "C" Async 4.0	£195
Database	
Btree Filer for C Network	£170
C-Index Pro	£349
c-tree Plus 6.4A	£565
CodeBase 5.1	£259
CodeBase++ 5.1	£259
D-ISAM	£495
d-tree	£490
DataBoss 3.5 (Special Offer)	£79
Greenleaf Database Library	£180
Paradox Engine & DFX 3.0	£125
POET SDK 2.1	£360
r-tree	£305
Raima Database Manager	£360
Raima Object Manager	£360
SoftFocus Btree/ISAM	£75
Topaz for C 4.0	£255
Graphics	
3D-Ware Std	£99
3D-Ware Prof	£249
Accusoft Image Lib/DOS 5.0	£745
dGE 5.0	£205
Essential Graphics Toolkit	£320
Fastgraph 4.0 (Ted Gruber)	£195
GFX Graphics Lib 32-bit	£270
Graphic 7.0	£345
GX Effects 3.0	£125
GX Graphics 3.0	£155
MetaWINDOW-DOS 4.4	£170
MetaWINDOW-DOS/286 4.4	£240
MetaWINDOW-DOS/386 4.4	£309
PCX Toolkit 6.0	£155
PCXLab-DOS/286/386	£135
Real-Time Graphics & UIT	£225
GUI	
4Sight	£300
graphics-MENU	£185
Menuet/CP 2.0	£310
MEWEL/GUI Std 4.0	£390
object-Menu w/Source 2.7	£510
T-Windows	£240
Zinc Engine & DOS Key 4.0	£505
Math & Scientific	
C/Math Toolchest & Grafix	£45
Huge Virtual Array & NAT	£215
Linpack.h++ w/Source	£429
Math.h++ w/Source	£257
MIRACL	£39
Science, Eng & Graphics Tools	£140

VISUAL BASIC FOR DOS

MS Visual Basic for DOS Std	£96
MS Visual Basic for DOS Prof	£230
NetPak Pro for DOS	£135
PDQ Comm	£65
QuickComm	£129
QuickNet	£79
RS232 Library	£130
CodeBasic 5.1	£140
db/Lib Prof 3.0	£195
E-Tree Plus	£130
VB/ISAM MU	£150
VBtrv for DOS	£120
Elitech's GUI Toolkit	£79
Fastgraph 4.0	£195
Graphics QuickScreen	£105
Graphics Workshop	£105
GraphPak Pro	£99
GX Graphics 3.0	£155
Compression Plus	£79
Compression Workshop	£110
PDQ	£110
Printer Plus	£130
ProBas 5.6	£169
QuickPak Prof 4.19	£145
QuickPak Scientific 3.0	£105
QuickScreen 4.0	£105
TSRific	£89

C & C++ COMPILERS

Aztec Embedded C86	£290
Microsoft Visual C++ Std	£65
Microsoft Visual C++ Intel Ed	£299
Symantec C++ 6.1 Std	£85
TopSpeed C/C++ Prof	£215
Turbo C++ 3.0	£59
Turbo C++ Visual Ed. for Win	£84
Borland C++ 4.5	£280
High C/C++ 386 3.3	£620
High C/C++ for Win NT	£445
Salford C/C++ Developer	£395
Salford C/C++ Prof Plus	£295
Symantec C++ 6.1 Prof	£325
Watcom C/C++ 10.0	£164

Memory Managers

Heap Expander 3.0	£130
MegaHeap	£115
MoreHeap 3.23	£135
PowerSTOR	£99
VMDData for DOS	£665

Printer

Baby Driver Kernel 3.0	£250
BGI Printer Driver Toolkit	£105
GX Printer 1.5	£240
SLATE	£260

Screen

C-Scape 4.0	£360
C/Windows Toolchest	£45
Greenleaf DataWindows 3.0	£225
MEWEL/TEXT Std 4.0	£390
Object Professional for C++	£190
Panel Plus II	£260
TCXL UI Dev Sys for DOS/Win	£140
Vermont Views Plus 4.05	£595

General & Systems Libraries

C Tools Plus/6.0	£135
CAD/CAM Dev Kit/2D Personal	£375
Crusher! with Source 3.0	£195
Greenleaf ArchiveLib	£210
GX Sounds	£200
Hold Everything	£160
Interwork	£205
MTASK	£215
Multi-C w/Source	£39
Resident-C	£160
Spontaneous Assembly for C++	£95
TCOMP/Multi-Platform	£105
TTSR Ram Res Dev Sys 2.0	£105
TG-CAD Prof 5.0	£795
Tools.h++ w/Source 6.04	£259
TSRs and More	£130

Tools

C-DOC 6.0	£175
C-Vision for C 3.1	£95
CC-Rider Prof	£235
Clear+ for C	£135
CodeCheck (Professional)	£475
LALR (special offer)	£180
MKS LEX & YACC	£240
PC-Lint for C	£89
PC-Lint for C/C++	£139
PCYACC Personal	£250
SourcePrint+ 5.0	£190

VISUAL BASIC FOR WINDOWS

Visual Basic 3.0 for Win Std	£96
Visual Basic 3.0 for Win Prof	£230
Comms Lib/Win	£115
NetWare Client SDK for VB	£380
Network Library/Win	£80
PDQ Comm for Windows 2.1	£99
ADEV/BX	£350
Agility/VB	£180
CodeBasic 5.1	£140
Controls for Btrieve	£185
DataDirect Multilink/VB	£270
DataDirect ODBC Pack for Win	£320
Integra VDB/VB, Desktop	£209
List & Labels for VB	£279
Raima Data Manager	£450
VB/ISAM MU	£150
VBtrv for Windows	£185
Visual/db Network 3.0	£235
3-D Widgets	£89
ChartBuilder for VB	£75
Control Palette 2.0	£135
Custom Control Factory	£49
Data Widgets	£99
Designer Widgets	£99
First Impression	£180
Formula One 2.0	£180
Gant/VBX	£195
HighEdit for VB	£165
MS Visual Control Pack	£69
QuickPak Pro for Win 3.0	£145
Spread/VBX	£175
SpyWorks-VB	£120
TAB/PRO	£75
TX Text Control for VB + IC	£199
VB/Magic Controls	£120
VBAssist 3.0	£135
VBTools 4.0	£115
WinWidgets/VBX	£160
Accusoft Image Lib/VBX 5.0	£500
3D Graphics Tools 4.0	£130
Code.Print Pro for VB	£85
Compression Plus for VBWin	£200
DynaZIP VBX	£129
FXTTools/VB Std 1.5	£149
FXTTools/VB Prof	£260
Grid/VBX	£75
ImageKnife/VBX 1.3	£175
ImageMan/VB 3.0c	£239
ImageStream/VBX	£180
MediaKnife/VBX	£244
Microhelp Muscle/Win	£125
PCX Toolkit for Windows	£155

GREY MATTER

Price Matching, Authorisation, Invoicing, ETC.

Prices do not include VAT or other local taxes but do include delivery in mainland UK. Please check prices at time of order as ads are prepared some weeks before publication. This page lists some of our products - call us for a complete price list. ORDER BY PHONE WITH YOUR CREDIT CARD

(0364) 654100

FAX: (0364) 654200

LOW PRICES

MICROSOFT & BORLAND PRODUCTS

Microsoft Access 2.0	£289
Microsoft Fortran 5.1	£138
Microsoft Fortran Power Station	£230
MS FoxPro 2.6 Pro Win	£360
MS FoxPro 2.6 Std Win	£87
MS Macro Assembler 6.11	£110
MS Multimedia Viewer Pub Kit	£230
MS Visual Basic for Win Std	£96
MS Visual Basic for Win Prof	£230
Microsoft Visual C++ Std	£65
Microsoft Visual C++ 2.0	£299
Microsoft Windows 3.1	£78
Borland Database Engine	CALL
Borland C++ 4.5	£280
Borland Pascal with Objects 7.0	£250
dBase 5.0 for DOS	£405
dBase 5.0 for Windows	£280
dBase Compiler 2.0	£245
Turbo C++ 3.0	£59
Turbo C++ Visual Ed. for Win	£84
Turbo Pascal 7.0	£84
Turbo Pascal for Windows 1.5	£99
Paradox for Win 5.0	£280

WITH FULL TECHNICAL SUPPORT

QuickPak Scientific for Win	£105
Spellcheck	£49
TMS Tools	£99
TrueGrid Pro 2.1	£105
VERSIONS/VB 1.1	£80
Visual Developer's Suite (Intro)	£225
Visual Instrument Panel Controls	£150
Visual Speller	£120
VisualWriter	£180
VSView	£105

PROGRAMMING TOOLS

Ada	Assemblers
Basic	C/C++
Comms	Cross Dev
Custom Controls	Database
Debuggers	Dos Extenders
Editors	Fortran
Graphics	GUI
Linkers/Locaters	Lisp
Modula-2	Multi-tasking
Pascal	Prolog
Smalltalk	SQL
Version Control	Visual Programming
Windows	Xbase

We stock many items for which there is no space in these advertisements.

OS2 WARP

Borland C++ 2.0 for OS/2	£245
High C/C++ for OS/2	£445
IBM C Set++ FirstStep for OS/2	£79
IBM C Set++ for OS/2	£355
Watcom C/C++ 10.0	£164
POET SDK 2.1 for OS/2	£900
VisPro/C++	£290
Zinc Engine & OS/2 Key 4.0	£505
Watcom Fortran 77 9.5	£375
Prospero Extended Pascal 32-bit	£110
Power System + Pascal (32-bit)	£270
VisPro/REXX Bronze	£94
VisPro/REXX Gold	£225
Watcom Vx.REXX (Intro)	£89
Watcom Vx.REXX Client/Server	£265
Smalltalk/V for OS/2	£875
Periscope/32 for OS/2	£295

News & Views

Velocis = (SQL + Record + C++ 00) Server

Raima Database Manager has earned a fine reputation as the fastest, most powerful database engine on the market. Raima have now released Velocis, their SQL client/server engine with a difference. It includes the usual advanced features such as ANSI SQL, ODBC, multithreading, stored procedures, triggers, transaction processing, declarative referential integrity, etc.

What makes it different are the facilities which let you escape from SQL and create very high performance custom applications. For example, you can write stored procedures in C as well as SQL. There is a low-level record API for direct control of hybrid relational/network databases. And you can add your own custom API (in C) which can be called in the same way as the record API and the SQL API. Flexible enough?

Then you can get Raima Object Manager that lets you use Velocis as an OODBMS. Add persistence to any C++ object, object identity, class hierarchies with multiple inheritance, container classes, safe type checking, BLOBs, etc. What are you waiting for? Call us for full details.

Warp into OS/2 with OWL or Zinc

Borland have ported ObjectWindows 2.0 to PM in Borland C++ 2.0 for OS/2. To create a very attractive cross-platform solution. If you want to hedge your bets in the Warp/Windows battle, check it out. Ask about the new version of Zinc as well.

Warp into OS/2 with Pascal

Prospero have released their first 32-bit Intel compiler with OS/2 as the first target. Their Extended Pascal is ideal if you want a securely typed compiled language. For a limited period we are virtually giving it away at ONLY £110. Cabot have ported their 32-bit Power System to OS/2 as well so you can choose between UCSD and Extended Pascal.

Warp into OS/2 with C Set++ and VisPro/C++

We have also started selling IBM's C Set++ compilers and Hookware's VisPro addons for them. Call us for full details.

VEXE = EXE + VBX + DLL + ...

If you use Visual Basic and are fed up with your VBXs, DLLs, etc being overwritten, check out VEXE. This combines all your files into a single executable. ONLY £120.


BASIC COMPILERS

BBC BASIC-86 Plus	£75
CA-Realizer 2.0 (Win)	£190
GFA-BASIC for DOS	£80
GFA-BASIC for Windows	£80
GFA-BASIC for Win Compiler	£54
PowerBASIC (DOS)	£110
PowerBASIC Pro (Win&DOS)	£225
TrueBASIC Std 3.0	£8

C & C++ FOR WINDOWS

COMM-DRV/LIB	£140
COMM-DRV/VxD	£79
CrystalComm for Windows	£130
Greenleaf Comm++	£180
Greenleaf CommLib Pro	£365
MagnaComm/Windows	£280
Btrv++	£185
CB/ISAM MU for Win	£150
CodeBase 5.1	£259
CodeBase++ 5.1	£259
DataBoss for Windows	£410
Integra VDB/C++, Client/Server	£509
Integra VDB/C++, Desktop	£209
List & Labels for Win (Pro)	£395
Paradox Engine & DFX 3.0	£125
POET SDK 2.1	£360
DataDirect Developer's Toolkit	£450
Raima Database Manager	£380
Raima Object Manager 2.0	£305
Spread/VBX++	£175
Essential Chart for Win	£320
Graphic/Win 7.0	£370
Graphics Server SDK	£205
Real Time Graphics Tools	£480
Windows Charting Tools	£245
Accusoft Image Lib/Win 5.0	£670
Ad Oculis (Image Analysis) 2.0	£325
Borland Visual Solutions Pack	£59
Canvas.h++	£340
Control Palette 2.0	£135
Crusher! Win DLL w/Source	£235
Data Entry Workshop	£135
DataTable	£249
Diamond Toolkit	£310
IC Image Control 1.1	£325
KPWin++	£600
LEADTOOLS Prof 4.0	£675
M.4	£660
MS Visual Control Pack	£69
PCX Toolkit for Windows	£155
ProtoGen+	£220
SafeWin 3.0	£190
TX Text-Control 3.0	£1160
Win/Sys Library	£105
WindowsMaker Pro 5.5	£750
Zinc 4.0 for Windows & NT	£505

Weather Forecasting



High-performance computing allows better modeling of the earth and its oceans and atmosphere. Better models result in improved guidance for weather forecasts and warnings that can save lives, as well as millions of dollars, through better targeting of evacuation efforts and protection of valuable property. Here, NOAA's predicted track for Hurricane Emily (yellow) is close to the actual track of the storm (orange), which did not make landfall. The forecast was made by the NOAA GFDL Hurricane Prediction Model using near-real-time observations. Calculations were performed on the GFDL's Cray YMP. (Photo courtesy of NOAA and NCO HPCC)

much as 1 GBps to disk and 100 MBps to tape. Major improvements to I/O design will be necessary for most supercomputing platforms before they can reach those speeds; that level of throughput to tertiary devices is a particularly distant goal.

Once a system can transfer data quickly enough to disk or tape, the next problem is deciding how to manage the huge piles of data that result. Many applications currently generate 1 GB of data or more per run. They will soon yield 10 GB, and as much as 100 GB in the not-so-distant future. The amount of data that must be put into archives will reach terabyte levels.

NASA's Ames Research Center (Moffett Field, CA) has faced this issue for years; it currently uses a large vault of backup tapes and a robot that zips around and plucks out the appropriate tape when old data is needed. The organization has continually upgraded its data-storage facility and is in the process of doing so again.

Algorithmic Issues

Many grand-challenge applications involve physical systems that are not well understood. To make progress, physicists need to improve their mathematical models and algorithms. For many of them, dreaming up new theories is the best part of their job; once the mathematics are hammered out, testing and implementing them correctly are subject to a myriad of pitfalls.

One of the most important decisions is which basic data structure to use for the model. When each grid point represents a parcel of space, the most straightforward data structure is a uniform 3-D grid. Uniform grids are easy to think about and implement, but they can also perform poorly.

For instance, when an airplane is moving through the air, the important behavior is concentrated in those few places where there are edges or corners and the flow of air is broken up into vortices. These areas determine whether the plane flies well and

whether or not the wings will collapse.

With a uniform grid, this model either has a very low resolution that ignores key features of the flow or wastes a lot of CPU time on uninteresting parts of the scene. By using a nonuniform grid, the model can concentrate grid points where they are merited. Gridding techniques make up an active area of investigation.

Another set of problems emerges when two models need to work together, as with oceanic and atmospheric simulations. Interfacing them can be difficult from a practical standpoint because research groups often use different tools, languages, data models, and programming environments.

Beyond these issues lurk deeper algorithmic questions. Floating-point numbers represent approximations to actual values, while traditional mathematics deals with the abstraction of infinitely precise real numbers. Equations and algorithms can suffer terribly when they are translated to the approximate world of the computer.

The field of numerical analysis is devoted to reconciling this dichotomy, evaluating algorithms to see if they will be well behaved using a given floating-point representation. It's difficult to ensure that two completely different algorithms will not run into trouble if they exchange data in the middle of their computations.

Software Tools

One big stumbling block in building grand-challenge applications is the lack of software support. Many of the tools programmers need are simply unavailable, and the software that's in place isn't always stable. Using the latest and fastest machines often means being a guinea pig for buggy beta-release software.

At the most basic level, every programmer needs a reliable operating system and compilers that produce efficient, correct code. In the past, neither could be taken for granted on high-performance architectures.

Working with unreliable system code, programmers were forced to tread warily in their search for performance. Fortunately, most of today's system software for sequential architectures is reasonably reliable.

Parallel systems, however, are much more problematic. The lack of standards in this area is particularly irksome; a program that is written for one machine generally requires a significant amount of work for it to be ported to another.

Some progress has been made in standardizing message-passing libraries that communicate between processors, but the rest of the picture is not encouraging. Debugging support is spotty, and robust performance-monitoring tools are largely nonexistent. So far, compilers that attempt to convert sequential programs into parallel form have not been very successful.

There has been more success in building visualization tools for looking at results. Examining raw numbers is generally not practical. Often, the most effective solution is some form of visualization, whether it's a simple line graph or an elaborate 3-D color animation. There are many projects around the U.S. that are building systems for visualizing large data sets.

What Lies Ahead


The HPCC group's goal is to push forward on the most difficult problems in scientific modeling. Despite cutbacks in defense spending, the government continues to support basic scientific exploration. Researchers are focusing on finding or building better tools, defining software standards, and incorporating more-ambitious theoretical models into their programs.

Hardware vendors are currently in a difficult stage of evolution. The traditional supercomputer vendors are adapting to a new environment in which government funding is more difficult to come by. Companies that sell parallel architectures have had the most trouble doing this, and many are not faring well in the marketplace.

In addition, supercomputer companies face a new threat: workstations, which can now provide fast floating-point throughput. Small machines are not yet a credible alternative for the most ambitious projects, for their I/O performance in particular is not even remotely adequate. It's up to the supercomputer designers to stay far enough ahead of their general-purpose competitors to remain economically viable. ■

Oliver Sharp, of Colusa Software in Berkeley, California, is a doctoral candidate at the University of California-Berkeley. You can contact him on the Internet at oliver@cs.berkeley.edu or on BIX c/o "editors."

Tough LAN problems?



You'll wonder how you managed without a Fluke LanMeter™

Whether you're troubleshooting Token Ring, Ethernet or both, a Fluke LanMeter isolates all kinds of tough problems in seconds - from bad hubs to failed NICS, or misconfigured routers to faulty cables.


LanMeter is also the ideal proactive tool for installations, benchmarking and network audits. It provides you with an instant diagnosis, not screens of decodes. LanMeter requires no complex programming, and delivers answers at the push



of a button. In fact it's so easy to use, you'll be an expert in less than 30 minutes.

What's more, the savings on down-time mean that LanMeter should quickly pay for itself. Easy to see why LanMeter was voted best LAN product at Interop '93 in Paris! Try LanMeter for yourself with our 30 day, money-back guarantee.

To find out more, call your local Fluke office now.



Quick answers!

Austria (1) 61410-0,
Belgium 02-331 27 77,
Denmark 43 44 1900,
Finland (90) 5026 600,

France (1) 4896 6363,
Germany (0561) 95940,
Great Britain (01923) 240511,
Greece (01) 4894911,

Ireland (061) 330333,
Italy (02) 268 4341,
Netherlands (040) 644100,
Norway (22) 65 34 00,

Portugal (01) 795 1712,
Spain (91) 804 2750,
Sweden (08) 751 02 30,
Switzerland (01) 730 3310,

For countries not listed, call or
fax **Fluke Europe BV**,
tel. +31 40 644 200 or
fax +31 40 644 222.

For countries not listed, call Fluke Europe B.V. Tel: +31 40 644220 or fax: +31 40 644222
For countries outside Europe, please call (1) 206 3565 500 or fax (1) 206 3565 116


Tools for Healthier LANs

FLUKE®


Circle 530 on Inquiry Card.



BYTE's
Mac Programmer's Cookbook
by Rob Terrell
\$29.95 U.S.A.
ISBN: 0-07-882062-6



The Internet Yellow Pages, Second Edition
by Harley Hahn and Rick Stout
\$29.95 U.S.A.
ISBN: 0-07-882098-7



The Visual C++ Handbook
by Chris H. Pappas and William H. Murray
\$34.95 U.S.A.
ISBN: 0-07-882056-1



Oracle DBA Handbook
by Kevin Loney
\$34.95 U.S.A.
ISBN: 0-07-881182-1

Tuning Oracle
by Michael J. Corey, Michael Abbey, and Daniel Dechichio
\$29.95 U.S.A.
ISBN: 0-07-881181-3

Oracle Workgroup Server Handbook
by Thomas B. Cox
\$29.95 U.S.A.
ISBN: 0-07-881186-4


When It Comes to **CD-ROM** We Wrote the Book

Everything You Always Wanted to Know About **CD-ROMs and More!**

This Exclusive Book/CD-ROM Package Includes

- Sound and Clip Art
- Samples of CD-ROM Applications
- Multimedia Authoring Tools

Part buyer's guide, part standards guide, and part troubleshooter, the **BYTE Guide to CD-ROM** discusses all aspects of this proliferating technology so you can take full advantage.



BYTE **Guide to CD-ROM**

by Michael Nadeau,
BYTE Senior Editor

Includes
CD-ROM Disk
\$39.95 U.S.A.
ISBN: 0-07-881982-2

Osborne
Get Answers—Get Osborne
For Accuracy, Quality and Value

**Available Now At Your
Local Book & Computer Stores**

or Call Toll-Free: 1-800-822-8158 Any Time
Mention key code #SFC4BY2 and use your
VISA, American Express, Discover or MasterCard

BYTE/Osborne Books are Available at the Following Locations

AT NATIONWIDE STORES:

Barnes & Noble
Borders
Computer City
Media Play
Software, etc.
Taylors

BookStar
Comp U.S.A.
Elek Tek
Micro Center
Super Crown
Waldenbooks

ALABAMA

Madison
Madison Books
and Computers
PH: 205-772-9250
FAX: 205-461-8076

ARIZONA

Tempe
Computer Library
PH: 602-820-0458
FAX: 602-491-7971

CALIFORNIA

Berkeley
Cody's Books
PH: 800-479-7744 (In CA)
800-995-1180 (Outside CA)

Cupertino
Computer Literacy
Bookshops
PH: 408-973-9955

Stacey's Professional
Bookstore
PH: 408-253-7521
FAX: 408-253-5861

Irvine
Irvine Sci-Tech Books
PH: 800-229-9514
FAX: 714-733-0122

Los Angeles
ASUCLA Students Store
PH: 800-456-0019
PH: 310-206-4041
FAX: 310-825-0382

Opamp Technical Books
PH: 800-468-4322
FAX: 213-464-0977

Palo Alto
Stacey's Professional
Bookstore
PH: 415-326-0681
FAX: 415-326-0693

Stanford Bookstore
PH: 800-673-2348
FAX: 415-322-2021

Sacramento
Tower Books
PH: 916-481-6600

San Diego
San Diego Technical Books
PH: 800-346-0071
FAX: 619-279-5088

San Francisco
Stacey's Professional
Bookstore
PH: 800-926-6511
E-mail: staceysbk@aol.com

San Jose
Computer Literacy Bookshops
PH: 408-435-1118
E-mail: info@clbooks.com

San Luis Obispo
Earthling Bookshop Inc.
PH: 805-543-7951

El Corral Bookstore
PH: 805-756-5315
FAX: 805-756-5351

Santa Barbara
Chaucers Bookstore
PH: 805-682-6787
FAX: 805-682-1129

Earthling Bookshop
PH: 805-965-0926
FAX: 805-962-6620

UCSB Bookstore
PH: 805-893-2082

Stanford
Stanford Bookstore
PH: 800-533-2670
FAX: 415-322-1936

Sunnyvale
Computer Literacy
Bookshops
PH: 408-730-9955

COLORADO

Boulder
BiblioTek
PH: 303-443-7037

Colorado Bookstore
PH: 303-442-5051
FAX: 303-444-6604

Colorado Springs
McKinze-White
Booksellers
PH: 719-590-1700

Denver
Auraria Book Center
PH: 303-556-3230
FAX: 303-556-3736

BiblioTek
PH: 303-534-3460

Tattered Cover Bookstore
PH: 800-833-9327
FAX: 303-399-2279

E-mail:
books@tatteredcover.com

Englewood
Softpro Books
PH: 303-740-7751
FAX: 303-740-8152

Longmont
United Techbook Co.
PH: 303-651-3184
FAX: 303-651-3405

CONNECTICUT

New Haven
Yale Co-op
PH: 800-ELI-YALE
FAX: 203-772-3665

DISTRICT OF COLUMBIA

Washington D.C.
Reiter's Scientific
& Professional Books
PH: 00-537-4314
FAX: 202-296-9103

GEORGIA

Atlanta
Oxford Bookstore
PH: 404-262-9975
FAX: 404-364-2729

HAWAII

Honolulu
Honolulu Book Shops
PH: 808-847-5551
FAX: 808-841-4674

University of Hawaii
Bookstore
PH: 808-956-4338
FAX: 808-956-4323

ILLINOIS

Naperville
Books & Bytes, Inc.
PH: 708-416-0102
FAX: 708-416-0375

INDIANA

Fr. Wayne
Majerek's Readers World
PH: 219-482-1531

MASSACHUSETTS

Boston
Charlesbank Bookshops
PH: 617-236-7442
FAX: 617-236-7418

Waterstone's Booksellers
PH: 617-859-7300
FAX: 617-437-0997

Burlington

Softpro
PH: 617-273-2919
FAX: 617-273-2499
E-mail:
books@softproeas.com

Cambridge
Harvard
Co-Operative Society
PH: 617-499-2000
FAX: 617-868-7038

Quantum Books
PH: 617-494-5042
FAX: 617-577-7282
E-mail:
quanbook@world.std.com
Wordsworth Books
PH: 617-498-0080
FAX: 617-354-4674

Newton Highlands
New England
Mobile Bookfair
PH: 617-527-5817
FAX: 617-527-0113
Worcester
Tatnuck
Bookseller/Databooks
PH: 800-642-6657
FAX: 508-756-9425
E-mail:
databooks@delphi.com

MICHIGAN

East Lansing
Grand River Books
PH: 517-333-3666

Flint

Young & Welshans
Book Sellers
PH: 810-732-0626
FAX: 810-732-2393

MINNESOTA

Minneapolis
Baxters Books
PH: 612-339-4922
PH: 800-626-1049
FAX: 612-339-6134

NEW HAMPSHIRE

Hanover
Dartmouth Bookstore
PH: 800-675-3616 (in NH)
800-624-8800 (outside NH)
FAX: 603-643-5170

NEW MEXICO

Albuquerque
Page One, Inc.
PH: 800-521-4122
FAX: 505-294-5576

NEW YORK

New York
Barnes & Noble
Fifth Ave.
PH: 212-807-0099

Computer Book Works
Warren St.
PH: 212-385-1616
FAX: 212-385-8193

McGraw-Hill Book Store
Ave. of the Americas
PH: 212-512-4100
FAX: 212-512-4105

OHIO

Cincinnati
University of
Cincinnati Bookstore
PH: 513-556-1800
FAX: 513-556-5555

OREGON

Portland
Powell's Technical Books
PH: 503-228-3906
FAX: 503-228-0505

PENNSYLVANIA

Pittsburgh
Book Center -
U. of Pittsburgh
PH: 412-648-2321
FAX: 412-648-1902

RHODE ISLAND

Providence
Brown Bookstore
PH: 401-863-3168
FAX: 401-863-2233

TEXAS

Dallas
Taylors Bookstore Ltd.
PH: 214-357-1700
FAX: 214-956-8012

VIRGINIA

Vienna
Computer Literacy
Bookshops
PH: 703-734-7771
E-mail: sales@tc.clbooks.com

WASHINGTON

Bellevue
Tower Books
PH: 206-451-1110
FAX: 206-454-0453

University Bookstore
PH: 206-646-3300
FAX: 206-634-0810

Seattle
University Bookstore
PH: 206-634-3400
FAX: 206-646-3340

WISCONSIN

Madison
University Bookstore
PH: 608-257-3784
PH: 800-993-2665
FAX: 608-257-9479

Milwaukee
Harry W. Schwartz
Bookshops
PH: 414-274-6460
PH: 800-236-7323
FAX: 414-274-6408

Osborne

Get Answers - Get Osborne
For Accuracy, Quality and Value

Moody's Evolving Help Desk

MARK CLARKSON

It takes an expert and busy help desk to resolve the computer problems of the 1100 users at Moody's Investors Services, a bond-rating agency based in New York City that analyzes the credit risk associated with securities. Like any large organization today, Moody's has a lot of computers—everything from mainframes running proprietary analytical software to PCs running plain old Microsoft Word. To support this computer infrastructure and its users, Moody's technology department runs a help desk.

Computer users at Moody's call the help desk with problems ranging from the mechanical (e.g., "My PC

in the right order. You don't want a TSA to spend a lot of time adjusting the colors on one person's monitor when somebody else's hard disk has crashed."

To schedule repairs efficiently, you must contend with the almost paradoxical arithmetic of organizational downtime. For instance, take two hardware problems of equal severity and priority—in both cases, the user is unable to do his or her work until the problem is fixed. One problem will take 5 minutes for a TSA to fix; the other will take 5 hours. Which one do you sched-

ule first? From a time-expenditure standpoint, it doesn't matter. But from the standpoint of time lost to the organization, there is a big difference indeed.

Consider this: If you make the 5-minute repair first, both users wait 5 minutes, and then one user waits an additional 5 hours. Total time lost to the organization: 5 hours, 10 minutes. But if you make the 5-hour repair first, both users wait 5 hours, and one waits an additional 5 minutes; the total time lost swells to 10 hours, 5 minutes.

But what if the longer task has a far-higher priority? What if one of the users has already been waiting for three days? "Things get pretty complicated when you're talking about tasks of varying priority and varying durations," Stein says.

Genetic Algorithms


A quick glance out the window, or even at your own hands, should convince you that nature is the uncontested master of evolving solutions to complicated problems. All of nature's answers are phrased in the form of genes. In nature, genes express themselves as such things as people, slime molds, or oak trees. But back in the 1970s, scientist John Holland realized that, with a little cleverness, all sorts of things—from airplane propellers to mathematical proofs—could be described in genetic form. He called his approach the genetic algorithm, or GA.

To get a better propeller or proof using a GA, all you have to do is establish a colony of them and encourage them to breed. You periodically select the best individuals to use as the parents for a new generation. It's a lot like breeding livestock, except it's usually—but not always—conducted on a computer.

The almost magical thing about GAs is that they have no idea what they are doing. They are capable of finding elegant solutions to complicated problems, but there's no intelligence behind the way they formulate those solutions; it's pure, blind sex.

And that's just what Stein likes about them for Moody's prob-

Using genetic algorithms, Moody's Investors Services schedules its help-desk troubleshooters and increases its efficiency



Roger Stein, senior analyst at Moody's Quantitative Analytics Group

won't boot" or "My monitor went out") to the mundane (e.g., "I can't get Harvard Graphics to print my charts"). If a help-desk representative can't resolve a problem over the phone, he or she writes up a ticket, and the user gets a visit from a TSA (technical-support analyst), who tries to solve the problem in person.

And therein lay Moody's help-desk problem—scheduling hundreds of jobs for dozens of staff troubleshooters.

The Trouble with Schedules

"The problem," says Roger Stein, senior analyst at Moody's Quantitative Analytics Group, "was how to efficiently schedule and route these requests for visitation [by a TSA] so that the right people end up with the right tasks, which are then executed

lem: "If we were going to design a traditional expert system, we would spend hours and hours of very expensive time with help-desk personnel, figuring out the rules for scheduling the help desk," he says.

Instead, the help desk's new scheduling system, dubbed SOGA (Schedule Optimizing Genetic Algorithm), breeds efficient schedules using the GA. "The nice thing about genetic algorithms is that you don't have to tell them how to solve problems," he says. "You tell them what you want done and let them percolate away for a while, and they'll come up with some pretty-good solutions to your problem. They're totally unaware of how they did it, but that's irrelevant to finding a solution."

Stein usually applies his analytic skills to Moody's fiscal concerns and to intellectual exercises in mathematics. As one such exercise, Stein, along with friend and colleague Vasant Dhar of New York University, had already designed and built a prototype of SOGA. When the prototype was finished and they were writing up a paper outlining its performance, it occurred to Stein that SOGA might be useful for scheduling tickets for Moody's own help desk.

Because Stein and Dhar had already implemented a prototype system in DOS, the implementation went fairly quickly and was up and running in about two months. The production version of SOGA that runs on Moody's help desk is written in Microsoft's Visual C++ and runs under Windows. The majority of the code was written by one programmer. The system schedules tasks for the 12 TSAs and the approximately 20 second-line support personnel who assist Moody's more-than-1000 computer users.

A Close-Up on the Genes

In SOGA, schedules are represented by chromosomes made up of many genes. Each gene is a ticket—a problem received by the help desk, needing to be resolved. The system starts with a population of completely random schedules. As the GA runs and the schedules "breed," the genes are shuffled around from place to place, and eventually efficient schedules are produced.

SOGA uses a pair of GAs to produce its schedules. The first one breeds a master schedule made up of all the unassigned tickets. The second one then optimizes the schedules of individual TSAs.

Here's how it works. When a problem call comes in, a help-desk representative creates a ticket entry in the help-desk database. This ticket contains information on the problem, including where the hardware is within the building and the general category of the failure (e.g., "PC fails with diagnostics" or "Modem at desk fails").

The trouble ticket doesn't usually have the name of any particular TSA on it. Whenever possible, SOGA is allowed to recommend a technician for the job. This is because the more latitude SOGA is allowed, the more efficiently it does its job.

Every 10 minutes or so, SOGA reaches into the help-desk database and pulls out copies of all unassigned tickets. Each of these tickets becomes one gene in the chromosomes that SOGA builds.

Suppose there are seven tasks to be completed: A, B, C, D, E, F, and G. SOGA begins by constructing a population of "chromosomes" (i.e., schedules) made up of these genes. Initially, the individual genes appear in a different, random order in each chromosome; for example, ACDFGEB, CGBDAEF, BGDAECF, and so forth. Next, the resulting chromosomes are broken apart again into their component tickets.

continued

SCHEDULING: THINK OF IT AS EVOLUTION IN ACTION




Moody's Help Desk

- It supports about 1000 PCs and 1000 computer users on 11 floors.
- Four people answer phones, 15 people are TSAs, and 40 to 50 people work as second-line support personnel.
- About 120 phone calls are received on an average day.
- About 40 problems are resolved over the phone each day.



Supported Systems

- Unix boxes
- VAXes
- Mainframes
- IBM-compatible PCs
- Macintoshes
- All systems are networked together



SOGA System Highlights

- Genetic algorithms create and refine schedules for trouble tickets.
- Schedules are recomputed every 10 minutes.
- Unassigned tickets cannot drop out of sight.
- Fuzzy logic helps to model user satisfaction.
- Jobs are assigned according to individual TSA skills.
- A graphical interface quickly and concisely shows the current status of all tickets, whether they're scheduled or not.
- For each ticket represented on-screen, the size of its icon represents the average resolution time, and its border color indicates job priority.
- The longer a job sits unresolved, the more its priority rises.
- Schedules can be consulted from anywhere on the network.

Schedule Optim			
Schedule	Resources	Task	
9/21	CE	LEA	RLB
	98		61
	98		22
	98		36
9/24	43		
	59		

Lessons Learned

- People resist being scheduled by a machine. Build in some flexibility and allow a certain amount of human selectivity.
- You don't need to create perfect schedules; "good enough" is good enough.
- Scheduling matters. Waiting unnecessary hours for a 5-minute fix wastes everyone's time.

All of Moody's many TSAs have different skill sets. Some specialize in software problems, for example, and others concentrate on hardware. On any given day, a particular TSA might be on vacation, out sick, or busy. The problem category on each ticket is matched against a database of TSAs and their skills, and tickets are assigned to a TSA who is qualified and available to handle the particular task. When every task in a chromosome has been assigned, it is converted into a potential schedule.

Each of these resulting schedules is then evaluated for fitness to determine how efficient it is and how happy it's likely to keep the computer users. The best few schedules are kept as "parents" for the next generation; the rest are discarded. The new parent schedules are used to produce the next generation. There is no question about which genes the offspring receive from their parents; the only variable in this sys-

tem is the order in which the genes appear. The processes used to create a new schedule from two parents are shown in the figure "Genetics at Work in the GA."

Each of this new crop of schedules is submitted to the same fitness test, which yields a new set of parents, and the entire process is repeated until either a given number of generations has transpired or the solutions converge—that is, when additional breeding no longer produces offspring that are superior to their parents.

An Imperfect World

It's important to take note that, at least in Moody's case, the GA does not produce a perfect schedule. There are other approaches that can guarantee a mathematically optimal schedule, but they don't guarantee it in any particular time frame. A perfect schedule might take two weeks to compute.

Although SOGA doesn't produce per-

fect schedules, it does produce good ones, and it spits them out every 10 minutes. "In an academic environment," says Stein, "you need an exact solution. But in a business domain, it's different. If you have a system that doesn't give you perfectly optimal schedules, you are often not concerned—you just want very good schedules."

Maybe, he muses, with a lot of hard work somebody could figure out a more efficient schedule, "but what's the cost of that?" he asks. And because schedules are based on the average time needed to complete a given task, there's no guarantee that a perfect schedule would be any more efficient. And besides, says Stein, it's not enough to schedule all the right tasks at the right time; you've got to keep the users happy, too.

Warm Fuzzies

But what does *happy* mean? It's a hard concept to define precisely, but the real world is full of concepts that are hard to define: *hot*, *fast*, *long*, and *heavy*, to name a few (e.g., Is it hot outside? Is this a fast computer? Is this a hot computer?). The answer to this dilemma is *fuzzy logic*, which deals with such hard-to-define terms and allows things to be, say, somewhat heavy or absolutely not empty.


SOGA uses fuzzy logic to define the sketchy idea of user satisfaction in terms of how long a user has been waiting and how much longer he or she must continue to wait before a problem is resolved. In SOGA's framework, a user's satisfaction can fall anywhere on a scale from 1 to 0, where 1 means totally satisfied and 0 is totally dissatisfied. The initial priority given to a task at Moody's is divided or modified by the user's satisfaction so that, as the user becomes less happy, the problem's priority climbs higher. Thus, if a user's satisfaction drops to 0.5, a ticket's priority doubles; should his or her satisfaction drop to 0.1, the ticket's priority increases by an order of magnitude.

As time passes and a Moody's user becomes less satisfied, even tasks that started out with low priorities will rise in the queue. A low-priority software update, for example, can't be put off forever by higher-priority repairs.

A Culture Change

"I was surprised," admits Rich Nelson, Moody's director of technical support, "at the degree to which we fell in love with the visual part of the system." With a terminal program that runs under Windows, the help-desk manager can monitor tickets as they arrive at the help desk, are routed to

Genetics at Work in the GA



To produce children that differ from their parents, SOGA performs two different operations: crossover and mutation. In a crossover, genetic information is copied from one parent's chromosome to the child's chromosome up to a certain point. After that crossover point, all genetic information comes from the other parent. In SOGA, all genes from both parents are carried over to the child schedule. Only the order of the genes is affected.

For example, suppose the two fittest parent schedules, or chromosomes, are CGBDAEF and FBGDECA—

called Dad and Mom, respectively, as shown in 1. They unite through a crossover operation to create a new child schedule, Junior, which inherits the order of specific genes from both parents.

In 2, a set of genes—in this case, the first three—are chosen from the Dad schedule. These same genes are selected in the Mom schedule; note that they appear in different places and in a different order within Mom, because Mom and Dad are different.

To create a new schedule, you start with the Mom schedule and then rearrange the or-

der—which starts as B, G, C—of her three selected genes so that they match the order of Dad's first three genes—C, G, B. Note that you do not change the relative position of any other genes 3. The result is Junior, a new schedule that has characteristics of both its parents.

But there's more to evolution than just sexual reproduction. There's also mutation, as shown in 4. Here, you create a mutation by selecting any two genes at random within Junior—G and A—and swapping them to create a new, mutant schedule.

Software Developers:

It's Midnight. Do You Know Where Your Software Is?



Bringing software into the world is a little like bringing up children. You always know where they start, but you seldom know where they'll end up. These days, with illegal use of software so common, concerned developers have good reason to worry about the products of their labor. That's where HASP® - The Professional Software Protection System, comes in.

Like a responsible babysitter, HASP accompanies your software wherever it goes. With HASP there, your software won't run out of control. Without HASP, in fact, your software won't run at all.

For developers, HASP provides the highest level of security and reliability. For legitimate users, HASP is a friendly and transparent solution. Once connected, they won't even feel it's there.

And if your child wants to play with its friends, a single NetHASP lets it run free around a local area network. But always under your supervision and control.

Get serious about software protection. Since 1984, nearly one million HASP keys have enabled thousands of software developers, in more than 60 countries, to protect their software. To find out why HASP is considered the best product in the market, order your HASP Developer's Kit today.

1-800-223-4277

ALADDIN

The Professional's Choice

North America

Aladdin Software Security Inc.
Tel: (800) 223 4277, 212-564 5678
Fax: 212-564 3377
E-mail: sales@hasp.com

Intl Office

Aladdin Knowledge Systems Ltd.
Tel: 972-3-537 5795, Fax: 972-3-537 5796
E-mail: aladdin@aladdin.co.il

United Kingdom

Aladdin Knowledge Systems UK Ltd.
Tel: 0753-622266, Fax: 0753-622262

France

Aladdin France SA
Tel: 1 40 85 98 85, Fax: 1 41 21 90 56

PC: DOS, Windows, Windows NT, Win 32S, OS/2,


AMIGA
NEC: DOS, Windows
MAC (ADB port): Macintosh, PowerMAC, AppleTalk LANs
LANs
MAC (ADB port): Macintosh, PowerMAC, AppleTalk LANs
SCO Unix, SCO Xenix, Interactive Unix, AIX, AutoCAD, DOS Extenders, LANs

© Aladdin Knowledge Systems Ltd. 1995-1994. HASP® is a registered trademark of Aladdin Knowledge Systems Ltd. All other product names are trademarks of their respective manufacturers. (2/94)



■ Australia Conlab 3 8985685 ■ Benelux Aladdin Benelux 080 782098 ■ Czech Atlas 2 766085 ■ Chile Micrologica 2 222 1388
■ Denmark Berendsen 39 577100 ■ Egypt Zeineldein 2 3604632 ■ Finland ID-Systems 0 870 3520 ■ Germany CSS 201 278804
■ Greece Unibrain 1 6856320 ■ Italy Partner Data 2 26147380 ■ Japan Athena, 3 58 213284 ■ Korea Dae-A 2 848 4481
■ New Zealand Training, 4 5666014 ■ Poland Systherm 61 480273 ■ Portugal Futurmatca 1 4116269 ■ South Africa D Le Roux, 11 886 4704
■ Spain PC Hardware, 3 4493193 ■ Switzerland Opag 61 7169222 ■ Taiwan Tecco 2 555 9676 ■ Turkey Mikrobeta 312 467 7504

Circle 61 on Inquiry Card.



Just a Little Too Perfect

The efficiency with which SOGA performs its scheduling has led to some unanticipated problems. "Some concerns have surfaced recently," admits Nelson, "about the way the system doles out assignments." With the old system, TSAs with free time could browse through paper tickets at the help desk, looking for problems they wanted to learn how to solve. But since SOGA recommends tasks only to technicians who are already qualified to perform them, people became worried that they would lose the opportunity to learn new skills.

To remedy this problem, "we showed them how to go into the system and 'poach' tickets from other people's queues," explains Nelson, "and how to look at all the tickets throughout the system and find those that interest them." Now TSAs can once again stretch and grow. Nelson notes that working only on the problems that you already know how to solve "gets pretty dull and depressing."

By placing networked PCs throughout the building, Moody's allows the TSAs to spend more time with their customers. Instead of having to return to the help desk on the seventh floor, they can simply check in with the nearest networked PC for more assignments. Also, with the new system, everybody on the technical-support staff—not just management—can see when things are going well and when they aren't and can take appropriate steps much sooner. "This system," says Nelson, "gives people a tool to verify that whatever they are working on right now is really the most important problem."

With people's initial fears dispelled and the inevitable shakedown bugs swatted, Moody's SOGA is now being expanded to bring more technical-support personnel on-line. SOGA first came on-line supporting six TSAs. It now builds schedules for about 30 TSAs and is still growing. More technical-support groups are being added all the time.

So what's next? "Probably a bigger machine," Nelson says. ■

Mark Clarkson is a freelance science writer living in Wichita, Kansas. His new book, *Windows Hothouse* (Addison-Wesley, 1995), explores genetic algorithms and other artificial-life topics. You can contact him on the Internet or BIX at mclarkson@bix.com.

Schedules for Moody's TSAs are presented in the graphical format shown above. Each TSA is represented by a separate column; beneath the TSA's initials appear assigned trouble tickets, as well as those that have been only tentatively scheduled. From any terminal attached to Moody's network, TSAs can use the screen shown at right to review their own schedules or look into other TSAs' schedules and "poach" jobs from their queues.

the TSAs, and are eventually resolved.

Each TSA is represented by an icon at the top of the screen, with a pile of colored tickets beneath it. Each ticket's length represents the average resolution time for that type of problem. At the top of the pile, in gray, are tickets assigned to that individual. The border of the ticket is colored blue, pink, or red. The hotter the color, the hotter the job's priority (i.e., red-bordered tickets are the hottest, followed by pink, then blue). See the screen above.

Underneath these tickets are any currently unassigned tickets that SOGA is recommending for that TSA. Again, a ticket's color, ranging from blue to red, indicates its priority. Clicking on a ticket reveals further details about the job.

Although help-desk personnel never lost many tickets before SOGA's introduction, they now lose even fewer. "One of the surprise benefits of this system," says Nelson, "is the way it lights up the tickets and puts them 'on stage.' We can find tickets now that in the old days would have been dropped, or disappeared, or gone into the 'Twilight Zone.' [SOGA] allows us to find a problem 20 minutes after the ticket is created rather than letting it twitch in the wind for weeks."

Still, the transition to the new system caused some discomfort. At first, some people resisted the idea of taking orders

from a computer. To deal with this, TSAs were reminded that although the system recommends that certain individuals accept particular tasks, it doesn't actually assign the jobs. A TSA can accept a ticket, refuse it, throw it back to the help desk, or even assign it to another TSA who is more qualified for the job. "We did not want to create a system that jammed tickets down people's throats," says Nelson.

Some people were uncomfortable with the way in which unassigned tickets jump around in the system. SOGA runs every 10 minutes, building new schedules for all unassigned tasks. A unassigned ticket that appears in one TSA's queue might have appeared in someone else's queue 10 minutes ago, and it might move to yet another queue in another 10 minutes. Once a TSA has accepted a ticket, it is assigned to him or her and stays in that queue, but unassigned tasks might be rerouted at any time.

There was also some degree of concern that the new system represented Big Brother, watching every move that the technical-support staff made. But, says Nelson, "there's nothing that this system tells me that I couldn't find out with a report in the old system. We just want to get tickets out there faster and to make people more productive."

The screenshot shows a window titled "Technician Case Manager" with a menu bar (File, Help) and a toolbar. The main area is a table with columns: Case Number, Item of Concern, and Category. The technician is "Cigliano, Tom" and the date is "10/21/94". The table lists several cases, including "71449 Word 6 to 2", "73494 email question", "73470 E-Mail Attachment", "73444 DOS 6.2 upgrade", and "73019 Word problem". The cases are categorized under "SW-Word For Windows", "SW-MS Mail", "SW-Word For Windows", "SW-Corporate Config.", and "SW-Word For Windows". The cases are marked as "Assigned" or "Unassigned".

**Does the P5-100XL
cause a family feud?**

**Will the P5-75
Family PC come
between Julia
and Trevor?**

*As the
Hard Drive
Turns*

Sponsored by



**Will Simone try
to make the
4DX2-66
vanish with
wrinkle cream?**



**Furs pictured are made from artificial materials.*

Setting: Lawyer's Office

Characters:

Jonathan Mattison: Lawyer

Kiki: Young widow of the deceased

Anna: Evil daughter of the deceased

Richard: Anna's wimpy husband

Victor: The deceased

**Featured Gateway 2000 PC:
P5-100XL with 1GB hard
drive, quad-speed CD-ROM
and 17" Vivitron color
monitor.**

We now resume our story already in progress. Victor's family has gathered for the reading of his will. While vacationing on the island of Maltase with his lovely bride Kiki, Victor slipped on the rocks and plummeted over a cliff. His body never found, Anna, Victor's power-hungry daughter, greedily bribed Mattison to read the will.

Anna: Could we get on with it? I have a 1 o'clock appointment with my plastic surgeon and I don't intend to be late.

Mr. Mattison reads the will: "I, Victor Robinson, being of sound mind and body, do hereby bequeath my Gateway 2000® P5-100XL to a woman who is very close to me. This PC's super-powered Pentium™ processor, 16MB of RAM, quad-speed CD-ROM and whopping 1GB hard drive have served me well. I successfully kept two sets of books for the sawmill with this powerful PC. With Microsoft® PowerPoint® presentation graphics program, just one of the applications in Microsoft Office Professional, and the 17-inch Vivitron™ color monitor, I created amazing slide show presentations and lured many investors into my business schemes. Because the P5-100XL is my most prized possession, it's my request that it be given to my young and spirited wife Kiki. I know she loves to dance to the heart-pounding stereo sound from the ACS-31 speakers. Kiki, at \$4,299 the P5-100XL from Gateway 2000 is the best value in the PC industry. Please treat it well."

Anna: What?! I was supposed to get that system. Not that child! I've had my eyes on that P5-100XL since the day Daddy ordered it from Gateway 2000. It's Intel® 100MHz Pentium™ processor is the fastest processor available today that can still run the most popular software applications. It should be mine, not that little gold digger's! Richard! Don't be a spineless jellyfish! Make them give me the PC!

Mattison: Oh, wait Anna, here's something for you. "To my dear Anna, I leave my Yorkshire terrier, Fifi. Remember, it's a dog's life."

Anna: AAAUUUGGGHHHH!

Fifi: Ruff.

Join us next month for "As The Hard Drive Turns." Will Anna seek revenge against Kiki? Will Anna and Fifi be compatible?



Setting: Collapsed Office Building

Characters:

Julia: Successful Realtor

Trevor: Sexy construction worker

Trevor met Julia every afternoon in her office. Since she's married to the contractor who oversees Trevor's construction crew, it's the only way they can continue their torrid affair. But now they are trapped in her collapsed office after Mt. Eruptus exploded into a volcano causing an earthquake measuring 7.1 on the Richter scale.

Julia: Oh, Trevor, what are we going to do. I can't die! I just spent thousands of dollars on fertility treatments so we can conceive our love child after my fortieth birthday party tonight!

Trevor: Let me get this tourniquet on my severely broken arm and then I will use my brute strength to save us.

Julia: Trevor, look! There's my Gateway 2000® P5-75 Family PC™ multimedia system underneath the rubble.

Trevor: Wow! I may look like your average, sexy, suntanned, hunk construction worker, but I love PCs. You know this P5-75 Family PC multimedia system is a lot like me. It has a powerful Pentium™ processor, a massive 730MB hard drive and a 15-inch Vivitron™ monitor for stunning color images. This P5-75 will give us all the PC power we'll need for years to come. And at only \$2,499, it's a great value.

Julia: Yes, and the brawn and raw vigor of this PC also reminds me of you. I can run tons of applications simultaneously. The double-speed CD-ROM, 16-bit sound card and Altec speakers give me amazing multimedia capabilities. And with the fax/modem I can order sexy little numbers from Elizabeth's Enigma for our trysts.

Trevor: That's it! We'll call the Emergency Headquarters with the modem and let them know we're here.

Julia: Oh Trevor! Do we have to? That plaster in your hair is lighting my flames of passion.

Trevor: We'll have plenty of time for love while we wait for the emergency crew. Look at this cool software. I'll use Microsoft® Works to write a letter to Mom and then I'll hit the links with MS Golf.

Julia: Trevor! What about me? This is our window of opportunity for conception!

Trevor: Just a second dear. Look at this ...

What was Julia going to do? She couldn't lose Trevor to a PC! How humiliating! Sure it's younger and faster, but does it love Trevor like she does?"

Join us next month for "As The Hard Drive Turns." Will Julia and Trevor conceive before they're rescued? Will Trevor leave Julia for his new love — Bob?

**Featured
Gateway 2000 PC:
The P5-75 Family PC multimedia system
with 16-bit sound card and Altec
speakers, TelePath II 14.4K fax/
modem and six exciting Microsoft
software applications.**



GATEWAY2000

"You've got a friend in the business."™

8 0 0 - 8 4 6 - 2 0 5 8



pentium
PROCESSOR





All soap opera stars portrayed by Gateway 2000 employees.

Featured Gateway 2000 PC:
4DX2-66 Family PC multimedia
system with a double-speed CD-ROM,
16-bit sound card and Altec
speakers, MS Works, Encarta '95,
Money, Cinemania,
Golf and Fine Artist.

Setting: A fancy living room in a
stately home.

Characters:

Dirk: A debonair businessman

Simone: An emotionally distraught woman

Simone: Oh Dirk, I can't stand it! Our 4DX2-66 Family PC™ multimedia system from Gateway 2000® is taking over our home. It organizes the family schedule down to Jimmy's flights to Paris to see his real mother, and Sally loses all sense of time when she uses Microsoft® Fine Artist. Why only last week she was six and now she's sixteen. The family has no need for me!

Dirk: That's not true Simone. Didn't I profess my love for you by purchasing another city block of Gateville even though you're carrying my brother Rock's baby? Don't I stand by you through your bouts of schizophrenia when you think you are your sister Cheryl? The 4DX2-66 Family PC multimedia system is a productivity tool. We can use MS Money to track your pregnancy expenses so Rock will have an itemized bill, and the children can use MS Encarta™ for their homework. And most importantly we can track your daily medication with the spreadsheet and database in MS Works. Remember last year when you got your prescriptions confused. We don't want you handing out May baskets to the neighbors in nothing but your birthday suit again, now do we? Remember, this family's reputation is at stake here.

Simone: Oh Dirk, you're so good to me. I should've known you're only concerned with my well-being. The 4DX2-66 Family PC multimedia system has everything we need for multimedia including PCI graphics, double-speed CD-ROM drive, 16-bit sound card and Altec speakers. And at \$1,899, we have plenty of money left for that experimental wrinkle cream I want to try!

Dirk: Yes, Simone, Gateway's 4DX2-66 is a wonderful addition to our family. We get a 30-day money-back guarantee and a three-year warranty on parts for our desktop PC and Gateway monitor. Gateway's friendly employees will provide us with technical support for the life of our PC. On-site service is available during the first year in most U.S. locations and may be provided without charge if their technicians determine it's necessary. They'll even send us a free written copy of their warranty if we request it.

Simone: Marvelous! Catch me Dirk. I love this Gateway PC so much I'm feeling faint!

Join us next month for "As The Hard Drive Turns." Will Simone hit her head on the coffee table and start to think that the Gateway 4DX2-66 is her long lost brother Charlie?



8 0 0 - 8 4 6 - 2 0 5 8

Gateway 2000® Family PCs™

4DX2-66 FAMILY PC

- Intel® 66MHz 486DX2 CPU*
- 8MB RAM
- 730MB 10ms IDE Hard Drive
- Local Bus Graphics with 1MB
- Double-Speed CD-ROM, 16-Bit Sound Card & Altec Speakers
- TelePath™ II 14.4K Fax/Modem
- 3.5" Diskette Drive
- 14" Color CrystalScan® Monitor
- Mini Desktop Case
- 101-Key Keyboard & Mouse
- MS-DOS® 6.22 & WFW 3.11
- MS Works, Encarta™ '95, Money, Cinemania® '95, Fine Artist & Golf
- 3-Year Limited Parts Warranty

\$1899

P5-60 FAMILY PC

- Intel 60MHz Pentium™ Processor*
- 8MB RAM, 256KB Cache
- 540MB 11ms IDE Hard Drive
- PCI Enhanced IDE Interface
- PCI Local Bus Graphics with 1MB
- Double-Speed CD-ROM
- 16-Bit Sound Card & Altec Speakers
- TelePath II 14.4K Fax/Modem
- 3.5" Diskette Drive
- 14" Color CrystalScan Monitor
- Desktop Case
- AnyKey® Keyboard & Mouse
- MS-DOS 6.22 & WFW 3.11
- MS Works, Encarta '95, Money, Cinemania '95, Fine Artist & Golf
- 3-Year Limited Parts Warranty

\$2099

P5-75 FAMILY PC

- Intel 75MHz Pentium Processor*
- 8MB RAM, 256KB Cache
- 730MB 10ms IDE Hard Drive
- PCI Enhanced IDE Interface
- PCI Local Bus Graphics with 1MB
- Double-Speed CD-ROM
- 16-Bit Sound Card & Altec Speakers
- TelePath II 14.4K Fax/Modem
- 3.5" Diskette Drive
- 15" Vivitron™ Color Monitor
- Desktop Case
- AnyKey Keyboard & Mouse
- MS-DOS 6.22 & WFW 3.11
- MS Works, Encarta '95, Money, Cinemania '95, Fine Artist & Golf
- 3-Year Limited Parts Warranty

\$2499

P5-90 FAMILY PC

- Intel 90MHz Pentium Processor*
- 8MB RAM, 256KB Cache
- 1GB 10ms IDE Hard Drive
- PCI Enhanced IDE Interface
- PCI Local Bus Graphics with 2MB
- Quad-Speed CD-ROM
- 16-Bit Sound Card & Altec Speakers
- TelePath II 14.4K Fax/Modem
- 3.5" Diskette Drive
- 15" Vivitron Color Monitor
- Desktop Case
- AnyKey Keyboard & Mouse
- MS-DOS 6.22 & WFW 3.11
- MS Works, Encarta '95, Money, Cinemania '95, Fine Artist & Golf
- 3-Year Limited Parts Warranty

\$2899

Professional Systems

4DX2-66

- Intel 66MHz 486DX2 CPU*
- 8MB RAM
- 540MB 11ms IDE Hard Drive
- Local Bus Graphics with 1MB
- Double-Speed CD-ROM
- 3.5" Diskette Drive
- 14" Color SVGA Monitor
- Mini Desktop Case
- 101-Key Keyboard & Mouse
- MS-DOS 6.22 & WFW 3.11
- MS Works 3.0 & Money
- 3-Year Limited Parts Warranty

4DX2-66 \$1599

4DX2-50 \$1299

(w/ 340MB Hard Drive & 4MB RAM)

P4D-66

- Intel 66MHz 486DX2 CPU*
- 8MB RAM, 256KB Cache
- 730MB 10ms IDE Hard Drive
- PCI Enhanced IDE Interface
- PCI Local Bus Graphics with 1MB
- Double-Speed CD-ROM
- 3.5" Diskette Drive
- 15" Vivitron Color Monitor
- Desktop Case
- AnyKey Keyboard & Mouse
- MS-DOS 6.22 & WFW 3.11
- MS Office Professional,** Bookshelf® & Money
- 3-Year Limited Parts Warranty

\$1899

P5-75

- Intel 75MHz Pentium Processor*
- 8MB RAM, 256KB Cache
- 730MB 10ms IDE Hard Drive
- PCI Enhanced IDE Interface
- PCI Local Bus Graphics with 1MB
- Double-Speed CD-ROM
- 3.5" Diskette Drive
- 15" Vivitron Color Monitor
- Desktop Case
- AnyKey Keyboard & Mouse
- MS-DOS 6.22 & WFW 3.11
- MS Office Professional,** Bookshelf & Money
- 3-Year Limited Parts Warranty

\$2299

P5-90

- Intel 90MHz Pentium Processor*
- 8MB RAM, 256KB Cache
- 540MB 11ms IDE Hard Drive
- PCI Enhanced IDE Interface
- PCI Local Bus Graphics with 2MB
- Quad-Speed CD-ROM
- 3.5" Diskette Drive
- 15" Vivitron Color Monitor
- Desktop Case
- AnyKey Keyboard & Mouse
- MS-DOS 6.22 & WFW 3.11
- MS Office Professional,** Bookshelf and Money
- 3-Year Limited Parts Warranty

\$2499

P5-100XL

- Intel 100MHz Pentium Processor*
- 16MB RAM, 256KB Cache
- 1GB 10ms IDE Hard Drive
- PCI Enhanced IDE Interface
- ATI Mach 64 with 2MB VRAM
- Quad-Speed CD-ROM
- 16-Bit Wavetable Sound Card & Altec ACS-31 Speakers w/subwoofer
- 3.5" Diskette Drive
- 17" Vivitron Color Monitor
- Tower Case
- AnyKey Keyboard & Mouse
- MS-DOS 6.22 & WFW 3.11
- MS Office Professional,** Bookshelf & Money
- 3-Year Limited Parts Warranty

\$4299



A hearty thanks goes out to Computer Shopper readers for our "clean sweep" of the 1994 Computer Shopper "Best Buy" system awards! We truly appreciate your support, and we'll do everything in our power to live up to the confidence you've shown in us.

**MS Office Professional 4.3 includes MS Word, Excel, PowerPoint® presentation graphics program, and Access® database.



Printed on recycled paper with soy inks.



EPA POLLUTION PREVENTER



Toll free from Canada
800-846-3609



Toll free from Puerto Rico
800-846-3613



8 0 0 - 8 4 6 - 2 0 5 8

*Intel Verified:
Upgradable



610 Gateway Drive • P.O. Box 2000 • N. Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 800-846-4526
International FaxBack Access 605-232-2561 • Component Add-On Sales 800-846-2080 • Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (CDT)

Star-Studded Extras!

Dramatic values from Gateway 2000®. These peripherals and software, sold only with the purchase of a system.

MULTIMEDIA

Audio Multimedia Kit

Here's everything you need to add multimedia to a Gateway PC.

- Gateway 2000 16-bit CD-quality sound card, compatible with Sound Blaster™ cards, with MIDI/game port, mic in, stereo line in/out
- 2 Altec ACS-5 speakers
\$99 (with system purchase)

Wavetable Audio Multimedia Kit

Once you've heard wavetable audio, basic audio will never do!

- Ensoniq® Soundscape™ 16-bit wavetable sound card, MT-32 and FM mode compatible. Supports most software for popular sound cards and standards including General MIDI, Sound Blaster, AdLib, Roland MPU 401, MS Windows Sound Sytem and MT 32
- New Altec Lansing ACS-31 three-piece speaker system
- Blue Ribbon Sound Works' SuperJAM! jr. software
\$209 (with system purchase)
\$99 (to upgrade from systems that include the 16-bit sound card and Altec ACS-5 speakers)

Altec Lansing ACS-31 Speakers

A Gateway exclusive from Altec Lansing: a three-piece speaker set at a two-piece price. Two 3-inch free-standing speakers crank out up to five watts per channel while the subwoofer can deliver 15 watts of heart-pounding bass.

\$99 (with system purchase)

\$39 (to upgrade from systems that include Altec speakers)

Multimedia Software Flight Pack

Seven top-of-the-line flight CDs. Package includes TFX: Tactical Fighter Experiment, Aces Over Europe, Comanche, Strike Commander CD, Privateer CD, Wing Commander Armada CD and Warplanes. You also get a joystick and 20-disk storage rack. **\$99**

MONITORS

Gateway 17-Inch Vivitron™ Color Monitor

Non-interlaced color monitor using Sony® Trinitron® tube technology, capable of 1280 x 1024 resolution in non-interlaced mode, .26 dot pitch.

Upgrade from a 14-inch CrystalScan® 1024NI monitor **\$360**

Upgrade from a 15-inch Vivitron™ monitor **\$260**

(Upgrade prices good only at the time of system purchase.)

COMMUNICATIONS & STORAGE

TelePath™ II Fax/Modem

Internal fax/modem, 14,400bps modem, V.32bis, with 14,400bps fax capability. Includes data and fax communication software, CoSession™ Host remote diagnostics, plus a CompuServe® trial membership. **\$99**

Call the Gateway 2000 special component add-ons division at 800-846-2080 for our complete line of extras for Gateway customers. Sales hours: 7am-9pm Weekdays.

Colorado Memory Systems® TBU

250MB internal tape backup unit copies up to 9.5MB per minute. Comes with MS Windows™ and DOS software, one tape and cable. **\$149**

PRINTERS

Hewlett®-Packard 4L LaserJet Printer

A full-featured 300dpi printer loaded with enhanced PCL 5 and 26 scaleable typefaces with 1MB standard HP Memory Enhancement Technology. Includes parallel cable. **\$699**

Hewlett-Packard 4P LaserJet Printer

A 600dpi printer for four times the dots of 300dpi laser printing with enhanced PCL 5 and 45 scaleable typefaces. 2MB standard memory and three universal SIMM slots available for additional memory or PostScript fonts. Includes parallel cable. **\$999**

Epson® Stylus™ Color Ink Jet Printer

A high-quality color printer at an affordable price! Features 360dpi or up to 720dpi using specially coated paper. Exclusive technology eliminates "feathering." Includes parallel cable. **\$529**

Epson ActionLaser 1100 Printer

Get advanced laser printing at a personal laser price. Features include edge-smoothing technology for incredible sharp printing of text and graphics, 22 fonts and 1MB memory. Includes parallel cables. **\$459**

Call for other printer options, including more Hewlett-Packard printers.

NETWORKING

3Com® Ethernet Adapters

Ultra high-performance 16-bit Ethernet cards from the world leaders in Ethernet technology.

16-bit Triple Media Card supports BNC, AUI and Twisted Pair media **\$119**

16-bit Twisted Pair Card **\$99**

SMC® PCI Ethernet Card

Both Twisted Pair and BNC Connectors included **\$149**

National Semiconductor Ethernet Adapters

Infomover™ brand NE2000plus™ Ethernet cards w/ 25-foot coax cable


Triple Media Card **\$89**

Twisted Pair only Card **\$69**

Token Ring Adapter

IBM® 16-bit Token Ring card **\$429**

Gateway accepts most major credit cards and C.O.D. terms, with net 30-day terms and leasing options available to qualified commercial customers. You can also apply for the Gateway 2000 DuoLine™ MasterCard® card, issued by Dial National Bank, Des Moines, Iowa.



State of the Art

PIECING TOGETHER PUZZLES

Using pattern recognition to glean meaning from masses of data is becoming faster and more accurate thanks to sophisticated algorithms and powerful, but economical, processors



An infant's first intellectual accomplishment is to recognize a parent's face from among the numerous people that walk into his or her life. Although the business world would benefit if computers could routinely perform the same skills, real-time pattern recognition with computers has traditionally been restricted to military applications and expensive supercomputers and mainframes.

Yet the value to the civilian world is obvious. Pattern recognition can help you classify and find meaning in masses of data, be it numerical, textual, audio, or video. The analysis techniques can also help you find matches between a target piece of data (e.g., a frame of video) and a database of millions of video images.

It's the underlying technology that makes today's pen systems recognize (or not) the written word. When you tell a computer to open a file in a pioneering speech-recognition system, it does so by matching your spoken words with a stored vocabulary of sounds. The quality-control systems that scan mass-production assembly lines for defective products find rejects thanks to pattern recognition. In time, cameras mounted on an ATM (automatic teller machine) may do more than just record your visit: A recognition system will match your face with a stored digital image to give you access to your bank account.

The following stories present three threads in pattern-recognition development. They illustrate how systems are becoming faster and more accurate.

Facial Recognition

CFR (computerized facial recognition) has been possible before today's generation of systems, but the large computational

tasks often took hours to complete even on the fastest hardware. Horsepower aside, a different facial expression, a new hairstyle, or differences in lighting often confused the algorithms written to match a "live" face with a reference image held in a computer's database.

In "Face Value," Edmund X. DeJesus explores a new CFR system being deployed by the Commonwealth of Massachusetts. Built around an Alpha server and technology developed at MIT, the CFR system will hold the digitized faces of 4.2 million registered drivers. Within about 1 second, the state will be able to match a face with a digitized image. Unlike previous CFR systems, the Massachusetts implementation will be able to "look" past hairstyles and eyeglasses to make matches even when the digital facial images and the "target" image aren't exactly alike.

Key to the system's success will be its ability to select and store only the essential details that distinguish one person's face from another. This will be important for making accurate matches and for keeping the storage requirements down to manageable levels. Filtering out all but the essential facial features, called *eigenfaces*, is also key to the system's fast response time.

So far, the program has proven to be quite accurate. In one test using a database of 7562 facial images, the program achieved a recognition rate of 95 percent. The immediate benefits for Massachusetts will be a crackdown on fraud by those who use duplicate licenses as false IDs. In addition, the facial database will streamline the process for drivers who need to replace a lost license. However, in the future, the same CFR system could create and search for stored digital im-

ages in multimedia databases. Soon, CFR-savvy computers may be smart enough to recognize their owners and automatically log onto a network, with all the proper security and access privileges, using facial verification rather than passwords.

Enabling Hardware

Real-time pattern recognition has been the domain of supercomputers and mainframes because each sample usually requires billions of recognition operations. Expensive hardware—and the custom programming that went along with it—slowed the growth of pattern recognition for civilian applications. However, business-class CPUs are now handling recognition tasks with the help of DSPs (digital signal processors) and neural-network processors.

In "Eyes, Ears, & Brains on a Chip," Mark Clarkson talks to companies that are developing pattern-recognition applications around these hardware components. In one case, a company that developed a fingerprint-identification system replaced 28 circuit boards and four microprocessors with a single add-in board that holds twin DSPs. The cost for the two DSPs was about \$800.

Similarly, a neural-network accelerator chip packaged within a development system, costing a total of \$10,000, helped another company ship an OCR system that now reads 1000 characters per second, up from 15 cps in the previous version of the system. In the future, these processors can provide the scalable architectures and ability to work in multiple-chip implementations to meet future processing demands.

Patterns in Statistics

If tomorrow's pen-based computers become more accurate at recognizing handwriting, SPR (statistical pattern recognition) techniques will probably play a pivotal role in this increased accuracy. Handwriting recognition is one of a number of applications that depend on accurately classifying data, and classification is SPR's forte.


In "Mining Statistics," John L. Cuadrado describes the underlying principles of SPR to explain how these techniques can efficiently tackle data-classification problems. SPR will evolve with theory-based classifiers to help doctors diagnose disease and help engineers avoid failure points in physical structures. ■

—Alan Joch, Senior Editor

Face Value

Facial recognition comes of age thanks to a new generation of sophisticated algorithms


..... 85



Eyes, Ears, & Brains on a Chip

Pattern-recognition processors become faster and more economical

..... 91



Mining Statistics

Why accurate data classification is key to better recognition

..... 97






It's simple to get a self-running demo and a free copy of **The Secret Of COBOL Maintenance**. Just call 1-800-434-REAL.

Compared to the competition, CA-Realia II Workbench is twice the product at half the price.

\$2,500
For A Limited Time.

Feature	CA-Realia II Workbench	Other COBOL Competitors
Fully integrated, intuitive programmer's workbench	✓	
Debug both PC and mainframe-based programs	✓	
Fast compiles and efficient execution	✓	
Complete single-vendor solution	✓	
Supports Windows and OS/2	✓	
Foundation for GUI Client/Server COBOL development with open DBMS access	✓	

The competition simply can't compete with CA-Realia II Workbench.



The point-and-click debugger simplifies testing.

FAME
Awards

Awarded the Federal Applications Medal of Excellence.



"It's easy to use. And that makes me and my staff a lot more productive."



Avoid That Empty Feeling. Get The One COBOL Solution That's Fully Loaded.

Compared to CA-Realia® II Workbench, other COBOL development solutions come up empty — unable to compete with the most comprehensive client/server tool in the industry.

One that provides an unsurpassed list of benefits and features which include: the world's fastest PC COBOL compiler, a GUI editor and an interactive GUI debugger for code executing on a PC or mainframe, and integrated lifecycle management. Plus a COBOL-intelligent program analyzer that's the smartest thing you've ever seen.

What's more, CA-Realia II Workbench includes a complete mainframe CICS emulator for no extra charge. And, all the features of the workbench

apply to CICS programs as well as batch.

So whether you're in a Windows or OS/2 environment, CA-Realia II Workbench provides complete integration with your host-based systems. Which means unlike some other COBOL solutions, your programming choices are never limited.

For A Self-Running Demo And A Free Copy Of The Secret Of COBOL Maintenance, Call 1-800-434-REAL, Dept. 26500.

You'll see when it comes to COBOL client/server development solutions, only one has been fully developed: CA-Realia II Workbench.

CA-Realia® II Workbench

The Complete Client/Server COBOL Solution

COMPUTER ASSOCIATES
Software superior by design.


© Computer Associates International, Inc., Ithaca, NY 14850-7000. U.S. dollars. Offer good in U.S. and Canada only. All product names referenced herein are trademarks of their respective companies. Awarded by Government Computer News, March 23, 1994. *Source: Computerworld Buyer's Scorecard, March 25, 1991.

Circle 67 on Inquiry Card.

FACE VALUE

Faster and more sophisticated algorithms are helping computerized facial-recognition systems come of age

EDMUND X. DEJESUS



Most pictures on driver's licenses challenge peoples' facial-recognition abilities. Until recently, real-time facial recognition has been impossible for computers. Now, however, the MRMV (Massachusetts Registry of Motor Vehicles) is betting that the algorithms to control a CFR (computerized facial recognition) system are sophisticated enough to quickly analyze its entire database of driver's licenses and help eliminate false IDs.


The Commonwealth of Massachusetts is implementing a CFR application built on Photobook, a research project at MIT. David Lewis, senior deputy registrar for the MRMV, expects the system will store digital images of 4.2 million Massachusetts drivers and will be operational at the central Boston headquarters and at over 30 branch offices by this summer. The system will use a central DEC Alpha-based server to hold the digitized facial images, and an existing IBM mainframe will handle the names, addresses, and other demographic data of licensees. Branch offices will use DEC PCs as local servers and clerk terminals.

According to Lewis, the facial-recognition capability will be added once the hardware is in place. The opportunity to compare a picture from a driver's license with millions of digital facial images is only one reason that motor vehicle registries are storing digital images of licensed drivers. Another use is to accommodate people who have lost their license. With no identification other than their face, a Massachusetts driver may soon be able to apply for a duplicate license.

In the future, CFR might help thwart crime. For example, although they're convenient, ATMs (automatic teller machines) are the source of annual fraud that in some estimates totals millions of dollars per year in the U.S. Fraud in government-benefits payments is estimated at tens of billions

DAVID TEICH © 1995

How Photobook Recognizes Faces



Photobook creates a reference set of facial characteristics by analyzing all the faces in a database. Rather than trying to match features humans might remember (e.g., hair color or the shape of a nose), Photobook uses essential characteristics of each facial image, called *eigenfaces*, to provide the patterns with which to compare a target face. The images above show the first eight eigenfaces in one reference set.



The program builds a composite of a face using all the eigenfaces in a database (in this case, 7000 images) to represent the average face.

of dollars per year. CFR systems promise immediate verification of ATM cardholders or benefits recipients.

The facial-image database at the MRMV might be made available to law enforcement officers searching for criminals. However, Lewis says that photo images would not be considered public record and their distribution would be limited only to the police to avoid the specter of Big Brother and the potential fear by some people that a central facial database might lead to civil rights abuses.

Better Algorithms

What makes implementing CFR possible is the recent research that is beginning to yield fast, accurate, and commercially viable algorithms for a variety of facial-recognition applications. Previous attempts at incorporating CFR required powerful and expensive computers, which were often slow and produced inaccurate results. A person's new hairstyle or eyeglasses could confuse and defeat many systems.

Now, with Photobook, a set of interactive computer tools for browsing and searching images, you can use the system to recognize various types of images—including shapes, textures, and decorative patterns. Its facial-recognition capabilities are perhaps its most intriguing features. For example, Photobook lets you find all the faces that most closely match a target face. An entire search through a database of thousands of faces takes less than a second.

According to professor Alex Pentland, a Photobook developer at MIT's Media Laboratory, facial recognition is also a convenient means of identification because you don't have to worry about losing your ATM card or forgetting your PIN (personal identification number). "You always have your face with you," he quips.

Pentland regards the explosion of multimedia applications, accompanied by the growing use of computers to create visual images and store digital images in databases, as a vast potential market for CFR. Currently, it's difficult to automatically search stored digital images for content. Typically, you must create text descriptions of each image and then search the text descriptions for keywords. Manual searches for images are tedious, slow, and expensive. However, programs like Photobook create and search for compressed versions of images. Editors could use this content-based database to rapidly search for, say, all photographs showing both the president of the United States and the prime minister of Japan.

Similarly, in film and video productions where postproduction costs can eat up large portions of the budget, the ability to search for particular actors in certain scenes and simplify editing makes CFR economically attractive. In offices, CFR-savvy computers may also be able to recognize their own users. Some computers now come with video cameras mounted in the monitor. You can use these cameras with

CFR to recognize users, log users onto the computer or network, and configure the computer with the user's known preferences. Pentland is further researching ways for computers to interpret the human emotions behind facial expressions.



Another CFR application that takes a different approach from that of Photobook is TrueFace, developed by Miros (Wellesley, MA) (see the text box "A Neural Net that Knows Faces"). According to Dr. Michael Kuperstein, a neural-network researcher formerly with MIT and currently the president of Miros, TrueFace is a better biometrics security solution than fingerprints, retinal scans, voiceprints, or hand-geometry systems. Besides beating most of these other biometrics systems in verification accuracy (with rates often over 98 percent), TrueFace and other CFR applications are passive and nonintrusive.

About Faces

In CFR, computers perform three distinct but related tasks: verification, recognition, and locating the face within the image. With *verification*, the system attempts to match a live face with a specific reference digital image. *Recognition* (or identification) lets the system try to match a live face with any saved faces in a central computer database. The *location task* lets the system ask the question, where is the face in this picture? This task is also necessary to perform verification and recognition, because the face must first be located with-



The screen above appears at the end of a Photobook facial-recognition search to present the closest matches (in descending order) to the target face (encircled in red in the upper left corner). Note that the target and the top three matches are different images of the same individual.



In addition to accuracy, Photobook's eigenface model is also an efficient way to store images. The eigenface image on the left requires only 85 bytes of storage space; the murkier image on the right is a JPEG-compressed version of the original that requires 540 bytes of storage.

in the digital image before any verification or recognition can take place. The location task can also be an independent application.

Verification is considered a much simpler task than recognition, because only a single comparison is necessary. System developers can adapt verification algorithms to perform one-to-one comparisons of the target face with each image in the database and then retain all those images that match. They can also adapt recognition algorithms to perform verification tasks by limiting the database to the single reference face and testing to see if the computer adequately recognizes that face.

Naturally, because recognition requires many more comparisons, recognition algorithms must be quick to be practical. By contrast, verification algorithms need not be nearly as fast, because only one comparison is necessary.

Location identification can be relatively simple (e.g., finding two circles that are assumed to be eyes), or it can consist of complex minirecognition algorithms that divide the entire image into smaller subimages and attempt to recognize a face in each subimage.

Real World

The goal of Photobook and other CFR systems is not only to perform these functions but to do so in real time or near real time. Photobook runs on Unix platforms, and a commercially available version of

the recognition algorithm software, which is written in C and called Sherlock, supports DOS, Windows, and OS/2 platforms. Pentland serves as an adviser to Facia Reco Associates (Waltham, MA), a company set up to distribute the recognition software. Victor Colantonio, principal of Facia Reco, points out that Sherlock can identify other images besides faces. For example, in a medical application the system could recognize specific patterns in microscope slides. Facia Reco licenses Sherlock to customers seeking to add its recognition capabilities to their own products and systems.

While people might remember a person's face by the size of their nose, the shape of their eyes, and the curve of their mouth, Photobook eschews such obvious features. Instead, its algorithm uses basic concepts from information theory. First, the program separates each face into a 2-D arrangement of light and dark areas (see the screens "How Photobook Recognizes Faces"). Then the algorithm determines the best facial features to discriminate the features of one face from those of another. Researchers call these discriminating features *eigenfaces*. The algorithm then represents each facial image as a combination of the eigenfaces. The Photobook stores an eigenface representation of each face in the database.

To identify a target facial image, the program compares its eigenface characteristics with all those in the database. The

algorithm selects those faces whose representations most closely match the target face. If a recognition threshold has been defined and any of the matches satisfy the threshold, then the target face is recognized. Alternatively, the program can display any matching faces for you, in order of matching, and you can manually recognize the target face.

The eigenface algorithm is attractive for several reasons. Typically, a sample of only 40 eigenfaces gives excellent recognition results. This amount of data is far smaller than the number of features (i.e., pixels) in the actual face image (16,384 pixels for a 128-by-128 black-and-white image, and three times that number for a color image). Each face can be represented by a small number of bytes. If a 2-byte floating-point number is used for each eigenface value, only 80 bytes are required to represent each face. This is far less than the original image (which may be 250 KB before compression) or the 128-by-128 facial image of 16,384 bytes (before compression). The original image can be recovered quite faithfully from this small number of bytes (as a linear combination of the eigenfaces). Clearly, this property can be useful in itself, as it offers a way to compress facial images in otherwise unmanageably large digital databases, while allowing extraction of recognizable faces.

The representation of a face using eigenfaces is simple and fast. A face can be evaluated in as little as 1 second, according

A Neural Net that Knows Faces



TrueFace from Miros (Wellesley, MA) is a neural-network-based facial verification system and one of the first of its kind to be commercially available. It runs under Windows on a 486- or Pentium-based PC. TrueFace is available as a software system (the recognition program; a demonstration program; a C-callable 32-bit library; sample application source code; sample facial images; documentation; and a security dongle) for \$4850 in single-unit quantities

(the price for 11 or more units is \$1750). Miros also offers TrueFace to integrators who incorporate the system into solutions for security at hospitals, businesses, and immigration stations.

Miros sells a proprietary TrueFace neural-network algorithm that has been trained on what a face is and how to compare faces. In live use, the algorithm compares a live face image with a compressed reference face image encoded on an identification card or in a computer database. Compressed images require only 500 bytes. The algorithm then decides if the two images are of the same person. The algorithm is adaptive, enabling it to accommodate changes in appearance, like hairstyle.

One unique property of the TrueFace system is an adjustable threshold of acceptance. Some businesses (e.g., banks) place a premium on not irritating their customers. As Dr. Michael Kuperstein, president of Miros, observes, "Security adds inconvenience." Such businesses might select a lenient threshold, which although it might be less accurate, would be less likely to annoy customers. On the other hand, extremely secure installations might require an extremely stringent threshold.

to Pentland. In addition, the comparison of one face to other faces is simple and fast. Comparisons can be done at the rate of millions per second. From a hardware perspective, the comparison process is memory-intensive: The more memory that's available, the better for recognition performance.

Saving Faces

Depicting faces as 2-D images and then encoding those images to preserve the most important discriminating characteristics

involves two related processes: initialization (or training) and recognition. The initialization process uses a set of digital facial images to produce an average face and eigenfaces.

The more controlled the circumstances of image acquisition, the simpler subsequent steps will be. Eliminating background clutter, using consistent and simple lighting, and limiting orientation of faces are all important. The creators of one database that Pentland used captured images at a booth during a Boston photography show. The booth's controlled environment allowed photographers to consistently set lighting and the background. Participants snapped their own picture when they could see two LED lights simultaneously, which ensured that their faces were uniformly oriented.

The size of the facial image also strongly affects algorithm performance, so each image should be scaled to approximately the same size. This can be as simple as expanding or contracting the image to make sure the eyes always appear in the same position or if conditions vary, become more complex. Orientation of the face is also important. You can rotate images clockwise or counterclockwise to ensure that the eyes are on a horizontal line or to satisfy symmetry or some more complex criterion. In addition, you can adjust brightness and contrast of the digital image to produce a standard image. Using a 2-D Gaussian window, you can clip the face. Besides simplifying the image, this also eliminates some possibly confusing hairstyle effects.

At this point, Photobook is ready to calculate an average face. To do this, the system averages (using the simple arithmetic mean) the brightness values at each pixel of the set of standardized digital facial images. These averaged values form the average face. The system then subtracts the average face from each individual digital face, and the result of this step is a set of differences from the average face. These differences are the basis for the next series of calculations.

Photobook performs a principal components analysis (or Karhunen-Loeve expansion) on these facial differences. This analysis finds the eigenvectors and eigenvalues of the covariance matrix, each column of which is formed from an image. To perform this on, say, a 128- by 128-pixel image ($N=128$) involves finding the eigenvectors of a 16,384-by-16,384 matrix (N -squared-by- N -squared matrix)—

an intractable computational problem. Instead, Photobook users decide beforehand how many eigenfaces they want to analyze. In practice, $M=40$ eigenfaces have proven adequate. Users thus seek the M orthonormal eigenfaces that best discriminate one face from another. These are the M eigenfaces with the M largest eigenvalues. In effect, this reduces the dimension of the image space from N -squared dimensions to M dimensions (from 16,384 by 16,384 to 40, in the example). This smaller M -dimensional subspace of the original image space is called *face space*. The M eigenfaces span face space (i.e., any face can be represented as a linear combination of the M eigenfaces). The M eigenfaces become the eigenfaces. Although eigenfaces represent the most discriminating features of the set of digital face images, they do not represent any particular recognizable features that people would use to identify a face.

The results of this initialization process are threefold: the average face for this set of digital facial images, the M eigenfaces for this set of digital facial images, and a database of known faces encoded in terms of the eigenfaces.

Face to Face

With this work completed, it's now possible for Photobook to perform the recognition process. First, it locates and standardizes the target face image, as described in the preceding section on initialization. Photobook then subtracts the average face from the target face. The system decomposes the difference in terms of the eigenfaces. In matrix terms, this is the product of the difference with the transpose of the matrix of eigenfaces. The result is a set of M coefficients (or M weights) of the eigenfaces that characterizes the target face. This set of M coefficients can also be regarded as the M coordinates of a single point in face space or as the M components of a vector in face space. These coefficients are like a recipe for constructing the target face out of the eigenfaces: so much of this eigenface plus so much of that eigenface.

Photobook can compare the M coefficients of the target face with those of each encoded face in the database. The simplest way to do this is to regard each face (including the target) as a point in face space, and to calculate the Euclidean distance between the target face point and each other face point in the database. (Actually, using the square of the distance precludes

STATISTICA/w

Windows,
DOS, Macintosh

STATISTICA/w™ (for Windows) Complete Statistical System with thousands of on-screen customizable, presentation-quality graphs fully integrated with all procedures ■ Complete Windows 3.1 support, DDE, OLE, TT-fonts, multiple toolbars, right mouse button support ■ Unlimited numbers of data-, results-, and graph-windows ■ Inter-window integration: data, results, and graphs can be treated as objects and converted into one another in a number of ways ■ The largest selection of statistics and graphs in a single system; comprehensive implementations of: Exploratory techniques; multi-way tables with banners (presentation-quality reports); nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; stepwise logit/probit; general ANCOVA/MANCOVA; stepwise discriminant analysis; log-linear analysis; factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; survival analysis; time series modeling; forecasting; lags analysis; quality control; process analysis; experimental design (with Taguchi); and much more ■ Manuals with comprehensive introductions to each procedure and examples ■ Hypertext-based Stats Advisor expert system ■ Extensive data management facilities (spreadsheet with long formulas, block operations, advanced Clipboard support, DDE hot links, relational merge, data verification, powerful programming language) ■ Batch command language and macros also supported, "turn-key system" options ■ All output displayed in Scrollsheets™ (dynamic, customizable, presentation-quality tables with toolbars, pop-up windows, and instant 2D, 3D and multiple graphs) ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000, unlimited ANOVA designs) ■ Megafiler Manager with up to 32,000 variables (8 Mb) per record ■ Unlimited size of files; extended ("quadruple") precision; unmatched speed ■ Exchanges data and graphs with other applications via DDE or an extensive selection of file import/export facilities ■ Hundreds of types of graphs, including categorized multiple 2D and 3D graphs, matrix plots, icons, and unique multivariate (e.g., 4D) graphs ■ Facilities to custom design new graphs and add them permanently to menu ■ On-screen graph customization with advanced drawing tools, interactive stretching and resizing of complex objects, interactive embedding of graphs and artwork, special effects, icons, maps, multi-graphics management, page layout control for slides and printouts; unmatched speed of graph redraw ■ Interactive rotation, perspective and cross-sections of all 3D and 4D graphs ■ Extensive selection of tools for graphical exploration of data: fitting, smoothing, overlaying, spectral planes, projections, layered compressions, marked subsets ■ Price \$995.

Quick STATISTICA/w™ (for Windows) A comprehensive selection of basic statistics and the full graphics capabilities of STATISTICA/w ■ Price \$495.

STATISTICA/dos™ (for DOS) A STATISTICA/w-compatible data analysis system ■ Price \$795.

Quick STATISTICA/dos™ (for DOS) A subset of STATISTICA/dos statistics and graphics ■ Price \$295.

Domestic sh/h \$10 per product; 14-day money back guarantee.




StatSoft™

2325 E. 13th St. • Tulsa, OK 74104 • (918) 583-4149
Fax: (918) 583-4376

Overseas Offices: StatSoft of Europe (Hamburg, FRG), ph: 040/4200347, fax: 040/4911310; StatSoft UK (London, UK), ph: 0462/482822, fax: 0462/482855; StatSoft Pacific (Melbourne, Australia), ph: (03) 663 6580, fax: (03) 663 6117; StatSoft France (Paris), ph: (1) 45 66 97 00, fax: (1) 45 66 06 51; Available from other Authorized Representatives worldwide: Sweden: AkademiData Scientific AB ph: 018-210035, fax: 018-210039; Finland: Statcon Oy ph: 24-334678, fax: 24-338667; Belgium: Texma Newtech 10 61 16 28; South Africa: Osiris Technical Systems 12-663-4500; Japan (Macintosh): Three's Company, Inc., 03-3770-7600, Japan (Windows): Design Technologies, Inc., 03-3667-1110.

StatSoft, STATISTICA/Mac, Quick STATISTICA/Mac, STATISTICA/w, Quick STATISTICA/w, and Scrollsheet are trademarks of StatSoft, Inc.; Macintosh, Mac IIx, Excel and MacDraw are trademarks of their respective companies.



STATISTICA/Mac™ (for Macintosh) A STATISTICA/w-compatible, comprehensive data analysis and graphics system designed for the Macintosh ■ Large selection of statistical methods fully integrated with presentation-quality graphics (incl. EDA, multiplots, a wide selection of interactively rotatable 3D graphs; MacDraw-style tools) ■ Unlimited size of files ■ Full support for System 7, incl. "Publish and Subscribe" ■ Price \$695.

Quick STATISTICA/Mac™ (for Macintosh) A subset of STATISTICA/Mac: a comprehensive selection of basic statistics and the full graphics capabilities of STATISTICA/Mac ■ Price \$395.

Circle 121 on Inquiry Card.

Fix your Pentium!

Whether you are a software developer or user, there is a good chance your code will get exposed to the Pentium FDIV bug. All x86 code, not just the code optimized for the Pentium, needs to be fixed if it is used for critical applications. We have the fix for our NDP compilers. If you are running programs which need to produce accurate results or are sensitive to round off error, you need NDP Fortran or C|C++! Microway products have been known for their numeric accuracy and speed since 1982. Call for our white papers on Pentium Code Generation and NDP Fortran-90 today!

i860/Alpha SuperComputers

BX™ Series Industrial Workstations
Rely on Pentiums, Alphas or i860s running DOS, NT, UNIX or OS/2 from.....\$2195

Gigacube™ Computational Server
Two gigaflops for \$50K- 24 i860s, NFS, UNIX
Number Smasher®-860
80 megaflops plus NDP Fortran-860..\$2995

QuadPute®-860
320 megaflops per card.....\$11995

ArrayPRO/XP™
100/200 megaflops, 400 MB/Sec memory,
33 and 80 MB/Sec interfaces from....\$6995

NDP Compilers

Microway's NDP 32-bit globally optimizing compilers run on DOS, OS/2, NT, UNIX, and OS/F generating code for the Intel 386, 486, Pentium, i860 and Alpha. The Pentium, i860 and Alpha compilers feature advanced RISC scheduling techniques which produce the highest numeric throughput in the industry. The Pentium release of NDP Fortran is the highest performance Fortran 77 in the world. See Jan '95 *Dr. Dobbs Journal* for a discussion of our Pentium technology. Our DOS releases include extender, graphics and debuggers. NDP Alpha compilers produce the best scheduled Alpha code possible, letting you take full advantage of DEC's wonder chip.

NDP Fortran-90 Pentium DOS, OS/2...\$895
NDP Fortran-77 Pentium DOS, OS/2...\$695
NDP Fortran-77 386/486 DOS, OS/2...\$495
NDP C|C++ Pentium DOS, OS/2...\$495
NDP Pascal™ Pentium DOS, OS/2...\$295
UNIX Pentium.....\$895
Alpha NT.....\$795, OS/F.....\$1495

Microway®

Kingston, MA 02364 USA (508) 746-7341
USA FAX 746-4678 Call for UK, Germany,
Poland, Russia and Japan

Circle 92 on Inquiry Card.

State of the Art Face Value

performing a time-consuming square root for each point in the database.) Computationally, this involves M subtractions, M multiplications (squaring), and $M-1$ additions. The smallest calculated distance is the closest match, the next-smallest distance is the next-closest, and so on. Alternatively, you can perform the search as a database lookup (assuming that the faces are sorted by their coefficients).

At this point, the system is ready to order the faces by distance and present the results to the users. The result is a list or display of the closest matching faces. Notice that it is the simple nature of the comparison step described above that makes this algorithm so fast. You don't need a supercomputer to use Photobook; a high-end PC or Unix workstation is adequate. If the target face image is not an actual face, the distance from the database faces will be huge. This is one way to test if an image is actually a face. When faces are added to the database, the average face, the eigenfaces, and all the coefficients of each saved face must be recomputed. If a new face is closer to the average face than one of the existing database faces, then recomputation isn't essential. In any event, the recomputation can be done off-line.

The Eyes Have It

Pentland and Baback Moghaddam, an MIT graduate student, have recently added a new layer of discrimination to the eigenface algorithm. Called *eigenfeatures*, this layer can locate and compare specific facial features, such as eyes, noses, and mouths. The eigenfeatures algorithms are similar to the eigenface algorithm and use discriminating characteristics (e.g., *eigen-eyes*, *eigen-noses*, and *eigen-mouths*) to help distinguish similar faces from each other. Using eigenfeatures boosts the accuracy of recognition by several percentage points, Pentland says.

Photobook usually isn't fooled by complications such as hats, eyeglasses, and changed hairstyles. In addition, it can handle different facial expressions, changes in lighting, inclination of the head, and changes in facial hair. Of course, extreme efforts at disguising a face can fool the algorithm (as they fool humans). However, for most commercial CFR applications, a person wants to be recognized, for example, to use an ATM, gain entrance to a building, or receive benefits payments. As a result, getting them to pose correctly or remove eyeglasses or headgear usually isn't a problem.

Test Drive

In a typical session with Photobook, you select a face from a random sample of faces displayed. Practically instantaneously, Photobook finds all those faces that most closely match the selected face, sorts those faces, and displays them on the screen for further use.

Despite its simplicity and speed, the Photobook algorithm appears to be accurate. In one test, Pentland used a database of 7562 facial images of nearly 3000 different people. These images included a number of participants with different facial expressions, eyewear, hairstyles, and headgear—all factors that you would expect to complicate the task of recognition. The test used 200 faces chosen randomly from this database, and Photobook selected the most closely matching face. If Photobook's selection was in fact the same person, it was scored as correct. If Photobook's selection was not the same person, it was scored as incorrect. According to Pentland, even with the complicating factors mentioned above, Photobook achieved a 95 percent recognition rate.

In a similar test emphasizing verification over matching, Photobook scored 99.9 percent accuracy using the same database, Pentland says. For comparison purposes, this level of verification is at least as good as that provided by a single fingerprint, although CFR is far simpler and less intrusive than fingerprinting.

The U.S. Army recently conducted tests of several different algorithms and approaches to CFR to verify the sometimes inflated claims of researchers. Preliminary results from these tests indicate that the Photobook algorithm had the best overall performance with scores of over 90 percent in recognition and nearly 100 percent in verification.

"The positive aspect of face recognition is that it's a little bit like living in a small town," Pentland observes. "You walk up to the cash machine, and it knows who you are."


The widespread use of CFR may turn the world into a small town: Wherever you go, your face will be recognized, and you will be trusted. This may have a distinctly humanizing effect on the world. ■

Edmund X. DeJesus is a BYTE senior editor. He has a Ph.D. in physics and has been a professional programmer for over 15 years. You can reach him on the Internet or BIX at edejesus@bix.com.

EYES, EARS, & BRAINS ON A CHIP

DSPs and neural networks power faster image, speech, and character-recognition engines

MARK CLARKSON



Law enforcement agencies that relied on Printrak International's AFIS (Automatic Fingerprint Identification Systems) formerly needed the processing power of 28 circuit boards, 7000 ICs, and four 68000 microprocessors. The horsepower in this dedicated system enabled the AFIS to read a scanned fingerprint, enhance it, and, most difficult of all, extract distinguishing features from the collection of loops, whorls, curls, and bifurcations.

Today, however, the Anahiem, California-based company's latest recognition system, the Series 2000, performs the same tasks as the earlier hardware, but it does so with a single board that holds twin DSPs (digital signal processors) from Texas Instruments. Thanks to the DSPs—called the TMS320C80 MVP (Multimedia Video Processor)—the latest AFIS designs are only 2 percent the size of the earlier versions.


The price of the AFIS varied because each installation was custom built—costs ranged from \$300,000 to over \$3 million. Printrak says that even though the new Series 2000 design has fewer hardware components, the price remains the same as the old system. However, the recognition speed of the Series 2000 is much faster than that of the old system. For example, the old system typically used 10 terminals, which connected to a central server that housed the recognition engine and the database of fingerprints. The server performed all the feature extraction and recognition processing in batches. Law enforcement officials sometimes had to wait overnight for a large batch to complete processing.

Instead of having 10 terminals, the Series 2000 has 10 workstations, each with its own recognition engine. A central fingerprint database serves the workstations. In this arrangement, fingerprint feature extraction happens locally on each workstation and takes only about 20 to 30 seconds. The central server has the less-

DAVID TEICH © 1995

State of the Art Eyes, Ears, & Brains on a Chip

The SHARC Architecture



demanding task of matching features against the database. The entire process is shortened by an order of magnitude compared to the batch-processing approach.

Leading-Edge DSPs

The complex nature of real-time pattern recognition—whether for fingerprint matching, speech recognition, shop-floor quality control, automatic mail sorting, or dozens of other computationally intense commercial applications—typically requires the ability to process billions of recognition operations per sample, which for years has often meant mainframe computers or expensive dedicated systems like the former AFIS processor. Desktop system microprocessors, such as x86, Pentium, 680x0, PowerPC, and SPARC, can perform many of these tasks but are too slow for applications like AFIS.

More recently, however, common business-class computers are handling pattern-recognition jobs with the help of relatively inexpensive DSPs and dedicated processors that reside on expansion boards that can plug into ISA or other system buses. An example of such technology is the neural-network Ni1000 Recognition Accelerator chip, which was jointly de-

veloped by Nestor and Intel.

DSPs, a special kind of math coprocessor, act on a digitized signal (be it audio, video, or text data) and alter the signal by filtering, amplifying, or enhancing it. Digital signal processing was once the domain of expensive specialized hardware, but as the price of silicon plummets, dedicated DSP technology became not only affordable but, in some cases, less expensive than general-purpose hardware solutions.

In pattern-recognition applications, such as a speech-recognition board, a designer might use a DSP for traditional DSP tasks like filtering out line buzz, background noise, and echoes from a stream of spoken text data. The DSP would then undertake more sophisticated tasks (e.g., recognizing individual sounds or breaking speech into phonemes, which are the unique sounds of a spoken language).

DSPs are fully programmable. You can load a DSP with different algorithms to perform different processing tasks or to upgrade the capabilities of your system without replacing hardware. By switching from one algorithm to another, a DSP can optimize a video signal for picture clarity one minute and for compression level the next.

DSPs range in size and power from 8-bit fixed-point processors that digest data 1 byte at a time to 64-bit screamers, with the trend—exemplified by the MVP and Analog Device's ADSP-21060 SHARC

(Super Harvard Architecture Computer)—toward complex architectures with high levels of integration. Highly integrated chips translate into simpler circuit designs with fewer overall components, lower component costs, and less heat dissipation. The latest generation of DSPs come equipped with A/D and D/A converters, ROM, RAM, serial ports, and in some cases multiple processors on-board.

TI's MVP and Analog Device's SHARC represent the flagship products of new DSP lines. The SHARC maintains two separate memories for data and program instructions (see the figure "The SHARC Architecture"). Instructions and data can be loaded concurrently. The DSP is a 32-bit FPU with built-in serial ports, an HIP (Host Interface Port), and a data memory address controller. It can attain peak speeds of 120 MFLOPS.

The 21060 SHARC has 4 Mb of dual-port SRAM (static RAM) on-board (a 2-Mb version is also available), which can give systems designers a speed advantage over other DSPs. Earlier DSP designs for speech recognition, for example, might use the processor to break up the incoming signal into separate phonemes. But DSPs with more on-chip resources (e.g., the SHARC) have the ability to recognize entire words, and even grammar and syntax can be placed on the chip to directly run the entire application without having to use slower system memory.

The military drove advanced DSP design, where less expensive, smaller, less-power consuming hardware was needed for pattern recognition and image processing. Today, such DSPs are performing similar tasks in civilian applications. The 21060 SHARC costs \$296 each in 1000 units.

TI's MVP measures three-quarters of an inch on each side, a size that makes it a Godzilla in the world of DSPs (see "Multimedia Powerhouse," June 1994 BYTE). The MVP combines four 64-bit DSPs, a 32-bit RISC processor with 100-MFLOP FPU, a DMA controller, dual video controllers, and 50 KB of SRAM in a single chip. Prices for the MVP are approximately \$400 each in large quantities.

According to Dr. Behnam Bavarian, manager of R&D at Printrak, the DSP-based systems forced changes in how engineers approached their work. On the one

hand, DSPs mean system updates are easier. "The older 28-board system was purely a hardware implementation," says Bavarian. "Image processing and feature extraction were hard-wired with discreet logic components—discreet ALUs, registers, and so on. You couldn't program it to do anything else without changing the boards and the layout, which was a big change. Going to the MVP opens the door. Everything is now programmable."


The MVP's flexibility lets Printrak consider custom programming the Series 2000 for new applications. In addition, the DSPs allow Printrak to offer software upgrades for installed systems when better recognition and compression algorithms are developed. For the future, Printrak is considering designing a portable unit that law enforcement officers or paramedics can carry to perform quick, on-sight fingerprint-based identifications of suspects and patients.

The flip side, however, is that traditional DSP-programming techniques don't always apply to the MVP. Printrak writes code in C and assembly language, using TI's MVP development environment, on a Sun SPARC platform under the X Window System. "Good old DSP programmers cannot simply jump on the MVP and start programming it," says Bavarian. "With the MVP, you need to know precisely what the transfer controller is doing, what the master processor is doing, and what each of the parallel processors is doing all the time. The MVP has its own Unix-like kernel for a multitasking operating system. To program it, you need a real-time, multitasking-system programming background. We originally had some programmers with traditional DSP backgrounds, and they had some hard times."

Neural Chips

But ever-more-sophisticated DSPs are not the only route to faster pattern processing and recognition. Nestor is exploring a different path with the Ni1000 Recognition Accelerator chip. Rather than traditional components like DSPs and FPU's, the Ni1000 consists of synthetic neurons that make it a neural-network computer on a chip. An ISA add-on card with the Ni1000, software, and a development system sells for about \$10,000.

Inside the Ni1000



The Ni1000 from Nestor uses 3.7 million transistors along with a dedicated microcontroller, a 1024-neuron network capable of processing 4500 to over 100,000 patterns per second. That translates into about 17 billion operations per second. The Ni1000's neural network has 256 inputs (5 bits each) and 64 outputs. On-board circuitry can divide the network into as many as 64 smaller neural networks.

Neural networks are relatively simple in concept: Each neuron in your brain has many inputs (called dendrites) and one output (called the axon). A neuron's dendrites spread out to brush against the axons from many neighboring neurons. The more energy a neuron picks up from other neurons firing, the more excited it becomes. If this level of excitement crosses a certain threshold, the neuron fires, sending a pulse down its own axon.

The Ni1000's 3.7 million transistors

make up, along with a dedicated microcontroller, a 1024-neuron network capable of processing 4500 to over 100,000 patterns per second. That translates into about 17 billion operations per second. The Ni1000's neural network has 256 inputs (5 bits each) and 64 outputs. If individual processing chores don't require this capacity, the Ni1000 includes on-board circuitry to divide the network into as many as 64 smaller neural networks. These smaller networks can overlay each other,

State of the Art Eyes, Ears, & Brains on a Chip

sharing the same neurons. The Ni1000 contains 1.3 Mb of flash EPROM that stores values the neural network has learned within an application (see the figure "Inside the Ni1000" on page 93).

The system addresses the Ni1000 through either an I/O port or a range of memory addresses. To facilitate its use in embedded systems, Nestor and Intel designed the Ni1000 for low power consumption, so it consumes less than 2 W when running flat out. In a typical application, the Ni1000 serves as a pattern-recognition engine in a vision-based intelligent traffic control system, where it must identify cars and other objects in the field of view of six cameras. The chip idles along at 4 or 5 billion operations per second and uses a modest half a watt.

One of Nestor's customers, the IRS, uses a custom OCR application that must recognize 300 characters per second. The agency had been powering the system with 60 transputers. Nestor recently replaced it with a single Ni1000 card.

You don't program a neural network

like the Ni1000 to recognize patterns; you teach it. A given neural network has an input layer, one or more hidden processing layers, and an output layer. You teach it to recognize patterns by "showing" a pattern to the input layer and monitoring the response on the output layer. If that response is wrong, you tell the network. The neural network adjusts the ways in which its neurons are connected to each other and tries again. Eventually, it learns the right answers.

Information in a neural network is not stored in any particular place. You cannot look at an OCR-trained neural network and say, "here is the part that recognizes the letter H," any more than you can point to the part of my brain that recognizes my mother's face.

Profold Imaging Systems uses the Ni1000 in its high-speed mail-handling equipment with OCR. Profold's older software-based OCR system reads 15 cps that are machine printed. A new system that began shipping late last year uses an Ni1000 and fast floating-point DSP to read

up to 54,000 machine-printed addresses an hour. At that speed, says Profold president and design engineer, Charles Sooley, "We only have 70 milliseconds to read each envelope. That's about a millisecond per character, or a thousand characters per second."

"The transition from the software-based to the silicon-based system was just a case of replacing the calls to the software neural network with calls to the routines that access the Ni1000," Sooley says.

To train the Ni1000 system on a particular font, Profold runs about 500 pieces of mail through it. The Ni1000 does its best to recognize the characters and sends its translation to a separate PC. At this point, people enter the loop: They compare the characters on the original envelopes to the OCR system's interpretations. Wherever the system has incorrectly identified a letter (e.g., mistaking the letter N for an H), a person types in the correction. The corrected data goes back to the Ni1000 so that it can learn from its mistakes. The Ni1000 learns faster than did its software predecessor. "To train

Fractal CompressionSM - 120:1



Ordinary Compression - 120:1



SEE WHAT'S MISSING FROM YOUR COMPRESSED IMAGES?

Genuine Fractal QualitySM

CD-ROM publishers—get the big picture!

Compress PC images down to 1% of their original size... Maintain image quality... Get fast decompression. See for yourself how a major publisher puts over 10,000 images on a CD-ROM. High quality images come

up in seconds—no special hardware required—with Fractal CompressionSM.

Let's discuss details.

No artifacts, no pseudo color, no Gibbs effect. High image quality at any resolution.

Fractal CompressionSM from Iterated is the quality compression technology.

Improve your image. Call today.

Join Microsoft, Grolier and other powerhouse CD-ROM publishers. Let

Genuine Fractal QualitySM improve your image. Call today for a free demo disk.

Call (800) 437-2285 now!

(+1) (404) 840-0310

Fax (+1) (404) 840-0806



Iterated Systems

"WE SELECTED FRACTAL TECHNOLOGY AS THE BEST OVERALL MIX OF COMPRESSION, IMAGE QUALITY AND SPEED."
—MICROSOFT MULTIMEDIA PUBLISHING GROUP

We're Becoming Very Big In Monitors.



Imagine this: Once every 15 seconds someone in the USA buys a new CTX color monitor.

That's a million last year alone – more even than sold under big names like NEC, Sony, IBM and Mitsubishi*.

And that's before the international experts started raving about our bigger, new, high-performance 1765GM and 1785GM 17-inch "green" monitors:

"Best 17-in. monitor" (Monthly PC Magazine, Japan).

"Best overall performance" (Soft & Micro Magazine, France).

"One of the best monitors...bright, sharp display and excellent colors" (Windows Magazine, Sept. '94).

"Symbol of Excellence Award" (CETDC/ Business Week Asia, Taiwan).

"Best Display Products" (Computex/Byte, Taiwan).

Not only does the larger, flat-square tube give you

more display area for Windows®, an ultra-fine .26mm dot pitch and flicker-free 1280 x 1024 at 75Hz resolution bring your graphics to life as never before.

Users thrive on the ergonomic design; anti-glare, anti-reflection, anti-static screens; and its front-mounted, full-featured digital touch-panel.

These new low-radiation (MPR II-compliant) "green" monitors use only five watts of power when "on" but inactive. That's six times better than even the US EPA's own Energy Star guidelines.

So how did we get so big so fast? Simply by giving you more for less. For more information, call your nearest CTX office.



CHOICE OF THE PROS

USA Headquarters 20530 Earlgate Street, Walnut, CA 91789, 909-595-6146, Fax 909-595-6293 Technical Support 1-800-888-2012 BBS 909-594-8973 Southern Region 6624 Jimmy Carter Blvd., Norcross, GA 30071, 404-729-8909, Fax 404-729-8805 Eastern Region 481-A Edward Ross Drive, Elmwood Park, NJ 07407, 201-646-0707, Fax 201-646-1998 Midwestern Region 500 Park Blvd., Ste. 295C, Itasca, IL 60143, 708-285-0202, Fax 708-285-0212 Southwestern Region 1225 E. Crosby Rd., Ste. A21, Carrollton, TX 75006, 214-416-9610, Fax 214-245-7447.



©1994 CTX International, Inc. All brand names are trademarks or registered trademarks of their respective owners.
*Official 1993 Monitrak U.S. monitor sales research.

Circle 73 on Inquiry Card (RESELLERS: 74).

Save Disk Space

PKZIP®

PKZIP version 2.0

PC WORLD



WORLD CLASS
AWARD

PKWARE® introduces the next generation of its award winning compression utility. PKZIP 2.0 yields greater performance levels than achieved with previous releases of the software. PKZIP compresses and archives files. This saves disk space and reduces file transfer time.

Software developers! You can significantly reduce product duplication costs by decreasing the number of disks required to distribute your applications. Call for Distribution License information.

Put Your Executables on a Diet

Software developers! Save disk space and media costs with smaller executables. You can distribute your software in a compressed form with PKLITE Professional.* PKLITE Professional gives you the ability to compress files so that they cannot be expanded by PKLITE. This discourages reverse engineering of your programs.



PKLITE increases your valuable disk space by compressing DOS executable (.EXE and .COM) files by an average of 45%. The operation of PKLITE is transparent, all you will notice is more available disk space!

Compression for YOUR Application



The PKWARE Data Compression Library* allows you to incorporate data compression technology into your software applications. The application program controls all the input and output of data, allowing data to be compressed or extracted to or from any device or area of memory.

All Purpose Data Compression Algorithm compresses ASCII or binary data quickly. The routines can be used with many popular DOS languages. A Windows DLL and an OS/2 32-bit version is also available!

PKWARE® INC.

The Data Compression Experts®

9025 N. Deerwood Drive Brown Deer, WI 53223-2437
(414) 354-8699 Fax (414) 354-8559

PKWARE Data Compression Library for DOS \$275 PKWARE Data Compression Library for OS/2 \$350
PKWARE Data Compression Library DLL for Windows \$350
PKZIP \$47.00 PKLITE \$46.00 PKLITE Professional \$146.00

Please add \$5.00 S&H per package in the US & Canada, \$11.25 overseas.
Wisconsin residents add appropriate state sales tax & county sales tax.
Visa and Mastercard accepted, no COD orders.

State of the Art

the software neural network, we ran 5000 envelopes instead of 500," says Sooley. The training software is a combination of Nestor's application development kit and Profold's own custom code.

An upcoming system is designed around a more powerful board combining four Ni1000's and four SHARC DSPs, which Sooley hopes will have enough horsepower for handprinting recognition.

The Department of Civil Engineering at Louisiana State University has been working on a prototype intelligent traffic-control system for two years. The system uses a neural network to interpret information from a video camera positioned near an intersection. The system identifies cars waiting at the light and adjusts the green light time accordingly to optimize traffic flow through the intersection. "We were doing it in software before," says assistant professor Darcy Bullock. "But even with the fastest Pentium, we couldn't get real-time performance, and it took 3 hours to train. The Ni1000 takes 3 minutes to train, and we can keep up with real-time video at 30 frames per second and don't come close to running out of time." The system is running on an Ni1000 board plugged into a 486-based PC.

Interesting Times


Real-time pattern recognition requires scalable architectures and the ability to stack multiple processors together. The SHARC, MVP, and Ni1000 allow for multiple-chip implementations, which enhances their already formidable processing power. These chips are on the cutting edge in terms of die size and number of components and transistors, and their coming is not without labor pains.


Full production always seems just around the corner, and developers with systems built around these chips may still find themselves waiting for full production quantities. TI's MVP wasn't expected to reach full volume until last month, and while the Analog Devices SHARC was shipping in quantity at press time, according to the company, customers reported problems in getting all the SHARCs they needed. "We're not on the market [with Profold] due to lack of parts," says Sooley. A reminder that, for all its promise, the leading edge is not always a comfortable place to be. ■

Mark Clarkson is a freelance writer based in Wichita, Kansas. He can be reached on the Internet or BIX at mclarkson@bix.com.

BY295

"If yous ever
wanna talk to your
desktop again, be at
da warehouse with
da cash. And
no funny stuff."





Whatever ... Obviously, Rex Ruthless, notorious cablesnatcher, doesn't know about the new Liberty™ portable PC from Gateway 2000®. Loaded with infrared technology, the Liberty lets me transfer files between my desktop PC and even from Liberty to Liberty. It's a portable PC user's dream! No cable — and no more blackmail.

I'm just relieved Rex didn't kidnap my Liberty. It's an entirely new dimension of portable computing. In addition to amazing infrared technology, the Liberty touts an impressive 10.4-inch screen — an incredible feature in a 4.2-pound PC with a footprint of only 10 by 8 inches. This display gives me 23 percent more active viewing area than a 9.4-inch screen.

Plus, the Liberty gives me a plethora of other fantastic

features, like its "intelligent battery" that allows for upgradability to future technology including lithium ion.

Best of all, the Liberty is a portable powerhouse packed with features like a 50MHz or 100MHz processor, a whopping 24MB of RAM, removable 720MB hard drive, TelePath™ 14.4 XJACK® fax/modem, Microsoft® Office Professional and carrying case, all for only \$4,799. It's the best combination of portable performance and value available today! You can bet I'd be at the warehouse with loads of cash if Rex had snatched this treasure.

You see, Rex is doing whatever he can to keep my exposé about Gateway's new portables under wraps. But while I was working the PC beat with my trusty Liberty, I got the scoop on the new ColorBook²™ from Gateway. It has the same great



combination of color and performance as Gateway's original ColorBook™, but the ColorBook² is souped up with multimedia features including integrated 16-bit sound and speaker, EZ Point™ integrated pointing device and larger hard drives. Plus, the battery can now be charged while the PC is in use.

Gateway's top-of-the-line ColorBook² DX4-100 Deluxe comes standard with 8MB RAM, 720MB hard drive, TelePath 14.4 fax/modem, carrying case, MS Office Professional and a 10.3-inch dual-scan STN color display, all for only \$3,999.

Enter a new dimension of portable computing with Gateway 2000's new portable PCs by calling today!



Gateway 2000's new portable PCs — the Liberty and ColorBook².



"You've got a friend in the business."®

8 0 0 - 8 4 6 - 4 2 9 8

A New Dimension In Portable PCs!

GATEWAY 2000 LIBERTY™

- 4.2 Lbs., 10" x 8" x 1.6"
- 10.4" Dual-Scan STN Color Display
- Infrared Capability
- Intel® 486 DX2 or DX4 Processor
- Instant On
- NiMH Battery & AC Pack
- 2 PCMCIA Type II Slots
- EZ Point™ Integrated Pointer
- Removable Hard Drive
- 78-Key Keyboard
- Parallel, Serial, VGA & PS/2® Ports
- MS-DOS® 6.22 & WFW 3.11
- Microsoft® Works for Windows™ 3.0 or MS Office Professional 4.3**

LIBERTY DX2-50

10.4" Dual-Scan STN Color Display, 8MB RAM, 340MB HD, MS Works

\$2799

LIBERTY DX4-100

10.4" Dual-Scan STN Color Display, 8MB RAM, 540MB HD, MS Works

\$3499

LIBERTY DX4-100

Best Buy

10.4" Dual-Scan STN Color Display, 24MB RAM, 720MB HD, TelePath™ 14.4 XJACK® Fax/Modem, Leather Carrying Case, MS Office Professional 4.3**

\$4799

COLORBOOK™

- 5.7 Lbs., 11.65" x 8.5" x 1.77"
- 10.3" Dual-Scan STN Color Display
- Intel 486 DX2 or DX4 Processor
- 8MB RAM (Expandable to 24MB)
- 1.5MB Video RAM (includes 512KB cache)
- Removable Hard Drive
- 3.5" Diskette Drive
- Integrated 16-Bit Sound and Speaker
- NiMH Battery & AC Pack
- EZ Point Integrated Pointer
- 2 PCMCIA Type II Slots
- 85-Key Keyboard
- Parallel, Serial, VGA & PS/2 Ports
- Carrying Case
- MS-DOS 6.22 & WFW 3.11
- Microsoft Office Professional 4.3**

COLORBOOK² DX2-50 Deluxe

8MB RAM, 540MB HD, TelePath 14.4 Fax/Modem, Carrying Case, MS Office Professional 4.3**

\$3499

COLORBOOK² DX4-100 Deluxe

8MB RAM, 720MB HD, TelePath 14.4 Fax/Modem, Carrying Case, MS Office Professional 4.3**

\$3999

COLORBOOK™

- 5.7 Lbs., 11.65" x 8.5" x 1.77"
- 9.4" Dual-Scan STN Color Display
- Intel SL Enhanced 486SX Processor
- 4MB or 8MB RAM (Expandable to 20MB)
- Removable Hard Drive
- 3.5" Diskette Drive
- NiMH Battery & AC Pack
- Integrated Trackball (2 buttons)
- 2 PCMCIA Type II Slots
- Carrying Case
- MS-DOS 6.22 & WFW 3.11
- Microsoft Works 3.0

COLORBOOK 486SX-33

Base - 48-Hour QuickShip*
4MB RAM, 250MB HD, 96/24 Fax/Modem, Carrying Case, MS Works 3.0

\$1799

COLORBOOK 486SX-33

Best Buy

8MB RAM, 340MB HD, TelePath 14.4 Fax/Modem, Carrying Case, MS Works 3.0

\$1999

SERVICE AND WARRANTY

- Lifetime toll-free service and support.
- One-year limited parts warranty.
- 30-day money-back guarantee.
- Special VIP warranty. We'll ship replacement to you within 24-hours during warranty. Only available at the time of purchase for an additional \$100.

PAYMENT OPTIONS

- Gateway accepts most major credit cards and C.O.D. terms.
- Net 30-day terms and leasing options available to qualified commercial customers.
- You can also apply for the Gateway 2000 DuoLine™ MasterCard® card, issued by Dial National Bank, Des Moines, Iowa.

HANDBOOK® 486

HANDBOOK DX2-50

2.94 Lbs., SL Enhanced Intel DX2 Processor, 8MB RAM, 250MB HD, EZ Point Integrated Pointer, Leather Carrying Case, MS Works 3.0

\$1999

**48-Hour QuickShip program applies only to the ColorBook 486SX-33 Base configuration. Your PC will be delivered within two business days from the time of order. No additions or deletions can be made to the configuration. Available for approved credit card orders only while quantities last. Domestic U.S. orders only.*

***MS Office Professional 4.3 includes Word, Excel, PowerPoint® presentation graphics program, and Access® database.*



Toll free from Canada
800-846-3609



Toll free from Puerto Rico
800-846-3613



GATEWAY2000

"You've got a friend in the business.™"

8 0 0 - 8 4 6 - 4 2 9 8

Intel Verified:
Upgradable




610 Gateway Drive • P.O. Box 2000 • N. Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 605-232-2561
Component Add-On Sales 800-846-2080 • Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (CDT)

© 1995 Gateway 2000, Inc. Gateway 2000, black-and-white spot design, "G" logo and "You've got a friend in the business" slogan are registered trademarks, and ColorBook, ColorBook², Liberty, EZ Point, and TelePath are trademarks of Gateway 2000, Inc. The Intel Inside Logo and Intel are trademarks or registered trademarks of Intel Corporation. All other brands and product names are trademarks or registered trademarks of their respective companies. All prices and configurations are subject to change without notice or obligation. Prices do not include shipping or applicable sales tax.

MINING STATISTICS

Statistical-pattern recognition could be the underpinning for tomorrow's smarter voice processors and machine-vision systems

JOHN L. CUADRADO



Dense fog shrouds your reconnaissance plane as it reaches the target area. You can't visually inspect the airfield below, but the SAR (synthetic aperture radar) system in your plane's cockpit reports four large aircraft parked on the tarmac. Unfortunately, the scattered radar signal can't tell you if the aircraft belie a heightening of tensions (fighters and bombers) or retrenchment (troop carriers). Your objective is to identify the planes on the ground or at least determine to which class they belong.

The key to answering these questions is statistical-pattern recognition, which can process raw radar data into feature sets, called *vectors*, that can help classify the planes. This hypothetical problem is drawn from the military, a sector where much of the work in statistical-pattern recognition has taken place. But statistical-pattern recognition development is active today in the academic and the industrial worlds, where researchers from different disciplines—from document processing to engineering to medicine—are creating and applying new, more powerful techniques. As a result, the technology that will help make tomorrow's handwriting-recognition products, speech processors, or machine-vision systems more accurate will likely have roots in statistical-pattern recognition.


Today's activities are fueled by two catalysts: First, solutions to the recognition problems in these areas rest with the accurate classification of data, which is the forte of statistical-pattern recognition. Second, today's relatively inexpensive hardware brings the requisite processing horsepower to the desktop and factory floor. Here's how statistical-pattern recognition works.

Aircraft ID


Think of the radar data in the hypothetical example as a bit map that contains all the pictorial information about the airfield (see



Step 1: In a hypothetical military application of statistical-pattern recognition, radar data informs the system that four aircraft of unidentified class sit on an airfield tarmac.



Step 2: The aircraft images become input to various segmentation algorithms that divide the image into components.



Step 3: After taking measurements of subimage components (e.g., the largest and shortest axes), the recognition system develops a set of feature vectors, which are the keys to unlocking each aircraft's identity.

"Five Steps to Identifying an Aircraft"). This type of image serves as input to various segmentation algorithms that partition the image into components. These components are further identified as possible candidates that represent objects of interest—subimages of aircraft in the above example.

The system extracts a set of measurements from each of the component subimages. For example, it might compute the centroid of the subimage or the largest and shortest axes. These measurements are referred to as the features of an object in the context of pattern recognition. The result of this processing is an n -dimensional vector of features (i.e., each detected subimage is characterized by one of these feature vectors). The number of features and what they represent varies with each problem.

You now have a feature vector that might indicate the presence of a type of aircraft. This feature vector is data you input into the pattern-recognition system. The system's goal is to determine whether the feature vector belongs to one of several classifications that the system knows about. The final output of the system might be an image of the airfield with a tag next to each of the planes indicating their type.

The Basic Problem

The issues that your pattern-recognition system must address include how the system distinguishes plane types, how you train the system to identify different types of aircraft classes, how to make the classification system accurate, how computationally intense are the underlying algorithms, and how the system classifies planes in real time. If you abstract the SAR problem, you will see that the pattern-recognition challenge consists of partitioning a

vector space F (feature vectors) into the various aircraft types. Each vector in F consists of a set of features that describe characteristics of the objects. Two pattern-recognition approaches address these issues.

In one approach, you have a set of feature vectors that characterize some objects, and your goal is to find out if some partition of the space F groups these objects into any meaningful sets. This is known as the *cluster* problem. By contrast, this article deals with the second approach, where you are given a partition of the space F into a set of classes and a new vector. Called the *classification* problem, this approach determines to which of the given classes a new feature vector belongs.


To delve further into the classification problem, consider an example that was used in the 1930s by R. A. Fisher to develop his theory of discriminant functions. Here, the objects to be classified are sets of flowers called *irises*. There are three classes of *irises*: *Iris Setosa*, *Iris Versicolor*, and *Iris Virginica*. Botanists had studied these flowers and made many measurements on such things as petal and sepal length and width. Therefore, data exists to characterize 4-D vectors where the first two components correspond to petal length and width and the last two components correspond to sepal length and width. To simplify the problem even more, just consider the petal information. The final vector is 2-D: $v = (x_1, x_2)$, in which the first component corresponds to petal length and the second to petal width.

For each vector, you know to which class of *iris* the vector measurements belong. Further, you estimate a probability function P and assign a number between 0 and 1 to each of the three *iris* classes. These

functions are known as the *prior probabilities*. You can estimate their values based on sample data. For example, to assign a value to $P(\text{Versicolor})$, you count the number of flowers you are given in the *Versicolor* class and divide by the total number of flowers from all three classes. You need to devise a procedure that will let you determine the class of a new, unknown vector (see the figure "Iris Classes").

Many techniques have been developed to solve problems like this one. These techniques can be broadly categorized as either *parametric* or *nonparametric*. In the parametric case, you assume that the underlying population from which the data comes has some known probability distribution that depends on some parameters. In this case, the goal is to determine, or estimate, these parameters from the sample data that you are given (i.e., the 2-D petal measurements on known examples of the three classes of *irises*). By contrast, nonparametric methods come into play when the data has no known limits.

Now, given a feature vector v , you can ask what the conditional probabilities $P(\text{Setosa}|v)$, $P(\text{Versicolor}|v)$, and $P(\text{Virginica}|v)$ are. Think of these probabilities as saying, given a feature vector v , what is the probability that it comes from one of the three classes? If you know these conditional probabilities, you can solve the problem. The classification rule is simple: If you are trying to classify a new vector v , you simply compute the conditional probabilities for each of the classes. The class that results in the largest number "wins," and you classify v as belonging to that class. It turns out that this is the best you can do if the goal is to minimize the total error of classification. This classification rule is known




Step 4: The system compares feature vectors of the unidentified aircraft with specifications of known aircraft held in the system's database.




Step 5: After matching the feature vectors of known and unknown aircraft, the system classifies the images captured by radar.

Iris Classes



The classification approach to statistical-pattern recognition works to determine how a new value corresponds to known classes. For example, the stars, dots, and x's above correspond to the lengths and widths of three classes of iris.

Nearest Neighbor Classifier



To determine which iris class a new flower belongs to, compare its measurements to the centroid vectors in the three known iris classes. In this approach, you assign the new flower to the class with the shortest centroid distance.

as Bayes' rule, and it forms the starting point for most other approaches.

The problem with Bayes' rule is that you need to know the conditional probabilities $P(\text{Setosa}|\text{Setosa})$, $P(\text{Versicolor}|\text{Versicolor})$, and $P(\text{Virginica}|\text{Virginica})$, and these are almost never available. A much easier set of numbers to obtain is $P(\text{Setosa})$, $P(\text{Versicolor})$, and $P(\text{Virginica})$. These conditional probabilities represent the likelihood of having a certain set of features given that the vector v comes from the corresponding class. These conditional probabilities can be estimated by sampling the objects from each of the classes. In practice, a large number of samples from each class would be examined to isolate characteristics of particular common features that are specific to each class.

In theory, you could compute tables for conditional probabilities $P(v|\text{Setosa})$, $P(v|\text{Versicolor})$, and $P(v|\text{Virginica})$. Unfortunately, what you want is $P(\text{Setosa}|v)$, $P(\text{Versicolor}|v)$, and $P(\text{Virginica}|v)$. But not to worry; you can use a form of Bayes' rule that requires that you assign the new feature vector v to the class that produces the largest of the following three numbers:

$$\begin{aligned} &P(v|\text{Setosa}) P(\text{Setosa}) \\ &P(v|\text{Versicolor}) P(\text{Versicolor}) \\ &P(v|\text{Virginica}) P(\text{Virginica}) \end{aligned}$$

This is clean and simple, but in the real world, obtaining even these conditional probabilities can be difficult. In practice, the most common approach is to assume

that the underlying probability distribution is normal (i.e., the familiar bell-shaped curve). This distribution is determined by two parameters, the mean and the variance (or covariance matrix).

To estimate the mean and the variance of the iris population, you need large samples of data for each iris class. Many techniques exist for estimating these parameters. Assuming you're armed with the values of the estimated mean and covariance, you can construct the discriminant functions that will serve as classifiers for any new feature vector. In the example previously described, you are given a new iris, and you measure its petal's length and width. This produces a new vector that you input into your classifier. The result is

State of the Art Mining Statistics

an assignment of the new flower to one of the three classes of irises.

Many other techniques exist for solving the classification problem. Among the more common nonparametric techniques is the *k*-Nearest Neighbor method. The basic premise of this algorithm involves the use of centroids. Again, to keep things simple, assume that you have computed the centroids of each of the three classes of irises.

You have found three representative vectors—*v*₁, *v*₂, and *v*₃—that are typical of each of the three classes (see the figure "Nearest Neighbor Classifier" on page 99). Given a new flower, you again measure its petal's length and width and form a new vector *v*. You compute the distance from this new vector to each of the class centroid vectors *v*₁, *v*₂, and *v*₃ (distance can be defined in many ways). You assign the new

flower to the class with the smallest distance from one of your classification vectors. The simplest definition in the current case is the standard Euclidean distance, but if you want to take into account the probabilistic information available in the data, then there are much better choices.

Applications

In medicine, one of the main problems is to assign a set of signs and symptoms to a disease category. Here statistical-classification techniques are designed using a combination of medical theory and empirical knowledge.

Another area where these techniques are used is in engineering diagnostics. Here, you have theory-based and empirical classifiers. For example, in many complex devices, the possible failure modes may run into the millions. A brute force enumeration of such modes and attending characterizations is clearly prohibitive. Thus, in such cases, the system is observed in operation under various typical conditions, and occurring failures and their causes are analyzed to develop failure classification data.

These failure modes are characterized by feature vectors along the line of the iris examples. Using this empirical data, classifiers can be developed so that when the device is out on the field and a new failure occurs the feature vector can be produced and quickly classified. In the future, algorithm development for handwriting recognition and other areas will propel classification techniques into more business and general-purpose applications. ■

BIBLIOGRAPHY

- Fisher, R. A. "The use of multiple measurements in taxonomic problems." *Annals of Eugenics*, vol. 7, part II, 1936, p. 179.
- Huberty, Carl J. *Applied Discriminant Analysis*. New York: John Wiley, 1994.
- Michie, D., D. J. Spiegelhalter, and C. C. Taylor. *Machine Learning, Neural Networks and Statistical Classification*. London: Ellis Horwood, 1994.
- Panel on Discriminant Analysis, Classification, and Clustering. *Discriminant Analysis and Clustering, Statistical Science*, vol. 4, no.1, 1989, p. 34.

John Cuadrado is an independent consultant in Maine. His primary areas of interest include distributed database systems, applied AI, and theories of parallel computation. You can reach him on the Internet or BIX c/o editors@bix.com.

WOULD YOU PAY MORE FOR A UPS WITH LESS FEATURES?

APC AND TRIPP LITE THINK YOU WILL.
MINUTEMAN THINKS YOU WON'T.

If all UPSs were priced the same, the choice to buy a MINUTEMAN would be easy based on features alone. But, when you compare prices, the choice becomes even more obvious. We don't believe you'll pay 28% more for a product that gives you less. Make the comparison yourself. We're sure you'll find MINUTEMAN's Alliance series offers the most power protection at the best price.

MINUTEMAN meets all your power protection needs with voltage regulators, standby, line-interactive, on-line and extended runtime UPSs from 300VA to 10KVA.

MAKE THE COMPARISON FOR YOURSELF

Model	Minuteman A300	Tripp Lite BC280	APC BC250	Model	Minuteman A300	APC BK100	Tripp Lite Onli 450
PRICE	\$139	\$129	\$139	PRICE	\$259	\$359	\$279
Price per Watt	.73	.77	.82	Price per Watt	.66	.89	1.00
VA Rating	300	250	250	VA Rating	500	600	450
Waveform Output	Simulated Sinewave	Simulated Sinewave	Simulated Sinewave	Waveform Output	Simulated Sinewave	Simulated Sinewave	Simulated Sinewave
Audible Alarm	YES	NO	YES	User-Interactive	YES	NO	YES 4-LED's
LED Status Indicators	YES 3-LED's	YES 2-LED's	NO	LED Status Indicators	YES 4-LED's	YES	NO
Site Wiring Fault Indicator	YES	NO	YES	Site Wiring Fault Indicator	YES	YES	YES
Test Button	YES	NO	NO	Test Button	YES	YES	NO
Self-Diagnostic Test	YES	NO	NO	Self-Diagnostic Test	YES	NO	NO

DON'T SETTLE FOR ANYTHING LESS THAN THE BEST. MAKE SURE IT'S A MINUTEMAN UPS.
CALL OUR POWER HOTLINE NOW.
1-800-238-7272



Para Systems, Inc.
1455 LeMay Drive
Carrollton, TX 75007
214/446-7363 • Fax: 214/446-9011

Announcing CodeServer™

NEW

Discover Client/Server Power with xBASE file compatibility from C, C++ and Basic.

With **FREE** Client/Server Distribution



With our new CodeServer, your data is safe, your software is reliable and you save \$\$ with royalty-free distribution.

Improve Reliability and Safety

Using CodeServer only one computer physically changes your data. So even when a client crashes, the database is safe and others can continue working.

Improve Network Performance

Reduced network traffic means improved network performance.

xBASE File Formats

Choose between dBASE, FoxPro, or Clipper file formats for your data.

Logging

Now you'll know who changed what, and when.

Incremental Backups

Make daily backups of all the changes made that day.

Query Optimizer: 1000 times faster

Automatically uses available index information to return query results instantly.



FREE Report Writer Distribution

Now give your users the ability to easily create their own ad-hoc reports by distributing our report writer with your applications, ROYALTY-FREE!

Product	Quantity	Price	Revenue	Percentage of Total
Product A	100	\$10.00	\$1,000.00	10.00%
Product B	200	\$20.00	\$4,000.00	40.00%
Product C	50	\$50.00	\$2,500.00	25.00%
Product D	150	\$15.00	\$2,250.00	22.50%
Grand Total			\$10,000.00	100.00%

FREE Visual Design Software

For visual, interactive application design, Windows programmers can use CodeControls for formatted data entry and data-aware controls.



CodeBase Multi-Platform

This special multi-user version supports DOS, Windows, NT, OS/2, Macintosh, AIX, HP, SCO, Solaris, SunOS, UnixWare, etc...

CodeBase™



Database Management for Programmers

Call Now To Order: 403-437-2410

Risk-Free, Unconditional 30-Day Money-Back Guarantee on all Sequiter product orders.

SEQUITER SOFTWARE INC. Fax: 403-436-2999
UK Tel: +44-81-317-4321
P.O. Box 575 Newmarket NH 03857-0575

COREL DRAW!™ 5

The Best in Graphics and Publishing



With the new lenses in CorelDRAW 5 users can create incredible photographic effects such as transparency, magnify, grayscale, brighten, invert, heat maps, and more. Dynamic special effects can also be created using morphing, artistic filters, and masking. With 60 new additional fractal textures, CorelDRAW 5 allows for unlimited design variations.



Exciting New Filters



Amazing Morphing

CorelDRAW 5 combines the graphics power of CorelDRAW and the advanced publishing capabilities of Corel VENTURA 5 within an integrated user interface. With a revolutionary color management system, major performance gains and hundreds of improvements, CorelDRAW 5 retains the ease of use for which Corel is renowned. CorelDRAW 5 is the most exciting value-packed graphics and publishing software available.

INCLUDES

- CorelDRAW 5
- Corel VENTURA 5
- Corel PHOTO-PAINT 5
- CorelCHART 5
- CorelMOVE 5
- CorelSHOW 5

PLUS

- 825 fonts
- 22,000 clipart images & symbols
- 100 high-resolution photos


CorelDRAW 5—"the best has gotten better!"

InfoWorld, August 1994-USA

*"OUTSTANDING!
CorelDRAW 5 really is the
best graphics package ever!"*

PC Answers, June 1994-U.K.

Versatile Charting



Power Publishing



**CONFERENCE
& SHOWCASE**
June 1-2, 1995
Ottawa, Canada
Call to reserve your seat!
1-800-896-2056



1-800-THE-CITY
1-800-843-2489

DRAW 5 CD-ROM
\$468.75*

DRAW 5 CD-ROM & 3.5" disks \$589.86*

*\$US plus applicable taxes.

Enter the Corel \$2,000,000 World Design Contest and win! (September to March)
To receive a faxed copy of the rules and an entry form please call: 1-613-728-0826 ext. 3080,
Document #1004. To leave a message please call: 1-613-728-0826 ext. 81609.



COREL®
1-613-728-3733

Agent-Enhanced Communicator

Sony conjures up a new standard in PDAs with the help of Magic Cap

PETER WAYNER

For the last several years, the computer industry has flirted with the notion of a palm-size computer able to communicate with the world. Companies like Sharp, Tandy, and Apple have offered versatile portable hardware that hasn't yet lived up to hype promising a computer that can nearly read people's minds. The latest stab at the promise is Sony Electronics' Magic Link Personal Intelligent Communicator. It's a \$995 pen-based tablet that is the first device to use General Magic's Magic Cap object-oriented software environment and Telescript remote programming language.

Connect Magic Link to a phone line, and you can place voice calls, send faxes, or log onto America Online. Receiving SkyTel pages is an option. Most important, Magic Link connects to AT&T's new Telescript-enabled PersonalLink Services, which supports Magic Cap E-mail messages enriched with sound, audio, and penned electronic ink, as well as Telescript agents for automating tasks like filtering and forwarding messages or exchanging address information.

Sony's new unit won't yet satisfy everyone's dreamy cravings for the perfect PDA (personal digital assistant). It is, however, a useful portable computer for managing basic E-mail and other communications.


Compact Communicator

The Magic Link is a 7.5- by 5.2-inch charcoal-gray tablet encased in rubberized plastic, with a 480- by 320-pixel, touch-sensitive, black-and-white display screen. The 1.2-pound package is well thought out and graced with several intelligent touches. The screen stylus, for example, stows completely inside the PDA itself—a big improvement over designs that leave you no secure place to park it. There is also a clever plastic shield that prevents you from changing the regular batteries and the lithium back-up battery at the same time.

A major difference between Sony's



Magic Link runs a 16-MHz Motorola 68349 processor and holds the Magic Cap operating system in its 4-MB ROM. Magic Cap's interactive metaphor includes your office desktop (see the inset), other rooms in your home, and the street outside. Options include the keyboard and headset shown.



that Sony designed the rectangular screen to be held horizontally instead of vertically (landscape mode as opposed to portrait). This makes it slightly more challenging to hold the Magic Link in one hand and write with the other, but the horizontal arrangement mirrors what I'm used to on desktop systems.

The film-resistive screen responds to both finger touch and stylus. As a simple LCD without backlighting, it isn't revolutionary. People accustomed to the crisp, bright colors of an active-matrix display won't enjoy using Magic Link's screen, but until new display and battery technology come along, PDA users will continue to trade some readability for portability.

Sony claims that with the right usage the Magic Link's optional lithium-ion rechargeable battery (\$69.95) will last for 10 to 12 hours on one charge. I was able to get 7 hours with continuous use. Magic Link can also run on six standard AAA batteries (included) for up to 3 hours.

Outside of the screen, most of Magic Link is devoted to connectors for linking the PDA with the outside world. There is an external port for attaching an optional keyboard (\$129.95) with almost full-size

keys. It fits together smoothly with Magic Link to make a laptop PC. You can also enter text by tapping the stylus on a keyboard displayed on the screen. Unlike Apple's MessagePad (aka Newton), the system software doesn't attempt handwriting recognition with pen input.

The primary communication port is an RJ-11 phone connector that attaches Magic Link to a standard phone line. The port connects the internal modem (only 2400-bps data and 9600-bps send-only fax). Magic Link can dial and log your calls, but doesn't work as a speaker phone, though it has a built-in microphone and speaker. It can work as a telephone, however, with the optional \$79.95 headset.

Alas, there are no cellular connection options available, but SkyTel sent me one of its Sony-labeled paging cards, a \$249.95 option available from Sony that slips into the Magic Link's PCMCIA slot. You can receive pages or short messages anywhere in the country with SkyTel's service. The device is well integrated with the Magic Cap, and incoming pages appear as messages in the E-mail system. You can arrange for E-mail received at your PersonalLink mailbox to be routed to you immediately through the pager. This service is customizable (through Telescript

agents), and you can arrange for filters to ship only messages from selected people. The paging system is unidirectional only, but SkyTel promises future two-directional capability.

The right side of the Magic Link accepts the batteries and a single Type II PCMCIA card like the SkyTel pager. Sony also sells 1-MB memory cards (\$219.95) that you can use for downloading important information. This is a good idea because Magic Link's main memory is small, with 512-KB RAM allocated for storage and 512-KB RAM for temporary work. (The lithium backup battery protects only the storage area.)

You might also want the \$99.95 kit that attaches the Magic Link to a Windows-based PC so you can transfer files. To transfer files between Magic Links, you can use the built-in 38.4-Kbps infrared link.

Under Magic Cap

While Sony created the hardware, Magic Link owes its personality to the Magic Cap software environment, developed by General Magic (Mountain View, CA). This software won't be limited to just the Magic Link; General Magic plans a version of Magic Cap that will run as an application on both Macintosh and Windows-based systems in 1995.

Magic Cap is an object-oriented, multitasking applications environment that extends the desktop metaphor to even more literal levels. You can use the stylus to click in and out of rooms, corridors, and even buildings. At the highest level is a street with buildings representing the major software packages. The basic unit comes with three buildings: your home, America Online, and PersonaLink. To link up with the outside world, you go to the appropriate building. To use your own files and the bundled desktop apps, you go to your home.

The corridor in your house is the next level down in the abstraction. Rooms off of this corridor are your office (in which you'll find Intuit's Pocket Quicken, Penware's PenCell spreadsheet, a spell checker, datebook, notebook, and calculator), a storage room, the library, and a game room. Each room allows you to do pretty much what you would expect. The library's on-line documentation is adequate. The control room lets you fiddle with parameters like the amount of idle time before the machine turns itself off.

If you buy new software (or download it), it might appear as either a new item in a room, a new room on your hallway, or a

new building on the street. The multiple levels of hierarchy are an improvement over the current popular desktop metaphors. Some people might argue that the differences between the rooms and the street are just window dressing, and they're correct, but I've found it a bit easier to navigate around the Magic Cap world with this additional gloss of metaphor.

The object-oriented structure makes possible some levels of customization. If you've turned on Magic Cap's "construction" mode, you can drag a class of visual objects called "stamps" around the Magic Cap world and leave them wherever you want. For example, you can place a stamp of a big pair of lips on your desk and it will speak when you touch it. This is how you can use the built-in microphone to leave verbal reminders or voice annotations in various places in the Magic Cap environment or include them in E-mail messages.

Some stamps control the Magic Link's actions. If you want a message to go via a particular communications network, you attach the appropriate stamp to the message and fill in the address. There are stamps for the Internet, X.400, American Online, and many other networks. You can also place stamps on the address cards in your Magic Link rolodex. When you want to address a letter, just copy the stamp over to the new outgoing message.

The stamp concept unifies this virtual world. Most objects are stamps, and the common way to modify anything you see is to add a stamp. One stamp, for instance, will lock a door. You can't open the door without typing in the password. Clever stamps can add significant functionality to the Magic Cap interface.

Telescript Agents

At the bottom of all the software layers is General Magic's agent-empowering network Telescript operating system. This technology promises to let people send executable programs called agents through the network. Although this capability has awesome potential, most people will notice it first as just making life a bit easier. For example, one of the first messages in my E-mail box came with a button that I could push to install new software. Once I pushed it, the software installed and the button disappeared. Sure, I could have in-

serted a disk and typed "install," but that's not as automatic nor as flexible.

It will be interesting to see how many people use all the programmable capabilities of Telescript. General Magic suggests that future software packages will let you do things like make reservations with a distant airline computer by encoding your date, time, and seat preferences in a little program that picks and chooses when it runs on the airline's computer. Encoding all of these choices in a single program saves the cost of shipping all of the intermediate information back and forth.

AT&T's PersonaLink provides a few other nice agent capabilities. By contacting to PersonaLink's central computers, I managed to find the address of a friend who had purchased his own Magic Link. The response was an address card with the right network address that Magic Cap automatically inserted in my rolodex. Because we both had Magic Cap systems, we were able to exchange several cards highlighted by scribbles and multiple animated stamps. Otherwise, E-mail is limited to text only. More agents should become obvious once AT&T opens up its Market Square virtual

shopping mall on PersonaLink. AT&T promises that a mall filled with such stores as Land's End and Tower Records will be online early this year.

All Together

Sony has packed Magic Link with all the capabilities

that the laws of physics, battery life, and its design budget will allow. It's attractive and relatively rugged but could easily use more memory and a better screen. The well designed Magic Cap software is a pleasure to use, and the included applications are solid enough to handle daily chores.

You won't want to write anything longer than three paragraphs without the keyboard, but you might be quite happy to keep it on your desk to handle your communications. You'll be even happier if you spend time on the road and need something to juggle messages, faxes, and phone numbers. The combination of PersonaLink, the pager option, and the Magic Cap operating environment make this one of the best integrated packages for keeping it all together. ■

Peter Wayner is a BYTE consulting editor. You can reach him on the Internet or BIX at pwayner@bix.com.

About the Product

Magic Link Personal Intelligent Communicator\$995

Sony Electronics Inc.

1 Sony Dr.

Park Ridge, NJ 07656

(800) 556-2442

Circle 1004 on the Inquiry Card.

Video for Free

Thanks to new hardware and software technologies, accelerated motion-video playback is no longer a premium, and MPEG is on the move

**STANFORD DIEHL AND
GREG LOVERIA**

A very short time ago, accelerated playback of digital-video files was a value-added feature that differentiated the commodity market for Windows graphics cards. A number of technological and market developments promise to drive motion-video playback to the mass market. Given the power of today's mainstream hardware, video bandwidth can now be negotiated across a local bus instead of the slower system bus, and high-end CPUs can crunch more sophisticated decompression algorithms. Video-enhanced titles for training, reference, education, and entertainment are in high demand. And virtually every graphics-chip vendor, enabled by Microsoft Windows' DCI (Display Control Interface), has announced a graphics architecture to support full-motion playback of digital video.

Digital-Video Playback

A number of factors affect video playback quality under Windows. The first is *frame rate*, measured in frames per second. To ensure quality, the video must be captured at an acceptable frame rate. The standard for TV-quality, full-motion video is 30 fps.

Video for Windows will drop frames to match the capability of the playback hardware, producing a fluid or jerky motion depending on the system it's played back on. The number of colors the sequence was captured at also affects quality because more data flows across the video adapter's data bus. If the video sequence was captured at 24-bit color depth, you have three times more data to move across the display bus than with an 8-bit (256 colors) video clip.

An uncompressed 24-bit video file, recorded at 640- by 480-pixel resolution and at 30 fps, would require a throughput rate of over 26 MBps. Clearly, the video data must be compressed. Compression not only allows more video to be stored on your computer's hard drive, it also lowers the bandwidth requirements for video playback.

While compression algorithms signifi-



cantly reduce bandwidth requirements, they demand intensive computational resources. Dedicated hardware has been required to decompress the video data at an acceptable rate while the host CPU took care of other chores, such as *color space conversion* (converting the video data from the compressed YUV format used for motion video to the RGB format necessary for display on computer monitors) and *video scaling* (scaling algorithms help maintain video quality when the video window is stretched beyond the captured size).

Video Playback's First Pass

Digital-video boards for Windows have been available for quite some time, but they have been expensive and difficult to install and use. Sigma Designs was the first company to successfully bring digital-video playback to a mainstream audience with its RealMagic board (dubbed ReelMagic at the time). RealMagic provided hardware-based decompression of MPEG video files. Sigma employed C-Cube's CL450 video processor along with its own proprietary video-acceleration chip (called Piccolo) to perform all pixel interpolation, line doubling, smoothing, and scaling algorithms.

RealMagic proved that there was a market for MPEG decompression boards, even at a time when few MPEG titles were available, but the board suffered from some

Both the Diamond Stealth 64 VRAM and Jazz Jakarta start from a baseline graphics engine with integrated motion-video acceleration, and both offer snap-on upgrade modules. The Jakarta (left) includes a Tseng Labs graphics engine, Viper f/x video accelerator, and hardware MPEG decompression on-board. Upgrade modules add a cable tuner and NTSC/PAL output. The Stealth 64 VRAM (below) includes S3's new single-chip graphics/video accelerator. Add-on modules support MPEG decompression and video capture.




limitations. RealMagic had no on-board VGA. Digital-video boards have typically relied on *VGA pass-through*, routing the VGA signal across a feature connector. Given the bandwidth limitations of a standard VGA feature connector, the graphics subsystem is confined to a maximum 640- by 480-pixel screen resolution. The feature-connector architecture has also been plagued by performance and compatibility problems.

Color shifts and shimmering problems afflict some models of VL-Bus cards when connected to RealMagic through the VGA feature connector. According to Sigma, this problem is caused by the way the VESA (Video Electronics Standards Association) pass-through specification delivers MPEG 1 video's 15-bit color depth (the same color depth as NTSC TV) to a VL-Bus display adapter working in higher color modes.


Sigma recently announced RealMagic Rave, its MPEG playback adapter with an on-board graphics accelerator. It will continue to offer RealMagic Lite as well, but if you opt for the feature-connector solution, you should call Sigma first and make sure your VL-Bus adapter works correctly with RealMagic. Despite the limitations,

Hardware Video Acceleration

Without DCI



With DCI



Before the release of DCI, a specialized video accelerator could only provide scaling services for digital-video clips. Video for Windows required the CPU to perform decompression and color space conversion, passing RGB data on to the graphics subsystem. A DCI-compliant video codec can check for the presence of video hardware and, if a video accelerator is present, can pass unconverted YUV data directly to the video subsystem for color space conversion and video scaling. With more control over video playback, graphics-chip vendors have devised innovative architectures for efficient video acceleration within Windows.

RealMagic continues to be a driving force in pushing MPEG 1 as a major digital-video standard. With a compatible graphics adapter, the quality of video is outstanding. However, RealMagic does not accelerate more common software codecs such as Microsoft's Video 1, Intel Indeo, and SuperMac Cinepak.

VideoLogic's AVI Accelerator

One of the first single-board solutions for graphics and video acceleration is VideoLogic's 928Movie. The card uses S3's 86C928 graphics accelerator with 32-bit memory interleaving. The primary purpose of the 928Movie is to accelerate motion-video playback of Indeo, Cinepak and Microsoft Video 1 digital-video files.

The 928Movie uses VideoLogic's custom PowerPlay32 Digital Movie Accelerator ASIC (Application-Specific IC) and SmoothScale algorithm for YUV-to-RGB color space conversion and video scaling. The result is excellent full-motion playback even for video stretched beyond a 320- by 240-pixel window. Subjectively, though, we found that the AVI clips—even with the 928Movie's help—did not approach the quality of MPEG digital video. The motion is smooth, but the picture quality is somewhat blocky because of codec limitations. An announced upgrade to the Indeo codec may help.

The 928Movie also hosts a VMC (VESA Media Channel) architecture. The VMC provides an optimized data path for passing video data to other video components, such as capture cards, codec accelerators, or scan converters. By using the VMC, video components avoid passing data across the host system bus. Unfortunately, the general market has not embraced the VMC.

One of the VMC options VideoLogic offers is a hardware MPEG decoder. The \$349 MPEG Player occupies a second slot and, like Sigma's RealMagic, uses C-Cube's CL450 acceleration chip. VideoLogic also employs its own Powerstream ASIC, a video-acceleration chip that works in conjunction with the CL450. Color palette shifts didn't affect video data passed across the VMC, even when we used the same graphics accelerator that caused problems with the RealMagic adapter.

We found the quality of VideoLogic's 928Movie, coupled with the MPEG Player adapter, simply superb. A 928Movie matched with the MPEG Player delivers a unified, expandable solution for accelerating AVI (Audio Video Interleave) and MPEG digital video. VideoLogic is now shipping a PCI (Peripheral Component Interconnect) adapter, the PCIMovie, with the PowerPlay32 video accelerator, a Weit-

ek P9100 graphics accelerator, and the VMC architecture.

The DCI Interface

Before Intel and Microsoft released the software DCI layer, video accelerators such as the PowerPlay were very limited in what they were able to do. This limitation was not inherent to the chips themselves; video-playback software that could not take advantage of the specialized hardware imposed it.

Before DCI, Video for Windows would use the host CPU for compression and YUV-to-RGB conversion and then pass the RGB data to the video subsystem. Under this scenario, a specialized motion-video chip would get the data only after it was converted to RGB format. The only video function

left for it to accelerate was video scaling.

DCI is a low-level interface that allows the video-playback software direct access to hardware-specific capabilities of the video subsystem. DCI coordinates with the Windows GDI (Graphical Device Interface), allowing the GDI to be bypassed for video playback when appropriate. DCI-compliant applications can check for the presence of specialized video hardware through the hardware's DCI driver. The DCI driver can then directly access the video frame buffer to dramatically improve throughput. With DCI, the video accelerator's driver can instruct the playback software to pass YUV data to it, allowing the video chip to perform color space conversion instead of the host CPU (see the figure "Hardware Video Acceleration").

Windows Accelerators Do the Video Thing

The DCI design enables a device-independent way for digital-video codecs to access specialized hardware features. DCI promises to drive innovation from both the software end and the hardware end. The graphics subsystem can now request raw YUV data and then process the video data totally within the confines of the graphics architecture. The graphics-chip vendors have responded with a flurry of announcements, heralding optimized motion video and graphics acceleration within a coordinated

Packetized Multimedia

Brooktree (San Diego, CA, (619) 452-7580) plans to take multimedia integration a step further by combining video, graphics, and audio data within its BtV MediaStream chip set. The chip set supports accelerated graphics at up to 1280- by 1024-pixel resolution, 16-bit stereo sound, and full-motion (30 fps) video windows. A single media controller caches audio, video, and graphics data types into a common buffer (called the MediaBuffer). The video-memory-based MediaBuffer feeds a special RAMDAC (dubbed the PACDAC) that can store packetized data.

All multimedia data is converted into small data packets that stream across a high-speed internal bus and are stored in the MediaBuffer (see the accompanying figure). Audio packets are passed back through the controller to the audio chip. The compressed display data consists of separate graphics, video, and cursor packets that flow along a 200-Mbps bus to the PACDAC.


The MediaBuffer is logically separated into a graphics frame buffer and a video frame buffer, so that video and graphics can remain in

their own color space. The PACDAC performs color-space conversion and video scaling as it sends the RGB data to the screen. Retaining separate color spaces enables graphics and video to display at independent color depths. Video can remain in its most compact format until converted by the PACDAC. A MediaStream-based

graphics card will be able to support 1024- by 768-pixel by 256-color resolution on the Windows desktop while also displaying true-color video playback in a window.

Brooktree will target BtV MediaStream at both the add-in card market and as a motherboard component of PCI-based Pentium PCs.

Brooktree's BtV MediaStream



architecture. Some architectures are already in place but will benefit greatly from the DCI initiative.

Weitek Corp. (Sunnyvale, CA, (408) 738-8400) uses a dedicated chip—the Video Power coprocessor—for video scaling, color space conversion, and dithering (to emulate high-color video in 256-color mode). And yet Weitek also integrates video and graphics acceleration into a single architecture. Unlike earlier feature-conector solutions, the Weitek Power 9100 graphics controller and the Video Power coprocessor share a single video-memory

frame buffer (see the figure, “Video Architectures”). The *shared frame buffer* not only reduces the cost by requiring less video memory, it also enhances performance by passing video data along the frame-buffer bus instead of the system bus.


The Tseng Labs (Newtown, PA, (215) 968-0502) architecture relies on a *single frame buffer*. A shared frame buffer requires two memory controllers that must negotiate for access to the video memory. Instead of arbitrating the frame buffer between the video processor and graphics accelerator, the Tseng Labs W32p graph-

ics chip uses a “multiport cache” design. A fast cache sits on the front end of the W32p. YUV data flows to a Viper entry port of the VGA (Viper is the Tseng Labs video-acceleration chip). The Viper accepts the data, converts and scales it, and then loads it into the multiport cache. All the display data—video and graphics—is then stored in the frame buffer. The single-frame buffer design avoids any latency caused by arbitration between two controllers for buffer access.

Tseng Labs’ latest video accelerator, the Viper f/x supports screen resolutions of


Video Architectures

a) Dual Frame Buffer




In a dual-frame-buffer architecture, the video-acceleration board plugs into the host system's I/O bus and connects to an existing graphics adapter via the feature connector. Each accelerator uses its own video memory and DAC (D/A converter). The feature connector limits screen resolution to 640 by 480 pixels and suffers from incompatibilities with some board combinations.

b) Shared Frame Buffer



With a shared-frame-buffer interface, the graphics accelerator and video processor share one video-memory buffer, lowering memory requirements. Both accelerators feed the buffer, and each requires its own controller to arbitrate access to video memory.

c) Single Frame Buffer



A single-frame buffer routes converted video data through the graphics controller. All the display data—video and graphics—is then stored in the frame buffer. No buffer arbitration is needed because the graphics controller alone feeds the buffer. The single-frame-buffer architecture also requires only a single communications port to video memory, so inexpensive DRAM can be used instead of dual-ported video memory.

up to 1024 by 768 pixels by 24-bit color. Tseng Labs has also announced a single-chip solution for graphics and video acceleration. The company will continue to market a dedicated video processor as well, claiming that a dedicated video accelerator can support a wider range of video formats and functionality. A dedicated processor does not have to make as many size and cost trade-offs as a single-chip architecture, so it can support a wider range of YUV conversions, for instance.

By the same logic, a dedicated proces-

sor could support more sophisticated interpolation algorithms than is possible with a single-chip architecture. To scale video beyond native size, video chips must add pixels to enlarge the video window. These pixels can be created by *replication* (simply replicating an adjacent pixel) or by *interpolation* (using an algorithm to determine the optimum characteristics of the pixel). Clearly, interpolation is the preferred method, but interpolation algorithms vary widely. At the most basic level, the chip could simply average the col-

or values of two adjacent pixels and create the new pixel with the resulting color value. Very little memory would be required to process this logical operation. But as more sophisticated algorithms are employed for pixel interpolation, more memory and chip complexity are required as well. Again, these requirements may exceed the size and cost limitations of a single-chip solution.


Jazz Multimedia's Jakarta board uses the Tseng Labs chip combination—the Viper video accelerator and the ET4000/W32P graphics accelerator—as a base platform to build a modular video solution. The standard Jakarta board delivers video-playback acceleration, including hardware MPEG decompression and graphics acceleration. Snap-on modules add a TV tuner and NTSC/PAL output. The Jakarta represents a strategy many graphics vendors will adopt: Deliver a standard video-playback solution on the graphics card and add higher-end functionality through modular components. The latest version of MGA Impression Plus starts with a 64-bit graphics accelerator and DCI driver; a snap-on module includes the new 64-bit PowerPlay64 and a VMC connector to support any other VMC-compatible video hardware.

On-the-Fly Video

Alliance Semiconductor (San Jose, CA, (408) 383-4900) takes a similar approach to the Tseng Labs single-buffer design, but the Alliance ProMotion-3210 chip performs scaling and color space conversion as the video data shifts out of memory and to the screen. As the screen is being refreshed, the chip can switch color depth on-the-fly as it scans across the screen, sending 256 colors to the graphical desktop and 24-bit color to a video window. The single-chip solution supports full-motion, 24-bit video acceleration along with 1024- by 768-pixel by 256-color graphics acceleration within a single megabyte of DRAM. Alliance claims that its chip can enable motion-video acceleration for an additional cost of less than \$10 per system.

Once again, DCI is the key to this technology. DCI creates a surface in video memory that can be on-screen or off-screen. This surface is an area that the video codec can write to directly. Different vendors take advantage of this capability in different ways. Currently, many implementations perform video scaling and color space conversion before sending the processed data to the frame buffer. Scaling and conversion in real time requires high-speed circuitry that can match the refresh

When you invested in SCSI bus performance, this probably wasn't what you had in mind.



For off-the-shelf delivery, call TCC at
1-800-TEC CABL (1-800-832-2225).

Give your bus a boost with FPT.

Data transmission problems on your peripheral bus can decrease your system's performance. Now, you can buy the same breakthrough technology that the top OEMs are specifying for their top-of-the-line systems.

Every peripheral on your bus is probably connected by a connector from a different company, and tied to the end of cable by who-knows-who. Any difference in impedance can cause signalling errors, resulting in bottlenecks and inefficient data transmission.

Forced Perfect Termination was developed cooperatively by Aeronics and IBM to solve the problems of reflections in data transmission, when high-performance computers are installed with peripherals from multiple vendors.

First with Forced Perfect Termination, our active terminators purposely mismatch impedance higher and lower than the impedance of the transmission line, convincing the system that it is seeing a perfect impedance match. Because our terminators provide higher noise immunity resulting in improved data integrity, you can transfer data faster and farther while improving overall SCSI system reliability. Depending on your application, we offer a full line of FPT products — the FPT-3™ Silver Series, the FPT-18™ Gold Series for 50-pin fast SCSI performance, and the new FPT-27™ Platinum Series, a 68-pin wide-SCSI terminator.

And the best news is that, because the SCSI bus only needs terminators at the beginning and end, you can solve this problem for surprisingly little cost. Customers like Chase Manhattan spent days and thousands of dollars trying to pinpoint the problem; only to discover that the solution was to replace the no-name passive terminators that came with their external drives and printers, with the original American-made FPT terminators from Aeronics.



Cheap passive terminators can't touch the performance of Aeronics' active FPT terminators. And copycat products are generations behind in terminator technology. With a full line of FPT products, Aeronics is the undisputed leader in terminator engineering and manufacturing — our business is terminators, not connectors. That's why when companies like IBM, Unisys, Sun and Chase Manhattan need a solution to troublesome SCSI bus performance, they specify Aeronics' FPT terminators.

Fax us your system configuration along with the problems you're experiencing and we will fax back a solution. All Aeronics products are 100% electrically tested, burned in, and backed by our full two-year warranty.


AERONICS  **INC.**™

Turning concepts into reality.

Circle 141 on Inquiry Card (RESELLERS: 142).

FAX (512) 258-8441 • TEL. (512) 258-8040 • 12741 Research Blvd., Suite 500 • Austin, TX 78759

* Patent Pending. © 1994 Aeronics, Inc. FPT-3 Silver Series, FPT-18 Gold Series and FPT-27 Platinum Series are trademarks of Aeronics, Inc. All other company names are trademarks or registered trademarks of their respective companies.



Two early harbingers of the coming wave of low-cost PC-based video accelerators: Sigma Design's RealMagic MPEG decoder (below) and VideoLogic's 928Movie (above), one of the first cards dedicated to accelerated playback of AVI files. The 928Movie was also first to implement the VESA Media Channel.

rate of the computer monitor, but overall cost is lower because a small amount of DRAM can be used effectively. In addition, the Alliance chip delivers true high-color video, instead of resorting to dithering to simulate high color in the video window.

All-in-One Chips

The trend is clearly toward integrating all video- and graphics-acceleration components onto a single slab of silicon. S3 (Santa Clara, CA, (408) 980-5400) has introduced the Vision868 (DRAM-based) and Vision968 (video-memory-based) Multimedia accelerators. The Vision series integrates a 64-bit graphics engine, color space conversion, scaling, and dithering on a single chip. The latest version of Diamond MultiMedia's Stealth 64 VRAM series will soon offer an extensible architecture featuring the Vision968. The baseline adapter comes with graphics and video acceleration; add-on modules enrich the architecture with MPEG playback and video capture.

Similarly, Cirrus Logic (Fremont, CA, (510) 623-8300) has announced its MotionVideo Architecture. Cirrus goes even further than S3: The company not only integrates a graphics engine and video accelerator into its CL-GD5440 chip but also packs in a 24-bit DAC (D/A converter) for good measure. Internally, the chip uses a single frame buffer that supports different color depths between video and graphics. The company has also announced an 800- by 600-pixel LCD VGA controller

with integrated video acceleration.

Perhaps the most ambitious new architecture is Brooktree's MediaStream (see the text box "Packetized Multimedia"). MediaStream sends multimedia packets to a specialized DAC that decodes the packets on-the-fly. Brooktree, along with other chip vendors, is already shipping a video-enabled DAC that performs on-the-fly color conversion and scaling. These video DACs are pin-compatible with existing DACs; theoretically, a board maker could simply plug in the video DAC to video-enable an existing graphics adapter. In operation, though, the graphics accelerator must be able to let the video DAC know that YUV data is being passed to the DAC for conversion and scaling. Not all graphics chips deliver the signaling requirements to support a pin-compatible video DAC.

And the Winner is . . .

After all these new digital-video solutions come to market, the big winner could be the MPEG video codec. MPEG is generally accepted as a higher-quality codec than Indeo or Cinepak. In fact, MPEG 1 was specifically designed for high-quality playback from a single-speed CD-ROM (150 KBps). Unfortunately, the high compression ratios supported by MPEG (up to 200 to 1) require sophisticated algorithms and, hence, intensive computational resources. The demands of MPEG decompression created the market (that RealMagic currently owns) for MPEG boards.

But these new video-playback architectures present a clear threat to hardware MPEG decompression boards. With other processor-intensive tasks such as color space conversion and video scaling being off-loaded to mainstream graphics adapters, high-end host CPUs can now handle real-time MPEG decompression. In fact, many of the graphics chip makers plan to ship a software-based MPEG player from Xing Technology (Arroyo Grande, CA, (805) 473-0145) with the new video-enabled graphics accelerators. Consumers will then be able to play MPEG-1 CD-ROM titles without dedicated MPEG hardware.

Commodity Video

By midyear, graphics adapters with accelerated playback of digital video will be in the same commodity market as today's Windows accelerators. This is great news

if you appreciate the latest applications and multimedia titles that feature motion-video clips. But it will require more understanding of video technologies. A vendor's claim of "video accelerated" will not necessarily translate into high-quality, full-motion video playback. The video tag will be somewhat like the claims of "all natural" on supermarket shelves. More than ever, you'll need to do your homework to make sure you're getting what you think you are. ■

Stanford Diehl is director of BYTE reviews. You can reach him on the Internet or BIX at sdiehl@bix.com. Greg Loveria is a technical writer, animator, and consultant. He is also a contributing editor for McGraw-Hill's DataPro books and president of the National Association of Music Shareware. Greg lives in Binghamton, New York and can be reached on the Internet or on BIX at loveria@bix.com.

About the Products

RealMagic Lite	\$349
RealMagic Controller with audio playback	\$449
RealMagic CD-ROM Upgrade Kit	\$799
RealMagic Rave (with graphics accelerator)	\$489

Sigma Designs, Inc.
46501 Landing Pkwy.
Fremont, CA 94538
(800) 845-8086
fax: (510) 770-2640

Circle 1005 on Inquiry Card.

928Movie	\$349
2MB VRAM without audio	\$449
2MB VRAM with audio	\$549
1MB VRAM Upgrade Kit	\$100
MPEG Player	\$299
PCIMovie	\$399

VideoLogic, Inc.
245 First Street, Suite 1403
Cambridge, MA 02142
(617) 494-0530
fax: (800) 203-8587

Circle 1006 on Inquiry Card.

Jazz Jakarta	\$499
Jazz Multimedia 1040 Richard Ave. Santa Clara, CA 95050 (408) 727-8900 fax (408) 727-9092	
Circle 1007 on Inquiry Card.	

Stealth 64 VRAM	\$399
4MB VRAM	\$599
Diamond MultiMedia 1130 East Arques Ave. Sunnyvale, CA 94086 (408) 736-2000 fax: (408) 730-5750	
Circle 1008 on Inquiry Card.	

Make Bulletproof SQL Queries

Esperant's natural-language expert protects you from the perils and pitfalls of SQL code

DAVID S. LINTHICUM

Can the vice president of your company use SQL to create ad hoc database queries and reports? Is the very thought so farfetched that it makes you smile? If so, you're probably all too aware of the harsh reality of end-user database querying: Non-technical users are as unready, unwilling, and unable to write SQL in the 1990s for ad hoc database access as they were to write COBOL for the same purpose in the 1980s.

Several products, including PowerSoft's PowerViewer and Microsoft Access, have entered the market in response to the need for ad hoc database access that's easier for users to work with. These tools provide an intelligent layer between you and the language through a point-and-click graphical interface. Even with such help towards constructing SQL statements, though, you might find SQL too complex and vulnerable to human error.

Software AG's Esperant offers a friendlier, less error-prone way to get at data without going through the pain of generating your own SQL statements. The Windows-based program delivers an intuitive interface and protects users from the complexities of SQL, and from themselves. It also provides an easy means of defining, customizing, and protecting data. Esperant supports most databases, including Sybase, Oracle, ADABAS SQL, Rdb, DB2, and most ODBC (Open Database Connectivity) or QELIB data sources.

The Tool Set

Esperant consists of two major subsystems: the Query System and the Administration System. The Query System helps you construct queries and reports by writing statements in an English-like, proprietary Esperant language. You can enter information in an intuitive graphical interface that offers expert assistance, or you can create SQL statements directly. A set of interface components let you create, save, and recall queries as well as reports. You can then take the results of any query and export the information to other



The Query System lets you create queries in Esperant's English-like language. The SQL translation is automatically displayed in a separate window. The results of the query appear at the bottom.

applications.

The Administration System is a tool designed more for database administrators than for casual users. It lets you create conceptual views of the database (called DataViews), as well as specify centralized security, user privileges, and resource constraints.

Hiding SQL

Esperant differs from competing SQL interfaces in that it can isolate you from the SQL layer while guiding you with an "expert system" interface. It uses its own SQL Expert running behind the scenes to encode and control the SQL rules and database descriptions so you don't have to deal with the details. Before defining a query, the SQL Expert gets information about the databases it is using, storing it in an Esperant DataView. Using this information, the expert system determines how you can best deal with the database structure, disallowing mistakes and providing vital information during the construction of the query.

You deal with the Query Assistant, which tells you how to construct each database query to assure success and accuracy. As you use the Query Assistant's point-and-click interface to define your query, Esperant generates Esperant language

statements as well as SQL in separate windows. The SQL Expert works behind the scenes as you define your query, instantly changing and displaying only valid query clauses, tables, and columns. With SQL Expert on the job, it's hard to make an SQL syntax error.

For example, to select and display information from a customer table using Query Assistant, you use the mouse to choose both the table and the columns you want to see. You simply select from lists; you don't need to know the structure of the database. You can then further define the query by adding more selection criteria or calculations.

Simply put, the Esperant language is easier to comprehend than SQL. Esperant expresses the query using structured English-like syntax that lets you "talk" to the database. You can use SQL or the Esperant language to create or modify a query, but you don't really need to know either when using the Query Assistant. Once you're happy with the query, you simply choose Run Query from the Query Assistant or from the icon bar, and the information you requested appears on the screen. From there, you can save your query, print the information, define a formal report, or move the information to a spreadsheet.

continued

Right Syntax, Wrong Result: How SQL Can Go Awry

Esperant's SQL Expert is designed to prevent you from making choices that, though syntactically correct, violate the underlying logic of the query, producing inaccurate reports. Software AG offers the following scenario to illustrate how such a mistake can happen.

Start with a database that consists of the following three tables for customer name, orders, and order detail:

Customer Table		Order Table			Order Detail Table			
CUST #	CNAME	CUST #	ORD#	ORDERS	CUST #	ORD#	ITEM#	QTY
1	Acme Manufacturing	1	10	5	1	10	100	2
2	Custom Supplies	1	11	3	1	10	200	3
		2	20	6	1	11	100	5
		2	21	4	2	20	100	3
					2	21	200	6
					2	21	300	7

To create a query that returns each customer's total number of orders and order dollars, most query tools would allow a point-and-click query that generates the underlying SQL SELECT statement below. The database would perform the required joins to construct the following (undisplayed) table:

```
SELECT T1.CNAME, SUM(T2.ORDERS$),
      SUM(T3.QTY)
FROM CUSTOMER T1, ORDER T2,
      ORDER_DETAIL T3
WHERE T1.CUST# = T2.CUST#
      AND T2.ORD# = T3.ORD#
GROUP BY T1.CNAME
```

=

CUST #	CNAME	ORD#	ORDERS	ITEM#	QTY
1	Acme Manufacturing	10	5	100	2
1	Acme Manufacturing	10	5	200	3
1	Acme Manufacturing	11	3	100	5
2	Custom Supplies	20	6	100	3
2	Custom Supplies	21	4	200	6
2	Custom Supplies	21	4	300	7

SQL would then do the summing against the internal table, displaying the following report:

CNAME	SUM ORDERS\$	SUM QTY
Acme Manufacturing	13	10
Custom Supplies	14	16

The SUM(ORDER\$) results, though they look fine at first glance, are actually incorrect. That's because ORDER\$ has been duplicated for each Order Detail record, causing it to be overstated when the summing is performed.

According to Software AG, only a user with a good grasp of SQL theory would have known that summing at two levels of detail in the same SELECT statement would produce erroneous results. Unlike most query tools, Esperant's SQL Expert would have grayed out the QTY column the instant you chose to SUM the ORDER\$ column. The query would produce the following SQL code along with the correct report table:

```
SELECT T1.CNAME, SUM(T2.ORDERS$)
FROM CUSTOMER T1, ORDER T2
WHERE T1.CUST# = T2.CUST#
GROUP BY T1.CNAME
```

=

CNAME	SUM ORDERS\$
Acme Manufacturing	8
Custom Supplies	10

Esperant has no trouble performing complex queries using multiple databases and joins. For example, you can display the total sales (from an order table) for each customer (from a customer table) who ordered more than three products. To define the query, you can use Query Assistant to walk through each step, or you can enter the Esperant language directly.

One of the best things about the Query Assistant is that it uses an expert system that "understands" the database and knows what operations can be performed on particular columns and tables. In other words, it doesn't give you the opportunity to make mistakes. For instance, when selecting columns defined as characters, Query Assistant automatically grays out such numerical operations such as total, average, minimum, and maximum. If it allowed you to perform these operations, you'd get SQL syntax errors or, worse, the wrong data. Other products, such as Microsoft Access and PowerViewer have yet to implement this type of protection, but in Esperant, it's what lets Software AG guarantee that the program won't produce erroneous query results.

Reporter Notes

It doesn't take long to master the Query Assistant; once you've done so, it's time to see how Esperant can take the results of your queries and create professional-looking reports. From the Query System main menu, you select Format Result. The Esperant Reporter then uses a "banded" approach to create a report, in which each band represents a section of the report. In true Esperant fashion, the Reporter provides a Helping Hand (wizard) feature that automatically generates basic columnar, cross-tab, mailing-label, or row-oriented formats.

If you need to do further customization or create a report from scratch, Esperant handles that, too. Creating a report is just a matter of dragging and dropping such items as data fields and text labels onto your report. You also have controls for grouping, sorting, subtotaling, and generating special effects, such as fonts, colors, drawing tools, shading, or even embedding of OLE 2.0 objects. To create calculated fields, you have a choice of Esperant's own Reporter BASIC language or—if you're feeling bold—SQL. The Reporter lets you combine the results of several Esperant queries using different databases, and even different database engines in a single report.

Administrative Assistance

If you need to do some basic database administration, you use the Administration System to create Esperant DataViews and administer access to the databases. Although they're not required for query and report operations, DataViews can translate the physical view of the database into a business view that's easier for most people to understand.

The tables and columns in the databases become business categories and items, so you can select tables and columns without understanding the database structure or SQL. Moreover, DataViews provide the data semantics that the SQL Expert system employs, protecting you from semantic errors.

To create a DataView, you simply select AutoBuild from the File Menu and choose a connection type (e.g., Entire Access, Q+E Library, ODBC, Oracle Native, Sybase native, or TechGnosis SequeLink). From there you select your database source and specify the storage location for your DataView (each DataView must have its own directory). The final step is the Options dialog box, where you let Esperant know if you want to include tables, views, synonyms, or a combination of the three. After that, your DataView is generated automatically, and it is ready for use in the Query System.

In addition to defining DataView, the Esperant Administrator also lets you add and delete users and user groups from the database. The program allows the administrator to assign all users unique IDs and passwords, which in turn are mapped to a user group. You can also set resource limits for each user group, restricting the amount of time one can execute a query, as well as the number of records one can retrieve in a single operation.

2.1 = 1.0

Despite the fact that Esperant is identified as version 2.1, this is really the first release of the product, and it has a few kinks to work out. First of all, Esperant doesn't provide business graphics. Some competing query tools can create pie, bar, and line charts, along with other ways to represent your data graphically. On the other hand, Esperant makes it easy to export the data to spreadsheets that support graphics. Built-in graphics will show up in an upgrade planned for later this year, ac-

cording to Software AG.

Another problem involves poor links with other applications. If you want to integrate the power of Esperant with other applications using DDE or OLE, you're going to be disappointed. Esperant can only act as a DDE server: It can send data to other applications, but it can't receive data (Software AG says you wouldn't expect a read-only tool like Esperant to have this capability anyway). Esperant can act as an OLE 2.0 client, allowing the embedding of images inside reports, but it does not take advantage of all OLE capabilities. Full OLE support is planned for the new version, scheduled for release in mid-1995.

There are a few bugs in Esperant as well. During my testing, it produced a few Windows GPFs (General Protection Faults) which were only solved by shutting down and restarting Windows. Experienced Windows users might take such crashes in stride, but this problem will annoy the less technical—Esperant's primary target audience. (Software AG reports no serious complaints from customers who have also experienced GPFs, which it considers an unpredictable phenomenon of Windows memory management that a single program patch can't fix.)

Esperant is not a development tool. It's a program you give end users, so they can perform do-it-yourself, ad hoc database querying and reporting. The Query System is first rate, and even the most inexperienced users will be retrieving data in no time. The Query Assistant acts as a friendly tour guide through the construction of each query, and more important, it protects you from making mistakes that could result in syntax problems or erroneous information.

The reporting facility is adequate for most uses. The Administration System is not a full-blown database hack tool, but it does allow you to represent the most perplexing physical database structures in ways that make sense to business users. Overall, Esperant is an effective SQL interface for those who would rather not deal with SQL. ■

David S. Linthicum is a systems manager for Mobil Oil in Fairfax, Va., and an adjunct professor of computer science at Northern Virginia Community College. He can be reached on BIX c/o "editors."

About the Product

Esperant 2.1.....\$595
Software AG
11190 Sunrise Valley Drive
Reston, VA 22091
(703) 860-5050
fax: (703) 391-8200
Circle 1000 on Inquiry Card.

Roadkill.

What Layout users call PowerBuilder, Visual Basic, and Delphi 95.

See How **LAYOUT** Lets You Build Real, Heavy-Duty Programs Without Writing a Single Line of Code. **Free!**

PC Week called **Layout** a "sure thing." We call it a revolution. With over 200,000 users and tons of add-ons and third-party support, Layout is the *only* tool that lets you build DOS or Windows programs by manipulating objects on screen — without writing code. That means you can toss PowerBuilder's tortured scripting language, Delphi's warmed-over Pascal, or VB's contorted BASIC. Because in Layout, you build heavy-duty, mission-critical applications without writing a single line of code.

The True Power of Objects

Layout is truly object-oriented, both in the programs it creates, and in how you use it. You start by arranging objects in a simple diagram, and then you add objects as your program grows, or create new objects by combining existing ones. You can even run your program as you're building; even run it step-by-step.

When you're done, Layout creates real .EXE files (not the slow-as-molasses "pseudo-code" that Visual Basic and PowerBuilder are world-famous for), or well-structured and efficient C/C++, Pas-

cal, or BASIC programs. And because Layout has a 100% open architecture, you can create objects right in Layout, or even re-use existing source code. Layout

supports pictures automatically!

And unlike database front-ends, Layout is a general-purpose tool. In addition to awesome business apps, Layout can build telecom programs, educational and entertainment software, device control programs, and anything else you can imagine.

Why Layout is the Ultimate Tool

You get the full Layout system (not an amateur-hour "desktop" version) for only \$299.95, which includes free unlimited, technical support and superb documentation. So call us today, get Layout, and loose the roadkill.

Free!

LAYOUT APPLICATIONS SAMPLER

800-424-6644



supports DOS and Windows, with NT and OS/2 coming soon, and applications built on any one of these platforms can automatically be used on the others.

Visual Power, Incredible Performance

Layout programs are completely graphical, even under DOS, and fully support OLE 2.0, hypertext links, DDE, creating and using DLLs, and more. Layout's built-in object-oriented database even



Objects, Inc.

99 Rosewood Drive • Danvers, MA 01923 USA

USA 508-777-2800 FAX 508-777-0180

Email info@objectsinc.com

CompuServe 72662,462

Australia 07-855-2333 FAX 07-855-2364

Circle 144 on Inquiry Card.

Layout is a trademark of Objects, Inc. Other product names are trademarks of their respective roadkill (i.e., companies).

Simple, Scalable RAID

A scalable stack of drives and built-in RAID controller make Raidion LTX a flexible, off-the-shelf RAID solution

STEVE APIKI

RAID has never been generic. For all its appeal as a low-cost fault-tolerant technology, RAID has often been limited to custom-tailored, platform-specific, monolithic installations. The Raidion LTX from Micropolis takes a new approach: a scalable stack of drives that can start small and grow with storage requirements. What's more, the Raidion looks to the outside world like a single SCSI target, making it a RAID solution for Unix and Mac systems, as well as more commonly targeted NetWare servers.

Raidion LTX is designed to scale readily, and it meets this goal nicely. But like all RAID systems, its primary goals are maximum uptime and bulletproof data protection. Performance tests of the Raidion LTX show that it's a fast system, and I certainly didn't find any problems with data reliability. If there is a downside, it's that the design features of the Raidion that make it so modular (e.g., its cabled back-plane) also provide the potential for some minor failure when compared to less flexible RAID systems.

Building Blocks

A Raidion LTX array is built from between two and eight drive modules stacked on top of a base containing Micropolis' Gandiva RAID controller. The drive modules consist of a plastic shell that interlocks with the modules above and below, to which the SCSI connectors attach at the rear. The drive unit inside each module can be hot-swapped in and out of the array. To replace drives, you just pop off the module front cover, pull the drive handle to unlock the unit, and slide it out of the shell.

Each module, including the controller, has its own power supply. As you build up an LTX array, stacking one module atop another, you plug each module into the power outlet sticking up from the module below and hook the new drive into the SCSI chain




The Raidion LTX stacks up to eight high-capacity SCSI drives into a RAID tower that the host system considers to be a single SCSI device. The four-drive stack shown at right stores 5.2 GB of data in a RAID 5 configuration. The fifth module on the stack bottom holds the Gandiva controller, which has a slide-out control panel (above).



that runs up the back of the array. The host system connects to the controller module via a Fast-and-Wide SCSI-2 connection at the base of the stack.

Instead of the rigid back plane found in most RAID systems, the Raidion SCSI bus consists of a daisy chain of short ribbon cables that connect at the rear of each module. The Gandiva controller supports up



A terminated daisy chain of SCSI ribbon cables (left) connects drive modules, allowing flexible configuration of SCSI channels within a Raidion stack and making it possible to chain multiple Raidion stacks (with up to 28 drives) together via a single Gandiva RAID controller.




Hot-swappable drive units, complete with individual power supplies, plug into the back plane connector in each module shell.

to four independent, synchronous SCSI-2 channels. Ribbon cables run from the Gandiva up through the drives in each channel, ending with a terminated cable stub. Because the Gandiva can support up to seven drives per channel, you can also daisy chain entire arrays by simply running an external SCSI cable from the last drive in the first stack to the first drive in the next. In this manner, you can build a single logical array of up to 28 drives (four stacks) from a single controller.

Although this scheme provides unparalleled flexibility, it is also the source of two potential problems. First, because a single power supply runs the controller

module, it is a single point of failure on which the entire array depends. Second, large Raidion LTX configurations rely on a host of interconnected cables that must be installed carefully and kept securely attached. To this end, the cable connections within stacks are designed to fit tightly and attach at right angles to the cable plane, making it virtually impossible for them to work loose accidentally. They're also housed in an enclosed space accessible by removable panels. Further reducing the chance of problems and making installation easier is the fact that three- and four-drive Raidion units come as preassembled stacks.

In addition to preconfigured stacks, Micropolis also sells all the parts (and excellent documentation) for building your own arrays. I tested a preconfigured four-drive unit; hardware setup didn't involve much



Raidion LTX performance on the random portion of BYTE's NetWare File I/O tests. Each graph shows aggregate throughput as additional tasks (test threads) are added. Both figures show results for a single Micropolis 2217 1.7-GB hard drive for comparison. With small block accesses, (4 KB) the Gandiva controller's over 6 MB of cache keeps the Raidion operating at high-throughput levels until about 20 tasks are running, when throughput begins to degrade rapidly. With large block sizes (8 KB) the throughput is impressive, but once the cache is overwhelmed, the array's performance drops below that of a single drive. Both figures show only a small performance drop when operating with a drive down. The test does not take advantage of NetWare software caching.

more than plugging in the SCSI cable. Micropolis sells both a wide-to-wide and a wide-to-narrow cable for attaching the drive to SCSI-2 host adapters, but connecting to a Mac isn't so easy: You need either a SCSI-2 add-in card or a (hard-to-find) converter from Mac DB-25 SCSI to SCSI-2. Micropolis says that it recommends NuBus SCSI-2 cards for performance reasons but is working with cable manufacturers to find a more readily available solution

for standard Mac SCSI.


After hardware setup, you need to configure and format the array. Gandiva supports RAID levels 0, 1, and 5. You can set various stripe sizes and set up hot spares (spare drives that automatically come online to replace a failed drive), so you have a variety of configuration options.

Configuration, drive recovery, and other tasks are handled either through a menu-driven front panel or with software utilities. The panel pops out from the Gandiva controller module providing a two-line LCD and four input keys. I used the DOS and NetWare utilities, but preferred the front panel (which you can use while the array isn't attached to any host system). Full access to maintenance functions through the front panel makes the Raidion LTX a truly host-independent system.

Array Performance

With a fast hardware RAID controller like the Gandiva, a RAID-5 configured Raidion array benefits from increased per-

NetFrame DX



Differences between a fully functional and an impaired array (with one of the four drives down) are more dramatic on sequential-access tests, where overhead from recalculating missing data takes its toll. The early LTX firmware I tested (in OLTP, not Multimedia configuration) did not implement a read-ahead cache, which Micropolis plans to add. As a result, the array did worse on this test with sequential I/O than a single hard drive (one of the Micropolis 2217 drives used in the array).

formance as well as fault tolerance. In addition to a fast 32-bit RISC processor for performing RAID parity calculations, the controller has 8 MB of memory. In the test configuration, the Gandiva operating system takes up about 1.5 MB of that 8 MB of on-board RAM, leaving the balance available as a data cache.

Micropolis will offer the Raidion in two firmware versions, one for OLTP (on-line transaction processing) and the other for multimedia. It will also support a customized video-on-demand configuration through resellers. At this writing, Micropolis offers only the OLTP configuration that I tested. The OLTP firmware maintains a write-through transaction cache but does not support read-ahead caching, which is in the works for OLTP. As a result, random-access performance was much better than sequential access. My speed tests focused on random data access.

I ran BYTE's NetWare File I/O test with the Raidion LTX, the Raidion LTX with one failed drive (pulled), and a stand-alone 1.7-GB Micropolis 2217, which is the drive used in the test array (see the figure "BYTE NetWare File I/O"). The test measures throughput as access threads (simulating multiple users) are added. I ran these tests with a stripe size of eight 512-byte

Raidion LTX 5.2 Building Blocks

General specifications

Array capacity	5.2 GB
Test configuration	4 drives, RAID 5
Drives/stack	2-8
Interface	Wide Fast SCSI-2

RAID controller

Model	Gandiva
RAID levels supported	0, 1, 5
Maximum drives/controller	28
Processor	33-MHz R3051
Cache memory	8 MB

Drive units tested

Model	Micropolis 2217
Capacity	1.76 GB
Seek time	10 ms
Latency	5.56 ms
External transfer rate	10 MBps

Power system

one power supply/drive,
one power supply/controller

Software

configuration utilities for: DOS,
NetWare, Macintosh, Sun
OS/Motif¹, HP-UX¹, SCO/Motif¹,
UNIX Ware/Motif¹, AIX/Motif¹


¹ Motif-based configuration utilities are planned, but were not available at press time.

About the Product

Raidion LTX 5.2\$13,470
Host interface cable\$125
 Micropolis Corp.
 21211 Nordhoff St.
 Chatsworth, CA 91311
 (800) 395-3748
 (818) 709-3333
 fax: (818) 701-2809
Circle 1001 on Inquiry Card.


Complex Ethernet.

10 to 100Mbps in 3 seconds.



New ReadyLINK ENET100-VG4 Series.

Here's the fastest way to get a white hot 10X boost in network throughput without ripping out your existing UTP wiring. With new ReadyLINK ENET100-VG4



series adapters you can switch from 10Mbps to 100Mbps transmission in 3 seconds or less to efficiently handle multimedia, video

conferencing, shared user and other bandwidth-intensive applications. And there's more:

- Card includes two RJ45 connectors (one each for 10Mbps

and 100Mbps operations) and one BNC connector (for 10Mbps operations).

- When your network is equipped with a 100VG-AnyLAN compatible hub, you can quickly change from 10Mbps to 100Mbps transmission by simply unplugging from one RJ45 and connecting the cable to the other.
- The ReadyLINK VG1400/6 hub features 6 RJ-45 (100Mbps) ports with one uplink port for easy cascading. It is ideal for small workgroups requiring high bandwidth. Small, slim footprint design, extensive status LEDs, auto parity detection and correction for inverted cable.
- Software automatically senses change in transmission rate.

- 100VG-AnyLAN technology.
- Supports IEEE 802.12 standard.
- Driver support for all popular network operating systems.
- Uses standard 4-pair Category 3, 4 or 5 UTP cabling.
- ISA and EISA versions available.

If you are looking for the fastest way to get from 10Mbps to 100Mbps, ask for ReadyLINK.

ReadyLINK® by



Inc., U.S.A.

Out-connecting the rest



© 1994 Complex, Inc. Complex is a registered trademark of Complex, Inc. All other trademarks and copyrights are the property of their respective holders.

U.S.A.

COMPLEX, Inc.
4051 E. La Palma
Anaheim, CA 92807 U.S.A.
Tel: (714) 630-7302
Fax: (714) 630-6521

GERMANY

ReadyLINK Networktechnology GmbH
Albert Einstein Strasse 42
63322 Rödermark, Germany
Tel: (49) 6074 98017
Fax: (49) 6074 90668

SINGAPORE

COMPLEX Systems Pte Ltd
4 Kim Chuan Terrace, Singapore 1953
Tel: (65) 288 8220
Fax: (65) 280 9947
TLX RS 35551 POWMAT

Circle 502 on Inquiry Card (RESELLERS: 503).




PKWARE®

Data Compression Library® Products

The PKWARE Data Compression Library products allow you to include state-of-the-art, patented data compression technology within your software applications. Data produced by the PKWARE Data Compression Library products is compatible across platforms!

The PKWARE Data Compression Library products offer an all purpose data compression algorithm which compresses ASCII or binary data quickly. An adjustable dictionary size allows software to be fine tuned for maximum speed or compression efficiency. The use of application defined callback functions allow maximum flexibility. No runtime royalties. The format used by the compression routine is completely generic and not related to the PKZIP® file format.

Versions available for DOS, OS/2, Windows, and *soon* for Win32.



- Compatible with IBM Cset/2 & Borland C++ for OS/2.

- Routines provided as an object file & library file.
- Requires 36k of memory to compress & 12.5k of memory to extract.

OS/2 Version **\$350**



- Compatible with Microsoft Windows 3.x applications.

- Fully reentrant.
- The DLL requires 36k of memory to compress & 12.5k of memory to extract.

Windows Version **\$350**



- Supports both Intel & Alpha object modules.

- Compatible with Microsoft Visual C 32-bit & Borland C++.
- Requires 36k of memory to compress & 12.5k of memory to extract.

Win32 Version **\$375**



- Compatible with popular 16-bit language compilers.

- Can be used in any memory model.
- Requires 35k of memory to compress & 12.5k of memory to extract.

DOS Version **\$275**

PKWARE® INC.
The Data Compression Experts.

9025 N. Deerwood Drive
Brown Deer, WI 53223-2437
Phone: (414)354-8699 Fax: (414)354-8559

Please add \$5.00 Shipping & Handling per package in the U.S. & Canada; \$11.25 overseas. Wisconsin residents please add 5% state sales tax & applicable county sales tax. No COD.



Copyright 1994, PKWARE, Inc. PKWARE, the PKWARE logo, PKZIP, and the PKWARE Data Compression Library are registered trademarks of PKWARE, Inc. Microsoft is a registered trademark and Windows, Win32, and the Windows logo are trademarks of Microsoft Corporation. OS/2 and the OS/2 logo are registered trademarks of International Business Machines Corporation. Trademarks of other companies mentioned here appear for identification purposes only and are the property of their respective companies.

BY295

Reviews

blocks. With small access sizes (see the figure, "BYTE NetWare File I/O"—Random, 4-KB Blocks), the array peaks at just over 3-MBps throughput, much better than the single drive. With large access sizes (see the same figure—Random, 32-KB Blocks) aggregate throughput goes even higher (over 8 MBps), but once the cache is exceeded, performance drops off rapidly. In general, Raidion LTX showed excellent performance; the real lesson from the 32-KB test is that you must tune the stripe size to accommodate the size of typical data requests if you expect peak performance. In that test, block size was much larger than stripe size.

The random-throughput figures show little loss in speed when a drive is lost. This can be critical if you must maintain a certain performance level even under failure conditions. However, sequential performance, as measured by NetFrame's DX benchmark, does fall a bit off the pace when a drive goes down (see the figure "NetFrame DX").

The last critical performance metric is the time it takes to rebuild the array after failure. This is the window of vulnerability during which a second failure would be disastrous. It took just over 90 minutes (unloaded) for the Raidion to swap in a hot spare in a three-drive array.

How Raidion Stacks Up

There are some changes in the works for Raidion LTX: The 1.76-GB Micropolis 2217 drives will be replaced by larger 2.1-GB 4221 drives. Another option will be 9-GB drives. More important, the release of multimedia-tuned firmware and read-ahead caching should provide a big performance boost for sequentially oriented applications.

I found the Raidion LTX reliable, fast, and unbelievably easy to configure and maintain. Raidion's scalability and flexibility makes it a natural for smaller sites with critical data (like my consulting office) as well as larger, traditional RAID installations. At a price per megabyte of about \$2.50, Raidion LTX stacks up reasonably against other fault-tolerant options, and larger companies with mixed-platform networks will save money from reduced spares. ■

Steve Apiki is a BYTE contributing editor and senior developer at Appropriate Solutions, Inc., a Peterborough, NH-based consulting firm specializing in multiplatform development. You can reach him on BIX at apiki or on the Internet at apiki@apsol.com.

Networks for the Enterprise

NSTL evaluates IBM OS/2 LAN Server 4.0, Microsoft Windows NT Server 3.5, and Novell NetWare 3.12 and 4.02

TADESSE W. GIORGIS

The NOS (network operating system) wars are hotter than ever. With the release of Windows NT 3.5, Microsoft has delivered a stable, robust system that runs on a variety of high-end hardware. NT is now poised as a powerful applications server for the coming wave of 32-bit multithreaded Windows programs. IBM is making lots of noise, pushing a revamped OS/2 as a premier enterprise platform. And Novell, feeling the heat like never before, has revamped its venerable NOS from the bottom up, vowing to keep its market stranglehold.

This month, NSTL evaluates four major players in the fierce NOS market: OS/2 LAN Server from IBM; Windows NT Advanced Server 3.5 from Microsoft, and NetWare versions 3.12 and 4.02 from Novell. (Although NSTL originally planned to test Banyan Vines 5.54, hardware incompatibility forced us to drop the product from our evaluation.)

All of these products support multiple network interface cards in the server for multisegment network connections, although, to date, only Banyan and Novell allow internal bridging of multiple network segments in a single server. In addition to multiple adapter support on the server, the NOS product should be able to operate with large, multigigabyte disk array subsystems on Intel 386/486 and Pentium processors systems. Our evaluation criteria also required multiclient support (DOS, DOS/Windows, OS/2, Macintosh, and other desktop clients).

machines on an IBM OS/2 LAN Server network and exchange System 7.0 files with DOS and OS/2 files.


IBM has made some major changes and additions to OS/2 LAN Server in version 4.0. The LAN Server administrative tools now use the object technology in the OS/2 Workplace Shell by representing all network resources as OS/2 icons. A user can be added to a group by simply picking up the icon and dropping it on the group. Administrators can manage multiple domains from any workstation, regardless of where the domain servers are located. To share server resources, the administrator just has to open a menu for the given object's icon to have the option of sharing, denying, and managing access rights, including printers, CD-ROM drives, and asynchronous resources. Public applications stored on the server can be allocated to a user or a group by dropping the application on that icon. The command-line interface is still supported for all version 4.0 functions, however. The following are other key enhancements made to IBM OS/2 LAN Server 4.0:

- **LAN adapter detection**—To address third-party adapter support issues, LAN Server includes a detection facility to identify a machine's installed network adapter and the jumper and switch settings on the card.

- **Multiple domain browse**—LAN Server clients have always had the option of a single log-on into multiple domains, but version 4.0 allows for global resource

availability (regardless of a user's native domain). These cross-domain links allow users to access the tools they need, regardless of where they log on. In addition, LAN Server's aliasing feature lets users reference network resources without knowing where they are located on the network.

- **Enforced disk-space limits**—Network administrators can now enforce disk-space limitations on network users through the GUI or command-line interface.



With the object technology of the Workplace Shell, LAN Server 4.0 now represents all network resources as OS/2 icons.

IBM OS/2 LAN Server 4.0

IBM's OS/2 LAN Server 4.0 provides resource sharing for files, printers, and serial devices among LAN Server, DOS LAN Requester (with and without Windows), and OS/2 LAN Requester systems on a Token Ring or Ethernet LAN (LAN Server also supports the broadband-based PC Network adapters). With the LAN Server for Macintosh option, Apple Macintosh computers on an AppleTalk network can access server

OVERVIEW

NSTL RATING		VERSION	PERFORMANCE			EASE OF LEARNING		PRICE (10 USERS)	KEY
			VERSATILITY	EASE OF USE					
★★★★	Microsoft Windows NT Server	3.5	▲	▲	▲	▲	▲	\$1099	★★★★ Outstanding
★★★★	Novell NetWare	4.02	▲	▲	▲	▲	▲	\$3195	★★★★ Excellent
★★★	Novell NetWare	3.12	■	▲	▲	▲	▲	\$2495	★★★ Average
★★★	IBM OS/2 LAN Server	4.0	■	▲	▲	▲	▲	\$2795	★★ Below average
									★ Poor
									▲ Good
									■ Fair
									▼ Unacceptable

Novell's recently released NetWare version 4.1 offers the following new features:

- More robust directory services, including tools for cutting, pasting, and merging directory trees and renaming containers.
- NetSynchronizes with NetWare 3.x networks. You can update NetWare 3.x servers from a NetWare 4.x server transparently.
- NetWare for OS/2 runs NetWare 4.x on top of OS/2 as a nondedicated server.
- Full NetWare support for Macintosh.
- A single point of administration for a user network ID and mail ID (mail is integrated into the NetWare directory).
- Smaller, 200-KB messaging engine integrates and uses a common directory (requires 6.5 MB on the back end).
- Price equal to that of NetWare 3.x. SFT3 integrated into the product. Licensing cost reduced from \$11,000 to \$1495 for 100 users or less and \$3995 for 100 users or more.
- NLSP and NetWare/IP wide-area protocols.
- Includes French, Italian, German, and Spanish languages. Versions in Korean, Simplified and Traditional Chinese, Japanese, and Portuguese scheduled for release in August.
- Simplified installation only requires entering company name, password, and time zone when installing single-server networks.

See this month's cover story by Jon Udell for an examination of Novell products and market forecast.

• **Performance improvements**—OS/2 symmetric multiprocessing is supported in LAN Server 4.0; OS/2 and LAN Server support up to four processors. To exploit Pentium processors, version 4.0 supports native-mode operation in caching. Peer-to-peer support is now available for DOS, DOS/Windows, and OS/2 clients, and Microsoft's Windows for Workgroups and Windows NT clients can connect directly to LAN Server machines.

• **DOS enhancements**—LAN Server takes advantage of client-server caching to reduce the number of DOS clients' cross-network requests for data, resulting in reduced network traffic. The DOS client now ships with an optional GUI that enables point-and-click connection, peer messaging, application launching, and resource sharing.

• **Transport improvements**—LAN Server is implemented with OS/2's MPTS (Multi-Protocol Transport Services), which allows for integration into a number of networking environments. On the protocol side, it includes full TCP/IP support, and a new version of the NetBIOS API for TCP/IP that is faster than before. Also, NetBIOS caching has been added to the OS/2 NetBIOS over the TCP/IP component.

As in version 3.0, the latest IBM NOS offering comes in two packaged versions: OS/2 LAN Server Entry and OS/2 LAN Server Advanced. LAN Server Advanced differs from LAN Server Entry on three key capabilities and functions that are available only on the high-end product: 386 HPFS (High-Performance File-System) support, fault tolerance for fixed disks (to support disk mirroring and disk duplexing), and local security support for the 386 HPFS partitions.

Microsoft Windows NT Server 3.5

With the release of Windows NT 3.5, Microsoft is shipping two distinct products,


Windows NT Workstation and Windows NT Server. Windows NT Workstation is optimized to provide a high level of interactive application responsiveness, while Windows NT Server provides optimized network responsiveness. Specific workstation optimization measures include overall reduction of memory usage, higher system priorities for foreground (i.e., interactive) applications, and improved efficiency of both 16- and 32-bit desktop application operations. Similarly, specific optimizations for the server in-

clude better memory usage to cache large amounts of data, higher system priority for network users, and improved efficiency of 32-bit server application operations.

Microsoft Windows NT Server 3.5 is a hardware-independent NOS that runs on systems with Intel 80x86, RISC, and Digital Equipment Alpha processors. It is scalable to symmetric multiprocessing systems, where users can add extra processors for greater performance. Its 32-bit flat memory model does away with 64-KB

Highlights

	Strengths	Limitations
OS/2 Lan Server 4.0	• Uses high-performance 32-bit 386 HPFS • Domain-based naming system • Remote server management • Full electronic documentation facility	• Does not support global naming of all network objects • Users require multiple log-on IDs across domains • No system or group log-on scripts • Workstation installations are time consuming
Windows NT Server 3.5	• Domain-based naming system • Memory protection and preemptive scheduling • Symmetric multiprocessing support • Remote server management	• Does not support global naming (multidomain) of all network objects • Requires primary-domain controller • No system or group log-on scripts • Limited wide-area connectivity options
Novell Netware 3.12	• Simple workstation installation and fast shell updating • Good multiple-environment client support • Excellent remote management features • Workgroup administrators	• Lack of memory protection and preemptive scheduling • Does not support global naming of all network objects • Users require multiple log-on IDs for individual servers • Does not support sliding window transport protocol
Novell Netware 4.02	• Feature-rich global network directory and naming service database • Extensive client support • Supports internal bridging/routing • ODI multiprotocol workstation support • Very good fault-tolerant features, including Transaction Tracking System	• Complex directory tree setup • New server console interface adds to the learning curve • Some gaps in completeness of printed documentation set



Conceptual design by Robert P. Humeniuk and Jerry D. Flynn of McDonnell Douglas Space Systems

Out-of-this-world graphics have landed on the Intel platform.

Personal workstations from Intergraph Computer Systems transport you to a world where high-end graphics software runs alongside your office automation tools — at a cost that won't send your budget into orbit. Until now, the processing power required for high-level CAD/CAM/CAE software forced you to work in two separate worlds: a PC for your office tasks and a workstation for intensive graphics design.

Now you can experience warp speed in both worlds. Personal workstations (TD-2 through TD-5) are equipped with single or dual Intel Pentium processors. In addition, they implement a workstation-like architecture that boosts Pentium power. So compute-intensive engineering operations — and your Microsoft Windows applications — run at lightning speed. And you can choose either Windows NT or Windows/DOS.

Light years beyond other systems, personal workstations are the first to implement the full thrust of OpenGL for graphics acceleration. So you can rocket through intensive 3D graphics operations such as rendering, modeling, and animation up to 100 times faster than conventional technology allows.

Why pay astronomical prices for workstations or push a PC beyond its limits? Choose the only Intel-based system made for the world of graphics — the personal workstation from Intergraph Computer Systems.

Call today: 800-763-0242 or 1-205-730-5441. Or reach us on the Internet at <http://www.intergraph.com>.

INTERGRAPH
COMPUTER SYSTEMS

Circle 85 on Inquiry Card (RESELLERS: 86).



Intergraph and the Intergraph logo are registered trademarks and TD-2, TD-3, TD-4, and TD-5 are trademarks of Intergraph Corporation. Microsoft is a registered trademark and Windows and the Windows logo are trademarks of Microsoft Corporation. The Intel Inside and Pentium Processor logos are trademarks of Intel Corporation. Other brands and product names are trademarks of their respective owners. Copyright 1994 Intergraph Corporation, Huntsville, AL 35894-0001. D0AD19080

PLATFORMS AND PROTOCOLS

● = yes ○ = no U = unlimited

	IBM OS/2 LAN SERVER 4.0	MICROSOFT WINDOWS NT SERVER 3.5	NOVELL NETWARE 3.12	NOVELL NETWARE 4.02
PLATFORMS AND ARCHITECTURE				
Runs on Intel 80x86 family	●	●	●	●
Runs on Digital Alpha	○	●	○	○
Runs on other RISC platforms	●	●	○	○
Supports multiprocessing	●	●	○	○
Dynamic memory cache	●	●	●	●
Dynamic loading of services	●	●	●	●
Structured exception handling	●	●	●	●
Provides protected subsystems	●	●	●	●
Provides Unicode support	○	●	●	●
Installable file system	●	●	●	●
Transaction-based file system	○	●	●	●
SERVER PARAMETERS				
Maximum user connections	2048	U	250	1000
Maximum simultaneous users per server	1000	U	250	1000
Maximum server volume size	64 GB	17 TB	32 TB	32 TB
Maximum volumes	24	24	64	64
Maximum shared printers per server	24	U	16	16
Minimum server memory requirements	8 MB	4 MB	4 MB	6 MB
FAULT TOLERANCE/DISK MANAGEMENT				
UPS monitoring	●	●	●	●
Disk mirroring	●	●	●	●
Disk duplexing	●	●	●	●
Server duplexing	○	○	●	●
Hot fix	●	●	●	●
File replication across servers	●	●	●	●
Disk striping support	●	●	●	●
RAID Level 5 redundancy support	○	●	○	○
Redundant directory structures	○	●	●	●
FILE SERVER INTEROPERABILITY				
DEC VAX as a file server	●	●	●	●
Unix-based system as a file server	●	●	●	●
IBM AS/400 system as a file server	●	●	●	●
IBM VM system as a file server	●	●	●	●
FILE SYSTEM SUPPORT				
Supports OS/2 version 1.x	●	●	●	●
Supports OS/2 version 2.x	●	●	●	●
Supports DOS 3.x and above	●	●	●	●
Supports MS Windows 3.1	●	●	●	●
Supports MS Windows NT	●	●	●	●
Supports Macintosh workstations	●	●	●	●
Supports VAX workstations	●	●	●	●
Supports Unix workstations	●	●	●	●
Supports NFS (Network File System) at server	●	●	●	●
Supports DOS "diskless" workstations	●	○	●	●
Supports OS/2 "diskless" workstations	●	●	●	●
COMMUNICATIONS PROTOCOLS				
IPX/SPX	●	●	●	●
NetBios	●	●	●	●
NetBEUI	●	●	○	○
TCP/IP	●	●	●	●
OSI	●	●	●	●
AppleTalk	●	●	●	●
DECnet	○	○	●	●
DLC	●	●	●	●
Supports ODI (Open Data-Link Interface)	●	●	●	●
Supports NDIS (Network Driver Interface)	●	●	●	●
Packet burst	○	●	●	●
Internal routing	○	○	●	●

memory segments and DOS's 640-KB barrier. The NOS has multiple threads of execution, allowing applications to be more powerful, but memory protection assures stability by providing applications with separate memory spaces to prevent data corruption. NT Server's preemptive multitasking also lets the NOS allocate to each application efficiently.

Microsoft has made several major improvements to NT Advanced Server 3.1, introduced in the summer of 1993, after it failed to steal any significant portion of NetWare's NOS market. NT Server 3.5 is 4 MB to 6 MB smaller than version 3.1, has 200 percent better file-server performance (according to Microsoft), and has improved connectivity. Microsoft completely rewrote the TCP/IP stack, making it faster and smaller, and added two services that make TCP/IP much easier to administer.

The DHCP (Dynamic Host Configuration Program) assigns IP addresses dynamically from a centrally managed pool of addresses. This relieves network administrators of the burden of assigning IP addresses to individual workstations and maintaining those addresses. WINS (Windows Internet Naming Service) maps computer names to IP addresses, allowing a user to refer to a machine by a user-specified (and easily recognizable) name, rather than by its cryptic address code.

Microsoft has increased support for NetWare in version 3.5 by including a Gateway Service for NetWare that allows users access to NetWare servers without running dual stacks at the client. A migration tool for NetWare aids network administrators by copying user accounts and files from NetWare servers to a Windows NT Server system while maintaining security. Other improvements include support for long filenames beyond the 8.3 naming restriction, TCP/IP printing, account lock-out for too many incorrect password attempts, and administration tools for 16-bit Windows applications.

These highlighted improvements are most evident when NT Server is used with the preferred client—Windows for Workgroups. Windows for Workgroups 3.11 supports 32-bit protected-mode network components (32-bit network protocols such as NetBEUI and an IPX/SPX-compatible transport, as well as a 32-bit network redirector) to communicate with Windows NT Server. With an NDIS 3 network-card driver, the system provides a 32-bit code path from the network card to the network redirector, resulting in even

FIXED/REMOVABLE MASS STORAGE FOR ANY PLATFORM.

Data Express: Rugged Removability

Data Express, a family of durable removable carriers, houses a hard disk or DAT (Digital Audio Tape) device, adding up to 36GB plus the many

benefits of storage removability to your PC or workstation. Data Express is available internally; mounting into your computer system drive bay, or externally; housed in steel enclosures and equipped with a fan and power supply. Data Express boasts an industry leading 25,000 insertions for long lasting removability. Constructed of steel and equipped with superior ventilation, Data Express provides the peripheral cooling needed when using large capacity devices.

Data Silo: Durable External Housing



Kingston's Data Silo is a family of stand alone external storage enclosures for half-height or full-height 5.25" or

3.5" SCSI peripherals. Data Silo is

available in versions to house one, two, four, or nine SCSI devices simultaneously providing the utmost flexibility for storage expansion, disk array environments, and peripheral integration. Each Data Silo is equipped with its own power supply and fan and constructed of 100% steel, making Data Silo the most durable external storage enclosure available today.

Storage Versatility



Kingston's Data Silo four and nine bay units provide ideal drive stacking features for use in disk array environ-

ments. Data Silo also houses Kingston's Data Express products, which provide all the benefits of storage removability including data security and portability.

Industry-Leading, Five-Year Warranty



Every Data Express and Data Silo comes equipped with a comprehensive five year warranty and free technical support. Designed specifically

for PC and workstation users, Data Express and Data Silo provide unsurpassed storage flexibility and quality.

Every Product 100% Tested



Kingston guarantees the highest quality available by testing every product prior to shipping.

Information At Your Fingertips

To get the facts on Data Express and Data Silo, call our convenient RAMFax fax on-demand service toll-free and request

document number 8310. For immediate assistance, contact Kingston's Storage Products group at:

(800) 435-0670



Kingston
TECHNOLOGY CORPORATION

THE INSIDE NAME IN UPGRADES

Kingston Technology Corporation
17600 Newhope Street, Fountain Valley, CA 92708
(714) 438-1850 • Fax (714) 438-1847

Circle 89 on Inquiry Card (RESELLERS: 90).

SECURITY AND MANAGEMENT

● = yes ○ = no

	IBM OS/2 LAN SERVER 4.0	MICROSOFT WINDOWS NT SERVER 3.5	NOVELL NETWARE 3.12	NOVELL NETWARE 4.02
DIRECTORY SERVICES				
Global name service	●	○	○	●
Naming of users and groups within domain	●	●	○	●
Naming of all objects within domain	●	●	○	●
Names directory service	○	○	○	●
X.500-compliant naming system	○	○	○	○
Hierarchical database structure	○	○	○	●
Automatic distribution of names across network	●	●	○	●
Single network log-in	●	●	○	●
Single user account per enterprise	○	●	○	●
Trusted domains	○	●	○	○
SECURITY				
User-based security	●	●	●	●
Share-level security	●	●	○	○
Security equivalences	○	●	●	●
Set account expiration date	●	●	●	●
Time restrictions	●	●	●	●
Lock account after multiple failed passwords	●	●	●	●
Auto-disconnect after specified inactive period	●	●	○	○
Password encryption	●	●	●	●
Designed to meet C2 security	○	●	○	●
ADMINISTRATIVE UTILITIES				
System log-in script	○	○	●	●
Group log-in scripts	○	○	●	●
User log-in scripts	●	●	●	●
Nested scripts	●	●	○	○
Forced disconnect	●	●	●	●
Automatic update of workstation shell	○	●	●	●
Assignment of group administration to users	●	●	●	●
USER UTILITIES				
Creates/modifies user log-in scripts	●	●	●	●
Explicit file locking	○	●	●	●
16-bit windows administration utilities	○	●	●	●
Event log for trouble shooting	●	●	●	●
RESOURCE ACCOUNTING				
Tracks user access time	●	●	●	●
Tracks user data reads	○	●	●	●
Tracks user data writes	○	●	●	●
Tracks user server requests	○	●	●	●
Tracks user space usage	●	●	●	●
Charges users for services	○	○	●	●
Sets user credit line	○	○	●	●
PERFORMANCE MONITORING				
Average response time	●	●	○	○
Cache statistics	●	●	●	●
Server CPU utilization	●	●	●	●
Packets/bytes per second	●	●	●	●
Number of bad packets	●	●	●	●
Peak files open	●	●	●	●
Peak number of record locks	●	●	○	○
Peak number of connections	○	●	●	●
Peak packets routed/second	○	●	●	●
Log performance statistics	●	●	○	○
NETWORK MANAGEMENT SUPPORT				
Agent for Netview	●	●	●	●
Agent for SNMP	●	●	●	●
Agent for CMIP	●	●	○	○
Remote administration of file servers	●	●	●	●
Remote session security	●	●	●	●
Remote modem callback	○	●	●	●

greater performance improvement over a real-mode redirector, while consuming only 4 KB of conventional memory.

Windows for Workgroups 3.11 also supports client-side cache. A new feature in Windows for Workgroups 3.11 called 32-bit File Access provides a 32-bit protected-mode replacement for the MS-DOS-based SmartDrive disk-cache program. 32-bit File Access caching routines are implemented as 32-bit protected-mode code, thus reducing the need to transition to real mode to cache disk information. 32-bit File Access read-ahead routines work on a per-file basis rather than on a per-sector basis, resulting in a higher probability that information read into the disk cache will be used. And 32-bit File Access caching routines share cache memory with the protected-mode network redirector (VREDIR.386), thus reducing the memory overhead for maintaining multiple cache buffers.

Novell NetWare 3.12 and 4.02


Although Novell is preparing to release the next major upgrade, NetWare 4.1, NetWare 3.11 and 3.12 continue to be very popular NOS products, maintaining their market leadership. By the time you read this, NetWare 4.1 should be available.

When introduced in 1993, Novell's top-of-the-line product incorporated several key features. Topping the list of new network services is NDS (NetWare Directory Services), a distributed database of network-wide information that replaces the NetWare 3.xx flat-file bindery. Designed along the general outlines of the X.500 international directory services standard, Novell's NDS aggregates names and associated information for every object on the network (including users, groups, servers, printers, server volumes, and other network services) into a common NDS database. Because NDS is a single, logical database, it allows users to log in to the network once, with only one authentication, and provides them access to all authorized network resources and services.

NetWare Directory Services views all network resources and physical entities as objects in a distributed database known as the NetWare Directory Database. An NDS object consists of categories of information known as properties and the data or value about those properties. NDS operates in a hierarchical organization known as the directory tree. The directory tree is made up of two types of objects: container objects and leaf objects. The hierarchical directory tree starts with a root object



1. Standardise On A Common GUI Interface That Makes It Easier To Use, Reduce Training Costs And Boost Productivity.



4. Demand An Open Solution That Supports All Key Industry Standards And Protocols.

2. Protect All Your Data With Bulletproof Security Software That Supports Every Platform And Operating System Across Your Entire Enterprise.



3. Choose A Client/Server Application That's Interoperable, Scalable And Portable.



5. Partner With The World's Leading Software Company.

6. Leverage Your Systems Management Experience, Expertise And Personnel.



7. Replace Disparate Point Products With A Single, Integrated, Comprehensive Solution.



Presenting The 7 Commandments Of Systems Management Software.



When choosing your systems management software, you shouldn't have to make a leap of faith. And with new CA-Unicenter,* you don't have to. Because CA-Unicenter is the single, integrated systems management solution that solves all of the challenges of managing client/

server computing across heterogeneous platforms. So call today for more information about the systems management software you can believe in: CA-Unicenter.

Call 1-800-225-5224, Dept. 10500 For More Information And To Register For The CA-Unicenter Software Giveaway.

CA-Unicenter®

Integrated Client/Server Systems Management Software

© Computer Associates International, Inc., Islandia, NY 11788-7000. Offer good in U.S. and Canada only. All other product names referenced herein are trademarks of their respective companies. Requirements for Software Giveaway available through toll-free number.

COMPUTER ASSOCIATES
Software superior by design.

Circle 68 on Inquiry Card.

and branches out in a multitier organization, adding other container objects at each level, and ends with leaf objects. While container objects can hold other container

objects (parent objects), leaf objects do not contain other objects. They generally represent users, computers, printers, and lists. The installation program creates the

root object and places it at the top of the directory hierarchy. It cannot be deleted.

Security is an important element of the NetWare environment. Its implementation can be made as centralized or as dispersed as desired. The four levels of security in NetWare—NDS security, file-system security, server security, and log-in and password security—can be used separately or in any combination to ensure effective access management and control. After the log-in and password security check has authenticated a user and grants access to the network, the remaining three security provisions can control the user's further access to network resources and services.

Server security attempts to limit or prevent server-console access, while NDS security (through either object or property rights, or both) controls a trustee's rights to NDS objects and information stored within objects. File-system security controls access to NetWare volumes, directories, and individual files through Rights security and Attributes security. Rights security controls what a user can do to directories and files, while Attributes security assigns specific access-control characteristics to prevent tasks that effective rights would allow. For example, Attributes can be used to prevent anyone who has full access to a specific directory from deleting directories and/or files. Controlling access to the directory tree can be approached either from the natural hierarchical structure of the tree, in which rights flow top-down, or through an IRF (Inherited Rights Filter), in which access rights of a parent object are blocked from flowing down to the child object, thereby controlling access at any level of the directory tree. Among the four kinds of access rights that exist in NetWare (object, property, directory, and file), only object and property rights apply to NDS objects. Directory and file rights apply, as in previous versions of NetWare, to controlling access to the file system.

The Enterprise Option

Windows NT Server's excellent performance, ease of use, and ease of learning features, combined with its excellent networking, make it a strong candidate for many network environments. Organizations with client-server application models would also find Windows NT Server a very good network platform, since that is its strength. Installations considering the Microsoft Windows NT and Windows for Workgroups operating systems for their desktops will find Windows NT Server

BACKUP AND APPLICATION SUPPORT

● = yes ○ = no

	IBM OS/2 LAN SERVER 4.0	MICROSOFT WINDOWS NT SERVER 3.5	NOVELL NETWARE 3.12	NOVELL NETWARE 4.02
BACKUP AND ARCHIVAL SERVICES				
Backup/restore whole server disk	●	●	●	●
Backup/restore selected directories	●	●	●	●
Backup modified only	●	●	●	●
Server-based backup	●	●	●	●
Backup utility included with NOS	○	●	○	○
SERVER BRIDGING				
Supports workstation defined as external router	●	●	●	●
Supports internal server adapter routing	○	●	●	●
TCP/IP bridge support	○	●	●	●
Gateway service for other operating systems	●	●	●	●
HDLC/synchronous bridge	○	○	●	●
T1 bridge	○	●	●	●
X.25 point-to-point bridge	○	○	●	●
X.25 multipoint packet switched bridge	○	○	●	●
IBM mainframe bridging	○	●	○	○
REMOTE ACCESS				
Supports remote workstation connections	●	●	●	●
Supports remote servers	●	●	●	●
Security on remote link—CHAP security	○	●	○	○
Security on remote link—PAP security	○	●	○	○
Multiprotocol support—IPX	●	●	●	●
Multiprotocol support—TCP/IP	●	●	●	●
Multiprotocol support—NetBEUI	●	●	○	○
ISDN support	●	●	●	●
X.25 support	●	●	●	●
Software compression	○	●	○	●
Automatic IPX net assignment numbers	○	●	●	●
Automatic IP addressing	○	●	○	○
INTERNET ACCESS				
DNS server	●	●	●	●
Gopher server	●	●	●	●
WWW server	●	●	●	●
WAIS server	○	●	○	○
Telenet server	●	●	●	●
Graphical utility for FTP	●	●	●	●
APPLICATION PROGRAMMING INTERFACES				
File/Print APIs	●	●	●	●
Application APIs	●	●	●	●
APPC	●	●	●	●
E-mail API	○	●	●	●
Accounting API	●	●	●	●
Administrative APIs	●	●	●	●
Auditing API	●	●	●	●
Indexed file manager	○	●	●	●
Transaction logging and rollback support	○	●	●	●
IPC APIs	●	●	●	●
SERVER APPLICATIONS				
E-mail	○	●	●	●
Calendar and scheduling	○	●	○	○
Video	●	●	○	○
Telephony	●	●	○	○
Database support	●	●	●	●


Remote Control Software. Rated #1. Over and Over and Over...

- ☒ #1 Overall Evaluation
- ☒ #1 Overall Power
- ☒ #1 Overall Usability
- ☒ #1 Performance
- ☒ #1 Versatility
- ☒ #1 Ease of Learning
- ☒ #1 Ease of Use

Stac[®]

STORAGE & COMMUNICATIONS

1201 19th Place • Vero Beach, FL 32960 U.S.A.
Phone (407) 770-4777 • Fax (407) 770-4779



The 45-page review for *Software Digest* covered all the bases. It was the most extensive review ever done on remote control software. In the end, the experts called ReachOut Remote Control simply "the best program in the...evaluation." It outscored the competition in not one, not two or three, but in seven categories. In its report for *Software Digest's* June '94 issue, National Software Testing Laboratories wrote:

NSTL recommends ReachOut Remote Control for its excellence in almost every category. No other program matches its number of features or ease of use, and it is the unanimous choice for best program in the testers' general usability evaluation.

The recommendation confirms the findings of exhaustive corporate evaluations. And it parallels assessments by such leading publications as *Byte*, *LAN Magazine*, *PC User*, *Network Computing*, *Government Computer News* and *InfoWorld*.

But why not judge for yourself? We will be happy to send you more information on the NSTL report. Better yet, take advantage of our 60-day money-back guarantee and order your copy of ReachOut today. Call 1-800-677-6232 ext. 214 for your nearest dealer location.

Before you know it, you'll be using ReachOut. Over and over and over...

THE MOST COMPREHENSIVE REVIEW OF REMOTE CONTROL SOFTWARE

SOFTWARE DIGEST RATING	OVERALL EVALUATION	PROGRAM
★★★★	8.5	Reachout Remote Control
★★★	7.5	Close-Up
★★★	7.3	Norton pcANYWHERE 1.0 for Windows
★★★	7.3	Carbon Copy for Windows



JUNE

5-9

1995

COMPUTEX TAIPEI '95 THE 15TH TAIPEI INTERNATIONAL COMPUTER SHOW

Asia's No. 1 IT Event.

PLEASE FAX OR MAIL YOUR BUSINESS CARD FOR MORE INFORMATION



Organizers:



China External Trade
Development Council



TAIPEI COMPUTER
ASSOCIATION

Sponsor:



Taipei World
Trade Center



Venue: TAIPEI WORLD TRADE CENTER EXHIBITION HALL, 5 Hsinyi Road, Sec. 5, Taipei, Taiwan, R.O.C. Tel: 886-2-725-1111 Fax: 886-2-725-1314 Telex: 28094 TPEWTC

Reviews Roundup

the ideal network environment for centralized management, security, and fault-tolerant support.

For large installations planning to implement an enterprise network infrastructure, Novell's NetWare 4.02 is a logical choice. Excellent multiplatform support, very good performance, a proven network foundation, a powerful global directory service, and an expanding base of connectivity options make NetWare 4.02 a powerful candidate for large interconnected networks with multiple bridged servers. ■

About the Products

OS/2 LAN Server 4.0

First server, \$795; each additional server license, \$715; OS/2 LAN Server 4.0 Advanced, \$2,295 (each additional license, \$2180); OS/2 LAN Server-Entry Upgrade, \$395 (each additional license \$315); OS/2 LAN Server Advanced Upgrade, \$495 (each additional license \$415); Requester, \$50 (\$500-\$2250, 10-50 clients)

IBM Corp.

Old Orchard Road
Armonk, NY 10504
(800) IBM-2468
Contact local branch or dealer.
Circle 1009 on Inquiry Card.

Windows NT, Version 3.5

Server, \$699; Windows NT Server 3.5 MLP, \$599; Windows NT 3.5 (single-user client license), \$39.95; Windows NT 3.5 (20-user client license), \$569; upgrade from 3.1 Advanced Server, \$699; upgrade from 3.1 Advanced Server MLP, \$599

Microsoft Corp.

One Microsoft Way
Redmond, WA 98073-9717
(206) 882-8080

Circle 1010 on Inquiry Card.

NetWare, Version 3.12

Server and client software: 20 users, \$3495; 100 uses, \$6995; 250 users, \$12,495

NetWare, Version 4.02

Server and client software: five users, \$1395; 10 users, \$3195; 25 users, \$4695; 50 users, \$6295; 100 users, \$8795; 250 users, \$15,695; 500 users, \$26,395; 1000 users, \$47,995

Novell, Inc.

122 East 1700 South
Provo, UT 84606
(801) 429-5900

Circle 1011 on Inquiry Card.

This report contains the partial results of a recent issue of Software Digest, a monthly publication of NSTL, Inc. To purchase a complete copy of the report, contact NSTL at 625 Ridge Pike, Conshohocken, PA 19428, (610) 941-9600; fax (610) 941-9950; on the Internet, editors@nstl.com. For a subscription, call (800) 257-9402. BYTE Magazine and NSTL are both operating units of McGraw-Hill, Inc.

File Transfer on Steroids

LapLink adds Windows, remote control, and synchronization that saves time and money on file transfers

BARRY NANCE

Traveling with a notebook PC is easy, productive, and convenient—but only after you get the right files onto the notebook's hard disk. While you might use a docking station or pocket network adapter to log on to the network and then transfer files from a file server to the notebook, neither of these options is available to you when you're on the road. Copying files to a floppy disk and taking the disk with you is a hit-or-miss proposition, because you might forget to copy a vital file. Furthermore, subnotebook computers often don't have floppy drives. You could use remote access to dial into the central LAN, but remote-access products require non-trivial setup and configuration.

Alternatively, you might use LapLink for Windows to transfer and synchronize files. With LapLink for Windows, you use a serial or parallel cable in the office to transfer files to your notebook. On the road, when you need to make occasional connections to your office computer, you dial in through a modem to synchronize updates to your notebook's files or to transfer updates back to the office. You just leave your desktop PC running LapLink for Windows while you're away.

I evaluated LapLink for Windows 6.0 on an IBM PS/ValuePoint 486/25 and a

Compudyne 486/33 notebook. Using the parallel, serial, and network connection features of LapLink for Windows, I transferred files, synchronized files that I modified after the original transfer, exercised a remote PC through LapLink's remote-control feature, and chatted with myself across a LapLink connection. Overall, I found the software easy to install, quick and painless to use, and reliable in everyday use.


It's important to note that LapLink is a feature-rich, Windows-based file-transfer package. If all you need is file synchronization, and you use OS/2 or Unix, you'll be interested in Binary Software Development's UniBeam 1.24 [\$189.95 for the OS/2 version, \$289.95 for SCO Xenix and SCO Unix; (404) 977-7102].

Multiple Connections

LapLink for Windows is primarily a file-transfer and synchronization utility. You connect two PCs with LapLink over a serial cable (between two COM ports), a parallel cable (between

two printer ports), a pair of modems (one PC dials the other), or over a network (two PCs transfer files without using a file server as an intermediary). The package includes color-coded serial and parallel cables. Additionally, LapLink supports wireless connections using AirShare radio modules from National Semiconductor. The range of the wireless connection is only about 30 feet—less than useful for most mobile applications. However, I'm impressed that Traveling Software is at least making the effort to take advantage of the new technology. LapLink supports over 250 modems, including several cellular and ISDN modems. Over a LAN, LapLink uses IPX (commonly found on NetWare LANs).

To transfer files from a desktop PC to a nearby notebook, you connect the serial or parallel cable between the computers (Traveling Software recommends using the parallel cable for faster transfers). For remote operation through modems, you provide the telephone number and modem type to LapLink. When you install LapLink on a computer, you assign it a name. To create a logical connection between two cable-connected machines, you click on the Cable button, use the Connection box to select the other PC's assigned name,



If you're familiar with Windows File Manager, you should find navigating drives and directories in LapLink for Windows simple and easy. The program retains the split-screen view of the previous DOS-based versions.

ADVANCED FEATURES IN LAPLINK FOR WINDOWS

- **SpeedSync**—A patent-pending technology that cuts transfer times by sending only the changed parts of an existing file
- **Universal Video Driver**—Allows up to 16.7 million colors during remote-control sessions (previous remote-control products were limited to 256 colors)
- **Scale to Fit**—Higher-resolution image on remote computer is scaled to fit in any size window on local computer's lower-res display
- **Multiple Tasks on Multiple Connections**—Allows simultaneous LAN, modem, wireless, or parallel/serial connections, each capable of handling simultaneous remote control, file transfer, and chat sessions

SPEEDSYNC SAVES TIME

LapLink for Windows employs a new technology called SpeedSync, which transfers only those portions of a file that have been changed. A 1-MB test file took 18.48 minutes to transfer via modem the first time. When SpeedSync was applied after part of the file was changed, transfer times dropped drastically, though not in direct proportion to the number of bytes.

1-MB file	18.48 minutes
5 percent changed	1.82 minutes
10 percent changed	3.92 minutes
25 percent changed	8.55 minutes

and then choose File Transfer, Remote Control, or Chat. For cable-, network-, or modem-based access, you can tell LapLink to automatically reestablish the connection each time you run it.

An interface similar to Windows File Manager lets you point and click on the files you want to transfer. After you select the File Transfer button on the toolbar, two lists of files and directories appear on your screen. The left list displays the target PC's files; the right shows the other (source) computer's files (see the screen on the previous page). You can drag and drop file icons from the right window to the left window to transfer those files. Holding down the Ctrl key during the file selection process lets you transfer multiple files with a single drag-and-drop operation. LapLink will create directories as necessary on the target PC.

Native Windows

This first native Windows version of LapLink takes advantage of the Windows GUI and memory management. You can simultaneously perform multiple tasks over each connection—for example, you can monitor a file transfer in one window, chat with the recipient in a second window, and download E-mail in a third. Traveling Software says it added several video features to keep performance up to par during multiple operations, including intercepting GDI (graphics device interface) calls and intelligent video caching.

For security, LapLink offers password-restricted access; separate authorizations for file transfers, remote control, and chat functions; remote network log-in; logging of LapLink activities; and callback.

If the target computer has earlier or later versions of the files, you don't have to retransfer entire files to bring one or both computers up-to-date. LapLink's SmartX-change command will synchronize the di-

rectories for you. LapLink updates older files that it finds on either PC, but does not delete files.

Cloning directories as well as entire hard drives is also possible with LapLink. You include or exclude subdirectories with a menu option, and you indicate to LapLink whether you want a complete refresh that includes all files in the directory or merely an update of files that exist on both PCs. The synchronization process compares old and new files, then transfers just the changes (deltas) over the LapLink connection. If you have salespeople on the road who need to periodically update large price-list information files, this feature, called SpeedSync, can save hours of file-transfer time.

Technology for Impatient People

Transferring megabytes of files and directories through a parallel or serial cable takes time, especially if you're copying files for the first time. Through a LAN cable, of course, the transfer takes less time. Unless your file server is low on disk space, however, you'd probably just use the DOS XCOPY command, with the /S option, to copy files and directories to and from an intermediate file server. SpeedSync can reduce parallel- or serial-cable file-transfer times considerably, but it's with modem-based connections that SpeedSync really shines.

To discover how well SpeedSync improves modem-based file transfers, I used two Supra 14.4 Kbps modems, with error correction and compression disabled, to connect the ValuePoint and Compudyn computers running LapLink for Windows. LapLink transferred an entire 1-MB file through the link in 18.48 minutes. I then changed 5 percent of the source computer's file and used SpeedSync to update the target computer. LapLink's SpeedSync took 1.82 minutes to detect and transfer just the changes to the file. A file whose contents I changed by 10 percent took 3.92 minutes to update on the target computer. Changing 25 percent of the source file caused SpeedSync to take 8.55 minutes to update the target file. The table on the opening page summarizes these results.

SpeedSync itself keeps track of statistics that show how well it has performed. It records the number of bytes that would have been transferred if it hadn't been in

effect and the number actually transferred. To see these statistics in LapLink for Windows, you choose SpeedSync Statistics in the SyncTools menu. For the most recent transfer, LapLink displays a graph that contrasts the number of bytes actually sent with the number that would have been sent without SpeedSync. LapLink for Windows also graphs a history of past SpeedSync-based transfers. As you'd expect, Traveling Software doesn't provide technical details on how SpeedSync works internally.

SpeedSync quickly transfers changes to non-volatile files, but files whose contents change dramatically require longer transfer times. If all or almost all the contents of a file change, SpeedSync can take longer to make the transfer because it must compare the two files before deciding what's changed, and the comparison time adds to the overall transfer time. Also note that SpeedSync doesn't merge the two files, but updates the older file to conform to the newer. The contents of the newer file will always replace the contents of the older file.

LapLink's remote-control and chat features work well. LapLink uses its own video drivers to minimize the transfer time for screen-update material. On each PC, LapLink saves local copies of Windows controls, such as toolbars, bitmaps, or icons. When you move the controls on one screen, LapLink only needs to send the identity and new position of the control to the other PC. The LapLink video driver, which works with existing drivers rather than replacing them, also reduces compatibility problems when the two PCs use different screen resolutions or have different brands of video adapters installed.

LapLink for Windows 6.0 is less expensive than most pocket network adapters, works remotely through modems, and can quickly synchronize non-volatile files when you're away from the office. It is easier to set up and configure than remote-access products, and it offers a useful remote-control feature. LapLink for Windows is an excellent tool for updating, seeding, or cloning PC files. ■

About the Product

LapLink for Windows 6.0\$139.95
Traveling Software, Inc.
18702 North Creek Pkwy.
Bothell, Washington 98011
(800) 343-8080
(206) 483-8088
fax: (206) 485-6786
Circle 1003 on Inquiry Card

Barry Nance is a BYTE consulting editor and the author of *Using OS/2 Warp 3.0* (Que, 1994), *Introduction to Networking* (Que, 1994) and *Client/Server LAN Programming* (Que, 1994). You can reach him on the Internet or BIX at barryn@bix.com.

On-Line Service on the Cheap

Mustang Software beefs up its Wildcat BBS with a 32-fold increase in conference capacity, a programming language, and a robust suite of administration utilities

BILL ESPOSITO

Along with the growing popularity of on-line services comes increased interest in low-cost alternatives. BBSs are perhaps the most affordable way to get customers and in-house people exchanging files and messages. Put the BBS host computer on a LAN, and you've got an instant groupware conferencing system.

Since at least the late 1980s, Mustang Software's Wildcat has been on the short list of the most popular BBS programs. Version 4 is a major rewrite designed to meet the need for increased capacity and more powerful system administration. The basic Wildcat program now has more flexible menuing, a spelling checker, faster search and retrieval capabilities, and GIF Thumbnailer which lets you view miniatures of large, throughput-sapping graphics files before downloading them.


In addition, Mustang Software is now offering a separately priced BBS Suite that adds a slew of configuration and programming utilities.

Installation Made Easy

I took a look at the BBS Suite, which includes Wildcat 4. I installed the software on my pieced-together 486DLC40 with 16 MB of RAM, a U.S. Robotics Courier Dual Standard V.34 modem, a 14.4 Kbps Bocomodem, and OS/2 2.1.

Installation is relatively painless. Naturally, you first have to back up the entire system as a safety precaution. Once you've done that, be prepared for at least a few hours of upgrading, and possibly an overnight job if your system is large. Wildcat will convert most everything for you, but you will have to move a few things over to the new version, such as bulletin and menu files. Because the new message databases differ from those in previous versions of Wildcat, any program or utility that accessed them will no longer work and must also be upgraded.

Wildcat's Makewild, a menu-driven installation utility, made installation a snap. I did, however, run across a problem with the installation documentation. For setting up the modem options, the documentation says to select "Type of Modem" and press F2 to



Callers with new-user security profiles and ANSI graphics enabled are greeted with the above menu. Users with different security profiles would have different options enabled. The two lines at the bottom of the screen can only be seen on the system operator's local console.

bring up a pick list of supported modems. Unfortunately, "Type of Modem" was not an option in the actual program, F2 wasn't highlighted as available, and pressing F2 did nothing. I noticed that pressing F3 would load something, so I tried it. Sure enough, a pick list of modems appeared. I selected the file for my U.S. Robotics modem, and the rest of the basic installation went without incident.

Makewild also made custom configuration painless. The BBSs I've used require you to edit long, complicated configuration files. For example, Scott Dudley's Maximus/2-CBCS, which I run on my own BBS, is highly configurable, but you must do all the configuring in a text editor. By comparison, in Wildcat 4, everything is configured in Makewild, which makes liberal use of drop-down menus and has context-sensitive help. BBS software hasn't made the transition from DOS to the drag-and-drop Windows world, and much of it still suffers the shortcomings of older terminal-based interfaces.

One of Wildcat 4's notable features is RIP (Remote Imaging Protocol) Graphics, which provides a fully graphical (though still DOS-based), mouse-driven interface for the BBS. To take advantage of RIP, the caller must be

using a RIP-capable terminal program. Mustang Software does not supply a RIPscript editor to create the graphic screens, but you can download one from the company's BBS (805-873-2400) or any BBS with a good selection of shareware. With RIP, your BBS can look as professional as Prodigy or America Online.

Multi-Everything

Wildcat is a network compatible, multiuser BBS program. It comes in single-line, 10-line, 250-line, and Multiline Platinum (that supports up to 250 phone lines but permits as many as eight lines per PC) versions that retail for \$129, \$250, \$499, and \$799, respectively. The BBS Suite that I reviewed lists for \$999 and includes the Multiline Platinum Wildcat and three support utilities: the wcCODE Custom Online Development Engine; the wcGATE Internet/MHS mail gateway; and the wcPRO Utilities, a collection of user and database utilities that includes a fax-on-demand processor.

If you plan on having two or more lines, you will need to run some sort of multi-tasking system. One popular method is to run Quarterdeck Office Systems' DESQview, which lets you get by with only 4 MB of RAM for a two-line system. OS/2 is an

A Message to Our Subscribers

From time to time we make the BYTE subscriber list available to other companies whose products or services would be of interest to our readers. We take great care to screen these companies, choosing only those who are reputable.

Furthermore, subscriber names are made available for direct mail purposes only; telemarketing calls are strictly prohibited.

Many BYTE subscribers appreciate this carefully managed program, and look forward to receiving information of interest to them via the mail. While we believe this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive promotional literature. Should you wish to restrict the use of your name, please send your request (including your magazine mailing label, name, address, and subscription account number) to:

**BYTE Magazine
Subscriber Services
PO Box 555
Hightstown, NJ 08520**

BYTE

Because the *Experts* decide.

Reviews On-Line Service on the Cheap

option that is more attractive than before, with the release of OS/2 Warp, which also runs in 4 MB. Windows is also an option, but it suffers from notoriously unreliable high-speed communications performance while multitasking.

The last recommended option is to run Wildcat on a LAN. This is attractive because it gives off-site personnel dial-in access to the LAN, as well as providing an alternative to more expensive groupware programs. Unfortunately, if you own an intelligent multiport I/O card or need to use a FOSSIL (Fido, Opus, Seadog Interface Layer), you'll have to spring for the \$799 Platinum version of Wildcat.

Then, once you've decided on your environment, there are some configuration items to take care of. Regardless of whether you run Wildcat in a virtual machine operating in a memory partition on a standalone PC or on a PC connected to a LAN, each line must be separate. These lines communicate with each other through shared data files, which means there's a single, easier-to-maintain common database for user information, files, and messages.

If you run DESQview or a LAN, you need to load DOS SHARE from either your CONFIG.SYS or AUTOEXEC.BAT files. Wildcat itself will keep things straight by using a different node number for each line. You assign this node number in Makewild's General Information section. Mustang suggests that you get one line working before tackling multiple lines. I agree.

Downloadables

The next task is one that often proves to be a major project: creating the file lists that users will see and from which they will select files to download. If your CD-ROM or hard disk directories already contain a file-description file (e.g., FILES.BBS), the process is almost automatic. You need only run Wildcat's files-database-creation utility, wcFILE; enter the directory names and the name of the description file; and choose Go. All file names and descriptions will be assimilated into the files database. If there is no description file, however, you must manually enter the file names and descriptions. Once you've created the file area, you can set the security aspects, such as who can upload, download, or list files (Wildcat internally supports eight downloading protocols, including ZMODEM and YMODEM/G, along with up to 10 external protocols).



At a glance, the BBS system operator can review overall system statistics on the idle screen (the screen that is displayed locally while there are no callers on the BBS). This screen is nearly identical to the one in the previous version of Wildcat.

One notable file-area feature is the way that Wildcat handles CD-ROMs. For practical use in a multiline configuration, only one line can access a single CD-ROM at a time, which creates a problem when two callers try simultaneously to download a file from the same CD-ROM. Wildcat will copy the requested file to a hard disk before the transfer executes, freeing the CD-ROM for access by other lines. Wildcat also supports multiple CD-ROMs and CD-ROM changers.

The Messaging System


Setting up the message areas, or conferences as they are called in Wildcat, was straightforward. You simply enter a conference name, edit a few options, and hook the name to a file area. Users access the file areas via the customizable screen shown on the previous page.

One drawback of the messaging system is its lack of direct support for FTSC (FidoNet Technical Standards Committee) mail transfers. You must purchase a separate front-end package (such as BinkleyTerm, Front Door, or Intermail) from a third-party vendor to exchange mail via

WHAT'S NEW IN WILDCAT

- Hundreds of customizable menus instead of the four traditional menus—Main, Message, File, and Sysop
- As many as 32,760 conferences and file areas, up from 1000 in the previous version, plus a new message-size limit of 64 KB
- V.FC, V.32, and V.34 modem support
- Spelling checker available to both callers and system operators
- Optional BBS Suite containing a QuickBasic-like language, system-administration utilities, and an Internet/MHS gateway

Outstanding.



Rene Magritte, Chateau des Pyrenees, ©1993 C. Herscovici/ARS, New York

Once in a while, something is created that goes
above and beyond the ordinary.


Something better than the rest.

In the realm of copy protection locks, the Hardlock™
copy protection system rises above the others in
securing your applications against unauthorized use.
Hardlock is the only lock that uses a programmable
algorithm, far more complex to decode than simply
reading the contents of a memory chip. Hardlock also
features selectable anti-debugging and reverse
engineering protection as well as protection against
hardware emulators, which no other lock has.

Security. Quality. Technology.

Hardlock is state of the art.

Call us to find out more about how Hardlock can
provide your masterpiece with the security it
deserves.



1-800-562-2543

GLENCO
ENGINEERING INC.

SERVING THE SOFTWARE INDUSTRY SINCE 1979

Software Protection · Data Security

Phone 708-808-0300 · Fax 708-808-0313

New!
CD-Crypt
for secure
CD-ROM
software
distribution

For DOS, Windows, Windows NT, OS/2, Unix, Xenix, DES Single User, Network, CD-ROM Applications and More

For a distributor in Europe contact FAST Electronic GmbH, Tel: 49-89-53 98 00-20 Fax: 49-89-53 98 00-40 · In Brazil contact HT-MACH, Tel: 55-21-257-0314 Fax: 55-21-235-6808
· In Chile contact Datasoft S.A., Tel: 562-246-7443 Fax: 562-208-0591 · In Peru contact V.C.H.I., Tel: 51-14-440537 Fax: 51-14-475984
· In Mexico contact D.C. Computacion, Tel: 611-43-41, Fax: 611-46-41

For International information, circle 82 on Inquiry card.

Rackmount

- ENCLOSURES
- KEYBOARDS
- MONITORS
- DRIVE ENCLOSURES

Integrand's unique enclosure design uses modular construction. We have 3 basic models for ISA/EISA bus computers. Over 100 interchangeable modules allow you to customize them to nearly any requirement. Integrand offers high quality, advanced design hardware and strong support. Why settle for less?



Monitor: 10" Super VGA Color from \$650

PC Enclosures from \$300

Keyboards: Drawer, Shelf & Panel from \$85

Made in U.S.A.

Rack & Desk Models

Accepts Most Motherboards and
Passive Backplanes

Up to 20 Slots

Rugged, Modular Construction

Excellent Air Flow & Cooling

200 & 300 Watt Supplies, UL, CSA, TUV

Call or write for descriptive brochures, prices
or applications assistance:

INTEGRAND

RESEARCH CORP.

8620 Roosevelt Ave. • Visalia, CA 93291

209/651-1203

FAX 209/651-1353

We accept VISA and MasterCard

Circle 84 on Inquiry Card.

IBM/XT/AT TM IBM • 286/386/486 TM INTEL. Drives and computer boards not included.

Reviews On-Line Service on the Cheap

FidoNet, the mail standard for BBSs. Nor does Wildcat directly support dial-up data exchange between two Wildcat BBSs, for that matter. To do that, you must again resort to a third-party package or a kludge whereby Wildcat shells out to a terminal program, which in turn runs a script to log on to a BBS and download a QWK mail packet. Mustang should provide at least the ability for two Wildcat BBSs to communicate via the telephone lines.

On the plus side, the bundled wcGATE program provides a gateway between the BBS and the Internet for importing and exporting Internet E-mail and Usenet newsgroups. Wildcat also includes wcMAIL, a QWK mail door that lets users pack up selected mail for download. And, to keep messages relatively free of mistakes, the program comes with a spelling checker and 120,000-word dictionary.

BBS Security

Security in Wildcat is highly configurable, allowing up to 1000 different security profiles. Because Wildcat does not use the typical system of access levels that range from low to high, profiles are independent of each other, so changes in one profile do not affect other profiles. (In a level-based security system, levels are related to each other by order of precedence. For example, when you disable an option for access on level 5, it is also disabled for levels 0-4.) With the profiles, whatever you enable or disable on one profile has no bearing on another. Each profile can control access to each conference, file area, or door, for the most flexible security system that I've ever seen. You can also limit most of the functions associated with both the file and conference areas.

The suite also includes wcCODE, a QuickBasic-like language. At the heart of wcCODE is the IDE (Integrated Development Environment), an editor and compiler that is intuitive and supports the WordStar command set. The programming language itself provides access to Wildcat's functions as well as most of the standard QuickBasic commands. A business might use wcCODE to write a program that uses the output from an external credit-card verification utility to upgrade the user's security profile.

Also included in the suite is the wcPRO Utilities, a collection of programs that let sysops perform database operations on the user, file, and message databases. Included

in wcPRO is wcFAX, an external fax-on-demand program that lets users view a list of documents, mark the ones they want, and then have them faxed to a number that they specify. wcFAX is completely configurable, and you can set it up to deduct fax charges from a user's account.

Fly Like the Wind

I set up a two-line BBS with a local-node connection for a total of three lines. Wildcat answered and connected with the caller's modems flawlessly. With all three nodes in operation and two simultaneous high-speed transfers, the resulting transfer speeds were in excess of 113-percent efficiency, which means you can expect about 1620-plus characters per second from a 14.4-Kbps connection (the same percentage applies at other line speeds). That's about as good as you'll get in any environment. The menu displays were somewhat slow, but I attribute this to OS/2's handling of DOS multitasking. Wildcat's multiple chatting options—sysop chat as well as public and private multiline chat—all worked well and were not in any way hampered by the multitasking system.

The Wildcat BBS Suite is undeniably a powerful BBS package, and with a suggested retail price of \$999, it ought to be. Its menu-driven installation process and robust configuration utilities allow for much easier setup than is available in BBSs that use control files. Still, given such a richness of

features, Wildcat's lack of a RIP editor and FTSC support surprised me, even though Mustang Software says it gets few requests to add either feature from its predominantly corporate customers.

By the time you read this, registered users will be able to download version 4.01, which Mustang Software says fixes almost 70 bugs while adding some new features. If you require a multi-

line BBS, and you don't need the FOSSIL or intelligent I/O board support, I suggest either the 10- or 250-line versions. With a BBS like Wildcat, you will never again need to use on-line services like CompuServe to communicate with your employees. ■

Bill Esposito is a program integrator with the Department of Defense. A BBS user since 1982, for seven years he has been system operator of the Cereal Port BBS in Rindge, NH (603-899-3335). He can also be reached on the Internet at espo@cereal.mv.com and on BIX c/o "editors."


About the Product

Wildcat 4.0

single-line	\$129
10-line	\$249
250-line	\$499
Multiline Platinum	\$799
BBS Suite	\$999

Mustang Software
6200 Lake Ming Rd.
Bakersfield, CA 93306
(805) 873-2500
fax: (805) 873-2599

Circle 1002 on Inquiry Card.



Tenth Annual
Computer Press
Awards  1994

CPA READER-CHOSEN AWARDS BALLOT

The Computer Press Awards, co-sponsored by 3M Data Storage Products and the Computer Press Association (CPA), honors top journalists who excel in their coverage of information technology. As the oldest and most coveted honor of its kind, the Awards provide a forum for technology journalists to be recognized by their peers.



Computer Press
Association 

Promoting Excellence
in Computer Journalism

SEND OR FAX ENTRIES TO COMPUTER PRESS AWARDS, 2 FLOYD DRIVE, MOUNT ARLINGTON, NJ 07856, FAX (201) 663-5140. NOMINATIONS MUST BE RECEIVED BY FEBRUARY 20, 1995.

BEST INSTRUCTIONAL OR EDUCATIONAL ARTICLE OR SERIES

Publication/Broadcast: _____

Appearance Date: _____

Article or Series Name: _____

Author/Host: _____

BEST FEATURE OR REVIEW

Publication/Broadcast: _____

Appearance Date: _____

Article or Series Name: _____

Author/Host: _____

FAVORITE PUBLICATION

REMEMBER! YOU CAN VOTE FOR A TELEVISION PROGRAM, RADIO SHOW, OR ON-LINE SERVICE, TOO.

Publication/Broadcast: _____

Appearance Date: _____

Article or Series Name: _____

Author/Host: _____

PLEASE TAKE A MOMENT TO ANSWER THESE QUESTIONS.

Name/Title: _____

Company: _____

Address: _____

City/State/Zip: _____

Phone (Voice): _____

Phone (Fax): _____

Age: _____ Sex: M ☐ F ☐

Income: \$25,000-\$40,000 ☐ \$75,001-\$100,000 ☐

\$40,001-\$60,000 ☐ Over \$100,001 ☐

\$60,001-\$75,000 ☐

Besides the publication containing this ballot, where do you get information about computing? _____

SPECIAL OFFER! Become a CPA Associate Member. Join now for only \$30, and save over 50% (Regular membership fee is \$75)! Associate Members receive the CPA Network News, a CPA membership card and member directory, plus access to the CPA's BBS.

☐ Yes! Sign me up as a CPA Associate Member for only \$30.

MC/Visa Number _____

Exp. Date: _____

OR enclose a check made out to Computer Press Association

HANDS-ON TESTING

TRUE-COLOR GRAPHICS

An in-depth inspection of 35 PCI and five Macintosh NuBus cards for ultrafast graphics and deep colors

JIM KANE, SIVA KUMAR, AND JOHN MCDONOUGH

Last February, we tested four types of graphics adapters: those with VL-Bus, ISA-bus, EISA-bus, and Macintosh NuBus architectures. At that time, we could round up only three PCI-based (Peripheral Component Interconnect) adapters. But as PCI has become the standard local-bus interface, the former trickle of PCI cards has turned into a flood. There has even been speculation that Apple will replace Mac NuBus slots with PCI slots in a few years.

This Lab Report describes our evaluation of 35 PCI-based graphics adapters and five high-end NuBus Mac adapters. At \$399, the average price of the PCI cards here is \$70 less than the average price of the VL-Bus cards we tested last February. The average price for the Mac NuBus adapters has dropped by \$790.

This test set includes both DRAM- and VRAM-based accelerators, in configurations ranging from 1 to 4 MB of video memory. In general, a graphics accelerator with 1 or 2 MB of DRAM will suffice for everyday business applications. But for instantaneous, photo-realistic color, you'd be wise to purchase a more expensive VRAM-based board. And while the fastest boards we evaluated use VRAM, our tests show that the performance edge these boards have over DRAM-based accelerators is sometimes inconsequential.

The PCI adapters we tested represent a variety of graphics accelerator chip sets; the majority were from S3. This is a major change from last year, when Tseng Labs was the most popular chip provider.

Reviews tend to catch manufacturers at various stages of leapfrogging each other with better technology. Every six months or so, manufacturers upgrade their components; whichever one has upgraded most recently often reaps the better review.

But there are specific price/performance trade-offs inherent in particular components, such as VRAM versus DRAM. Because DRAM chips must both update and display through just one port—whereas VRAM

How to use this guide

To find the best graphics accelerator for your needs, follow the main headings until you come to the

appropriate bus architecture and then look for the subcategory that's most relevant to your work.

We grouped PCI adapters into best-overall (a weighted combination of performance, features, and quality scores), high-performance, and low-cost subcategories. We grouped the Mac adapters into best-overall and high-resolution groups.

Performance results are given in transactions per second: The higher the number, the more transactions an adapter was able to complete. The tests employ a collection of screens from popular Windows and Macintosh applications. Except for the motion video tests, higher numbers indicate better performance.

BEST OVERALL ATI Technologies Graphics Pro Turbo

The Graphics Pro Turbo posted the highest InterMark performance score of any adapter in this review... although its \$699 price tag may cause you to look for something with a better price/performance ratio. When we tested it, 12800 by 1024 dots per inch was the highest resolution it supported, but ATI is expected to release 1600- by 1200-dpi drivers early this year.



MODEL	OVERALL SCORE	GRAPHICS ACCELERATION	AS TESTED (MB)	PRICE	STANDARD DRIVERS PROVIDED	SCORES	FEATURES	USABILITY
					WIN NT 3.11	WIN 3.11	AUTOCAD	UNIX
ATI Graphics Pro Turbo	AAAA	ATI mach64	4 VRAM	\$699	✓	✓	✓	✓
WINNUP Matrox MGA Impression Plus	AAAA	Matrox MGA 64	4 VRAM	\$449	✓	✓	✓	✓
WINNUP ATI WinTurbo	AAAA	ATI mach64	2 VRAM	\$360	✓	✓	✓	✓
WINNUP Focus Premier 2000 PCI	AAAA	ATI mach64	2 VRAM	\$260	✓	✓	✓	✓
WINNUP Focus TurboSpeed W32 PCI	AAAA	ATI mach64	2 VRAM	\$260	✓	✓	✓	✓

Prices shown are for the adapters as they were configured for our tests. Typically, the cost varies according to the amount, type, and speed of the installed RAM.

Boards rated as excellent came with installation software and the clearest manuals; a good rating identifies boards that can be installed without checking the documentation; fair-rated boards required a check of the user's manual; and boards that received a poor rating needed to have jumpers or IRQs reset.

ACCELERATORS

The Gadgetry of Graphics

MONITOR INTERFACE


Most graphics adapters provide a single video connection based on the standard D-shell, 15-pin VGA connector. Some high-end boards offer RGB (i.e., BNC) connectors. Some boards have multiple active video connectors, allowing multiple monitor attachments.

GRAPHICS ACCELERATOR

Provides low-level graphics operations. A 64-bit chip can transfer data in and out of its internal frame buffer 64 bits at a time. DRAM, VRAM, and the local bus accept only 32 bits of data at a time. A 32-bit interleaved architecture prepares one bank of memory while transferring to a second bank, reducing the transfer to a single clock cycle. Look for 64- or 32-bit interleaved architectures.

VIDEO MEMORY

VRAM-based boards have the reputation of being dramatically faster than DRAM-based boards, but DRAM designs have improved to the point where they're not much slower. Choose DRAM for economy if you mainly operate in 1024- by 768-pixel resolution with 256 colors. VRAM is a must for refresh rates that provide clear images at higher resolutions and color levels.



BUS INTERFACE

We tested only PCI and NuBus adapters in this review. PCI's throughput is better than that of ISA and EISA; in addition, with its flexibility and ease of use, it's becoming the local-bus standard. For Macintosh systems, NuBus is the current accepted standard; it has been self-configuring for years.

VIDEO BIOS

At start-up, your system looks to the video BIOS (i.e., ROM) for the start-up code that identifies the graphics card and its software interrupt (which is almost always INT 10h) to control video actions. Sometimes the video BIOS is shadowed to system RAM for improved performance.

GENERAL BUSINESS

ATI Technologies Graphics Pro Turbo

The Graphics Pro Turbo posted the highest InterMark performance score of any adapter in this review. The \$699 board is one of the highest-priced PCI boards we reviewed, but it delivers on performance. Our test model shipped with 4 MB of VRAM, used ATI's proprietary mach64 chip set, and boasted refresh rates of nearly 100 Hz.

PAGE 138

DRAFTING QUALITY

Elsa Winner 2000Pro

Elsa's Winner 2000Pro is clearly geared for CAD: It offers enhanced and accelerated video modes for fast, high-resolution color graphics under AutoCAD, and it performed well in both the DOS and Windows AutoCAD tests, making it the perfect choice for people who make their living with CAD.

PAGE 142

MACINTOSH

Radius LeMans GT

If you're looking for hot Macintosh performance at 1024- by 768-pixel resolutions, then take the LeMans GT for a test drive. Its features include 24-bit color support, up to 1152- by 870-pixel resolution, on-the-fly mode switching, bit-depth switching, and a Photo-Booster utility that offers additional Photoshop acceleration. Like all the Radius boards we tested, the 3-MB VRAM-based LeMans GT comes with a lifetime warranty.

PAGE 145

is dual-ported—at high resolutions and color depths there comes a point where VRAM is more efficient to use. This is especially true when you're working with full-motion video. Cards that have separate video accelerators offer the best performance for full-motion video playback. RAMDAC chips are also evolving rapidly. Some now include processes, such as hardware scaling

and cursor control, that have traditionally been completed by the accelerator controller. Another innovative RAMDAC technology lets you display RGB and YUV windows on a screen simultaneously. Chip performance also varies by application, memory configuration, and vendor implementation. It helps to do some last-minute research when you're ready to make a purchase.

THE BEST GRAPHICS ACCELERATORS FOR

GENERAL BUSINESS

In the early years of local-bus graphics, VL-Bus graphics accelerator cards stole the show. But now PCI has overtaken the VL-Bus. Most cutting-edge Pentium systems include a PCI local bus, and most new systems use some type of local bus to accelerate graphics, whether integrated or via a slot.

To rank cards for the general-business category, we compared test results for resolutions of 1024 by 768 pixels with 256 colors. Most noninterlaced 15-inch monitors that come packaged with your average business system support this resolution.

While many adapters support higher resolutions, on small monitors these resolutions are hard on the eyes. But if you have a 21-inch monitor, such as the Nanao FlexScan F760i-W MultiSync we used for testing, you could certainly make complete use of any adapter that supports 1600- by 1200-pixel resolutions with as many colors as the card supports.

Although prices for graphics accelerators have dropped since last year, one thing remains the same: In most cases, you get what you pay for. For example, the lowest-priced adapter we tested, the \$143 DFI WG-2000P, has just 1 MB of DRAM and, predictably, finished last in the best-overall category. And while you'll like the results of our best-overall winner, you might cringe when you see that ATI Technologies' Graphics Pro Turbo—while a good deal at \$699 (configured with 4 MB of VRAM)—costs almost five times as much as the DFI WG-2000P.

The MGA Impression Plus, from Matrox Graphics, had one of the strongest combinations of features, usability, and performance; it finished second in the best-overall category. Its \$449 price tag may seem a bit steep, but that's substantially lower than the price of many other comparable high-performance PCI boards on the market today. Its ability to change resolutions on the fly, its pioneering support of 3-D (unfortunately for testing purposes, it does not yet support OpenGL), and its high performance scores put it one step from the top.

Two of the runners-up in the best-overall category were priced under \$300 and turned out overall scores that were nearly identical to those of the winner. The Premier 2000 PCI card, from Focus Information Systems, includes an ARK2000PV chip set and 2 MB of DRAM. This board's consistently high features and usability scores kept it in the running. The TrueSpeed W32 PCI, also from Focus, uses the Tseng Labs ET4000/W32P chip set and has 2 MB of DRAM; it ended up in a virtual tie with the Premier 2000 PCI.

Our high-performance rankings differ from the best-overall category in that we did not consider features and usability scores but relied solely on the adapters' InterMark performance numbers under Windows 3.11. ATI took high honors in this speedburner class with its Graphics Pro Turbo and WinTurbo adapters. The \$369 WinTurbo has only

GRAPHICS GLOSSARY

BITBLT

Stands for bit block transfer, a hardware-based process that moves a rectangular block of bits from main memory into display memory.

BLTING

A straight-pixel copy from video memory to the screen.

HARDWARE PANNING

A technique that allows you to pan across a large desktop more quickly than if you were using the normal interface.

MODE SWITCHING

The toggling between screen resolutions and pixel depths. Some video cards have special drivers that allow them to switch modes on the fly (i.e., without restarting Windows).

NUBUS

This 32-bit architecture is a self-configuring bus design used in Macintosh systems for peripheral expansion.

PCI

Stands for Peripheral Component Interconnect; a 32- or 64-bit local-bus design that uses a hardware layer that isolates the CPU and, therefore, is processor independent. It operates at 33 MHz rather than the speed of the processor. PCI devices are self-configuring.

REFRESH RATE

The number of times a display screen is redrawn per second. The higher the rate, the less flicker a display presents.

RESOLUTION

The number of pixels that can be activated on-screen at one time, expressed in the horizontal value by the vertical value (e.g., 1024 by 768).

64-BIT VS. 32-BIT INTERLEAVED

A 64-bit graphics accelerator uses a 64-bit data path to video memory. The 32-bit interleaved controller uses two passes to load data into odd and even banks of memory. While one bank is in precharge, the interleaved controller performs data I/O on the other.

SRAM

Stands for static RAM; describes chips that do not require a refresh cycle, as DRAM chips do, and thus can be accessed over twice as quickly. SRAM chips cost more than DRAM chips.

SVGA

Stands for Super VGA; originally referred to resolutions of 800 by 600 dpi at various color depths. Today, SVGA commonly refers to 1024- by 768-pixel resolution.

VRAM VS. DRAM

VRAM chips are true dual-ported memory chips that allow simultaneous reads and writes. A DRAM chip requires its content to be refreshed; read and write operations cannot occur simultaneously.



NuBus slot



PCI slots

Turbo-charged graphics

BEST OVERALL

ATI Technologies Graphics Pro Turbo



The Graphics Pro Turbo posted the highest InterMark performance score of any adapter in this review, although its \$699 price tag may cause you to look for something with a better price/performance ratio.

When we tested it, 1280 by 1024 dots per inch was the highest resolution it supported, but ATI is expected to release 1600-by-1200-dpi drivers early this year.



2 MB of VRAM (compared to 4 MB for the Graphics Pro Turbo), but it didn't lag too far behind in the InterMark tests. The Picasso 64-PCI from Actix Systems, which finished a whisker behind the WinTurbo, costs only \$279.

Differences in InterMark scores of less than 5 percent can be discounted as relatively insignificant; every board has particular strengths and weaknesses. Determining exactly how a board scoring

Weighting for Best Overall and Low Cost

PERFORMANCE 75%

FEATURES 15%

USABILITY 10%

9.6 is better than one scoring 9.5, for instance, can be quite difficult. You're likely to spot the difference in a board that runs 10 percent faster than a

competitor, but the difference might not be enough to affect your productivity. A 25 percent speed difference is great enough for you to choose a board for the productivity gains it offers.

Weighting for High Performance

PERFORMANCE 100%

Our low-cost general-business category comprised only those boards priced under \$250, which cut the test pool to 11 PCI boards. Of these 11, seven were based on an S3 chip set. All the runners-up in this class had 2 MB of DRAM, and the differences among the top five were insignificant.

Orchid's Kelvin 64 PCI, the first low-cost runner-up, came in just under the frugal wire at \$249. The other runners-up showed slightly better performance, but the Kelvin 64 PCI had the second-highest features and usability scores, excellent documentation, and a four-year warranty.

Inspired graphics performance

HIGH-PERFORMANCE

ATI Technologies Graphics Pro Turbo



For displaying 1024-by-768-pixel resolutions with 256 colors, no other board could match the greased-lightning speed of ATI's Graphics Pro Turbo. The board has 4 MB of VRAM and the ATI mach64 accelerator chip set. You get what you pay for with this board: high performance under Windows for lots of money. This adapter also supports instant mode switching, allowing you to change color and resolution on the fly with a single keystroke, without the usual restarting of Windows.

		OVERALL SCORE	GRAPHICS ACCELERATOR	AS TESTED		STANDARD DRIVERS PROVIDED				SCORES		
				RAM (MB)	PRICE	WIN NT 3.1	WIN 3.11	AUTOCAD	UNIX	INTERMARK	FEATURES	USABILITY
BEST	ATI Graphics Pro Turbo	★★★★	ATI mach64	4 VRAM	\$699	✓	✓	✓		72.9	★★★	★★★★
RUNNER-UP	Matrox MGA Impression Plus	★★★★	Matrox MGA 64	4 VRAM	\$449	✓	✓	✓	✓	66.1	★★★★	★★★★
RUNNER-UP	ATI WinTurbo	★★★★	ATI mach64	2 VRAM	\$369	✓	✓	✓		68.7	★★★★	★★★★
RUNNER-UP	Focus Premier 2000 PCI	★★★★	ARK2000PV	2 DRAM	\$269	✓	✓	✓		67.0	★★★★	★★★★
RUNNER-UP	Focus TrueSpeed W32 PCI	★★★★	ET4000/W32P	2 DRAM	\$289	✓	✓	✓	✓	67.3	★★★★	★★★★

The best PCI adapter under \$250

LOW-COST

ATI Technologies Graphics Xpression



The Graphics Xpression offers great value for a fast 64-bit Windows accelerator. We picked it as the top under-\$250 board because it had the best low-cost performance. It performs high-speed fills, line draws, BITBLTs, and bit masking in accelerated modes with up to 16.7 million colors and 1280-by-1024-pixel resolutions. Instant mode switching lets you toggle between high-resolution and true-color modes with a single keystroke. Since the Graphics Xpression has no jumpers to set, it's also easy to install.

		OVERALL SCORE	GRAPHICS ACCELERATOR	AS TESTED		STANDARD DRIVERS PROVIDED				SCORES		
				RAM (MB)	PRICE	WIN NT 3.1	WIN 3.11	AUTOCAD	UNIX	INTERMARK	FEATURES	USABILITY
BEST	ATI Graphics Xpression	★★★★	ATI mach64	2 DRAM	\$249	✓	✓	✓		63.3	★★★	★★★★
RUNNER-UP	Orchid Kelvin 64 PCI	★★★★	CL GD5434	2 DRAM	\$249	✓	✓	✓	✓	58.7	★★★	★★★★
RUNNER-UP	Mirage Storm 1600-PCI	★★★★	S3 Vision864	2 DRAM	\$245	✓	✓	✓	✓	60.1	★★★	★★★★
RUNNER-UP	STB PowerGraph 64	★★★★	S3 Trio64	2 DRAM	\$199	✓				61.0	★★★	★★★★
RUNNER-UP	PraeoTek FastMax P20	★★★★	S3 Vision864	2 DRAM	\$235	✓	✓	✓		58.8	★★★	★★★★

KEY

Excellent ★★★★★ Good ★★★★★
Fair ★★★ Poor ★

Smooth Movies

The InterMark video test, devised by NSTL, tests the video capabilities of an adapter by forcing it to play video at a consistent speed and monitoring the number of dropped frames. We tested a representative cross-section of chip sets from our test-bed of PCI graphics adapters by testing one board for each chip set. We played 30-frame-per-second video clips under the Indeo and Cinepak compression formats at normal, $\times 1.5$, and $\times 2$ resolutions.


We predicted that adapters equipped with video-accelerator chips would have a clear advantage in this test; this proved to be the case. The VideoLogic PCI Movie accelerator and its sidekick, the PowerPlay 964 video-accelerator chip, had significantly fewer dropped frames than the competition as resolution increased. At normal (i.e., $\times 1$) resolution, the PCI Movie performed more slowly than the Focus TrueSpeed W32 PCI, the Diamond Stealth 64 VRAM, and the Orchid Kelvin 64 PCI cards. But, as the charts show, there was little to compare to the PCI Movie at $\times 1.5$ and $\times 2$ resolutions. In fact, it dropped fewer frames at $\times 2$ resolution than it did at $\times 1$.

The largest differences between the PCI Movie and the other adapters manifested themselves at $\times 1.5$ resolution, where a board with hardware pixel interpolation should have the biggest advantage. A *hardware pixel interpolator* allows videos to be scaled during playback without causing more work for the host processor. *Pixel interpolation* is the rough averaging of pixels between the original pixels when the resolution is stretched beyond the normal $\times 1$. The space between the normally mapped pixels is increased, and the adapter must make a decision as to what color pixel to place there. (See the review "Video for Free" on page 105.)


A board with pixel interpolation will average the value of the surrounding area and put an averaged value in between. This process results in shadings between sections of an image. A board without pixel interpolation will put in one of the pixels from the surrounding area, creating a blocky effect. For complex video streams, the additional work of scaling the image via software results in dropped frames and jerky playback. A

Motion Video Tests in Two Formats

Cinepak format



Indeo format



For video tests, we selected one adapter to represent each chip set in this Lab Report. We forced each clip to run at 30 frames per second at normal, $\times 1.5$, and $\times 2$ resolutions using Indeo and Cinepak compression formats. Unlike most of our tests, lower numbers indicate better performance (i.e., fewer dropped frames).

hardware pixel interpolator may also result in higher-quality playback, as the video driver typically uses faster techniques (e.g., pixel replication) at the expense of image quality.

The PCI Movie has hardware pixel interpolation; it dropped only 68 frames

at $\times 1.5$ resolution, while its closest competitor, the Orchid Kelvin 64 PCI card, dropped 118 frames. This is not to say that the PCI Movie offers cinema-quality video, but it provides better-quality PC video than the other adapters that we tested.



It Makes Simple Presentations Impressive. It Makes Impressive Presentations Simple.


It's a Proxima Ovation™+ projection panel. It works with your computer and an overhead projector to project powerful large-screen images. Anything from simple graphics to full-motion multimedia presentations. And yes, you need one. Because with it, you can communicate more effectively than ever before.

But that's not all. Proxima's Ovation+ is easy to use—just plug it in like a monitor. It's impressive to watch—it's active-matrix display projects 16.7 million

eyepopping colors. And it puts you in command. Our unique Cyclops® interactive pointer system works like a cordless mouse to give you total control of your software from anywhere in the room. Any software, any presentation, any platform.

Suddenly, your presentations are more impactful. Your points more memorable. Your workgroups more productive. All because you have an Ovation+ projection panel.

To receive your free CD-ROM demo disk or information on our complete line of Proxima Desktop Projection™ products, call us today at **1-800-447-7694**.



PROXIMA®

THE DESKTOP PROJECTION COMPANY

Main Office: 9440 Carroll Park Drive, San Diego, CA 92121-2298, (619) 457-5500, FAX (619) 457-9647, (800) 447-7694 (U.S.A. and Canada). European Office: Horsterweg 24, 6191 RX Beek, The Netherlands, +31-43-650 248, FAX +31-43-649 220. Proxima and Cyclops are registered trademarks of Proxima Corporation. Desktop Projector and Desktop Projection are trademarks of Proxima Corporation. Other trademarks are the property of their respective owners. U.S. and foreign patents are pending. Copyright 1994 Proxima Corporation. All rights reserved. Specifications are subject to change without notice.

Circle 132 on Inquiry Card (RESELLERS: 133).

THE BEST PCI GRAPHICS ADAPTERS FOR DRAFTING QUALITY

If you work with Windows- or DOS-based CAD packages, you will want to have a fast, high-resolution graphics adapter that can handle large, complex drawings. The screen-redraw process should not make you want to slap the monitor as you wait and wonder if you could do it faster with a ruler and compass. The graphics adapters we tested provide several solutions for high-resolution CAD problems, and some of them proved to be adequate low-cost alternatives.


We rated boards using our AutoCAD release 12 performance tests under DOS and Windows 3.11. If the vendor supplied a Windows driver for AutoCAD, we used it; otherwise, we used that adapter's supplied Windows driver. We tested the 14 adapters that qualified for high-level tests under DOS and Windows at 1600 by 1200 pixels in 256 colors. We tested 11 in the low-cost category, which are all steals for under \$250.

In general, the overall CAD winners are not the general-business winners. They have completely different drivers for DOS, and some have specialized AutoCAD for Windows drivers. It was no surprise that the boards equipped with specialized drivers—the Matrox MGA Impression Plus, the Elsa Winner 2000Pro, and all three graphics adapters from miro Computer Products—performed the best in the Windows AutoCAD test suite.

Two adapters proved to be nice alternatives to the Elsa Winner 2000Pro: the Graphics Pro Turbo and the WinTurbo, both from ATI Technologies. These two earned higher Windows AutoCAD scores than the Elsa Winner 2000Pro, and they tied it in the DOS tests. In addition, the ATI cards are less expensive than the \$799 Elsa card, costing \$699 and \$369, respectively. But pricing was not considered in our rankings. Overall, Elsa did the little things better, such as providing an indexed user's manual and memory-expansion options.

If you need high-quality DOS performance, consider Diamond's Stealth 64 VRAM. This \$599 board had the best DOS scores among the best-overall winners. And it's also one of the few that supports on-the-fly mode switching in Windows.

Precision, an important aspect of CAD work, increases with resolution. So, for the high-resolution/performance CAD subcategory, we considered only the 1600- by 1200-dpi AutoCAD scores and the features and usability scores.



Our CAD performance tests involve drawing and manipulating CAD drawings in AutoCAD release 12 for DOS and Windows at 1024 by 768 dpi and at 1600- by 1200-pixel resolution. Predictably, the adapters with specialized CAD drivers posted the highest scores.

Diamond Multimedia Systems' Viper SE PCI and Genoa Systems' Video Blitz 9500 PCI finished neck-and-neck in the high-resolution arena. They shipped with the same AutoCAD driver, the DL-Xpress from Vibrant Graphics, and the same chip set, the Weitek P9100. This combination produced the best high-resolution DOS performance. We gave the final nod to the Viper SE PCI only because it had a slight performance edge. The Viper SE PCI has 4 MB of VRAM, and the Video Blitz 9500 PCI has 2 MB, but this didn't seem to affect the DOS AutoCAD scores.

For the same category in Windows, the top performer was the Matrox MGA Impression Plus, a \$449 graphics adapter with 4 MB of VRAM. This 64-bit accelerator card includes support for 3-D and useful DynaView CAD utilities, such as a pop-up window with a fully scrollable AutoCAD command field, and DynaView's Spy-Glass feature, which allows you to roam through an enlarged section of your drawing.

The least expensive board in the high-resolution category is the Phantom 64 8864 PCI from Genoa Systems. The only DRAM-based board ranked here, it comes with 2 MB of RAM for an economical \$279. Among the top high-resolution boards, this S3 Vision864-based card had the second-highest Windows scores, but it was tied for last in the DOS tests.

Our low-cost CAD category includes adapters priced at less than \$250. These boards offer performance that is almost equivalent to that of some of the top-ranked general-business boards. This is an indication that good performance is not out of the reach of draftspersons on a tight budget.


Draft with the pros

BEST OVERALL

Elsa Winner 2000Pro



This 64-bit accelerator card was a top performer among the higher echelon of CAD adapters we tested. Its protected-mode Elsa ADI AutoCAD driver offers useful extensions, including a bird's-eye view, dynamic panning, and zoom. At \$799 with 4 MB of VRAM, the Winner 2000Pro supports up to 8 MB of VRAM. Its chip set, the S3 Vision964, also powers the Diamond Stealth 64 VRAM, a runner-up in this category.



Of the products that we reviewed, only the Matrox MGA Impression Plus supports 3-D rendering. This year, however, 3-D chips will become common options on graphics cards. For example, 3DLabs will soon

begin shipping its Glint 300SX 3-D graphics processor for PCI; it supports all the rendering operations of OpenGL. Omnigraphics will include the Glint chip on its 3Demon adapter. Cirrus Logic's Mondello 3-D chip

set, which is also for PCI, consists of a VRAM-based high-performance 2-D GUI and a 3-D rendering accelerator with a 135-MHz true-color palette DAC (D/A converter). DEC and Brooktree, who jointly developed the DECchip 21030, will collaborate on all its associated drivers and support. The 21030 is also a high-performance 2-D and 3-D accelerator. Finally, Kubota has announced its ActionGraphics 300 3-D accelerator, which is specifically designed to take advantage of Pentium speeds and advanced operating systems, such as Microsoft NT 3.5 and Windows 95.

Weighting for Best Overall and Low Cost

PERFORMANCE 75% (1024 × 768)
DOS and CAD 70%
Windows and CAD 30%

FEATURES 15%

USABILITY 10%

This flurry of 3-D technology is due in large part to the WinG OpenGL 3-D modeling library, Microsoft's implementation of Silicon Graphics' technology in NT 3.5 and Windows 95. There are also other 3-D libraries and APIs to support; some of the most significant ones belong to the CAD market.

KEY			
Excellent	★★★★	Good	★★★
Fair	★★	Poor	▲

		OVERALL SCORE	GRAPHICS ACCELERATOR	AS TESTED RAM (MB)	PRICE	STANDARD DRIVERS PROVIDED				AUTOCAD SCORE (TPS)		SCORES	
						WIN NT 3.1	WIN 3.11	AUTOCAD	UNIX	DOS	WIN	FEATURES	USABILITY
BEST	Elsa Winner 2000Pro	★★★★	S3 Vision964	4 VRAM	\$799	✓	✓	✓		3.2	1.2	★★★★	★★★★
RUNNER-UP	ATI Graphics Pro Turbo	★★★★	ATI mach64	4 VRAM	\$699	✓	✓	✓		3.2	1.4	★★★★	★★★★
RUNNER-UP	ATI WinTurbo	★★★★	ATI mach64	2 VRAM	\$369	✓	✓	✓		3.2	1.3	★★★★	★★★★
RUNNER-UP	Diamond Stealth 64 VRAM	★★★★	S3 Vision964	4 VRAM	\$599	✓	✓	✓		3.3	0.6	★★★★	★★★★
RUNNER-UP	Diamond Viper SE PCI	★★★★	Weitek P9100	4 VRAM	\$579	✓	✓	✓		3.2	0.8	★★★★	★★★★

La crème de la CAD

HIGH-END

Diamond Multimedia Systems Viper SE PCI



Ideal for professional color imaging, the Viper SE PCI maximizes the performance of large-screen, high-resolution monitors running DOS AutoCAD. While it fared poorly in comparison to the top five placers in Windows AutoCAD scores, it had the highest usability score, due in part to its easy installation and excellent documentation. The Viper SE PCI has an AutoCAD driver that accelerates zooms and pans and creates regenerations, moves, and erases. In addition, its edge-panning utility, one of several supplied CAD controls, lets you navigate through your drawing by nudging screen edges with your cursor.

		OVERALL SCORE	GRAPHICS ACCELERATOR	AS TESTED RAM (MB)	PRICE	STANDARD DRIVERS PROVIDED				AUTOCAD SCORE (TPS)		SCORES	
						WIN NT 3.1	WIN 3.11	AUTOCAD	UNIX	DOS	WIN	FEATURES	USABILITY
BEST	Diamond Viper SE PCI	★★★★	Weitek P9100	4 VRAM	\$579	✓	✓	✓		2.6	0.7	★★★★	★★★★
RUNNER-UP	Genoa Video Blitz 9500 PCI	★★★★	Weitek P9100	2 VRAM	\$599	✓	✓	✓		2.5	0.8	★★★★	★★★★
RUNNER-UP	Matrox MGA Impression Plus	★★★★	Matrox MGA 64	4 VRAM	\$449	✓	✓	✓		1.7	1.8	★★★★	★★★★
RUNNER-UP	Genoa Phantom 64 8864 PCI	★★★★	S3 Vision864	2 DRAM	\$279	✓	✓	✓		1.6	1.3	★★★★	★★★★
RUNNER-UP	PraeTek GraphMax P24	★★★★	S3 Vision964	4 VRAM	\$615	✓	✓	✓		1.6	1.0	★★★★	★★★★

If you're not made of gold, buy Diamond's

LOW-COST

Diamond Multimedia Systems Stealth 64 DRAM



If you're tight on funds but still need a decent CAD system, we recommend the 4-MB Stealth 64 DRAM. This adapter has twice as much DRAM as any of the others in the top five. It also has very good Windows AutoCAD scores, though only average DOS AutoCAD scores. Its strong points, such as drivers for Windows NT, OS/2, and AutoCAD; a five-year warranty; and on-the-fly resolution switching in Windows, pushed it over the top.

		OVERALL SCORE	GRAPHICS ACCELERATOR	AS TESTED RAM (MB)	PRICE	STANDARD DRIVERS PROVIDED				AUTOCAD SCORE (TPS)		SCORES	
						WIN NT 3.1	WIN 3.11	AUTOCAD	UNIX	DOS	WIN	FEATURES	USABILITY
BEST	Diamond Stealth 64 DRAM	★★★★	S3 Trio64	2 DRAM	\$249	✓	✓	✓	✓	3.2	0.6	★★★★	★★★★
RUNNER-UP	ATI Graphics Xpression	★★★★	ATI mach64	2 DRAM	\$249	✓	✓	✓		2.5	1.3	★★★★	★★★★
RUNNER-UP	Mirage Storm 1600-PCI	★★★★	S3 Vision864	2 DRAM	\$245	✓	✓	✓	✓	2.1	1.0	★★★★	★★★★
RUNNER-UP	PraeTek FastMax P20	★★★★	S3 Vision864	2 DRAM	\$235	✓	✓	✓		1.9	1.0	★★★★	★★★★
RUNNER-UP	miroCrystal 20SD	★★★★	S3 Vision864	2 DRAM	\$239	✓	✓	✓	✓	1.6	1.3	★★★★	★★★★

How We Tested

To create a comprehensive series of tests to determine the best graphics accelerators, we first identified the most important markets for them. We concentrated on two categories for PCI cards and one for high-end Macintosh graphics adapters, as outlined below.

- General business: 1024- by 768-pixel resolution with 256 colors; for mainstream Windows users and people who use general-business applications.
- CAD: 1024- by 768-pixel resolution with 256 colors, and 1600- by 1200-pixel resolution with 256 colors; for engineers, architects, and draftspeople.
- Macintosh graphics: 1152- by 870-pixel resolution with 16.7 million colors; for desktop publishers and graphic illustrators.


For testing on the PC side, we required the adapters to support a minimum of 1024 by 768 pixels with 256 colors in noninterlaced mode. They had to have a minimum of 1 MB of memory. We tested the boards in a DECpc XL 590, a 90-MHz Pentium system with 32 MB of RAM. We used a 21-inch Nanao FlexScan F760i-W MultiSync monitor.

Our Macintosh test-bed consisted of an Apple Mac Quadra 840AV with 16 MB of RAM and the same Nanao monitor. We concentrated on 24-bit, true-color adapters capable of displaying 16.7 million colors on monitors with screens measuring up to 21 inches.

Performance was our primary criterion for selecting the winners. After we chose the top performers, we ranked the winners and runners-up by considering cost, support options, usability, and any unique features the boards offered. Because of differences in retail and street prices, we considered a 15 percent cost difference to be insignificant.

In the ease-of-use scores, an excellent ranking was reserved for adapters with exceptionally clear and complete documentation and installation software. Adapters received a good rating if an average user could install them without referring to the manual. Boards that were rated fair required our testers to consult

The Windows Graphics Architecture



API layer

A Windows application provides generic requests to the Windows API layer. This layer makes calls to the Windows GDI, which in turn talks to the specific driver for the graphics hardware. For accelerated video, an application can talk directly to the DCI. The DCI driver can then receive motion-video data directly from the application, bypassing the Windows GDI. A multimedia application sends a generic command to the MCI, which relays the request to a multimedia device driver.

the documentation, while poor ease-of-use scores indicate we had to reset some setting or jumper and/or consult the vendor's technical-support personnel.

Although ease of installation was a factor in our usability scores, this judgment was tempered somewhat by the fact that once you get even the most troublesome board up and running, you're likely to be concerned only about performance and compatibility for the rest of the board's life.

PERFORMANCE

We produce tests whose scores give a meaningful reflection of real-world conditions. Our graphics application tests use images produced from CorelDraw, Excel, PowerPoint, and Word for Windows. This month, we expanded our testing to include AutoCAD, which stresses a different set of graphics operations.

We required each PCI adapter to display a variety of Windows and AutoCAD images, ranging from straight text to two-dimensional and 3-D bar charts to complex full-color drawings. For the Macintosh tests, we used Corel's export filters to convert drawings into PICT format. We also incorporated images from Mac versions of Aldus Persuasion, Excel, and Microsoft Word. Because many of the test images are platform specific, avoid making direct comparisons between Mac and PC results.

We designed our tests to be resilient to benchmark-optimized drivers (i.e.,

cheating). And, to increase the accuracy of the tests, we used microsecond timing. This allowed us to accurately measure a single screen paint, and it avoided the necessity of drawing the same screen repeatedly (which is unrealistic and also easy to optimize in the driver).

Our Windows tests drew each of the 15 Windows application screens into both system memory and video memory using four different color modes for more than 120 tests. We also measured the time it took to refresh the screen from an image cached in memory at screen depths of 1, 2, 4, 8, 16, and 32 bits per pixel. Well-written applications cache display images whenever possible to improve response times.

Contributors

Jim Kane, Project Manager/NSTL, has been testing network and PC hardware and peripherals for NSTL for the last five years.

Siva Kumar, Technical Analyst/NSTL, specializes in hardware and network-operating-system evaluations.

John McDonough, Technical Writer/NSTL, has been writing for high-tech publications for the last five years.

The Lab Report is an ongoing collaborative project between BYTE magazine and National Software Testing Laboratories (NSTL). BYTE magazine and NSTL are both operating units of McGraw-Hill, Inc. Contact the NSTL staff on the Internet at editors@nstl.com; at NSTL, Inc., Plymouth Corporate Center, Plymouth Meeting, PA 19462; or at (610) 941-9600. Contact BYTE on the Internet or BIX at editors@bix.com or at (603) 924-2643.

While some desktop publishing and graphics illustration applications are slowly migrating

to the PC, most seasoned graphics professionals still prefer to use a Mac. With that in mind, we tested five two-page, true-color display adapters for Mac systems.

All but one of the NuBus cards we tested support 1152- by 870-pixel resolutions. We used a Mac Quadra 840AV for testing because its maximum 2 MB of VRAM leaves it 1 MB shy of what's needed for dual-page, true-color displays.

The Macintosh graphics adapters range in price from \$699 to \$2599, but we did not consider price in our rankings. In

this category, there is no low-cost subset.

Our best-overall category identifies the speed leaders in low-resolution (1024 by 768 dpi) and high-resolution (1152 by 870 dpi) performance tests, with high-resolution test scores weighted more heavily than low-resolution results. Features and usability scores are also mixed into the equation for the best-overall rankings. But in the high-performance subcategory, we considered only the high-resolution performance test results.


Radius, a leading Macintosh graphics vendor, provided us with four of the five NuBus boards. The \$1999 LeMans GT (the best-overall winner), the \$1399 PrecisionColor Pro 24X,

Fast as a sports car

BEST OVERALL Radius LeMans GT



Macintosh users searching for a graphics accelerator with sports-car performance should look into the LeMans GT. Our pick for the best-overall NuBus adapter blew away the competition in our 1024- by 768-pixel resolution tests. In fact, it bested the competition in features and usability scores, too. Its features include 24-bit color support at up to 1152- by 870-pixel resolution, on-the-fly resolution and bit-depth switching, and a PhotoBooster utility that offers additional Photoshop acceleration. Like all the Radius boards we tested, the 3-MB, VRAM-based LeMans GT comes with a lifetime warranty.



Weighting for
Best Overall

PERFORMANCE 75%
(1152 x 870)


FEATURES 15%

USABILITY 10%

		OVERALL SCORE	GRAPHICS ACCELERATOR	AS TESTED		GRAPHICS SCORES		SCORES	
				RAM (MB)	PRICE	1152 x 870/ 16.7M COLORS	1024 x 768/ 256 COLORS	FEATURES	USABILITY
BEST	Radius LeMans GT	★★★★	Radius Custom ASICs	3 VRAM	\$1999	4.4	9.7	★★★	★★★★
RUNNER-UP	Radius Thunder II GX 1152	★★★★	Radius Custom ASICs	3 VRAM	\$2599	4.4	6.8	★★★	★★★★
RUNNER-UP	Radius PrecisionColor Pro 24XK	★★★★	Radius Custom ASICs	2 VRAM	\$999	3.7	7.4	★★	★★★
RUNNER-UP	Radius PrecisionColor Pro 24X	★★★★	Radius Custom ASICs	3 VRAM	\$1399	3.1	3.0	★★★	★★★★
RUNNER-UP	Mirror Tornado	★★	Proprietary ASIC	3 VRAM	\$699	1.4	2.8	★★★	★★★

High cost, high quality

HIGH-RESOLUTION Radius Thunder II GXT 1152



The \$2599 Thunder II GXT 1152 board is the most expensive Mac board we tested, and it posted the highest numbers in our 1152- by 870-pixel resolution test. The Thunder II's outstanding performance can be attributed in part to its dual-DSP design. DSP acceleration speeds up image filtering for processor-intensive applications, such as Adobe Photoshop. The 12½-inch-long card, which has a proprietary graphics accelerator chip set, was shipped to us with 3 MB of VRAM, its maximum configuration.

		OVERALL SCORE	GRAPHICS ACCELERATOR	AS TESTED		GRAPHICS SCORES		SCORES	
				RAM (MB)	PRICE	1152 x 870/ 16.7M COLORS	1024 x 768/ 256 COLORS	FEATURES	USABILITY
BEST	Radius Thunder II GXT 1152	★★★★	Radius Custom ASICs	3 VRAM	\$2599	4.4		★★★	★★★★
RUNNER-UP	Radius LeMans GT	★★★★	Radius Custom ASICs	3 VRAM	\$1999	4.4		★★★	★★★★
RUNNER-UP	Radius PrecisionColor Pro 24XK	★★★★	Radius Custom ASICs	2 VRAM	\$999	3.7		★★	★★★
RUNNER-UP	Radius PrecisionColor Pro 24X	★★★★	Radius Custom ASICs	3 VRAM	\$1399	3.1		★★★	★★★★
RUNNER-UP	Mirror Tornado	★★	Proprietary ASIC	3 VRAM	\$699	1.4		★★★	★★★

and the \$999 PrecisionColor Pro 24XK all deliver fast and accurate color for high-end graphics. Although the 24XK doesn't support as many resolutions as the other boards do, it might be the right board for you if you have a small- to medium-size monitor. The PrecisionColor Pro 24XK outscored the 24X in both the low- and high-resolution tests.

The Radius Thunder II GXT 1152, the high-resolution winner, allows you to add memory for applications that take advantage of *GWorlds*, images that ex-

ist in memory but are not displayed on-screen. You may have to balance that value by putting more memory into your system.

The advantage of putting more memory on the display adapter is that the acceleration hardware can be used to update off-screen images, and, more important, the off-screen images can be copied to the screen without having to squeeze through the NuBus.

The lowest-priced NuBus adapter, the Tornado from Mirror Technologies, finished last every time. The Tornado offers rough-

KEY	
Excellent ★★★★★	Good ★★★
Fair ★★	Poor ▲

ly one-third the performance of the Radius LeMans GT, and it is priced accordingly. As is, it would not be a good choice for image-editing applications, such as Adobe Photoshop. However, Mirror offers an optional Charge-Card Photoshop accelerator that can be attached to the Tornado via two pin connectors. Unfortunately, we did not get a chance to test this option.

Video Glossary

AVI Stands for Audio Video Interleave, a file-format extension given to Video for Windows files wherein audio and video data are stored in alternate blocks.

Cinepak A software file-compression scheme for video that's well suited to low-power CPUs. Established by SuperMac (now Radius Technologies), it is common on Windows and the Mac OS.

DCI Stands for display control interface, the software interface for display device drivers. It communicates directly with the video hardware, bypassing the Windows GDI.

DSP Stands for digital signal processor, a specialized, programmable CPU capable of performing high-speed mathematical processing. Ideal for use in compression algorithms.

feature connector The 26-pin cable that delivers pixel data from a VGA board to an external device, such as a video-capture board.

FLI, FLC File extensions denoting animations created in Autodesk Animator. FLI supports VGA; FLC supports SVGA resolutions. These compression techniques are more effective for animations than they are for natural video, since they work best on large areas of a single color.

Indeo A software file-compression scheme for video established by Intel; it uses a lossy compression/decompression algorithm.

lossy compression A scheme that, after decompression, does not produce exactly the same data that was given to the

compressor. Due to the nature of image data, the losses are often imperceptible to the human eye.

MCI Stands for media control interface. Controls multimedia devices and includes standard commands, such as Open, Close, and Play; C functions; and MPEG.

motion JPEG A simplified version of the JPEG compression scheme. It loads a fixed Huffman table (which lists bit streams and their abbreviations) for all frames of a video rather than for each frame.

VM channel Stands for VESA media channel, a standard connector that provides a link between adapter cards and a computer's graphics subsystem, providing a dedicated channel for real-time video that's independent of the system bus.



AT&T DSP chips



Feature connector

HONORABLE MENTIONS

The miroCrystal 40SV Twin,

from miro Computer Products, includes not just one, but two graphics accelerators. To add the second S3 processor, it uses a daughter-board mounted on the main adapter. The miro TwinFace driver can control the two monitors simultaneously, creating one large Windows workspace. With your desktop stretched across two monitors, you can seamlessly drag Windows from one monitor to the other, cut and paste between two full screens, or operate with one screen displaying your Windows application and the other displaying your C++ debugger.



The miroCrystal 40SV Twin running one program manager on two screens.

Zooming in on a CAD application with the MGA Impression Plus.

Viewing a full-screen video with the Video Logic PCI Movie.

PowerPlay32 Digital Movie accelerator


chip. The movie processor incorporates SmoothScale, which is a proprietary scaling algorithm that allows the acceleration of Indeo, Cinepak, MPEG I, and Video I video clips. Boards like this will expedite the adoption of motion video into mainstream computing.

The MGA Impression Plus from Matrox offers helpful productivity features that set it apart from similarly priced PCI graphics adapters. One of Matrox's way-cool innovations is a feature called Pixel Touch,

It may not provide the grandeur of the silver screen, but VideoLogic's PCI Movie can run full-screen movies plus accelerate Windows multimedia presentations. The board is powered by a Weitek P9100 graphics accelerator as well as VideoLogic's

which allows you to zoom up to $\times 2$ and $\times 4$ magnification and pan in a window within AutoCAD via a hot key. A QCDP (Quality Color Dithering Process) feature simulates true color in 8- and 16-bit modes at resolutions up to 1600 by 1200 pixels.

TEST BEFORE YOU BUY



SOFTWARE

Software Digest is published by NSTL, the industry's first and most authoritative independent testing laboratory.

world, applications-based environment like the one you work in every day.

The result: clear-cut winners that give you the best value for your money. Concisely and clearly described — without ads, distractions, or outside influences of any kind.

Every issue addresses a noteworthy applications software package or operating system that involves significant expense or investment in a learning curve. For example —

- Document exchange programs
- Windows-based peer-to-peer LANs
- SQL Servers
- Project Management
- Virus Protection
- Bundled software
- Multiuser databases
- Windows NT
- Network management software
- LAN E-mail
- Graphical spreadsheets
- Communications

Software Digest's comparative features section is so comprehensive that vendors consult it before designing upgrades. Shouldn't you consult us before buying them?

Which new standalone or networked software applications and upgrades should you buy?

Does the software you're considering live up to vendor claims? Will your people be able to learn it?

Since 1983, buyers making high-stakes purchases have been using National Software Testing Laboratories (NSTL) for authoritative, state-of-the-art evaluation of PC software.

NSTL originated the concept of testing microcomputer products. Today NSTL's

benchmarks and methodology are universally regarded as definitive.

Software Digest gives you monthly access to NSTL's comprehensive software test results. So you can make smarter, easier buying decisions.

Our tests flatten the playing field in each software category. So products show their strengths and weaknesses in head-to-head, feature-to-feature competition designed and analyzed by NSTL's test experts.

Each report compares product costs, speed, features, versatility and compatibility in a real-

FREE BINDER

To help you build your resource library, you get a **FREE** durable, 3-ring binder with tabbed subject dividers upon payment.

ORDER NOW!

YES, please enter my subscription to Software Digest for one year (12 monthly issues) at \$450, and send my free binder upon payment.

MAIL TO: Software Digest, P.O. Box 551, Hightstown, NJ 08520-9892

NAME

COMPANY NAME

COMPANY ADDRESS

CITY/STATE/ZIP

PHONE

PAYMENT INFORMATION:

☐ Check enclosed

☐ Please bill me P.O. # required

Charge my: ☐ Visa ☐ MasterCard ☐ AMEX

ACCOUNT NUMBER

EXPIRATION DATE

SIGNATURE

Orders outside North America: Please add US \$20. for airmail delivery.

SWBY014

Get full control of the planning and buying process — subscribe today.

PHONE

1-800-257-9402

FAX

1-609-426-7087

MONEY-BACK GUARANTEE

If at any time you are not **COMPLETELY** satisfied with your subscription, you will receive a full refund of your entire investment.

ROLL CALL OF PCI AND MAC

COMPANY	ADAPTER NAME	PRICE AS TESTED	WARRANTY (YEARS) ¹	ACCELERATOR CONTROLLER	VIDEO DAC	VIDEO BIOS	VIDEO- PLAYBACK CHIP SET	BUS CONNECTOR (PCI/ NUBUS)	VIDEO CONNECTOR	RAM MAX./ AS TESTED (MB)	SPEED (NS)
Actix Systems, Inc.	Graphics Engine Ultra 64-PCI	\$529	3 PL	S3 Vision864	AT&T 491	Quadtel 1.44	N/A	PCI	DB 15	4 DRAM/4	70
Actix Systems, Inc.	Picasso-PCI	\$259	3 PL	ARK1000	AT&T 490	Phoenix 1.1	N/A	PCI	DB 15	2 DRAM/2	70
Actix Systems, Inc.	Picasso 64-PCI	\$279	3 PL	ARK2000	AT&T 491	Phoenix 1.1	N/A	PCI	DB 15	4 DRAM/2	70
BYTE ATI Technologies, Inc.	Graphics Pro Turbo	\$699	5P/1 L	ATI mach64 88800GX	Spectra DAC (ATI 68860)	ATI Custom BIOS	ATI mach64 88800GX	PCI	DB 15	4 VRAM/4	70
ATI Technologies, Inc.	Graphics Xpression	\$249	5P/1 L	ATI mach64 88800GX	SG-1701	ATI Custom BIOS	ATI mach64 88800GX	PCI	DB 15	2 DRAM/2	70
ATI Technologies, Inc.	WinTurbo	\$369	5P/1 L	ATI mach64 88800GX	Spectra DAC (ATI 68860)	ATI Custom BIOS	ATI mach64 88800GX	PCI	DB 15	2 VRAM/2	70
Brilliant Computer Products	Cloud9 Thunder64	\$195	2 PL	S3 Vision864	S3 SDAC	Phoenix 1.03	N/A	PCI	DB 15	2 DRAM/2	70
DFI	WG-2000P	\$143	2 PL	ALG2301	ALG1201	Quadtel 2.0	N/A	PCI	DB 15	1 DRAM/1	60
DFI	WG-3000P2	\$229	2 PL	S3 Vision864	S3 86C716	Phoenix 2.0	N/A	PCI	DB 15	4 DRAM/1	70
Diamond Multimedia Systems, Inc.	Stealth 64 DRAM	\$249	5 PL	S3 Trio64	Integrated	Diamond 2.01	N/A	PCI	DB 15	2 DRAM/2	60
Diamond Multimedia Systems, Inc.	Stealth 64 VRAM	\$599	5 PL	S3 Vision964	Brooktree 485A	Diamond 1.05	N/A	PCI	DB 15/BNC	4 VRAM/4	70
Diamond Multimedia Systems, Inc.	Viper SE PCI	\$579	5 PL	Weitek P9100	IBM RGB525	Diamond 1.05	N/A	PCI	DB 15	4 VRAM/4	70
Elsa, Inc.	Winner 1000Pro	\$329	3 PL	S3 Vision864	AT&T 21C498	ELSA 1.06	N/A	PCI	DB 15	2 DRAM/2	70
BYTE Elsa, Inc.	Winner 2000Pro	\$799	3 PL	S3 Vision964	TI TVP3020	ELSA 1.00.04	N/A	PCI	DB 15	8 VRAM/4	70
Focus Information Systems, Inc.	Cheetah 34 PCI	\$439	4 PL	Cirrus Logic GD5434	Integrated	Cirrus Logic 1.01B	N/A	PCI	DB 15	4 DRAM/2	70
Focus Information Systems, Inc.	Premier 2000 PCI	\$269	5 PL	ARK2000PV	STG1700/	Phoenix & Ark Logic 2.3	N/A	PCI	DB 15	4 DRAM/2	70
Focus Information Systems, Inc.	RoadRunner 864 PCI	\$279	2 PL	S3 Vision864	SDAC STG1703	Phoenix 1.03	N/A	PCI	DB 15	2 DRAM/2	60
Focus Information Systems, Inc.	TrueSpeed W32 PCI	\$289	3 PL	Tseng Labs ET4000/W32P	AT&T C490	Tseng Labs 1.4C	N/A	PCI	DB 15	2 DRAM/2	70
Genoa Systems Corp.	Phantom 64 8864 PCI	\$279	2 PL	S3 Vision864	S3 SDAC RAMDAC	Phoenix 1.2	N/A	PCI	DB 15	2 DRAM/2	70
Genoa Systems Corp.	Video Blitz 9500 PCI	\$599	2 PL	Weitek P9100	IBM RGB525 64-bit RAMDAC	Weitek 1.0	N/A	PCI	DB 15	4 VRAM/2	70
Genoa Systems Corp.	Windows64 VGA 8534 PCI	\$239	2 PL	Cirrus Logic GD5434	Integrated	Cirrus Logic 1.0	N/A	PCI	DB 15	4 DRAM/2	70
Matrox Graphics, Inc.	MGA Impression Plus	\$449	2 PL	Matrox MGA 64	TI TVP3026	LSI Logic 3.5	VideoLogic PowerPlay 32	PCI	DB 15/BNC	4 VRAM/4	60
Mirage Multimedia Systems	Mirage Storm 1600-PCI	\$245	5 P/1 L	S3 Vision864	SGS Thompson	S3 2.2	N/A	PCI	DB 15	4 DRAM/2	45
miro Computer Products, Inc.	miroCrystal 20SD	\$239	2 PL	S3 Vision864	AT&T 40C491-135	Phoenix/miro 3.3	N/A	PCI	DB 15	2 DRAM/2	70
miro Computer Products, Inc.	miroCrystal 40SV	\$599	2 PL	S3 Vision964	TI TVP3025- 135	Phoenix/miro 1.1	N/A	PCI	DB 15	4 VRAM/4	70
miro Computer Products, Inc.	miroCrystal 40SV Twin	\$1199	2 PL	S3 Vision964/ S3 Vision864	TI TVP3025-220/ AT&T 40C490-135	Phoenix/miro 1.1	N/A	PCI	DB 15	4 VRAM/ 2 DRAM	70
Nth Graphics	Apex/PCI 2 MB	\$495	1 PL	S3 Vision864	AT&T 498	Phoenix S3 1.02-00	N/A	PCI	DB 15	4 DRAM/2	70
Orchid Technology	Kelvin 64 PCI	\$249	4 PL	Cirrus Logic GD5434	Integrated	Orchid 1.02 GD5434	N/A	PCI	DB 15	2 DRAM/2	70
PraeTek, Inc.	FastMax P20	\$235	5 PL	S3 Vision864	S3 SDAC	S3 1.03.07	N/A	PCI	DB 15	2 DRAM/2	70
PraeTek, Inc.	GraphMax P24	\$615	5 PL	S3 Vision964	TI TVP3025	S3 1.03.07	N/A	PCI	DB 15	4 VRAM/4	70
Spider Graphics, Inc.	Spider 64	\$364	2 PL	Cirrus Logic GD5434	Integrated	Spider Graphics 1.25	N/A	PCI	DB 15	4 DRAM/4	80
Spider Graphics, Inc.	Tarantula 64	\$499	2 PL	S3 Vision964	Brooktree 485/KPJ 135	Spider Graphics 1.25	N/A	PCI	DB 15	4 VRAM/4	70
STB Systems, Inc.	PowerGraph 64	\$199	Lifetime (limited)	S3 Trio64	Integrated	S3/STB Systems 1.0	N/A	PCI 2.0	DB 15	2 DRAM/2	60
VideoLogic, Inc.	PCI Movie	\$399	1 PL	Weitek P9100	Brooktree 9485	Weitek 1.24	VideoLogic PowerPlay 32	PCI	DB 15	2 VRAM/2	70
Western Digital/Paradise	Bahamas 64 PCI	\$299	3P/1 L	S3 Vision864	S3 SDAC	S3/Phoenix 1.03-08	N/A	PCI	DB 15	2 DRAM/2	60
Mirror Technologies	Tornado	\$699	1 PL	Proprietary ASIC	Integrated	N/A	N/A	NuBus	DB 15	3 VRAM/3	80
BYTE Radius, Inc.	LeMans GT	\$1999	Lifetime	Radius Custom ASICs	Analog Devices	Radius ROM 2.0 & Quickcolor	N/A	NuBus	DB 15	3 VRAM/3	60
Radius, Inc.	PrecisionColor Pro 24X	\$1399	Lifetime	Radius Custom ASICs	Brooktree 473 or Analog Devices	Radius ROM 2.0 & Quickcolor	N/A	NuBus	DB 15	3 VRAM/3	70
Radius, Inc.	PrecisionColor Pro 24XK	\$999	Lifetime	Radius Custom ASICs	Brooktree 473 or Analog Devices	Radius ROM 2.0 & Quickcolor	N/A	NuBus	DB 15	2 VRAM/2	70
Radius, Inc.	Thunder II GTX 1152	\$2599	Lifetime	Radius Custom ASICs	Brooktree Custom DAC01	Radius ROM 3.0 & SuperPower	N/A	NuBus	DB 15	3 VRAM/3	60

BYTE = BYTE Best.¹P = parts; L = labor.

GRAPHICS ADAPTERS TESTED

FEATURE CONNECTOR	SUPPORTS MULTIPLE ADAPTERS?	HI MAX. REF. RATE (HZ)/MAX. HOR. FREQ. (KHZ)	UTILITY SOFTWARE		NONINTERLACED MODES: MAX. COLORS/MAX. REF. RATE (HZ)					PHONE	TOLL-FREE PHONE	INQUIRY NUMBER
			SCREEN SAVER/ ZOOM	DIAGNOSTICS/ FONT EDITOR	1024 × 768	1280 × 1024	1600 × 1200	640 × 400	832 × 624			
Yes	No	100/94	Yes/No	No/Yes	64K/90	256/75	256/75	N/A	N/A	(408) 986-1625	(800) 927-5557	1346
Yes	No	90/64	Yes/Yes	No/No	256/75	256/60	256/87	N/A	N/A	(408) 986-1625	(800) 927-5557	1347
Yes	No	90/67	Yes/Yes	Yes/Yes	64K/75	64K/70	64K/87	N/A	N/A	(408) 986-1625	(800) 927-5557	1348
Yes	No	100/80	No/Yes	Yes/Yes	16.7M/100	16.7M/75	64K/70	N/A	N/A	(905) 882-2600	N/A	1349
Yes	No	75/80	No/Yes	Yes/Yes	64K/75	256/70	N/A	N/A	N/A	(905) 882-2600	N/A	1350
Yes	No	100/80	No/Yes	Yes/Yes	64K/100	256/75	N/A	N/A	N/A	(905) 882-2600	N/A	1351
Yes	No	75/80	No/No	Yes/No	64K/75	256/75	256/75	N/A	N/A	(408) 942-3315	N/A	1352
Yes	No	75/80	Yes/No	Yes/No	256/75	N/A	N/A	N/A	N/A	(916) 568-1234	(800) 275-3342	1353
Yes	No	75/80	Yes/No	Yes/No	64K/75	256/75	N/A	N/A	N/A	(916) 568-1234	(800) 275-3342	1354
Yes	Yes/2	120/82	Yes/Yes	Yes/No	64K/100	256/75	N/A	N/A	N/A	(408) 736-2000	(800) 468-5846	1355
Yes	No	120/82	Yes/Yes	Yes/No	16.7M/120	64K/75	N/A	N/A	N/A	(408) 736-2000	(800) 468-5846	1356
Yes	No	120/82	Yes/Yes	No/No	16.7M/100	16.7M/75	64K/66	16.7M/130	N/A	(408) 736-2000	(800) 468-5846	1357
Yes	Yes/4	200/164	Yes/No ²	Yes/No	64K/85	256/76	256/52	16.7M/130	16.7M/64	(415) 615-7799	(800) 272-3572	1358
Yes	Yes/4	200/213	Yes/No ²	Yes/No	16.7M/104	64K/105	64K/67	16.7M/160	16.7M/157	(415) 615-7799	(800) 272-3572	1359
Yes	No	75/60	Yes/No	Yes/Yes	256/75	N/A	N/A	256/70	N/A	(510) 657-2845	(800) 925-2380	1360
Yes	No	90/83	Yes/Yes	Yes/No	16.7M/75	64K/70	64K/60	N/A	N/A	(510) 657-2845	(800) 925-2380	1361
Yes	No	72/80	No/No	Yes/No	64K/75	256/75	N/A	16.7M/75	N/A	(510) 657-2845	(800) 925-2380	1362
Yes	No	72/75	Yes/No	Yes/Yes	64K/75	256/63	N/A	64K/50	N/A	(510) 657-2845	(800) 925-2380	1363
Yes	No	106/60	Yes/No	No/No	64K/75	256/75	256/60	N/A	N/A	(408) 432-9123	(800) 934-3662	1364
No	No	72/60	Yes/No	No/No	16.7M/70	16.7M/60	64K/60	N/A	N/A	(408) 432-9123	(800) 934-3662	1365
Yes	No	114/60	Yes/No	No/No	64K/70	256/60	N/A	256/70	N/A	(408) 432-9123	(800) 934-3662	1366
Yes	Yes/2	120/90	Yes/Yes	Yes/Yes	16.7M/90	16.7M/90	64K/76	64K/60	N/A	(514) 685-2630	(800) 361-1408	1367
Yes	Yes/2	110/85	No/Yes	Yes/Yes	64K/72	64K/60	256/60	16.7M/60	N/A	(310) 301-4545	(800) 228-3349	1368
Yes	No	100/85	Yes/Yes	No/Yes	64K/100	256/75	N/A	N/A	N/A	(415) 855-0940	(800) 249-6476	1369
Yes	No	100/100	Yes/Yes	No/Yes	16.7M/100	64K/75	N/A	N/A	N/A	(415) 855-0940	(800) 249-6476	1370
Yes	Yes/2	100/107	Yes/Yes	No/Yes	16.7M/100	64K/100	256/75 ²	N/A	N/A	(415) 855-0940	(800) 249-6476	1371
Yes	No	100/95	No/No	No/No	64K/75	256/75	256/80	N/A	N/A	(512) 832-1944	(800) 624-7552	1373
Yes	No	75/65	Yes/Yes	No/No	64K/75	256/70	N/A	N/A	N/A	(510) 683-0300	(800) 767-2443	1374
Yes	No	75/80	Yes/No	Yes/No	64K/75	256/75	256/60	N/A	N/A	(612) 633-6000	(800) 752-8033	1375
Yes	No	75/95	Yes/No	Yes/No	16.7M/75	64K/75	64K/60	N/A	N/A	(612) 633-6000	(800) 752-8033	1376
Yes	No	75/64	No/No	No/No	16.7M/75	64K/70	N/A	N/A	N/A	(408) 526-0535	N/A	1381
Yes	No	90/80	No/No	No/No	16.7M/80	64K/75	64K/60	N/A	N/A	(408) 526-0535	N/A	1382
Yes	Yes/8	75/61	Yes/Yes	No/No	64K/75	256/75	N/A	16.7M/75	N/A	(214) 234-8750	(800) 234-4334	1383
Yes	Yes/15	120/79	Yes/No	No/No	64K/90	256/75	N/A	N/A	N/A	(415) 875-0606	(800) 578-5644	1384
Yes	No	75/80	No/No	No/No	64K/75	256/75	256/60	N/A	N/A	(714) 932-5000	(800) 568-9272	1385
Yes	No	75/69	No/Yes	No/No	16.7M/75	N/A	N/A	N/A	16.7M/75	(612) 830-1549	(800) 654-5294	1372
No	No	75/100 ²	No/Yes	No/No	16.7M/75	16.7M/75	N/A	N/A	16.7M/75	(408) 541-6100	(800) 572-3487	1377
No	No	75/100 ²	No/Yes	No/No	16.7M/75	1152 × 870: 16.7M/75	N/A	N/A	16.7M/75	(408) 541-6100	(800) 572-3487	1378
No	No	75/80 ²	No/Yes	No/No	16.7M/75	1152 × 870: 16.7M/75	N/A	N/A	16.7M/75	(408) 541-6100	(800) 572-3487	1379
No	No	75/100 ²	No/Yes	No/No	16.7M/75	16.7M/75	N/A	N/A	16.7M/75	(408) 541-6100	(800) 572-3487	1380

² In development.

³ Resolution-dependent.

² 256 colors at 75 Hz; 1280 by 1024 pixels on second monitor.

N/A = not applicable.

The Green Monitors From



JANUARY 1994
BYTE
BEST VALUE
GENERAL BUSINESS
COLOR MONITOR

CA 1507 was awarded the "Best Value: General Business Color Monitor" by BYTE Magazine in the January 1994 BYTE/NSTL Lab Report

CA1718 was the Best Value Runner-up for Spreadsheet and Graphics Color Monitor in BYTE Magazine's January 1994 BYTE/NSTL Lab Report.

New Features of 15", 17", 20" & 21" Color Monitors:

External Adjustment

- | | |
|--------------------|---------------|
| 1) Power Saving | 4) Pincushion |
| 2) Full Screen | 5) Trapezoid |
| 3) Rotation (Tilt) | 6) Degaussing |



"The energy star emblem does not represent EPA endorsement of any product or service."

Why KFC?

Our complete line (9", 14", 15", 17" 20" & 21" monitors), allows you to do one-stop sourcing, efficiently and economically.

MARCH 8 - 15, 1995
CeBIT'95
 HANNOVER

Hall No. 6
 Stand No. B0611



A Professional Monitor Company



HEADQUARTERS, T.W.N.
 TEL: 886-2-7548353
 FAX: 886-2-7548498

CALIFORNIA USA
 TEL: 714-546-0336
 FAX: 714-546-0315

TEXAS, USA (OEM)
 TEL: 512-8356776
 FAX: 512-8356779

SMILE GERMANY
 TEL: 49-2154-9280-0
 FAX: 49-2154-1032

HOLLAND
 TEL: 31-10-2202313
 FAX: 31-10-2200840

Circle 513 on Inquiry Card.

Transport-Triggered Architectures

Getting higher performance through greater instruction parallelism

DICK POUNTAIN

The ultimate expression of the RISC philosophy must be the TTA (Transport-Triggered Architecture), in which there's just the MOVE instruction. As the name suggests, it's the moving of data from one unit to another that triggers computation in a TTA design. TTAs rely on smart compilers rather than hardware to schedule instructions, allocate resources, and handle dependencies. A research team led by Henk Corporaal at Holland's University of Delft recently built an experimental 32-bit TTA processor.

You program a traditional processor by specifying operations that move data between registers and modify it in ALUs—for example, an ADD operation typically moves two operands and one result. Such machines (which includes CISCs and RISCs) can be described as having OTAs (Operation-Triggered Architectures). A TTA machine breaks these operations down further into individual data moves, so that an ADD now becomes three separate instructions. This finer-grained approach can offer higher performance through greater instruction parallelism.

A TTA processor consists of several FUs (function units), a bank of GPRs (general-purpose registers), and some transports (i.e., buses) that move data from unit to unit (see "A Transport-Triggered Processor"). The transports constitute a communications network between the units, which might be fully or only partially connected.

The registers of a TTA fall into four categories; operand registers, trigger registers, result registers, and GPRs. The first three types belong to function units—in an OTA machine they would be called latches, but in a TTA they have names and are visible to software. Only the GPRs correspond exactly to the register file of an OTA machine.

An operation on a TTA begins by loading operands into an FU's operand registers. The last operand goes into the trigger register, which signals the FU that all the operands are ready, and the operation starts. The result goes into the FU's result register. You must store the result in a GPR if you need to keep it for more than one cycle. For example, the TTA code to add two numbers might look like this:

```
r2 -> add_o
r3 -> add_t
add_r -> r4
```

The arrows represent the TTA's single MOVE instruction. The first statement moves an operand from the GPR called r2 into the add unit's operand register. The second line puts the second operand into add's trigger register


(add_t) and causes the addition to occur, leaving the result in the add unit's result register (add_r). The last line saves this result into GPR r4.

Two points need to be made here. First, though the trigger move can't be performed before its other operand moves, it can be made in the same cycle. In principle, you can perform as many independent moves per cycle as there are transports. Second, the time interval between the trigger and result moves can't be less than the add unit's latency time. However, unlike a superscalar RISC in which units share pipelines, each unit in a TTA has its own internal pipeline, and it's the compiler's job to space out the instructions to account for the latency of each unit.

Control flow in a TTA is managed by "guards" that determine whether or not a move will actually be executed, based on the values of special 1-bit predicate registers (like status bits in an OTA). Comparison FUs set the values of these bits. The program line `if r = r3 then goto label` compiles into the following moves:

```
r2 -> eq_o ; load operand into 'equals' unit
r3 -> eq_t ; second operand triggers comparison
eq_r -> b4 ; result into predicate register b4
b4 ? label -> pc ; if b4 then jump to label
```

A Transport-Triggered Processor



Jumps are performed by moving an address directly into the program counter, which is exposed to software in a TTA. The last line shows `b4` guarding such a move. TTAs also make the instruction register visible, to allow the fetching of long immediate values from the instruction stream. Short immediate values are specified directly in a move, as in `48 -> r2`.

TTA Advantages

The TTA concept offers several advantages from a hardware designer's point of view, the most important of which are faster clocks and the potential to increase the utilization of the FUs compared to superscalar RISC designs.

Superscalar RISC designs are already showing signs of diminishing return; as they issue more instructions per cycle, the hardware required to detect dependencies and resource conflicts between operations becomes more complex and consumes more chip area. A TTA design dispenses with all this complex scheduling and issue logic. Furthermore, the separation of the FUs from the transport network means each FU's pipeline can be optimized for the best cycle time. The transport network itself may be superpipelined, in which case the only lower limit on the chip's cycle time is the register-to-register transfer time across the bus.

Superscalar OTA machines also have to provide abundant transport bandwidth because they must cater to the worst case of three buses (two operands and one result) and three register ports for each operation issued per instruction cycle, even though most instructions will not use them all. In a TTA machine, the separation of transport from operation means that the FUs share a common pool of transports, so the total bandwidth required is closer to the actual utilization than to the worst case. Put another way, the same amount of metal spent on the transport network of a TTA serves more FUs than it would in a superscalar RISC machine. This separation also makes TTAs more inherently scalable than OTAs because adding more FUs and transports becomes an almost mechanical copying process, which adds little to the complexity of the design.

In addition to these hardware advantages, TTAs make possible several new classes of compiler optimization that are not available to OTAs. The finer-grained instructions allow greater scheduling freedom, so that the compiler might interleave whole operations by bringing forward an operand move from a future operation to fill the latency gap before the current operation's result move.

Register-bypassing, which the hardware in current OTA RISC designs performs, is a software issue for TTAs. The compiler can move the result of an operation directly from the FU that produced it without waiting for it to be stored in a GPR, as in the following:

```
add_r -> mul_o
add_r -> r2
```

If the compiler can see that all the uses of a result are bypassed in this way, then it will eliminate that second result-to-register move altogether, a form of dead-code elimination. Similarly, if an FU uses the same value in a series of operations (e.g., within a loop), the compiler can eliminate all but the first operand move. This is called *operand sharing*, a special case of common subexpression elimination.

As a result of these optimizations, a TTA machine can get by with fewer GPRs than an equivalent OTA, because it will frequently store temporary results in operand registers or pipeline stages without occupying a GPR.

Compiler Technology

As you might have guessed by now, compilers for TTA machines need to be very clever indeed in order to find sufficient instruction-level parallelism and take advantage of all those optimization opportunities. TTA machines represent the end point of a historical sequence from CISC to RISC to VLIW (Very Long Instruction Word) computers, in which those tasks that microcode or hardware on the chip (i.e., instruction decode, scheduling, register allocation, and dependence checks) once performed have been progressively off-loaded onto the compiler.

In particular, compilers for TTA machines need to examine a much wider scope than the single *basic block* inspected by many conventional compilers. (A basic block is a sequence of consecutive statements in which flow of control enters at the beginning and leaves at the end, without halting or without the possibility of branching, except at the end.) The modified Gnu C/C++ compiler under development at Delft works at the level of "regions," which are groups of basic blocks corresponding to higher-level structures such as loops. The scheduler works by visiting each basic block in the region in topological order, scheduling each block with a simple list algorithm and then inspecting all the other basic blocks reachable from the current one to see if any of their operations can be pulled back into it.

The modified Gnu C/C++ compiler begins scheduling by placing a trigger move in the earliest cycle in which it finds a suitable FU and a move bus available. The operand and result moves are then placed, subject to checks on pipeline depth, register availability, and instruction ordering (i.e., operand > trigger > result). Should a check fail, a move may have to be switched to an earlier (for operands) or later (for results) cycle. If this move doesn't work, then the scheduler must scrap the whole deal and backtrack by rescheduling the original trigger move one cycle later.

This sort of complex behavior belongs in the territory of AI programming techniques, so it's no coincidence that I first heard of TTAs from a compiler writer at a workshop for functional-language developers.

The Future of TTA

The team at Delft has produced an experimental 32-bit integer TTA processor with eight function units and four buses, called MOVE32INT. Even implemented in a conservative 2-micron process, MOVE32INT runs at 80 MHz, and benchmarking suggests that it's between 25 percent to 50 percent faster than a superscalar OTA with equivalent FUs.


However, speed is not the only consideration, and many of the same objections leveled at VLIW also apply to TTA designs. Principally, it's hard to preserve binary-code compatibility between successive processor generations because the code is so intimately tied to the hardware. MOVE32INT is actually part of ongoing research into the automatic generation of ASIC (application-specific IC) layouts from software specifications, and was never intended as a general-purpose CPU.

Nevertheless, it's known that Intel and H-P have both done research into TTAs, and that one of the Delft team, Dr. J. M. Mulder, now works at Intel on the P7 project, so it's not inconceivable that some TTA ideas might find their way into the joint Intel/H-P VLIW products. ■

Dick Pountain is a BYTE contributing editor based in London. You can reach him on the Internet or BIX at dickp@bix.com.

Powered by the
GLINT™ 300SX

3DEMON



Finalist

WORKSTATION GRAPHICS AT PC PRICES

See You At
Hall: 6
Stand: C24/F23
Booth: C11

MARCH 8 - 15, 1995
CeBIT '95
HANNOVER

Call for information on
our complete line of PC
and VMEbus graphics
products.

**OMNICOMP GRAPHICS
CORPORATION**
1734 W. SAM HOUSTON
PKWY. N.
HOUSTON, TEXAS 77043

PHONE: (713) 464-2990
FAX: (713) 827-7540
TELEX: 285801 OMNICO UR
INTERNET:
omnicomp@phoenix.phoenix.net

Unleash the power of the 3DEMON™ on your graphics application. Omnicomp now brings you a PCI based graphics accelerator board capable of 3-D workstation class performance at affordable PC prices. The 3DEMON accelerates rendering with 24-bit Z-buffering, anti-aliasing, alpha-blending, texture mapping and fast clear features. For Windows NT™, the 3DEMON provides double buffering and optimizes OpenGL™ applications.

Tomorrow's Vision Today

Omnicom

Graphics Corporation

APIs and Libraries
supported by the
3DEMON

OpenGL™
© SiliconGraphics, Inc.

**REALITY™
LAB**
RENDERMORPHICS

RenderWare®
C
criticon
software

BRender™
Argonaut

3DR™
Intel®

X™
INSIDE
INCORPORATED

Omnicom and 3DEMON are trademarks of Omnicomp Graphics Corporation. GLINT 300SX is a trademark of 3Diabs Inc., Ltd. Windows NT is a trademark of Microsoft, Inc. OpenGL is a trademark and a copyright, and Open Inventor is a copyright of Silicon Graphics, Inc. RenderMorphics and Reality Lab are trademarks of RenderMorphics, Ltd. BRender and Argonaut are trademarks of Argonaut Software, Ltd. RenderWare and Criticon are trademarks of Criterion Software, Inc. X Inside is a registered trademark of X Inside, Inc. 3DR is a trademark and Intel is a registered trademark of Intel, Inc. All other trademarks or registered trademarks are the property of their respective owners and are hereby acknowledged. The specifications in this document are subject to change without notice.

Circle 101 on Inquiry Card (RESELLERS: 102).

ÆGIS: The World's Best Anti-Piracy Protection in Minutes.



The ÆGIS System protects both DOS and Windows applications.



Data File
Program

Only ÆGIS protects programs plus data files and overlays.




ÆGIS automatically checks for code changes due to viruses or hackers.

File	Edit	Format	Options	Window
ÆGIS SYSTEM — DOS				
INPUT FILENAME:		TEST.EXE		
OUTPUT FILENAME:		AEGISTST.EXE		
ENCRYPTED FILES:		*.OVL *.DTA		
ENCRYPTION KEY:		1234ABCD		
MESSAGES:		ENGLISH		
SELF TEST:		Y		
PERIODIC CHECK:		30 SEC.		
EXPERT MODE:		N		
PRESS ENTER TO START PROGRAM CONVERSION...				



Selling in other countries? Specify English, Spanish, German or other languages.



ÆGIS automatically monitors the hardware key's presence.



Your application is enclosed in a highly secure encrypted shell, fully protected — with no programmer coding — in less than 7 minutes!

End of Story.

800-841-1316

SOFTWARE
SECURITY



6 THORNDAL CIRCLE, DARIEN, CT 06820-5421 Tel: 203-656-3000 Fax: 203-656-3932 BBS: 203-656-3928

Software Security International Ltd., London: +44-784-430-060 Fax: +44-784-430-050

SSI Belarus, Minsk: +(7) 0172-45-21-03 Fax: +(7) 0172-45-31-61

Circle 120 on Inquiry Card.

The Great Little File System

Veritas provides flexible, secure data storage for Unix SVR4.2 systems

TOM YAGER

When you save a file, you trust your system to put it in the right place. But what justifies that faith? PC users routinely depend on file systems that date back to CP/M. Easily disrupted, these data-layout schemes have spawned a whole subindustry for disk-repair and file-restoration utilities. But why should you have to pay extra for one of the most important, and most basic function of your system? An operating system's primary job is to store and retrieve disk-based data, and it should tackle that job with the determination of a celebrity attorney.

The best example I've seen of how a file system should work comes from a quiet company called Veritas. This vendor has created a well-rounded file-storage and management scheme built around *vxfs* (the Veritas file system). Designed for systems running System V Release 4.2 Unix, *vxfs* defines a flexible structure for file layout, and provides a set of tools to manage that structure.

File System Woes


Despite Unix's maturity, most commercial implementations still use some variation of *s5fs* (System V) and the BSD-derived *ffs* (Fast File System). Differences between the two have fueled operating-system wars for years. It's a battle *ffs* deserved to win. It accesses much faster than *s5fs*, thanks to the replacement of linked-list free-space tables with random-accessible bitmaps. *ffs* splits each logical drive into *cylinder groups*, distributing vital data structures across the drive's geography, and keeping structures close to the data they manage. *ffs* offers users clear advantages, too, such as 255-character

file names (vs. *s5fs*'s 14-character limit) and symbolic links, pointers to files in other directories.

However, *ffs* isn't perfect. Let's say there's a power failure while your system is writing a file. That affects the process involving both the writing of data blocks containing the user-visible portion of the file and the altering of various file-system structures. The writing of new data may require changes to directories, free-space maps, inodes (which hold housekeeping data for the file), and resource counters. The system can't change all this data simultaneously. When the system needs to change several pieces of structural data, the premature interruption of that process—by, say, a power failure—corrupts the file system. Space is allocated in the free map, but no data is written. Or perhaps a new directory entry is created, but the inode for the directory hasn't been updated to reflect the directory's new size.

The traditional approach to fixing these interrupted data postings has been to run a utility called *fsck*, short for file system check. *fsck* walks through all the file system's data structures, locating trouble. It checks the inode and directory data, making sure that valid files are using all the space allocated to them. Except in cases of physical damage and unusual circumstances, such as sabotage, *fsck* can restore a file system to health, usually by discarding partially completed operations. However, on the multigigabyte drives common to modern systems, *fsck* takes a *long* time to run. The system remains unavailable until *fsck* finishes.

Another *ffs* shortcoming relates to management. Unix's file layout is superior to other operating systems, letting you mount a new drive at any location in the directory hierarchy. If your database outgrows the drive it shares with other applications, you can give it a drive of its own: Delete its previous directory, and replace it with a *mount point* (an empty directory) of the same name. Then attach the new, larger drive to that mount point. The



Copy Protection....



We are looking for international distributors

- ✓ The high quality copy protection system
- ✓ WIBU®-BOX for LPT, COM or as card for (E)ISA slots and as PCMCIA-Card
- ✓ Protection for DOS, Windows and networks without requiring source code modification
- ✓ Support of OS/2®, Win32s, Windows™ NT



Order your evaluation package today!

WIBU-KEY

High Quality in Copy Protection

WIBU
SYSTEMS

WIBU-SYSTEMS GmbH
Rueppurrer Strasse 54
D-76137 Karlsruhe, Germany
Phone: +49-721-93172-0
FAX: +49-721-93172-22

Southwind International Inc.
P. O. Box 308
Brookeville, MD20833, USA
Phone: (301) 570-3497
FAX: (301) 570-4773

Your PC goes Mac !!

Macintosh HD floppy disks



MacDisk®
reads, writes and formats Macintosh
1,44 MB floppy disks.

Under Windows, file exchanges between Word, Excel, PageMaker, XPress, and other sibling applications, without any hardware modification.

Macintosh SyQuest cartridges

MacSQ®
Reads/writes 44/88 MB Macintosh
SyQuest cartridges.

Transfer of scan files, colour separations.
Under Windows, supports ASPI-compatible
adapters, and under DOS low-cost adapters and
parallel port solutions (Puma, etc.).



Even bigger Mac SCSI disks

MacScuzzy®
a superset of MacSQ, also drives 128, 300 & 650
MB magneto-optical cartridges, Bernoullis and
even plain hard disks (up to 1 GB).
The ultimate solution for file exchanges !



Logiciels & Services DUHEM

21, rue La Bruyère - F-75009 PARIS (France)

Tél. (+331) 49 70 04 55/Fax (+331) 49 70 04 56

Free leaflet and demo disk. Offer good until supply lasts.

MacDisk 125 \$, MacSQ 200 \$, MacScuzzy 245 \$

Dealers & Distributors Welcome
Ask for our very special conditions

Core Technologies Operating Systems

change is transparent to users and to applications.

But what happens if that database outgrows the drive you allocated to it? That's a thorny problem, leaving most administrators with the unpleasant duty of backing up the old drive, replacing it with a still larger one, and running the database in the larger space. And what about drives with more than one file system? To keep errant (or irresponsible) users from chewing up all your disk space, you might put the users' home directories in a separate file system. As you add users to the system, however, you may need to make that file system larger. With *ffs*, you must restructure all the file systems on that drive, wiping out existing data, to change a file system's size.

A Transparent Solution

The Veritas file system started life with a dilemma: No matter how innovative its approach, it had to be transparent to be accepted. To manage this, Veritas capitalized on a feature of System V Release 4.2 known as the installable file system. This provides a means for extending the operating system's set of support file systems. Once extended, the operating system—all the way down to the kernel—knows how to talk directly to the file system, and layout-sensitive storage-management tools (like *mount* and the *fsck* file-system check/repair tool) are infused with knowledge of the new layout. That's how *vxfs* gets in the door.

Once there, *vxfs* sets about solving the weaknesses of *ffs* and other Unix file-system layouts. Probably its most well-known feature is its *intent log*. This is a circular buffer that holds a list of pending changes to the file-system structure. It adds a brief step: First you log it, then you do it. If the system loses power in the middle of changing a resource table, no problem. Instead of climbing through every structure in the entire system to sleuth out the missing link, Unix looks at the intent log. If a log entry is complete and valid, it replays it, painting the changes described in the log onto the file-system structures. If a log entry is incomplete or invalid, it is discarded.

The likelihood of lost data is somewhat diminished because the intent log absorbs data faster than the scattered data structures. But the biggest advantage of the intent log is increased system availability. Large systems doing failure recovery can spend several minutes or even hours slogging through every structure on every drive with *fsck*. The same system, using *vxfs*, need only spend a few seconds playing each file system's intent log. The system is back on-line in a flash.

Beyond intent logging, *vxfs* distinguishes itself by supporting spanning, mirroring, and striping. Veritas' Volume Manager extends the basic layout that *vxfs* provides. This lets you reach beyond the confines of physical drives in managing your storage and provides data-protection features.

To do its work, Volume Manager carves physical drives into *subdisks* (see the screen on page 155) unmanaged blocks of disk sectors. To build a new file system, you first select one or more subdisks to contain the data. Volume Manager combines these into a *plex* and lets you initialize the file structure.

The subdisks you select for a file system can exist anywhere, even on different physical drives. Volume Manager spans subdisks transparently, building what appears to be a contiguous file space from storage scattered across two or more drives. What's more, Volume Manager lets you add subdisks to an existing file system without altering its data. You can shrink a file system by removing subdisks—all while the file system remains mounted and available.

Volume Manager supports mirroring, the protection of data

2 WAYS TO PORT YOUR UNIX APPLICATIONS TO WINDOWS & NT:



**HIRE MORE
PROGRAMMERS**

OR

**TRY N_uTCRACKER
FREE FOR 30 DAYS**



N_uTCRACKER® is the fast and affordable way to port all your UNIX® applications to Windows™ 95 and

Windows NT™ – without hiring an army of Windows programmers.

But don't take our word for it. We want you to use N_uTCRACKER free for 30 days. Try it and you'll see how easy it is to leverage your investment in UNIX into fully interoperable native Windows applications.

N_uTCRACKER is a complete set of UNIX development tools that looks and feels like UNIX to all of your programmers. It's the solution that's

already won enthusiastic converts at AT&T, Cabletron, Informix, and a host of U.S. government agencies.

With N_uTCRACKER you can use your UNIX code and programming assets to develop new Windows products – right on Windows NT and Windows 95. It's also the best way to port UNIX applications across multi-CPU and multi-OS environments, without losing UNIX functionality.

N_uTCRACKER also delivers a robust set of development tools. And if you have any questions, DataFocus offers everything from phone support to on-site Migration Services consulting.

So before you hire your own army

of Windows programmers, get all the details on the N_uTCRACKER 30-day Free Trial Offer. Call or fax us today.

Tel: +1-703-631-6770

Fax: +1-703-818-1532



Cracking-Open Windows

N_uTCRACKER from DataFocus Incorporated

12450 Fair Lakes Circle, Ste. 400, Fairfax, VA 22033

Phone (703) 631-6770, Fax (703) 818-1532

nulcracker@datafocus.com

Circle 147 on Inquiry Card.

Microsoft
SOLUTION PROVIDER

N_uTCRACKER is a registered trademark and the N_uTCRACKER logo is a trademark of DataFocus, Inc. Microsoft and the Microsoft logo are registered trademarks and Windows and Windows NT are trademarks of Microsoft Corporation. UNIX is a registered trademark in the U.S. and other countries, licensed exclusively through X/Open Company Ltd. ©1994 DataFocus, Inc. DF2/2

Core Technologies Operating Systems

through duplication, the same way. You just set up two subdisks with one defined as the mirror for the other. If one disk in the mirrored set should fail, Volume Manager will sense the failure, report it, and continue running with the good drive. You can enable block-change logging to extend the fast recovery benefits of vxfs to mirrored volumes.

Normally, when you combine multiple subdisks to create a file system, data is written to those subdisks in the order in which they were joined. Data is written to subdisk 1 until it is filled, then to subdisk 2, and so on. On striped file systems, the first block of data is written to block 1 of subdisk 1. The next block is written to block 1 of subdisk 2, and so on, with each subdisk filling "from the top down" in concert with the others. Each subdisk must be on a separate physical drive, and preferably, subdisks should be equally split amongst two or more disk controllers. The result is increased performance. At the minimum, seek time will be reduced relative to the number of subdisks applied to the volume. At best, with multiple disk controllers, the system will gain the ability to write to several subdisks of a striped volume simultaneously (or very nearly so).

One last vxfs facility worth mentioning is the *snapshot*. This creates a new, read-only file system that is a duplicate of an existing one. This is most often used to create on-line backups of vital data. vxfs doesn't copy an entire drive to create a snapshot. Instead, it creates a set of dummy file-system structures that point to the real file system. As the real file system changes, the snapshot is altered to ensure it retains an accurate image of the file sys-

tem at the time the snapshot was taken. A deleted file, for example, is copied to the snapshot image before being deallocated from the real file system. Snapshots are a convenient and space-efficient way to protect yourself prior to making some potentially damaging change.

How It Looks

Rounding out vxfs's versatility is its variety of front ends. You can manage vxfs volumes through command-line utilities, text-based menus, or graphical means. The commands that manage vxfs volumes are a superset of the standard Unix storage-management commands. The `mount` command, for example, has new options for managing the intent log and for forcing the zeroing out of newly allocated data blocks. Text menus ease administration for manual-fearing users, and X Window-based graphical tools give you point-and-click access to all the functions of the Volume Manager.

In a few years, it's likely that most operating systems, large and small, will incorporate some of the benefits present in vxfs. For now, Veritas' efforts stand as an impressive benchmark against which other file systems should be judged. If you're managing critical data, you've got to understand how your operating system stores that data. If the file system you're using doesn't measure up, replace it. ■

Tom Yager writes about Unix and other subjects from his home in north Texas. You can reach him through the Internet at tyager@maxx.lonestar.org or on BIX c/o "editors."

Connect Your Fax/Modem To Digital & PBX Telephones...AND protect it from damage.

KONEXX

KONEXX KONNECTOR - PORTABLE, MODEL 112

Connect your fax/modem into the handset jack of any digital, PBX, multiline or business telephone. Connecting at the wall jack can damage your modem and installing dedicated telephone lines is costly. So, whether you are in the field or in the office use the compact Model 112, which can operate from its internal 9-volt battery or the supplied AC adapter.

\$149
PLUS SHIPPING



► OR CHOOSE THE DESKTOP MODEL 109 (NO INTERNAL BATTERY) at **\$139** PLUS SHIPPING

KONEXX KOUPLER - 204

The perfect solution for connecting to hard-wired hotel, pay telephones and most cellular telephones. (up to 14.4Kbps) Plus, it's easy to use!

\$149
PLUS SHIPPING



MODEM KOUPLER - 305

An acoustic coupler with built-in 9600/2400 baud Fax/Modem. This model connects to the serial port on notebook, hand-held, & PDA computers.

\$299
PLUS SHIPPING



UNLIMITED SYSTEMS CORPORATION INC.
8586 Miramar Place • San Diego, CA 92121
Phone 619-622-1400 • Fax 619-550-7330

Call us at **1-800-275-6354**

NEW!

KONEXX KONNECTOR MODEL 111

Now connect your fax/modem into the handset jack of any digital, PBX or multiline telephone at baud rates up to 28.8 Kbps.

V.FAST/V.34

\$159

Plus Shipping

Constraint Logic Programming

A child of Prolog finds new life solving programming's nastier problems

DICK POUNTAIN

Which programming paradigm will likely gain the most in commercial significance over the next five years? I'd bet on CLP (constraint logic programming), even though few programmers today understand it well. CLP's potential lies in its power to tackle difficult combinatorial problems—such as those encountered in job scheduling, developing time tables, and routing—that stretch conventional programming techniques beyond their breaking point. Though CLP is still the subject of intensive research, it's already being used by large corporations, including the manufacturers Michelin and Dassault; the French railway authority SNCF; the airlines Swissair, SAS, and Cathay Pacific; and Hong Kong International Terminals, one of the world's largest privately owned container terminals.

Children of Prolog

As its name suggests, CLP is descended from logic programming, which shot to fame via the Prolog language, widely used in the Japanese 5th Generation project and the expert-systems boom of the mid-1980s. Its relatively poor efficiency (compared to procedural languages like C) hindered Prolog's commercial acceptance, and its use has declined in recent years. Now, by focusing on a particular problem domain, CLP languages make logic programs execute efficiently.

Prolog is based on first-order predicate logic, and the objects that it manipulates are pure symbols with no intrinsic meaning. For example, in the Prolog proposition "likes(jim, baseball)" the constants "jim" and "baseball" have no deeper interpretation beyond syntactic identity (i.e., `jim = jim`). Execution of a Prolog program proceeds by a process called *unification*, which searches a database of such facts and finds those values that will satisfy a user's query. Unification is based on syntactic identity. Since Prolog tries to find the set of all solutions to a query, during this search, a program may encounter many dead-ends to explore and then abandon by backtracking to an earlier state and trying a different branch. For complex problems, this search process can become greedy in both space and time, which is the root of Prolog's inefficiency.

In a CLP language, objects that have meaning in an application domain—

for example, the integers or the real numbers, with their associated algebraic operations (e.g., addition and multiplication) and predicates (e.g., `=`, `<`, and `>`)—supplement this purely abstract logical framework. Hence, there isn't a single CLP language but a whole family of them defined for different application domains. A CLP programmer introduces arithmetic expressions called *constraints* (e.g., `X > 0` or `Y + Z < 15`) into programs, which have to be satisfied for successful execution of the program. (For a more formal explanation of how CLP works, see "Theme: Prolog," August 1987 BYTE).

In such a CLP system, the simple unification algorithm that lies at the heart of Prolog must be augmented by a dedicated solver for the particular domain of application. The solver can decide at any moment whether the remaining constraints are solvable. For efficiency's sake, solvers for CLP systems need to be incremental so that adding a new constraint to an already solved set does not force them all to be solved a second time. Constraint-solving algorithms are quite well understood from other branches of computing; you'll have used one if you've ever done goal-seeking in your Excel spreadsheet. For example, a useful solver for linear rational constraints is the well-known simplex method.

Another significant way in which CLP differs from Prolog is that it's perfectly happy to do mathematics with uninstantiated variables; therefore, in the absence of

An Eclipse program to solve the DONALD + GERALD = ROBERT word puzzle.

```
lib(fd).
addNum(Num1,Num2,Result):-
    addwithcarries(Num1,Num2,0,Result).
addwithcarries(Num1*Digit1,Num2*Digit2,Carryin,Num3*Sum):-
    Carry::0..1,
    addDigit(Carryin,Digit1,Digit2,Sum,Carry),
    addwithcarries(Num1,Num2,Carry,Num3).
addwithcarries(Digit1,Digit2,Carryin,Digit3):-
    is_domain(Digit1), is_domain(Digit2),
    addDigit(Carryin,Digit1,Digit2,Digit3,0).
addDigit(C,N1,N2,Sum,CIn):- Sum #= C+N1+N2-10*CIn.
solve:-
    Letters=[D,O,N,A,L,G,E,R,B,T],
    Letters::0..9,
    alldistinct(Letters),
    addNum(D*O*N*A*L*D,G*E*R*A*L*D,R*O*B*E*R*T),
    label(Letters),
    writeln([D,O,N,A,L,D]),
    writeln([G,E,R,A,L,D]),
    writeln([R,O,B,E,R,T]),
    label([]),
    label(List):-
        deleteff(Digit,List,Rest),
        indomain(Digit),
        label(Rest).
```


complete information, the answer might be a symbolic expression like $10 - X$ or even a constraint like $X > 23$.

Constrained Search

A CLP program still needs to search a database of facts, but it can use constraints to rule out many possible outcomes and prune away large parts of the search tree. The improved efficiency that results is comparable to custom solutions written in C.

We all use facts as constraints to guide reasoning as a key part of everyday common sense. For example, a few minutes ago, a public-relations person called to ask if I'm interested in document management and to alert me to a press briefing next Wednesday in London. A glance at my calendar revealed that I'll be in Cambridge all next Wednesday—end of conversation. We no longer needed to explore my interest (or lack thereof) in document management because an absolute geographical constraint had lopped off that branch. Without such constraints, every little decision might set off an avalanche of philosophical speculation.

Herbert A. Simon, Nobel laureate and theorist of heuristic problem-solving, has used popular word-for-number puzzles to illustrate this pruning process. For example, in the puzzle DONALD + GERALD = ROBERT, there are 3,628,800 possible assignments of digits to letters, and it would take you several years to solve the problem by unconstrained search. Yet most of us can solve it in just minutes by incrementally applying constraints (e.g., T must be even) to rule out more and more options. "An Eclipse program to solve the DONALD + GERALD = ROBERT-Word Puzzle" shows a typical CLP program to solve this puzzle. (Mark Wallace of IC Parc wrote the solution.)

Slaying NP-Hard Dragons

This constrained-search ability makes CLP languages good at precisely those problems that conventional programming techniques find hardest: NP-hard search problems where the time needed for an unconstrained search increases exponentially (or worse) with the problem size.

Consider the simple problem of a commercial harbor that needs to schedule the loading and unloading of 10 ships using only five berths. There are many criteria for choosing the berth for a particular ship: Some berths are too small for some ships, some ships need to be turned around faster than others, some berths cost more than others, ships' intended cargoes are stacked nearer to certain berths, and so on.

You can find the optimal schedule by trying all permutations of ships in berths and calculating the cost of each, which means considering 5^{10} (or around 10 million) alternatives. Assuming that your computer can try an alternative every millisecond, it can solve the whole problem in around 3 minutes. Now imagine it's a decade later, and business has been good and the harbor has expanded to 10 berths, with 20 ships to unload. Determining the optimal schedule now means trying 10^{20} alternatives, which will take 3000 million years on the same computer (of course, you can ante up for an accelerator card and cut that to 300 million years).

There are many other problems in planning and scheduling that exhibit this kind of unreasonable scaling behavior for which an exhaustive search is not a feasible strategy. So how do you solve these problems? A naive but tempting approach is to divide the harbor in two and schedule each half using the old program, taking 6 minutes in all. Unfortunately, such a schedule is unlikely to be anywhere near optimal, and worse, you won't even know how far from optimal it is and how much money you are wasting. Actually running the 3000-million-year program for 6

minutes and choosing the cheapest alternative so far would give just as good (or bad) a result.

Where CLP languages score for this class of problem is that you can explicitly employ all the real-world constraints that are particular to the problem and so reduce the search space enormously. In our harbor example, adding a constraint like "shipLength < berthLength" might immediately remove millions of possibilities.

Languages like CHIP (Constraint Handling in Prolog) and Eclipse offer direct control over the search strategy (via the "deleteff" function in the word-puzzle solution). If this still doesn't yield an optimal solution in reasonable time, you must then deploy approximation algorithms to reach a solution that lies close to the optimum with a high degree of probability. Researchers are working hard to integrate algorithms like hill-climbing, simulated annealing, and genetic algorithms into the newer CLP languages.

Don't get the idea that CLP can perform magic. You need a great deal of experience before you can choose the correct algorithms and correct expression of the constraints to get a good solution for big problems. Nevertheless, the interactive nature and highly expressive power of CLP languages makes it easy to experiment with different combinations. This results in much shorter and more maintainable programs than when using a procedural language.

CLP Implementations

The founding work on the CLP scheme was done at Monash University in Melbourne, Australia, by J. Jaffar and J. L. Lassez around 1987. They created the CLP(R) system, which works on the domain of real linear arithmetic. This system, extended as CLP(X), is still being developed at Monash as well as in the U.S. at IBM's Yorktown Heights research facility and at Carnegie Mellon University.

In Europe, CLP research was originally concentrated at the ECRC (European Computer-Industry Research Centre) in Munich, and it led to what is probably the most widely known CLP system at present: CHIP. The French company Cosytech commercially markets CHIP, and two of ECRC's industrial sponsors, Bull (as Charme) and ICL (as Decision Power), sell CHIP derivatives. CHIP provides constraint solvers over finite arithmetic, linear rational, and Boolean domains.

In 1990 in Marseilles, France, Alain Colmerauer (one of the founding fathers of Prolog and CLP) created Prolog III, a CLP language over the domains of linear rational arithmetic, Booleans, and finite strings or lists. More recently, London's Imperial College has set up IC Parc, a university/industry collaboration that uses CLP techniques to tackle hard planning problems, such as work-force management, routing, and resource allocation. IC Parc's language, Eclipse, began life at ECRC and shares many features with CHIP; but where CHIP's constraint solvers are hard-coded in C, Eclipse's are written in itself for easier modification. Eclipse also employs the powerful generalized propagation technique, and a parallel version of Eclipse is currently under development.

Interesting non-Prolog-based CLP languages include Trilogy, from the Vancouver-based Complete Logic Systems, and Oz, an object-oriented concurrent CLP being developed at DFKI (German Research Center for Artificial Intelligence) in Kaiserslautern. ■

Dick Pountain is a BYTE contributing editor based in London, U.K. You can reach him on the Internet or BIX at dickp@bix.com.

For free product information from companies featured in this issue, circle the appropriate inquiry number below and mail this card today. For quickest response, fax to 1-416-620-9790!

Product Category Information

To receive information for an entire category, circle the appropriate number on the adjacent card.

Hardware

- Accessories/Supplies 1
- Add-in Boards 2
- Bar Coding 3
- Communications/Networking 4
- Computer Systems 5
- Data Acquisition 6
- Diagnostic Equipment 53
- Disks & Optical Drives 7
- Diskettes/Duplicators 8
- Fax Boards/Machines 9
- Graphics Tablets/Mice/ Pen Input 10
- Keyboards 11
- LAN Hardware 12
- Laptops & Notebooks 13
- Mail Order 14
- Memory/Chips/Upgrades 15
- Miscellaneous Hardware 16
- Modems/Multiplexors 17
- Monitors & Terminals 18
- Multimedia/CD-ROM 19
- Printers/Plotters 20
- Programmable Hardware 21
- Scanners/OCR/Digitizers 22
- Security 52
- Tape Drives 23
- UPS/Power Management 24

Software

- Business 25
- CAD/CAM 26
- Communications/Networking 27
- Data Acquisition 28
- Database 29
- Educational 30
- Engineering/Scientific 31
- Entertainment 32
- Graphics 33
- Macintosh 34
- Mail Order 35
- Mathematical/Statistical 36
- Miscellaneous Software 37
- On-Line Services 38
- Operating Systems 39
- OS/2 54
- Programming Languages/Tools 40
- Security 41
- Shareware 42
- Software Duplication 43
- Spreadsheets 44
- Unix 45
- Utilities 46
- Windows 47
- Word Processing 48
- General
- Books/Publications 49
- Recruitment 50
- Miscellaneous 51

Fill out this coupon carefully. Please Print.

Name _____ Title _____
 Company _____ Address _____
 City _____ Country _____ Code _____
 Phone _____ Fax _____

A. My job function is best classified as (check one):

- ☐ 1 [] Company Management
- ☐ 2 [] IS/MIS/IT Management
- ☐ 3 [] Systems Engineering/Integration
- ☐ 4 [] Systems/Networking Consulting
- ☐ 5 [] Departmental Management (non-IS/MIS)
- ☐ 6 [] Technical Services Support
- ☐ 7 [] Other (please describe)

13 [] Other (please specify):

C. Please indicate which specific fields of interest are

important to you so that BYTE may serve you with supplemental information that best meets your needs (select all that apply):

- ☐ 14 [] UNIX and Workstations
- ☐ 15 [] Networking (LANs, WANs, and Telecommunications)
- ☐ 16 [] Multimedia
- ☐ 17 [] Reselling/Systems Integration
- ☐ 18 [] Applications Development
- ☐ 19 [] Other (explain):

D. My responsibilities require that I be involved with the following operating system environments (check all that apply):

- ☐ 20 [] DOS
- ☐ 21 [] OS/2
- ☐ 22 [] Mac/OS

23 [] UNIX (any, including Solaris)

- ☐ 24 [] Windows
- ☐ 25 [] Windows/NT
- ☐ 26 [] NetWare
- ☐ 27 [] Other (please describe):

E. The number of employees at my location and company-wide area (check one in each column):

	At My Location	Company-Wide
10,000 or more	☐ 28 []	☐ 33 []
5,000 to 9,999	☐ 29 []	☐ 34 []
1,000 to 4,999	☐ 30 []	☐ 35 []
100 to 999	☐ 31 []	☐ 36 []
Under 100	☐ 32 []	☐ 37 []

February 1995

90 97 98

Valid until April 30, 1995

Inquiry Numbers 1-187

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136
137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153
154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187

Inquiry Numbers 375-561

375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391
392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408
409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425
426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442
443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459
460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476
477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493
494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527
528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544
545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561

Inquiry Numbers 749-935

749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765
766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782
783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799
800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816
817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833
834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850
851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867
868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884
885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901
902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918
919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935

Inquiry Numbers 1123-1309

1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139
1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156
1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173
1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190
1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207
1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224
1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241
1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258
1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275
1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292
1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309

Inquiry Numbers 188-374

188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204
205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238
239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289
290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306
307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323
324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357
358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374

Inquiry Numbers 562-748

562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578
579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595
596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612
613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629
630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646
647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663
664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680
681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697
698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714
715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731
732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748

FREE PRODUCT INFORMATION

For free product information from companies featured in this issue, circle the appropriate inquiry number below and mail this card today. For quickest response, fax to 1-416-620-9790!

See reverse side
for card.

1. For FREE product information from individual companies, circle the corresponding inquiry numbers on the Response Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-416-620-9790

3. Product information will be rushed to you from the selected companies!

BYTE

TNT MAILFAST
FRG/BOS/700252/MO1
P.O. Box 66
Hounslow
TW5 9RT
England

Place
Postage
Here

BYTE

MAC
SEW
EM

 SUBSCRIBE TO BYTE! 

With BYTE, you can compete more effectively in complex global markets...

YES I want to receive BYTE for a full year. 12 monthly issues plus the FREE Annual Special Supplements.

Payment method — charge my subscription to:

☐ Visa ☐ Access/Eurocard/MasterCard ☐ American Express

Card No. _____ Expiry date _____

Signature _____

or ☐ I enclose payment now

Name _____ Title _____
(Please Print)

Address _____

_____ Code _____

Country _____

Please allow 8-10 weeks for processing. Thank you.
If you pay with your credit card, you will be billed in your local currency.

✓ Tick your subscription price

Please tick one box:

IB95270

Fast Surface Delivery

- ☐ £35 United Kingdom
☐ 120DM Germany
☐ 412Fr France
☐ 136 Guilders Netherlands
☐ 102 SFR Switzerland
☐ 88,980 Lire Italy
☐ \$US60 Non-European Countries

IB95429

Air Delivery

- ☐ £46 United Kingdom
☐ 160DM Germany
☐ 549Fr France
☐ 181 Guilders Netherlands
☐ 136 SFR Switzerland
☐ 118,640 Lire Italy
☐ \$US85 Non-European Countries

Your satisfaction is GUARANTEED!
If you are dissatisfied, cancel anytime
for a refund on all unmailed issues.

BY AIR MAIL
PAR AVION
BYTE HAS EXCLUSIVE
GLOBAL COVERAGE... *
PAR AVION
BY AIR MAIL

*each month, you can take advantage of BYTE's International Section with hard-hitting news, and coverage of important world-wide events...

YES I want to receive BYTE for a full year. 12 monthly issues plus the FREE Annual Special Supplements.

Payment method — charge my subscription to:

☐ Visa ☐ Access/Eurocard/MasterCard ☐ American Express

Card No. _____ Expiry date _____

Signature _____

or ☐ I enclose payment now

Name _____ Title _____
(Please Print)

Address _____

_____ Code _____

Country _____

Please allow 8-10 weeks for processing. Thank you.
If you pay with your credit card, you will be billed in your local currency.

✓ Tick your subscription price

Please tick one box:

IB95270

Fast Surface Delivery

- ☐ £35 United Kingdom
☐ 120DM Germany
☐ 412Fr France
☐ 136 Guilders Netherlands
☐ 102 SFR Switzerland
☐ 88,980 Lire Italy
☐ \$US60 Non-European Countries

IB95429

Air Delivery

- ☐ £46 United Kingdom
☐ 160DM Germany
☐ 549Fr France
☐ 181 Guilders Netherlands
☐ 136 SFR Switzerland
☐ 118,640 Lire Italy
☐ \$US85 Non-European Countries

Your satisfaction is GUARANTEED!
If you are dissatisfied, cancel anytime
for a refund on all unmailed issues.

... and receive up to date information on new products and emerging technologies.

 SUBSCRIBE TO BYTE! 

BY AIR MAIL
PAR AVION

Place
Stamp
Here

BYTE

P.O.Box 72
Galway
IRELAND



FAST & CONVENIENT!

Have BYTE delivered direct to your door
and never miss an issue again!

BY AIR MAIL
PAR AVION

BY AIR MAIL
PAR AVION

Place
Stamp
Here

BYTE

P.O.Box 72
Galway
IRELAND

The PGP Web of Trust

**How to certify public keys without
a central authority**

WILLIAM STALLINGS

PGP (Pretty Good Privacy) is a widely used E-mail security package that relies heavily on public-key encryption (see "Pretty Good Privacy," July 1994 BYTE). Use of PGP involves two keys—a private key known only to one user, and a corresponding public key made known to all users. With these two keys, it is possible to create digital signatures that guarantee the authenticity of a message and to encrypt a message so that only the intended recipient can read it.

Each user guards his or her private key and publishes the corresponding public key. Unfortunately, an impostor can generate a public/private key pair and disseminate the public key as if it were someone else's. Suppose Alice wants to send a secure message to Bob. Meanwhile, Darth creates a public/private key pair, attaches to it Bob's name and an E-mail address that Darth can access, and disseminates the public key. Alice acquires this key, uses it to prepare her message for Bob, and sends it to the attached E-mail address. Result: Darth receives and can decrypt the message, and Bob never receives the message (which he wouldn't be able to read anyway, lacking the required private key).

One solution is to insist on the secure exchange of public keys. Users can, for example, store keys on disks and pass them from hand to hand or send them via snail mail. But for PGP to be more widely useful, it should be possible for people to exchange keys electronically with others whom they have never met and may not even know.

Public-Key Certificates

The tool that enables widespread use of PGP is the public-key certificate. The following items are essential ingredients of a public-key certificate:

- The public key itself
- A User ID, which includes the name and E-mail address of the owner of the key
- One or more digital signatures for the public key and User ID

A signature testifies that the User ID associated with this public key is valid. It is formed using the private key of the signer. Anyone in possession of the corresponding public key can verify that the signature is valid. If any change is made to either the public key or the User ID, the signature will no longer compute as valid.

How do you manage public-key certificates? One approach, used in the PEM (Privacy Enhanced Mail) scheme,

relies on a central certifying authority. Each user must register with the central authority and engage in a secure exchange, which involves independent techniques for verifying user identity. Once the central authority is convinced of the identity of a key holder, it signs that key. If everyone who uses this scheme trusts the central authority, then a key signed by the authority is automatically accepted as valid.

PGP could take this approach, but that would violate its spirit as an E-mail security scheme for the masses. So PGP instead supports a "web of trust," in which individuals sign each other's keys and create an interconnected community of public-key users. Here's how it might work. Suppose Bob physically passes his public key to Alice, who signs it. Alice keeps a copy of the signed key and also returns a copy to Bob. When Bob wants to communicate with Carol, he sends her his public key, with Alice's signature attached. Carol, who has Alice's public key and who trusts Alice to certify other people's keys, need only verify Alice's signature on Bob's key to accept his key as valid.


continued

HOW PGP CALCULATES TRUST

When you add a new public key to your public-key ring, trust processing proceeds as follows:

- ① If you own the key, a value of ultimate trust is automatically assigned to the trust field. Otherwise, PGP asks that you assign a trust assessment to the key's owner. You can specify that this owner is unknown, untrusted, marginally trusted, or completely trusted.
- ② When the new public key is added to the ring, one or more signatures can be attached to it. (More signatures can be added later.) When a signature is inserted into the entry, PGP searches the public-key ring to see if the author of this signature is among the known public-key owners. If so, the owner trust value for this owner is assigned to the signature trust field for this signature. If not, an unknown-user value is assigned.
- ③ The value of the key-legitimacy field is calculated on the basis of the signature trust fields present in this entry. If at least one signature has a value of ultimate trust, then the key legitimacy value is set to complete. Otherwise, PGP computes a weighted sum of the trust values. A weight of $1/X$ is given to signatures that are always trusted, and a weight of $1/Y$ is given to signatures that are usually trusted, where X and Y are user-configurable parameters. When the total weights of those introducing a key/UserID combination reaches 1, the binding is considered to be trustworthy, and the key legitimacy value is set to complete. Thus, in the absence of ultimate trust, at least X signatures that are always trusted or Y signatures that are usually trusted (or some combination thereof) is needed.

PGP Trust Model



Computation of Trust

PGP does not specify a policy for establishing trust. It does provide mechanisms for associating trust with public keys and for using trust information. Each user collects signed keys and stores these in a PGP file known as a public-key ring. Each entry in the ring has a *key legitimacy* field—computed by PGP—that measures the degree to which this PGP user trusts that the key is valid for its user. The higher the level of trust, the stronger is the binding of this user ID to this key. For each signature collected by the PGP user, there is a *signature trust* field that measures how far the PGP user trusts the signer to certify public keys. (The key legitimacy field for an entry derives from the signature trust fields.) Finally, there is the public key itself, associated with an owner, and an *owner trust* field that indicates the degree to which this PGP user trusts the key's owner to sign other public-key certificates. PGP doesn't compute this level of trust; the PGP user assigns it. You can think of a signature trust field as a cached copy of the owner trust field from another entry.

Periodically, PGP processes the public-key ring to achieve consistency. For each owner trust field, PGP scans the ring for all signatures authored by that owner and updates the signature trust field to equal the owner trust field. This process starts with keys for which there is ultimate trust. Then, all key legitimacy fields are computed on the basis of the attached signatures. The figure "PGP Trust Model" shows how signature trust and key legitimacy are related. In this sample public-key ring, a PGP user has acquired a number of public keys, some directly from their owners and some from a third party, such as a key server. The root node, labeled "You," denotes the entry in the public-key ring corresponding to this PGP user. This key is valid, and the owner trust value is ultimate trust. Moreover, this user will always trust users D, E, F, and L to sign other keys and will partially trust users A and B to sign other keys.

Note that all keys whose owners are fully or partially trusted by the user have been signed by this user, with the exception of

node L. Such a user signature isn't always necessary, as the presence of node L indicates, but in practice most users are likely to sign the keys for most owners that they trust. So, for example, even though E's key is already signed by trusted introducer F, the user chose to sign E's key directly.

Two partially trusted signatures may be sufficient to certify a key. Here the key for user H is deemed valid by PGP because it is signed by A and B, both of whom are partially trusted.

A user may deem a key valid (because one fully trusted or two partially trusted people have signed it) but still not trust its owner to sign other keys. For example, N's key is valid because E, whom this user trusts, signed it, but the user hasn't assigned N the trust value to sign other keys. Therefore, although N signed R's key, PGP doesn't consider R's key valid. This situation makes perfect sense. You can send a secret message to someone you don't trust; all you need is the correct public key for that individual.

The figure also shows a detached orphan node S, with two unknown signatures. Such a key may have been acquired from a key server. PGP cannot assume that this key is valid simply because it came from a reputable server. The user must declare the key valid by signing it or by telling PGP that it is willing to fully trust one of the key's signers.

It is the PGP web of trust that makes it practical as a universal E-mail security utility. Any group, no matter how informal and how dispersed, can build up the web of trust needed for secure communications. ■

William Stallings is an independent consultant and a frequent contributor to BYTE. He is the author of over a dozen books on data communication and computer topics, including Network and Internetwork Security (Prentice Hall, 1995). This article is based on material from his most recent book, Protect Your Privacy: A Guide for PGP Users (Prentice Hall, 1995). You can contact him on the Internet at stallings@acm.org or on BIX c/o "editors."

An emulator on its own will get you nowhere fast.



So SmarTerm includes the protocol stacks.



SmarTerm gives you everything you need to connect your PCs to UNIX, VMS or Data General hosts. You just 'SmarTerm and go.'

It's a really *radical* idea, like selling a car with wheels. So *radical*, in fact, SmarTerm is the only software that gives you the complete connectivity, high performance, and ease of use you need, all in one.

SmarTerm products all consist

of the most precise terminal emulation available, plus *free* SmarTerm TCP/IP and LAT stacks *and* NDIS and ODI support. (You wouldn't expect to pay extra for the wheels on your car, would you?)

On top of this, SmarTerm's pioneering corporate support tools and utilities make the software cost effective and quick to run by automating common tasks. You can use your mouse in host applications, record scripts, use drag-and-drop FTP, and more - so much more than any other connectivity package.

Find out how to 'SmarTerm and go' with the complete host connectivity software. Call Persoft now at 1-800-EMULATE (1-800-368-5283).

All SmarTerm® for Windows products include:

- SmarTerm TCP/IP as a Windows Sockets DLL
- Individual or centralized TCP/IP management
 - Drag-and-drop FTP
 - Pop-up keyboards
- User-definable button palettes
- True Multiple Document Interface
 - Connections directory
 - Script recorder
- Simplified keyboard remapping
- SmartMouse™ programmable mouse support
 - Customizable help system
 - On-screen toolbox

SmarTerm products are also available for DOS.



**Call now for new SmarTerm
for Windows version 4.0
information!**

Persoft, Inc., 465 Science Drive, P.O. Box 44953,
Madison, Wisconsin 53744-4953 USA.
Tel: (608) 273-6000 Fax: (608) 273-8227.

persoft®
CONNECTIVITY SOLUTIONS
DOS • Windows • Ethernet • Token Ring

Persoft Europe, Lower Woodend Barns, Fawley, Henley-on-Thames,
Oxfordshire, RG9 6JF, England.
Tel: 0491 638090 Fax: 0491 638010

© 1994 Persoft, Inc. All rights reserved. Persoft and SmarTerm are registered trademarks and SmartMouse is a trademark of Persoft, Inc. All other trademarks mentioned are properties of their respective companies.

Circle 107 on Inquiry Card.

New & Improved!



**Now
the hardest part
of getting
your network
to share modems
is opening
the box.**



CrossConnect gives you network modem access
through a single phone line.

Got a network? Got a modem? Great! Now get CrossConnect® — the easiest, most cost-effective way yet to get more out of your modem, your network, and your phone lines.

Designed for Novell and NetBIOS networks operating in DOS or Windows environments, CrossConnect is the software solution that lets you share up to 20 modems per LAN for dial-out/dial-in communications.

Since you can install CrossConnect on any network node, it saves you the expense of having a dedicated modem server or installing separate modems and phone lines for every computer. Because it operates in the background, users can continue working while inbound and outbound communications take place. And CrossConnect lets authorized users dial in remotely and take control of an office PC to run programs, edit files, print documents, download data or access the network.

CrossConnect also comes with simplified instructions and streamlined installation procedures so you can start sharing modems in about a half-hour.

And you can always count on the most qualified technical

SMITHMICRO
SOFTWARE 

support in the industry from Smith Micro — the leader in telecommunication software.

So call **1-800-964-SMSI** today to find out how you can link up with CrossConnect.

It's the easy, out-of-the-box solution for network modem communications.

Authorized Distributors: TechData, Micro Central and Ingram Micro

JERRY POURNELLE

Software-Installation Hell

It all started with a jerky mouse. Now I'm 8 hours into the project, and I know more about installing software upgrades than I wanted to.

For some time, I've known there was something wrong with the mouse on the Cheetah 486DX2/50. This is the machine that Larry Niven uses at Chaos Manor. Since we finished *Beowulf's Children* a few months ago, Larry and I have been working on our own, so that machine has been used mostly for games lately.

Then I got the 6.0c upgrade for Microsoft Word for Windows. Incidentally, that is available by calling Microsoft at (800) 426-9400; choose option 4 and then 1. Have a credit card handy—they charge a nominal fee for shipping—and be ready to prove that you already own a copy of Word 6.0. In due time, you'll receive seven floppy disks that will let you install the new version (the original came on nine disks).

Given those seven disks of compressed files, my inclination was to copy the disk images onto a hard disk and install from there. Alas, you can't do that. One of the disks gives a "sector not found" error. This is due to a new disk format. A program that will copy it is available as shareware; but I didn't have any such program, so I prepared to swap disks a lot.


The first of those disks has a setup program that looks for your old version of Word 6.0, and it has a real bug. For no particular reason, we have Word installed on the Cheetah's D drive. The setup program found it and offered to install the update on D:\WINWORD. When I told it to do so, however, it trundled a while and told me there wasn't enough space on drive C. I thought I'd made a mistake and started the tedious setup again; but 5 minutes later I was back where I started. Setup will not install Winword on D until you have enough space on drive C!

That meant I'd have to do some disk cleanup. I didn't really have time to think about which files I could get rid of. Thus, the simplest thing was to use the network to transfer a bunch of files over to the glass disk on the Pentium. To do

that, I had to reset and bring up the configuration that starts the network.

That was easy enough. As I've explained before, I use BOOTCON, a system that lets me choose among a bunch of combinations of CONFIG.SYS, AUTOEXEC.BAT, WIN.INI, SYS.INI, and any other files I want to control when I first start up. It's a good program that's fairly easy to use, and I recommend it, but there could be some improvement in the documentation, as we'll see shortly. Anyway, I rebooted, brought up the network, cleared enough space on the C drive to allow the silly setup program to proceed with installation of Word 6.0c on the D drive, and did the Word update.

That went fine, but I'd almost gone nuts transferring the files. The mouse—a Microsoft Home Mouse "Dove soap bar" model—was so jerky that half the time I was dragging things to the wrong place. Niven doesn't use a mouse much when he writes with Word—we've both discovered the trick of pressing F8 and using the arrow keys to mark blocks of text—but when he's not working, Larry likes to play the Caterpillar



AMY ETRA © 1995

April may not be the cruelest month. Last February, Jerry's column was "Upgrades from Hell," and this month...

game from Microsoft Windows Arcade, and that's hard to do with a jerky mouse. Time to fix that rollicking rodent once and for all.

First, I took the mouse apart. The two steel rollers were absolutely clean. The plastic idler wheel seemed to have a fine line of felt around it. I thought that was odd, but it didn't come off when I rubbed it, and I wasn't sure it wasn't supposed to be there. I was sure that the software was very old, and I just happened to have updated mouse software handy; maybe installing the new mouse software would fix things. I did that and rebooted.

Apparently the new mouse software was a bit larger than what it replaced, because QEMM told me it couldn't load the mouse driver high and I ought to run Optimize again. All right, run Optimize. It trundled a bit and was done. Now enter Windows.

I can't enter Windows. The error message is that I have to run QWINFIX. I do that, but the next attempt to enter Windows gives the same error message. I can't get the system into Windows at all.

All right, I haven't upgraded QEMM on this system in a long time. It's running 6.03,

and I have QEMM 7.5, so let's try that. First some preparations. I copied the old QEMM off to the D drive. Next, I used BOOTCON to find an older CONFIG.SYS, AUTOEXEC.BAT, and WIN.INI combination that works (including letting me into Windows). I saved that combination under the label GOOD and made copies of the files to be loaded under BOOTCON menu item TEST. This is a neat feature of BOOTCON: I can experiment all I want and still get back where I was when I started.


OK, install QEMM 7.5, turn off BOOTCON, and run Optimize. Optimize resets your system a lot while it's running. Each time it does that, it tells you that you may have to turn your machine off to get it to reset. Usually you don't, but this time there was no question about it. We were locked up tight, and there was nothing for it but to use the power switch.

Otherwise, things were running all right; but then Optimize said we couldn't pack everything into high memory and wanted to try the Stealth feature. This is a way to swap certain things in and out of memory as needed, giving the effect of more memory in the critical area between 640 KB

and 1 MB. It doesn't always work, but an older version of Stealth had worked with this machine, and anyway, QEMM is supposed to perform some tests before installing Stealth. I said sure, let's try it.

Optimize trundled a while and then locked up again. I turned it off and back on. It trundled and locked up. And again. And again. It was quite clear that this machine wasn't going to boot. That's all right, though, because I had BOOTCON. All I'd have to do is turn BOOTCON menuing back on. To do that, I had to boot up with a floppy panic disk; but once that was done, I went to the C:\BOOTCON subdirectory, ran BCSETUP, and turned on BOOTCON menuing. Open the drive door and reset.

The machine trundled. Then up came a message: "BOOTCON has detected that QEMM Optimize is in progress. BOOTCON will disable itself in 5 seconds. OK?" It wasn't OK, but my choices were to click on OK or wait 5 seconds; either way got the same result. BOOTCON vanished, and



URGENT—YOUR INPUT NEEDED

On: 3-D DISPLAY TECHNOLOGY

Dear Reader:

To improve BYTE's coverage of technology in the State of the Art section, we'd like to get your feedback about what topics, areas, and products we should be considering. Later this year, we're planning to cover the ways in which 3-D imaging technology is being used in the real world. We're considering such applications as manufacturing and design; medical and biological uses; and high-end simulations, such as those used for training ship and airplane pilots. But we'd like to hear your ideas, to find out about 3-D imaging applications we may not be aware of but should. Also, we'd like your help in identifying the people we should be talking to about this technology—users, vendors, researchers—you tell us! Finally, we're interested in hearing about what your organization is doing with 3-D imaging and displays—how you're using the technology and what problems and benefits you've encountered.

To let us know what you think, please use the following as a template to send us, via E-mail, an ASCII text file with your comments. Please be sure to include the <FIELDNAMES> with their angle brackets, followed by your information and comments. And thanks very much for your help.

Please E-mail the completed form to: editors@bix.com

<TOPIC>
3-D Display Technology

<LASTNAME>
Jones

<FIRSTNAME>
John

<TITLE>
Technical Director

<COMPANY>
ABC Industries

<PHONE>
800-555-1234

<EMAIL>
jjones@host.domain

<COMMENTS>
This is where your comments go. Be as brief or as long as you want. Tell us what you think, what you need, what you want to know more about. Tell us what you're doing. Tell us who we should be talking to about this.

EXPLORE the INTERNET!

FREE*

Delphi Internet™ offers you full access to the Internet and now you can explore this incredible resource with no risk. You get 5 hours of evening and weekend access to try it out for free!*

Use Delphi Internet's mail gateway to exchange messages with over 30 million people at universities, companies, and other online services such as CompuServe® and MCI Mail®. Download programs and files using **FTP** or connect in real-time to other networks using **Telnet**. You can also meet people on the Internet. **Internet Relay Chat** lets you "talk" with people all over the world and **Usenet News** is the world's largest bulletin board with over 20,000 topics!

To help you find the information you want, you'll have access to powerful search utilities such as **Gopher**, **Hytelnet** and **WAIS**. If you aren't familiar with these terms, don't worry; Delphi Internet has hundreds of expert online assistants and a large collection of help files, books, programs, and other resources to help get you started.

Over 850 local access numbers are available across the country. Explore Delphi Internet today. You'll be amazed by what you discover.

now supporting
**9,600
and
14,400
bps**
at no extra charge!*



FIVE HOUR FREE TRIAL!*

Dial By Modem 1-800-365-4636, Press return until you get a prompt
At Username, enter JOINDELPHI. At Password, Enter BYT295

*Free offer applies to new members only, limit one per household, and is valid for a limited time. A valid credit card is required for immediate access. Free time may be used only during the remainder of the calendar month of becoming a member. Telcom surcharges apply during business hours (8am to 4pm weekdays) via Tymnet or Sprintnet and for access outside the mainland US. New members must agree to Terms and Conditions of membership when joining. Complete details and other restrictions are provided during the toll-free registration. DELPHI INTERNET is a trademark of Delphi Internet Services Corporation.

Attention Current Internet Users: See what Delphi Internet can offer you! Stock quotes, Grolier's Encyclopedia, newswires, and hundreds of other services are just a few keystrokes away. Telnet to delphi.com and enter the username and password above for a free trial.

**9,600 bps available in most local areas via Tymnet and Sprintnet. 14,400 bps available by dialing direct to Cambridge, MA.



Questions? Call 1-800-695-4005.
Send e-mail to INFO@delphi.com

©1994 Delphi Internet Services Corporation.

Circle 77 on Inquiry Card.

the machine attempted to complete the Optimize process, failed, and locked up.

This wasn't what I wanted at all. The old BOOTCON required you to turn it off before you tried Optimize. Once you turned it back on, however, it intercepted the process and offered you a menu of CONFIG.SYS/AUTOEXEC.BAT combinations. The new-and-improved BOOTCON didn't do that; it just committed suicide when I ran Optimize.

I called Modular Software Systems. At first they didn't want to believe this was happening to me, so I went through the process, describing each event. Long silence. Then I was advised to boot up with the floppy disk again, get to C, run BC-SETUP, and select Current Configuration. Doing that let me change the boot-up configuration. That let me boot up, and I could then go erase every trace of the QEMM optimization batch files. For good luck, I had BOOTCON totally eliminate the TEST configuration. Then I made a new one, named that TEST, and ran Optimize again. This time when it offered Stealth, I made sure to say *no*.

This time QEMM locked up on something called Quarterdeck Quickboot. It

took about 10 minutes to find out what to do about that. I had to put the statement `BE:N on the Device=QEMM.SYS` line. That will turn off the Quickboot feature, which is guaranteed to lock up about half the systems I have tried it on. Some feature.

And that took care of the situation. QEMM and Optimize did their thing. I had well over 600 KB of free memory, I could get into Windows just fine, and the Windows for Workgroups network worked properly.

There was only one problem. The mouse was still jerky. I found another mouse and rebooted. Everything was fine. Clearly, my problem was that particular mouse. I opened it up and scraped at the felt ring on the idler wheel. It didn't want to come off, and I wasn't at all sure I wasn't breaking something by removing it. However, the mouse wasn't working properly anyway, so I used rubbing alcohol and eventually got all that goo off the wheel. The mouse works fine now.

Incidentally, today I got a fax from Modular Software Systems. The next version of BOOTCON will give you a chance to intervene even when there's an opti-

mization going on. They're calling it the "Pournelle feature."


There are several morals to this story. At the simplest level, I learned that Microsoft Home mice are not supposed to have a felt ring on the idler wheel. If I'd known that, I'd have cleaned the jerky mouse, and nothing would have needed fixing.

At the next level, I learned once more that upgrades generally aren't as simple as I expect them to be. I also learned—again—that no matter how good software is, new releases can be a problem. As an example, BOOTCON remains a very useful program—it saves me hours when I experiment with configurations—and the new version is an improvement; but it doesn't work the same way as the old one. Also, some important commands have not only been changed, but the changes weren't properly documented.

The same appears to be true of QEMM. Version 7.5 may be a genuine improvement, but the advantages don't seem immediately obvious, and I sure don't understand why it defaults to something as unreliable as Quarterdeck Quickboot.

The most important moral of the story is

WITH MULTIVIEW DESKTOP, YOU'LL FLY BETWEEN WINDOWS AND UNIX.



AND MAKE ALL YOUR CONNECTIONS.

Now you can take off between Windows and UNIX applications using a simple mouse and a single user interface. Your users only have to learn one mode of operation. And you only have to support one interface.

Now you can travel on all protocols. With just one user interface.

That's because MultiView Desktop supports more connections than anyone. All serial connections. And all major protocols, including IPX/SPX, DECnet and the widest range of TCP/IP transports. And if you don't have a TCP/IP transport we'll give you one *free*.

You also get accurate, high-performance terminal emulation of all the major UNIX consoles and terminal types. Plus a floating palette with toolbar, status bar and configurable button bar for simple operation. MultiView Desktop also integrates your PCs and UNIX with Dynamic Data Exchange (DDE) that allows your users to make faster, more informed decisions. And they can cut and paste between Windows and UNIX applications, share printers and customize their desktops in minutes.

So no matter how or where you work, MultiView Desktop provides terminal emulation, multiple platform connectivity and integration in one package. Which is exactly what you would expect from JSB, the company that pioneered Windows Sockets technology.

For more information and a free 30-day evaluation of MultiView Desktop, call **800-359-3408** today. And start flying nonstop to all your applications.



GOING PENTIUM™ Is it WORTHWHILE... FOR YOU?

**NEW
FROM NSTL**

IF you're considering a Pentium upgrade, you face a critical decision.

Tapping into Pentium power could deliver a much-needed boost in speed and performance. Or, the investment may be unnecessary, given your particular requirements.

Your dilemma: Where to turn for independent, authoritative information? If your job entails making critical recommendations, much is at stake. You are expected to have answers. You need *quality, unbiased* decision-making data.

Now, you can have the answers with *Pentium Upgrades: A Benefit and Performance Analysis*, first in the Exclusive Report Series from National Software Testing Laboratories (NSTL).

- **No-frills, objective information.** No advertiser influence or pretty pictures here...just real-world data.
- **A clear layout of your choices.** It's all here: the basics on 486 and Pentium systems and their compilers. Charts, tables and important technical information help match your needs with real performance data.

- **Executive Summary for top-level decision makers.** You get a clear, capsulized briefing on test information... the analysis you need for rational price/performance evaluation.
- **Revealing raw data for the technical expert.** Benefit from comparisons and statistical data on common binaries running across different platforms. Know which gains are due solely to hardware.
- **Discover custom solutions that work for you...** based on your type of work, applications used, and your system configuration.

LAN and IS Managers — Special Alert!

If your job demands informed decision-making, this Exclusive Report is required reading. You'll find hard data on Pentium — integer-intensive applications; floating point applications; recompiling for Pentium; and other important factors.



NSTL's 20,000 sq. ft. test facility, is the largest independent testing and evaluation facility in the microcomputer industry.

NSTL...

Testing the Limits

NSTL, a division of McGraw Hill, Inc., is an internationally recognized testing authority. NSTL's *Software Digest* and *PC Digest Ratings Report* are the leading authoritative sources of accurate and objective software and hardware information.

NO RISK GUARANTEE

If, for any reason, you're not 100% pleased with your NSTL Exclusive Report, return it for a full refund.

Larry Goldstein
Publisher

FREE GIFT with your order!

When you order *Pentium Upgrades* you'll also receive the recent *PC Digest Ratings Report* on Pentium Systems.



For faster delivery, call 1-800-220-NSTL
6 7 8 5



NSTL EXCLUSIVE REPORT SERIES PENTIUM UPGRADES A BENEFIT AND PERFORMANCE ANALYSIS

3 Easy Ways to Order...

1. FAX a copy of this page to (610) 941-9950
2. MAIL coupon to Address Below
3. CALL TOLL FREE 1-800-220-NSTL



YES I want to be an informed decision-maker.
Send me *Pentium Upgrades* now, at the special introductory price of \$29.95. (A \$35 value)

- ☐ YES, also send my FREE GIFT: *PC Digest Ratings Report* on Pentium Systems
- ☐ NO, I don't want this report, but keep me informed of future Reports.

Number of Reports _____ @ \$29.95/ea = _____

APPLICABLE STATE TAX _____

SHIPPING AND HANDLING @ \$1.95/ea. (Outside the US @ \$3.95/ea.) _____

TOTAL _____



Prices subject to change without notice.

**Only
\$29.95**

CARD NUMBER _____

EXP. DATE _____

SIGNATURE _____

NAME _____

TITLE _____

COMPANY _____

PHONE NUMBER _____

STREET ADDRESS _____

CITY _____

STATE _____

ZIP _____

MAIL TO: NSTL, Box 1000, Plymouth Meeting, PA 19462.

NSTL National Software Testing Laboratories, A Division of McGraw Hill, Inc.
Publishers of *Software Digest* and *PC Digest Ratings Reports* BT4594

Circle 246 on Inquiry Card (RESELLERS: 247).

that as software gets smarter—BOOTCON detecting that a QEMM optimization is under way, QEMM deciding I need to try Stealth, QEMM turning on Quarterdeck Quickboot—users have to be even more clever to outwit software when it decides to do something you don't want done.

And finally, I'm really getting weary of having to use QEMM and other memory management programs in the first place. I have the Cheetah up and running again, and I don't like to change it; but frankly, I'm more than ready for an operating system that doesn't require memory managers and doesn't need tweaking with Optimize and Stealth and all the rest. I may have found it. We'll come back to that in a bit.

While I like having the latest versions of critical software, I wasn't upgrading Word 6.0 for fun. A few days before, I packed up SuperCow, the Gateway 2000 486DX/66, and took it off to the beach house where I hide out to get some work done. One of my tasks was to work on revising *A Step Farther Out*. This is a science nonfiction book published in 1980 and made up of columns I wrote in the 1970s. You'd think a book that old would be out of date, but it's not. The space program hasn't gone very far since then, and while the cold war is over, a number of science and energy issues remain about what they were then.

I still get mail from people who've read it, and there appears to be enough demand for it to warrant a new edition. My intent is not to rewrite *Step*; I'm adding notes to confess when I was wrong and crow when I was right. I'd done about a hundred notes, and I wanted to finish the book. Then I

want to take the rest of my science essays, including some carefully selected computer articles, annotate them, and put out a companion volume entitled *Another Step Farther Out*.

I had *Step* in Word 6.0a for Windows format on SuperCow's hard disk, and I was busily adding footnotes when Word locked up. Alt-Tab and Ctrl-Esc did nothing. I had to use Ctrl-Alt-Del, which closed Word 6.0 and brought me back to the Program Manager. I then reloaded Word and loaded *Step*. The result was peculiar: I could do a few things, and then Word would lock up again. Eventually, I found that I could page down just so far before things would lock. I paged to a point just before that, hit F8 and Ctrl-Home to mark all the text from that point to the beginning, cut it, pasted it into a new Word window, and saved it as STEP1. Then I saved what was left as STEP2.

STEP1 was fine. Oddly enough, I was able to load STEP2 and work on it. It was only when I tried to combine the two halves into one document that Word locked up. That seemed very strange.

I made safety copies of both halves, put up STEP2, and worked on it for a while, being careful not only to save fairly often but to save under a different name every now and then. It got to be dinnertime and we went out to one of our favorite restaurants, the Green Flash. When I got back, I discovered (1) that Word had locked up tight, and (2) that the auto-saved copy of STEP2 that Word had made before it


locked up couldn't even be read into Word.

When I tried to read that version of STEP2, I got a "General Protection Fault" error. That not only clobbered Word but Windows itself, requiring a complete reset of the machine. Needless to say, I was more than annoyed and sent off some quite angry E-mail to Microsoft. It didn't take long to get a reply.

They suggested two remedies. First, get the 6.0c upgrade, which corrects some of the save problems. Meanwhile, because I clearly had some kind of crud in my document, load the last version I could get Word to read, save that in RTF (Rich Text Format), and read it back in again.

That actually worked. I still don't know what was wrong with my document. In Word 6.0, footnote numbers start over at 1 whenever you have a section break, and apparently I had a section break that was driving Word crazy. In any event, saving in RTF and reading it back in again cured the problem. I've since organized *A Step Farther Out* in an even more complex manner, with endnotes that renumber at the beginning of each section. It all works again, but that's not good enough.

There is no excuse whatever for a word processor crashing due to input. A word processor ought to be able to handle any random bit stream. It might get confused about section breaks and footnote numbers. It might get confused about headers and footers. It might see strings of garbage that cannot possibly be text and not know



ROMDISK™

For PCMCIA Products circle 75,
OTHER Products circle 76 on Inquiry card.


SOLID STATE Disk Emulators and PCMCIA Products

Board Level Disk Emulators

- Replace mechanical drives in embedded systems
- High performance and low cost models available
- Flash, EPROM and battery-backed SRAM technologies. Capacities from 180K to 16MB
- Dual drive and hard drive emulation support
- 8 and 16 Bit ISA bus support

PCMCIA Carddrives & Adapters

- Use PCMCIA cards in your desktop or embedded PC system
- Internal model fits in 3 1/2" drive bay
- Dual socket & external models available
- Support for all types of memory, I/O cards and Type III hard drives
- DOS & Windows compatible drivers included



PC CardShark II™
PCMCIA Carddrive

High Capacity DRAM Drive

- Expandable 16 to 512MB. 5 1/4" or desktop models. Fast SCSI-2, SIMM module based, .1msec access with built-in battery back-up and ECC.

Flash IDE Drives

with capacities from 2.5 to 40MB

Features: Autoboot capability, all models. Support for all popular operating systems. Solid state reliability.

Applications: Embedded Systems, Diskless PCs, LANs, POS, Medical, CAD/CAM, Graphics, High Performance PCs and Servers.

CURTIS, INC. Industry Leader in Disk Emulation Products

418 W. County Rd. D • St. Paul, MN 55112 • 612/631-9512 • FAX 612/631-9508

NOW AVAILABLE

From the Editors of BYTE Magazine
Five Years of BYTE At Your Fingertips!

Cover Stories • Product Reviews • BYTE Lab/NSTL Reports • Benchmarks
Features • Core Technologies Columns • Product and Technology News • And More!

Search

for product,
technology,
company,
author

Select

copy and
print what
you need!

Locate

the information
you need
quickly and easily
from your BYTE
issues library

Export

selected articles
to your word
processor

**INTRODUCTORY
OFFER:**
Save \$5.00 off
the Regular
Subscription
Price!

Find

search
results in
context, by
issue, or by
article title

Scan

the
comprehensive
index in as much
detail as you need

on CD-ROM

Now you can search through five years' worth of BYTE magazine—over 60 issues—to quickly find any article in minutes! As the *only* global magazine for computer technology experts, BYTE is your #1 information resource for new products and technologies. BYTE on CD-ROM is a fully-indexed full-text database that is the perfect complement to your collection of back issues.

BYTE

Because the *Experts* decide.

**Mc
Graw
Hill**

Order Now & Save! Subscribe to BYTE on CD-ROM for only \$54.95 and receive the full text of BYTE from 1990-1994 **PLUS** quarterly updates on CD-ROM that include full text and graphics from every issue in 1995! Or order just the full text of BYTE on CD-ROM (text only) from 1990-1994 for only \$39.95.

Place Your Order Today!

- ☐ Send me BYTE on CD-ROM **PLUS** 1995 quarterly updates with full text and graphics for just \$54.95.
- ☐ Send me BYTE on CD-ROM with the full text of BYTE from 1990-1994 for just \$39.95.
- ☐ Check enclosed (make checks payable to BYTE Magazine, US funds only)
- Charge my: ☐ MasterCard ☐ VISA ☐ AMEX

CARD #

EXP. DATE

SIGNATURE

Call 1-800-924-6621

(outside of U.S. 603-924-2625)

or FAX your order to 603-924-2683

NAME

ADDRESS

CITY

STATE

COUNTRY

ZIP

Mail to: **BYTE on CD-ROM**,
One Phoenix Mill Lane, Peterborough, NH 03458

Canadian and US orders, please add \$2.95 for shipping and handling. Outside North America, add \$5.00 for air mail delivery. Allow 6-8 weeks for delivery.

1-800-924-6621 Credit card orders only
Circle 63 on Inquiry Card.

how to display it. It might initiate a dialogue with the user about what to read and what to ignore—but it should never crash due to input.

Word isn't the only culprit here. Other word processors can be made to crash on input. That's still no excuse for Microsoft. The Word team can be justly proud of their program. When it works, it works good, and I use it because I like it. I like the way it integrates with Access for mail merges. I like the way I can paste PCX files into documents and that it will print a color picture in acceptable black and white. I like many things about Word, but Microsoft should still be ashamed for letting it out the door with crash-on-input bugs.

Alex came home just as I was finishing my day's adventure. He suggested that even though it looked like everything was running properly, I might want to check for viruses. He'd discovered one on his Gateway HandBook. He had no idea where it had come from, but given that it had infected his portable computer, it might have infected systems here.

I got out my trusty write-protected DOS floppy disk and the latest version of Dr.

Solomon's Anti-Virus Toolkit. There are a number of virus-detection programs, and I suppose some of them are pretty good. I can't say Dr. Solomon's is the best, because frankly I haven't tried most others. I am convinced that Dr. Solomon's is good enough, and I'm not inclined to experiment when the results are this important.

The symptoms of the Parity B virus are pretty alarming: your machine will randomly hang while displaying "Parity Error." This is a fair imitation of a progressive memory failure, and that's what Alex thought he had—until he noticed the HandBook had 639 KB, not 640 KB, of base memory. That often indicates that either your system has 1 KB of memory reserved for CMOS drive-type setup in the CMOS setup screen or it's infected. A quick check with Alex's copy of McAfee Associates' Scan program showed Parity B.

Parity B is a "nice" virus, if any such vandalism can have a positive side. On hard drives, it copies the original boot information to sector 14 of the C drive. If you're clever, you can copy it back with Norton's DiskEdit or the like. That's good, because Scan can't uninfected a hard drive with Parity B.

Anyway, I checked all the machines in Chaos Manor—there are a lot of them—and they're all virus-free. I expected as much. We have a house rule that says if we ever see the "not a boot disk" error, meaning that we have tried to boot up the system from a nonboot floppy disk, we stop right there, turn off the machine, boot up from a write-protected known-good floppy disk, and run Dr. Solomon's.


When I began writing with computers—back in the dark ages before the term *word processing* was invented—I was eager to get Larry Niven a system so that we could work on our novels at his place as well as mine. That had its downside. When Niven, who understands technology theory just fine but is sometimes a bit less informed on practical matters, needed help, he'd call me. Fortunately, we both keep vampire hours.

His hardware is maintained by Workman and Associates—generally meaning Alex. I still get midnight calls for technical support, but not as many as I used to.

Recently, Alex wanted to update Niven's machine so that it would automatically back up to tape during the middle of

Your Choice of Keyboard Monitor Switches

Access multiple computers with a single keyboard and monitor to cut equipment costs, save valuable space, and end clutter




Manually controlled unit

- Simple pushbutton operation for quick selection
- Four, eight, or twelve ports per unit
- Daisy-chaining connects unlimited number of CPUs
- Compatible with EGA, VGA, Macintosh, Sun, and others
- Optional keyboard booting for 286, 386, and 486
- Optional RS232 or PS/2 mouse interface
- PCB construction for high reliability and low crosstalk
- Rack mount, matrix, and customized units available

- Switch by keystroke, from front panel, or RS232 port
- Two or four ports per unit
- Cascade units to support up to 255 CPUs
- Supports monochrome, EGA, and VGA
- Includes keyboard booting for 286, 386, and 486
- Includes RS232 and PS/2 mouse interface
- LEDs display selected CPU and CPU power-on
- Scan function switches among CPUs automatically



Keyboard controlled unit



Call toll-free now for your copy of our Switching and Sharing Solutions catalog.

Other Rose products: Print servers, printer sharing units, print buffers, keyboard monitor extenders, video splitters. All Rose products are US-made and have a 1-year warranty.

Make the Rose Connection

10850 Wilcrest Drive • Houston, Texas 77099 • Phone (713) 933-7673 • Fax (713) 933-0044

ROSE
ELECTRONICS

1-800-333-9343

Maximize Your Marketing Dollars With BYTE Reprints!

BYTE Reprints serve as high-quality, inexpensive promotional tools for:

- Trade show handouts
- Direct mail campaigns
- Dealer/distributor promotions
- Training and educating key personnel
- Presentations at conferences/seminars

And there's more!

- BYTE reprints can be customized with your company name, logo, product picture, etc.

Call today for information and quantity prices.

Susan Monkton


BYTE Reprint Department

One Phoenix Mill Lane, Peterborough, NH 03458

Phone: 603-924-2618

Fax: 603-924-2683

Minimum order: 500



BYTE

The Magazine of Technology Integration



Now a Full Line of

American Made Steel Chassis



- Rugged all-steel construction
- Designed for FCC certification
- Easy assembly and service
- Full line of models and sizes
- Competitive prices
- American made power supplies & removable drive modules available

Call **NOW** for information
and **FREE** color catalog

1-800-394-4122

VISA & MasterCard accepted
Same day shipment!

Circle 143 on Inquiry Card.

Designed,
Manufactured,
Guaranteed by:

**CALIFORNIA
PC PRODUCTS**

408-638-9460

205 Apollo Way - Hollister, CA 95023

A division of California Metal Products
manufacturing quality American made products for
25 years

Pournelle

the night. Previous versions of Colorado Memory Systems' tape-backup programs worked well enough, but installing version 1.1 on Larry's 486DX/50 blew up Windows. When in Windows, you could not find files, and going out to DOS would show that some files were missing and the drive was hash. Rebooting would bring all the files back. A download of Colorado Backup 2.02 for Windows produced the same results.

The remedy was to nuke Colorado Backup 2.02 for Windows, reinstall Windows from floppy disks, and go back to using Colorado Backup 4.05 for DOS. That can do automatic backups, but you have to have exited Windows first, and Niven can't be relied on to remember that.

When Alex called Colorado Memory Systems, he was assigned a problem number, but repeated attempts to reestablish contact have produced no results. We presume that Backup for Windows works on most hardware configurations.

Note that even some popular and fairly vanilla systems, such as those from Gateway 2000, can be subject to odd problems. Recently, installing Zenith Z-Stor on SuperCow munged Windows for Workgroups so badly that we would get the message that "Program Manager Caused a General Protection Fault" at start-up. I had to reinstall Windows from floppy disks—after which the problem went away as mysteriously as it had come. On the other hand, the same installation went quite smoothly on Pentafluge, our fire-eating Pentium, which isn't standard at all.

OS/2 comes in two major flavors, Warp and Borg. Warp, once known as OS/2 for Windows, requires that you have your own version of Windows running before you install it. Borg, also known as plain OS/2, is larger than Warp, and embedded within it is Win-OS/2, a version of Windows that IBM licenses from Microsoft. If you have that variety, you don't need your own copy of Windows.

As I write this, the latest version of OS/2 with embedded Windows is OS/2 2.11; but by the time you read this, they'll have out version 3.0. Borg will itself come in two flavors, regular and professional. Those aren't the names IBM will use, but that's what they'll mean. More on Borg another time.

A few weeks ago, IBM, with much hoopla, brought out a new version of OS/2 for Windows called OS/2 Warp 3.0. Then they withdrew it because of a faulty in-

stallation program. Now it's out again, and it's nifty.

The bug was this: if the installation program found a copy of CONFIG.BAK or AUTOEXEC.BAK in the root directory, it could do terrible things to your FAT (file allocation table). As part of the hoopla, IBM shipped "final-release" copies complete with the installation bug to a number of important reviewers. Several of them got burned, and the resulting reviews were understandably grim.

A very few of these final-release copies found their way to distributors. Alex bought one for a client before either of us knew about the installation bug. Fortunately, he installed it on a virgin system that had no BAK files on it. The installation went smoothly, and he came back quite enthusiastic about OS/2 Warp 3.0. It seems he bought the unbuyable and installed the uninstallable.

I never got a final-release copy, but I've had several beta versions of Warp here at Chaos Manor, and I like it. Alex had the same experience at his client's site. OS/2 Warp 3.0 really is a better DOS than DOS, as well as a *lot* better DOS than Windows. Because your Windows programs are running with your own copy of Windows, you'd think Warp couldn't be a better Windows than Windows, but that's not true. As an example, Warp can handle a big Word for Windows print job without monopolizing the machine. It's also a lot more reliable for communications.

Warp has an easier interface than OS/2 2.1. There's a shutdown button. Menus have been rationalized. It's a lot easier to fine-tune program settings. There are things I wish they did differently. Installing a new program is a tad more awkward in OS/2 than in straight Windows. All in all, though, the OS/2 interface is at least as handy as the Windows interface, and it won't take you long to learn it.


I'm still no great fan of multitasking without multiple CPUs—deep down, you don't want to share CPU cycles

with anyone, including yourself.

Most of us don't really do multitasking anyway; what we want is smooth and rapid task switching. However, there are some tasks, like communications, that demand multitasking. When I'm finished preparing a fax, I don't want to stop using my machine while it's being sent. OS/2

does both task switching and multitasking better than Windows. It's stable, too.

OS/2 is technically better than either DOS or Windows. If that's not enough to



"I oversee a
\$24 million
budget and support
2400 users.

Every month
BYTE
helps me
evaluate
products & technologies that keep
Lincoln National Life
a head of the
technology/productivity
curve."

Name: Skip Carstensen

Title: VP Product Administration Systems

Company: Lincoln National Life Insurance Company

Annual IT Budget: \$24 million

BYTE Reader: 9+ years

BYTE readers set the agenda for corporate
Information Technology purchases. Their recommendations can take your products
to the top – or leave them at the door. Why? Because BYTE readers are the *technology experts*.
They define the short list. They specify brands. They tell the buyers what to buy.

Want to get your product in front of Skip? Advertise in BYTE. And reach more than a
half-million technology experts who drive the IT buy.

BYTE Because the *Experts* Decide.

See for Yourself: To find out more about the buying power of BYTE readers, call 603-924-2618 and ask to see our *Information Technology Buying Process* video.
BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



make you want to try it, there are some pretty good OS/2 applications. One is the IBM Personal Dictation System. More on that in a month or so.

And if that's not enough, OS/2 Warp 3.0 comes with a package of Internet access tools. I'll have a lot more on that in the next few months. However, if you've been wishing you could do some Internet surfing, OS/2 Warp right out of the box will put you on the Internet in as painless a manner as I know.

Bottom line: if you use Windows and

you're at all inclined to experiment, get OS/2 Warp. Back up your system and have at it. I can't guarantee it will go smoothly, but it does for most people. Try it. You'll probably like it, and even if you don't, it will give you a head start on Windows 95.

I have a big collection of quotation programs, starting with the *Bartlett's* in Microsoft Bookshelf. Bookshelf remains the single most useful CD-ROM I own, but there are better quotation programs. In particular, I like MCR Software's *Wisdom of the Ages*,

which has the best selection of relevant quotes I know. It's organized in an unusual manner, but I like it.

Great Bear Technology has a good program called *The New American Library of Quotes*, but it doesn't let you add quotes. I often use quotes as chapter epigraphs, with the notion of focusing reader attention. Quotation programs generally won't have just the one I want, although *Wisdom of the Ages* and askSam Systems' *Quotes On Line* have been useful. *Bartlett's* is often the place to start looking. When I find a quote somewhere, I want to be able to add it to my quote package and index it properly, and both *Wisdom* and *Quotes On Line* let me do that. I like *Wisdom* more, but they're both good.

YOU'VE HEARD ALL ABOUT IT... HERE'S WHERE YOU BUY IT!



THE POWER OF UNIX WILL BLOW YOU AWAY!

UNIX PRODUCTS FROM INFORMATION FOUNDATION:

- **UnixWare Personal Edition** from \$166
Desktop UNIX with graphics & networking
- **UnixWare Application Server** \$974
Unlimited user UNIX with the "works"!
- **UnixWare Software Development Kit** \$89
The ultimate development system for UNIX
- **LAN Manager for UnixWare** from \$995
Seamless UNIX connectivity for WFW & NT
- **OracleWare for UnixWare** from \$4,995
Oracle 7 & UnixWare Application Server
- **Accelerated-X from X Inside** \$149
Get the X power of a RISC workstation on your PC

Call for our complete list of UNIX products!



OracleWare
An Oracle/Novell Development



IF is a registered trademark of Information Foundation. UNIX is a registered trademark of X/Open Company Limited. UnixWare is a trademark of Novell. All registered trademarks and trademarks are the property of their respective owners.

Novell's UnixWare™

has the power to drive your PC to the limit. UnixWare is a true 32-bit multi-tasking, multi-user graphical operating system. With built-in networking and the ability to run tens of thousands of UNIX, DOS and Windows 3.1 applications, it is the ultimate operating system for your Intel-based PC.

Information Foundation is the leading supplier of UnixWare products. Our service and rock bottom prices combined with a no risk 30-day money back guarantee makes IF the place to come for UNIX!

1-800-GET-UNIX



**Information
Foundation**



- GREAT PRICES
- SERVICE & SUPPORT
- SATISFACTION GUARANTEED

P.O. Box 2821
Evergreen, Colorado 80439
Phone: 303/670-5345
Facsimile: 303/727-7618
E-mail: sales@if.com


For decades the U.S. Government has collected statistics, many valid but useless because no one had the computational power to do anything with them. The computer revolution has changed that.

Charles Murray started a new trend with *Losing Ground: American Social Policy 1950-1980* (Basic Books, 1986), a book that tried to establish a definite relationship between poverty and antipoverty programs. He concluded that most of, if not all, the social programs made things worse. Of course, his study was subjected to political, not scientific, analysis; but the point is that he included all the data, so it's possible to duplicate his analysis.

Now he has done it again. Murray and the late Richard J. Herrnstein have published *The Bell Curve: The Reshaping of American Life by Differences in Intelligence* (Free Press, 1994), a book that examines what you can and cannot conclude from various studies of IQ. I've read both these books. Neither says what most people seem to think they do. That's particularly true of *The Bell Curve*, which contains as good a popular introduction to population statistics in general and intelligence measurement in particular as I've ever seen. In addition, the book contains the primary data on which its conclusions are based.

Vilfredo Pareto once said, "Had Aristotle held to the course he in part so admirably followed, we would have had a scientific sociology in his early day. Why did he not do so? There may have been many reasons; but chief among them, probably, was that eagerness for premature practical applications, which is ever obstructing the progress of science, along with a mania for preaching to people as to what they ought to do—an exceedingly bootless occupation—instead of finding out what they actually do." *continued*

Street Machine



Up and away on the Information-Highway!

Mobile Assistant I™ means wireless communication, navigation and computer power in a small unit. Just six keys on the keyboard connect you to all the data networks you need all over the world. You can concentrate on your business: Prepare for your next customer call, process the last order or use programming at a remote computer site. The system takes you there - wherever you want to go or whatever you want to do - interactive, on a large size screen. As an option you can tune into a radio station or listen to your favorite CD.


Mobile Assistant I™ - a multifunctional device for mobile communications, traffic and information management. It brings together all the latest technology such as radio modems*, satellite navigation and computer power to give you the best service you can expect.

Mobile Assistant I™ is intended for professionals in areas such as:
 Freight Carriers • Field Service Organizations • Field Sales Organizations
 • Rental Car Agencies • Police- and Fire-Departments • Emergency Road Service
 • Hazardous Materials and Security Transports • Public Transportation Systems.

Now you probably want to find out more about this. Just give us a call!

SOLID®
 COMPUTER
...the open systems solution pioneer!

* MODACOM/ARDIS-MOBITEK/RAM Support



Germany Headquarter: Bruckmannring 32 • D-85764 Oberschleißheim • Tel: + 49-89-31 57 19-0 • Fax: + 49-89-3 15 91 46

Circle 536 on Inquiry Card (RESELLERS: 537).

Actually, a true social science is at least as difficult as quantum physics, and Aristotle simply didn't have the tools to form and test statistical hypotheses; we didn't even have those tools when I was in graduate school.

Matrix inversion is simple now, and so is regression analysis. *The Bell Curve* may or may not be correct in its conclusions—certainly some of them are unpleasant to think about—but at least it states its hypotheses in clear and precise terms and carefully presents both its evidence and its reasoning. Almost every BYTE reader has access to more than enough computing power to duplicate that reasoning and test the sensitivity of the conclusions to various assumptions, including the fundamental assumptions of statistical inference. Not everyone will do that, but I expect some will, and that's all to the good.

The gadget of the month is the Microtest COMPAS, a specialized hand-held (about the size of the Magellan GPS receiver) LAN protocol analyzer that most network managers would kill for. At \$4995, it's not cheap. Fair warning, if you buy one in Southern California, you'll be steered to Alex at Workman and Associates. Press one button and you get a menu that includes: Are servers OK?, Why is network slow?, Why can't I log in?, Why does this connection drop?, and Is this cable OK? Even I can understand the answers it gives.

Unfortunately, this one doesn't do NetBEUI, (aka Windows for Workgroups and IBM OS/2 Advanced LAN Server proto-

cols), but it's software upgradable. Stay tuned and watch the Microtest BBS.

It's not a full-blown cable tester (as in Microtest's PentaScanner), and it has some limits that a full Network General Expert Sniffer Portable Analyzer won't have, but it will let you plug in between a workstation and a network server to watch what's happening in real time. It will also introduce a printer test page into the network stream; if your printer doesn't print that, something's wrong. Note that you haven't had to disconnect anyone's workstation to test that. COMPAS isn't for everyone, but Alex says if you need this, you need it bad.

We took the Apple PowerBook 540c to the Hackers' Conference. Hackers in this instance doesn't mean criminals who use other people's equipment without permission. Instead, it harks back to the older definition of programming wizards. One of these is Donald Knuth, whose three-volume *Art of Computer Programming* is a fundamental work of computer science.

As always, I learned a lot at the Hackers' Conference. For instance, the general consensus was that Mosaic and other programs for surfing the WWW (World Wide Web) on the Internet will be "the killer applications of the 1990s." I'll have a lot more about both the Hackers' Conference and the Internet in future columns; just now, I wanted to comment on the PowerBook 540c. It's high-end expensive, of course; and it's neat. The screen is really easy to see. The keyboard is great. The machine is fast. The trackpad—a small

touchpad that substitutes for a mouse—takes getting used to, but in an hour or less you'll wonder how you ever got along without it.

The computer book of the month is Adam C. Engst's *Internet Starter Kit* (Hayden Books, 1994). It's quite readable, and it goes into history, various ways to connect to the Internet, and what you can find there.

Note that Internet surfing is addictive. There's always one more place to visit and one more file to download. Soon it's dawn, and you've filled your hard disk.

The book of the month is Donald Norman's *Things That Make Us Smart: Defending Human Attributes in the Age of the Machine* (Addison-Wesley, 1994). Dr. Norman is a senior Apple Fellow. I met him at the Hackers' Conference. After spending an hour with him, I promptly bought his book and read it in two days.

Next month, Windows 95 vs. OS/2, and a lot more on networks. ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on the Internet or BIX at jerry@bix.com.

For More Information

BOOTCON 2.1 (\$79) remains a very useful program, and the new version is a genuine improvement. Contact **Modular Software Systems**, Kent, WA, (800) 438-3930 or (206) 631-5781; fax (206) 631-5779. **Circle 1172 on Inquiry Card.**

Colorado Backup 4.05 for DOS (\$19.95) and **Colorado Backup 2.02 for Windows** (\$42) tape-backup programs work well. Contact **Colorado Memory Systems**, Loveland, CO, (800) 845-7905 or (303) 669-8000; fax (303) 667-0997. **Circle 1173.**

COMPAS (\$4995) is a specialized hand-held LAN protocol analyzer that most network managers would kill for. **PentaScanner** (\$3495) provides full-blown cable testing. Contact **Microtest, Inc.**, Phoenix, AZ (800) 526-9675 or (602) 952-6400; fax (602) 952-6401. **Circle 1174.**

I am convinced that **Dr. Solomon's Anti-Virus Toolkit 6.69** (for DOS, \$125; for Windows, \$149; both with quarterly updates) is good enough, and I'm not inclined to experiment when the results are this important. Contact **S&S Software International, Inc.**, Mission Viejo, CA, (714) 470-0048; fax (714) 470-0018. **Circle 1175.**

The **Expert Sniffer Portable Analyzer** (single topology, Ethernet or Token Ring, \$9995) is a full-featured LAN protocol analyzer. Contact **Network General Corp.**, Menlo Park, CA, (800) 764-3337 or (415) 473-2000; fax (415) 321-0855. **Circle 1176.**

Microsoft Bookshelf (\$69.95) remains the single most useful CD-ROM I own. Contact **Microsoft Corp.**, Redmond, WA, (800) 426-9400 or (206) 882-8080; fax (206) 883-8101. **Circle 1177.**

The **New American Library of Quotes** (\$49.95) is a good quotation program. Contact **Great Bear Technology, Inc.**, Moraga, CA, (800) 795-4325 or (510) 631-1600; fax (510) 631-6735. **Circle 1178.**

Try **OS/2 Warp 3.0** under \$80). You'll probably like it, and even if you don't, it will give you a head start on Windows 95. Contact **IBM Corp.**, Austin, TX (800) 342-6672 or call your local IBM dealer. **Circle 1179.**

The **PowerBook 540c** (base price, \$4839) is a neat machine. Contact **Apple Computer, Inc.**, Cupertino, CA, (800) 776-2333 or (408) 996-1010; fax (904) 584-7481. **Circle 1180.**

QEMM 7.5 (\$99.95) and **Optimize** did their thing. I had well over 600 KB of free memory. I could get into Windows just fine, and the Windows for Workgroups network worked properly. Contact

Quarterdeck Office Systems, Santa Monica, CA, (800) 354-3222 or (310) 392-9851; fax (310) 314-4217. **Circle 1181.**

I found **Quotes On Line 1.0** (\$89) useful. Contact **askSam Systems**, Perry, FL, (800) 800-1997 or (904) 584-6590; fax (904) 584-7481. **Circle 1182.**

A quick check with Alex's copy of **Scan** (one-year single-user license for DOS, Windows, or OS/2, \$59) showed the Parity B virus. Contact **McAfee Associates, Inc.**, Santa Clara, CA, (408) 988-3832; fax (408) 970-9727. **Circle 1183.**

Wisdom of the Ages (\$69.95; Wisdom++, \$99) has the best selection of relevant quotes I know. Contact **MCR Software**, Oakland, CA (800) 767-6797 or (510) 763-9134; fax (510) 444-6561. **Circle 1184.**

welcome to the great wide open

The future of computing is wide open.

If you're working in an open-computing environment—or are planning to make the change soon—the choices are more complicated than ever. You need the right mix of technical and business information to make the right decisions.

That's why you should be reading
Unix World's Open Computing.

Written for professionals who integrate, manage, program and resell interoperable systems, *Open Computing* gives you the up-to-the-minute information that you need to:

- reduce information costs
- create strategic computing solutions
- select the right hardware and software
- improve productivity

Seize the opportunity—the open-computing era will reward both the individuals and the organizations that can put their knowledge to use and harness the potential of interoperable systems. Build your knowledge through the in-depth features, industry news, comprehensive product reviews, and programming tips in every issue of *Open Computing*.

To start receiving *Open Computing*, just call the toll-free number below. Receive twelve issues for just \$18.00 per year—half of the newsstand price. Your satisfaction is guaranteed.

subscribe now
1•800•257•9402




What's New Hardware

LOCAL WIRELESS COMMUNICATIONS

A wireless remote interface for locally mobile networked and stand-alone PCs, Zenith Data Systems' CruisePad lets you wirelessly control a desktop or notebook PC while collaborating with a colleague in a conference room or walking with a customer. Paired with a CruiseLAN or Proxima Range-LAN2 card in the host PC, the frequency-hopping spread-spectrum radio in the unit sends input commands to the host PC directly or via a networked access point and instantaneously receives display updates. The CruisePad provides up to 500 feet of range within buildings. Used in conjunction with a CruiseLAN/Access Point, the range increases to 1000 feet in open spaces; Multiple CruiseLAN/Access Points can extend the range throughout a building or campus. The unit costs \$1399.

Contact: Zenith Data Systems, Buffalo Grove, IL,
(800) 533-0331 or (708) 808-5000.

Circle 1271 on Inquiry Card.



PLUG-AND-PLAY SOUND

A family of 16-bit stereo sound cards, the Crystalizer PnP cards (from \$249.95) are self configuring when used in a computer that supports Plug and Play. From Crystal Computer (San Jose, CA), each card uses the Yamaha OPL3 20-voice FM stereo synthesizer, the Opti/MediaChips MAD 16 audio controller, and an A/D converter from either Crystal Semiconductor or Analog Devices. The cards are compatible with the AdLib, Windows Sound System, and SoundBlaster audio standards. Phone: (408) 383-2100.

Circle 1275 on Inquiry Card.

A SPEEDY SYSTEM

National MicroComputers' (Salt Lake City, UT) Expert-System+ (\$2695) is based on the 90-MHz Pentium processor. The system has a 64-bit PCI local-bus VGA accelerator with 2 MB of RAM, 8 MB of system RAM (expandable to 128 MB), and a 540-MB hard drive. Also included is a 14-inch noninterlaced SVGA display. Phone: (801) 265-3700.

Circle 1276 on Inquiry Card.

SERVER SWITCHING

The Series 1800 ParallelSwitch switching hub card (from \$1988) provides up to 60 Mbps of network bandwidth and server ac-

cess. From Xnet Technology (Milpitas, CA), the card supports NetWare System Fault Tolerance technology in a switching domain. If the active server on a network fails, the card's ParallelGuard fault-tolerant switching function automatically channels the switching function to the second server. Phone: (408) 263-6888.

Circle 1279 on Inquiry Card.

A BRIDGE FOR ONE

A full-function bridge and IP router, the Pipeline 50 HX (from \$995) is targeted toward individual telecommuters and single Internet users. Functions integrated into the modem-size box include Ethernet-to-ISDN Basic Rate, dial-on-demand routing and bridging, inverse multiplexing, and dynamic bandwidth allocation. The Ascend Communications (Alameda, CA) device also integrates SNMP management, multilevel security, compression, filtering, and field-upgrade capability. Phone: (800) 621-9578 or (510) 769-6001.

Circle 1277 on Inquiry Card.

NETWORK WITH A FRIEND

DuoNet (\$69.95) from Leunig Communications (San Jose, CA) lets two people fully network their PCs via the computers' par-

allel ports. The package consists of a specially designed cable for hooking up the PCs and NDIS driver software for Windows for Workgroups 3.11.

Phone: (408) 441-6560.

Circle 1278 on Inquiry Card.

REMOVABLE C DRIVE

A desktop PCMCIA-IDE adapter, the ATA/B (\$69.95) turns Type III PCMCIA-ATA hard drives and selected Type II ATA flash cards into removable boot drives. From ProTégé (Anaheim, CA), the adapter mounts internally in your desktop system as if it were a 3½-inch floppy drive.

Phone: (800) 232-1347 or (714) 961-7000.

Circle 1280 on Inquiry Card.

MPEG DECOMPRESSION

The Boffin (Burnsville, MN) MPEG Decompression Board (\$299) decompresses and plays back ISO MPEG CD-ROM discs to provide 74 minutes of movies and music videos in standard video CD format. Color depth is as high as 16 million colors at VGA resolutions up to 1024 by 768 pixels. Interpolation hardware maintains original video quality; 16-bit stereo digital audio playback is included. Phone: (612) 894-0595.

Circle 1281 on Inquiry Card.

APPLES ROAM ETHERNET

A wireless network adapter for Macs, PowerBooks, and Duo computers, the DaynaComm Serial Roamer (from \$699) has throughput speeds between 200 and 400 Kbps. From Dayna Communications (Salt Lake City, UT), the 4½-ounce unit consists of a small, integrated antenna enclosed in a cellular-phone-size adapter. It's powered by a detachable cellular-phone battery and connects to a system's serial port to provide Mac users with a direct wireless connection to a wired Ethernet LAN. Phone: (801) 269-7200.

Circle 1282 on Inquiry Card.

COLOR-IMAGING CARD

A color-imaging display card that fits into a single 16-bit PCI or ISA I/O slot in your PC, XipView (\$1560) is compatible with high-performance, high-resolution, multiscan monitors from companies such as Hitachi, Idek, Nanao, Nokia, Philips, Sony, and ViewSonic. From Xionics (Peabody, MA), the controller card displays 256 colors. It supports 1600- by 1280-pixel resolution with vertical-refresh rates as high as 85 Hz. Phone: (508) 531-6666.

Circle 1299 on Inquiry Card.

COMPACT PORTABLE PRINTER ▼

The Pentax PocketJet direct thermal printer (\$499) weighs 17½ ounces with its rechargeable nickel-cadmium battery. Able to print up to 3 ppm at 300 dpi, it has full LaserJet IIP emulation with seven internal Hewlett-Packard fonts; it can download additional fonts and graphics. From Pentax Technologies (Broomfield, CO), the PocketJet uses letter- or A4-size paper. Phone: (303) 460-1600.

Circle 1274 on Inquiry Card.





V.34 ON THE DESKTOP

In support of the V.34 specification, the 28.8-Kbps ProClass 288LCD and MacClass 288LCD desktop modems (\$459 each) provide computer-to-modem speeds of up to 230.4 Kbps with up to 8-to-1 compression. From Practical Peripherals (Thousand Oaks, CA), the modems have a three-line LCD that can display more than 100 real-time messages. Other features include 14.4-Kbps send/receive fax capabilities, synchronous and leased-line operation, six help screens in ROM, and distinctive-ring detection.

Phone: (805) 497-4774.

Circle 1283 on Inquiry Card.

SBUS WITH TURBO GX

A single-slot SBus-based graphics accelerator, the SXT200 (\$1995) has a Turbo GX controller that lets you work in CAD/CAM and desktop publishing applications. The X-Terminal card includes a 100-MFLOPS graphics RISC processor and a frame-buffer controller; they accelerate Blit, Font, and Draw commands and allow graphics processing on the card itself. From Integrix (Newbury Park, CA), the card includes keyboard and mouse ports, which let you expand a Sparc-Station into a server.

Phone: (805) 375-1055.

Circle 1285 on Inquiry Card.

FLICKER-FREE COMPUTER VIDEO ON TV

The pocket-size Presenter 3 Series of computer-to-TV adapters (from \$349) allow you to display

computer-generated images on standard TVs or to record presentations directly to a VCR videocassette. The PC and Mac adapters have a Video Stabilizer that uses line-averaging technology to virtually eliminate screen flicker, according to Consumer Technology Northwest (Beaverton, OR). The adapters draw a percentage of multiple lines simultaneously to produce video stability. Sharp View advanced circuitry cleans up any residual smearing that occurs when video lines are averaged.

Phone: (800) 356-3983 or (503) 643-1662.

Circle 1286 on Inquiry Card.

FAST ETHERNET CONNECTION

The four-, eight-, and 16-port PassaPort family of terminal servers (from \$1149) let you connect PCs, ASCII terminals, printers, and modems to Ethernet LANs running at speeds as high as 115.2 Kbps. From Radlinx (Mahwah, NJ), the servers support TCP/IP, LAT, and PPP or SLIP protocols and provide asynchronous connections via a single wire to the Ethernet LAN. Other features include preloaded software on EPROM or flash ROM, modem control on all serial ports, and management support for SNMP and TSM.

Phone: (201) 529-1100.

Circle 1288 on Inquiry Card.

SEVEN DRIVES IN ONE ID

A compact CD-ROM tower for the Mac II and better systems, the CDT7-Mac, with its seven quad-speed drives (\$6500), supports EtherTalk and AppleTalk networks while occupying only one SCSI ID. The Procom Technology (Irvine, CA) tower includes the company's Smart SCSI CD board and CD driver software with AutoCache, which monitors how the Mac requests and uses data from CD-ROM discs. The tower can store 4.5 GB of data; it has a seek time of 120 ms and a sustained data transfer rate of 600 KBps.

Phone: (800) 800-8600 or (714) 852-1000.

Circle 1287 on Inquiry Card.


REMOTE SERVER IN A HUB

Chipcom's (Southborough, MA) LAN Access Server Module (from \$4495) is integrated within a hub to provide remote and mobile users access to resources on your corporate Ethernet or token-ring LAN. The module is powered by a RISC-based scalable architecture that supports popular WAN communications methods and can be controlled by any SNMP-based local or remote management console. The network manager sees all remote users in the context of the whole network and can monitor and control all

nodes from a central management station.

Phone: (508) 460-8900.

Circle 1289 on Inquiry Card.



AUTOMATIC MONITOR SHUTOFF ▲

Designed for use with PCs and compatibles using PS/2 (i.e., mini-DIN) keyboard connectors, the Maximiser (\$34.95) shuts off power to a computer monitor 15 minutes after the last keystroke. The unit returns power to the monitor when the keyboard is touched. From Panamax (San Rafael, CA), the Maximiser has one AC receptacle and plugs into a regular wall socket.

Phone: (800) 472-5555 or (415) 499-3900.

Circle 1284 on Inquiry Card.

QUICK DESKTOP COLOR PRINTING

The Phaser 540 color laser printer (\$8995) can produce photographs, scanned images, and business graphics in continuous-tone, selectable, true 300- or 600-dpi quality. Geared for shared printing, the unit prints in full color at close to 4 ppm and in monochrome at 14 ppm. The Phaser 540 uses mono-component cartridges, which reduces the number of replaceable parts. A 250-sheet media tray is standard; options include a tray assembly for two additional 250-sheet trays and a special 100-sheet tray for transparencies.

Contact: Tektronix, Wilsonville, OR, (800) 835-6100 or (503) 682-7377.

Circle 1272 on Inquiry Card.



What's New Hardware

SCSI BUS BOOSTER

A PC-compatible plug-in board for ISA and EISA SCSI bus systems, the SCSI Booster (from \$149) optimizes and boosts file-server and workstation performance by regenerating and conditioning internal SCSI bus signals. On-board active terminators provide SCSI termination to all devices. A standard Centronics or high-density SCSI-2 connector on the Applied Concepts (Wilsonville, OR) board provides the connection to external SCSI devices, which can operate up to the maximum cable distance of 19.7 feet away.

Phone: (503) 685-9300.

Circle 1290 on Inquiry Card.

CORDLESS BAR CODE READER

A cordless laser bar code reader, the Radio/Freedom Laser (\$1775), from Worthington Data Solutions (Santa Cruz, CA), has a decoder and radio transmitter built into the handle; instead of a cord, an antenna protrudes from the gun. The unit scans from up to 28 inches away; it then transmits the data, via radio frequencies in the 49-MHz range, to the base station, which can be up to 150 feet away. The base station attaches as a second keyboard to a PC, Mac, or multiuser serial terminal.

Phone: (800) 345-4220 or (408) 458-9938.

Circle 1298 on Inquiry Card.

CASCADABLE HUB

The Hub-16E (\$530) from Protec Microsystems (Pointe-Claire, Quebec, Canada) features an automatic link-integrity test for each of its 16 RJ-45 ports. One port is switch-selectable to connect a workstation or to cascade to another hub. The unit also comes with one AUI port and one BNC port for universal connection to Ethernet networks. Other features include automatic port partitioning and reconnection, automatic polarity correction, and diagnostic LEDs that

indicate link and partition status for individual RJ-45 ports.

Phone: (800) 363-8156 or (514) 630-5832.

Circle 1291 on Inquiry Card.

SCSI ADAPTER FOR PCI BUS

A 10-Mbps SCSI-2 adapter card for PCI-bus PCs, the FastSCSI PCI Basic (\$134.95) directly accesses attached SCSI peripherals via its DMA bus mastering. From QLogic (Costa Mesa, CA), the card offers scatter-gather DMA transfers, SCSI disconnect/reconnect support, and active SCSI-chain termination. The PCI Basic is compatible with OS/2, Windows, Windows NT, and Windows 95 and is set up to support Plug and Play.

Phone: (800) 867-7274 or (714) 438-2200.

Circle 1292 on Inquiry Card.

A MENU FIT FOR A MONITOR

The OnView on-screen menu system in the ViewSonic 21PS flat-square color monitor (\$1995) customizes screen images via an easy-to-understand menu. Designed for PCs, Macs, and Power Macs, the 21-inch monitor lets you select and adjust up to 20 settings, such as brightness, contrast, size, positioning, and pincushioning. The ViewMatch control adjusts the color temperature and intensity to match printer output. A special tilt management system in the ViewSonic (Walnut, CA) monitor counteracts the effects of the earth's magnetic field. The unit's vertical refresh rate is as high as 160 Hz.

Phone: (800) 888-8583 or (909) 869-7976.

Circle 1293 on Inquiry Card.

HIGH-SPEED SCANNING FOR WORKGROUPS ▶

Designed for small workgroups, the ScanPartner 10 (\$1695) has a throughput of 10 ppm

DESKTOP CLIENT WITH MULTIVENDOR ACCESS

A combination of Alpha AXP technology, Windows NT, and an optimized X11.R6 server, the Multia MultiClient Desktop simultaneously provides access to Windows, NT, Unix, and existing host-based applications across your network. The system, which is centered around a 166-MHz Alpha AXP processor, runs Windows and NT applications locally and uploads them to networked servers for secure backup and storage. The entry-level system (\$3495) includes a PCI-based graphics accelerator, 24 MB of SIMM memory, a 340-MB SCSI hard drive, two PCMCIA slots, Ethernet connections, and Multia software.

Contact: Digital Equipment Corp., Maynard, MA, (800) 777-4343 or (508) 467-7880.

Circle 1273 on Inquiry Card.



with 300-dpi resolution. From Fujitsu Computer Products of America (San Jose, CA), the 24-bit color scanner is compatible with DOS, Windows, Unix, and Macintosh environments. It has ISIS and TWAIN color drivers and a 50-sheet automatic document feeder; it accepts letter- and legal-size documents.

Phone: (800) 626-4686 or (408) 432-6333.

Circle 1294 on Inquiry Card.

MULTIUSER CONNECTION TO WINDOWS NT

A hardware/software combination, the MultiGrafix for NT (\$1090 per user) permits up to four SVGA displays to connect to a single NT server or console. The Specialix (Campbell, CA)

system consists of a 16-bit host card, a four-way bus-extension cable, four display-adaptor base units, and WinTimes multiuser NT software. Host cards are available for ISA and EISA buses and can support eight user-selectable memory-address and interrupt settings.

Phone: (800) 423-5364 or (408) 378-7919.

Circle 1295 on Inquiry Card.

SOUND UPGRADE

With DSP capabilities, Orchid Technology's (Fremont, CA) WaveBooster daughtercard upgrade kits (from \$129) provide highly realistic wavetable synthesizer sound for your PC. Compatible with FM-based audio cards, such as the SoundDrive and SoundBlaster 16, the kits can be used with all Windows applications, including music sequencers, presentation software, and CD-ROM titles. The basic kit has 2 MB of additional ROM samples, 118 percussion sounds, and 153 instrument and effects sounds.

Phone: (510) 683-0300.

Circle 1296 on Inquiry Card.



We don't know if they'll love, honor and obey, but we do know they're compatible.



NSTL's compatibility and interoperability tests are the most rigorous in the industry. So when you see our Seal, you know the computer products you're buying will be compatible.

The following computer products* have recently earned the NSTL Seal.

DATATECH Enterprises Co. Ltd.
DSN-3348C Notebook

Digital Equipment International Ltd.
Celebris 560 System

Arima Computer Corp.
CompactNote CN486 Notebook

Racore Computer Products, Inc.
MB117 Token Ring Switchable ISA Adapter
MB119 Token Ring Switchable ISA Adapter
MB116 Token Ring Switchable MC Adapter
MB118 Token Ring Switchable MC Adapter

LONGSHINE Electronics Corp.
32-Bit PCI Ethernet LAN Card

GVC Corporation
Ethernet Pocket Adapter

KYE Systems Corp.
New Pocket Ethernet Adapter
Jumper & Jumperless NE2000
Compatible Card

Microstar Computer Corp.
NoteStar NP-663 Notebook

Philips Electronics Industries
PCM1000 System

Standard Micro Systems
SMC TokenCard Elite Master32 (EISA)
SMC TokenCard Elite (ISA)

Veridata Electronics Inc.
GemPower 486D50U Notebook

Cyrix Corporation
Austin 486DX/2 50

Artrex Computer Corp.
ADX-5666 Notebook

CLEVO Co.
Clevo 7500A Notebook

Texas Instruments
Token Lite Manufacturing Kit
of OSF TR Cards



For more information about the NSTL Seal and what it takes to earn it, call
800-220-NSTL or (610) 941-9600. It's the first step toward a long and healthy relationship.


* All brand or product names mentioned are trademarks or registered trademarks of their respective holders.
Plymouth Corporate Center • 625 Ridge Pike • Conshohocken, PA 19428 • Fax: 610-941-9952 • NSTL is a division of McGraw-Hill, Inc.

Circle 97 on Inquiry Card.



What's New Software

A FLOWCHARTER WITH BRAINS



Much more than just flowcharting software, Scitor's Process Charter for Windows lets you analyze and hone your business's processes. As you map them out using the program's flowcharting tools, you identify the necessary resources in an integrated spreadsheet. After you've defined all your resources, the program can execute a process simulation that animates process flow and then generates reports and charts to help you identify critical bottlenecks and better manage your resources. The program costs \$595.

Contact: Scitor, Foster City, CA, (415) 570-7700.

Circle 1300 on Inquiry Card.

CUT THE CONNECTION IN TELECOMMUTING ▼

Designed to let you remotely access and automatically update files, AnyPlace (\$198) provides a view or map of the files residing on your office PC. When running in a networked environment, the remote directory map lets you create, retrieve, modify, delete, rename, and synchronize files while you're disconnected from the local server. Once your work is completed, AnyPlace, via a simple command, automatically synchronizes files between the remote PC and the local desktop or server. The program is from

the Mobile Computing Division of Symmetrical Technologies (Amherst, NH).

Phone: (800) 867-0014 or (603) 598-4477.

Circle 1304 on Inquiry Card.

QUICK DATABASE CREATION

A 4GL from TopSpeed (Pompano Beach, FL), Clarion for Windows (\$1299) provides a way to quickly create database applications. The QuickStart feature lets you assemble templates, and a database dictionary manages all file descriptions, including relations and referential integrity rules. The program has built-in networking, accommodates most database file formats, and supports the ODBC protocol.

Phone: (800) 354-5444 or (305) 785-4555.

Circle 1322

on Inquiry Card.



DISPLAY PHOTOS WHILE YOU WORK

FotoAttacher for Windows displays any image you choose on the caption bar of Windows-based applications. From ProCentric Software (Agoura Hills, CA), the TWAIN-compatible utility (\$55.95) lets you either scan your own photos or send them to ProCentric for scanning. You can also customize the included photo gallery and screen saver, reposition an image anywhere on the caption bar via the mouse, and place your mouse arrow over the image to make the image disappear.

Phone: (818) 706-1282.

Circle 1305 on Inquiry Card.

NETWORK MODEM ACCESS

The network version of QmodemPro for Windows (\$399) lets as many as five users simultaneously access the program's data-transmitting capabilities. From Mustang Software (Bakersfield, CA), the package supports Novell's Network Asynchronous Communications Service, which allows workstations without modems to access networked modems. Terminal emulation for the IBM 3270 is included, as is support for individual user files.

Phone: (800) 999-9619 or (805) 873-2500.

Circle 1306 on Inquiry Card.

NETWORK TRACKING

Mac-based Skyline (\$795) lets network managers archive and analyze network-traffic patterns over time. The AG Group (Walnut Creek, CA) software consists of Skyline, a centralized, graphical interface for analysis of network traffic, and Satellite, a data-collection application that you can run on your local computer or on remote Mac nodes. The result is a centralized system for analyzing network usage in real time or using archived data.

Phone: (510) 937-7900.

Circle 1308 on Inquiry Card.

VIDEO-CAPTURE TOOL

A development tool for integrating video and still-frame capture capabilities into your Windows applications, the MediaRecorder Toolkit (\$595) supports OLE automation, OLE Controls, C++ libraries, and DLLs. The customizable Lenel Systems International (Fairport, NY) tool lets you develop such programs as database applications that have the ability to capture video and images directly into a database field or a BLOB.

Phone: (716) 248-9720.

Circle 1309 on Inquiry Card.

PORTFOLIO PERFORMANCE TRACKING

Hamilton Software's (Englewood, CO) Easy ROR (\$59) provides exact calculation of internal and time-weighted return on investment using minimal data input. The program uses deposit, withdrawal, and tax information to calculate the annualized rate of return for single or composite portfolios over any time period. Easy ROR can also export data to spreadsheets.

Phone: (800) 733-9607 or (303) 795-5572.


Circle 1310 on Inquiry Card.

VOICING NEW FEATURES

An open-architecture applications generator, Voice Window (\$295), from Mystic Software (Alameda, CA), allows you to develop customized voice- and fax-processing applications. Features include the Builder Visual Flowchart graphics interface, call screening, an Auto-Attendant that answers up to 16 phones simultaneously, and pager support that works with tone or digital pagers. Also included are a multiple-line fax-on-demand feature, the ability to run voice-mail applications in the background, and support for ASCII, PCX, and DCX files.

Phone: (510) 865-9189.

Circle 1311 on Inquiry Card.



WEDGE DATA INTO APPLICATIONS ▲

For Windows or DOS, File Wedge (\$199) from T.A.L. Enterprises (Philadelphia, PA) sends disk-file data to any PC application, either as keystrokes or via DDE. The utility lets you easily input data from any disk file into your applications; File Wedge then parses and filters the data and adds keystrokes, macros, or commands as needed.

Phone: (800) 722-6004 or (215) 763-5096.

Circle 1312 on Inquiry Card.

BROCHURES THE EASY WAY

MyAdvancedBrochures, Mailers, and More (\$99.95), from MySoftware Company (Palo Alto, CA), lets you create bifold, trifold, and fourfold brochures on preprinted color paper. You can also create business cards, letterhead, mailing labels, en-

velopes, postcards, programs, and menus with a black-and-white laser or ink-jet printer. The software supports OLE 2.0.

Phone: (415) 473-3600.

Circle 1313 on Inquiry Card.

MAC MIGRANTS IN WINDOWS

An integrated programming tool for writing and organizing source code, Object Master for Windows (\$249) lets C and C++ programmers write, edit, organize, and navigate through source code while using familiar drag-and-drop Windows functions. With the ACI US (Cupertino, CA) tool, Windows and Mac programmers can use the same project interchangeably on both platforms. Object Master integrates with major compilation systems and DOS compilers to trigger compilation and receive errors without switching to the compiler environment.

Phone: (408) 252-4444.

Circle 1318 on Inquiry Card.

A graphics application for creating full-color, publication-quality 3-D images, Ray Dream Designer 3 (\$349) is now available for Windows. The Ray Dream

(Mountain View, CA) software provides advanced modeling, shading, and rendering capabilities, as well as Bézier-based drawing tools, 3D Paint, the Modeling Wizard, and cross-platform compatibility.

Phone: (800) 846-0111 or (415) 960-0768.


Circle 1319 on Inquiry Card.

NEURAL-NETWORK POWER ▼

An add-on to the DADiSP graphical data-analysis software package, DADiSP/Neural Net (\$695) is a back-propagation neural-network algorithm that lets you build and train back-propagation neural networks. From DSP Development (Cambridge, MA), the menu-driven module can be used in pattern-recognition, image-processing, cluster-analysis, computer-vision, and speech-recognition applications.


Phone: (617) 577-1133.

Circle 1314 on Inquiry Card.



DATA ACQUISITION IN WINDOWS

An integrated set of Visual Basic custom controls for building measurement systems, VTX (Visual Test Extensions) adds to Visual Basic the ability to collect, analyze, and graph data with point-and-click programming tools. VTX custom controls, which are packaged in three separate modules, write data once and then use pointers to the data arrays. These pointers are shared by all custom controls that use the data, cutting down on rewrite time and memory space.




You develop programs using graphical programming functions or a mix of graphical and code-based programming. With graphical programming, you use the mouse to connect the VTX custom controls with lines that enable the flow of control logic or data. For complex applications, you can write code in Visual Basic or such languages as C or C++. The DAS Base Module costs \$149; the optional Analysis and Graph modules cost \$199 each.

Contact: Keithley Metrabyte, Taunton, MA, (800) 348-0033 or (508) 880-3000.

Circle 1301 on Inquiry Card.

Software Update

ForeHelp 2.0, ForeFront (Boulder, CO), can create and maintain multiple RTF files for multiple authors creating one help file, automatically generate a print document from the help file, display 256 color bit maps via an embedded Windows DLL, and



display the contents of embedded windows in test mode. \$395.

Phone: (800) 357-8507 or (303) 499-9181.

Circle 1328 on Inquiry Card.

SPSS 6.1 for the Macintosh, SPSS (Chicago, IL), adds a Mac user interface that supports System 7; includes more statistics; has fully integrated and editable graphs; includes graphics in the base module; and improves data and file management with a spreadsheet-like Data Editor and built-in ODBC links. Base module, \$695; add-on modules, from \$395.

Phone: (800) 543-2185 or (312) 329-2400.

Circle 1330 on Inquiry Card.

PhotoGenix Professional Edition 3.0 for Windows, Firefly Software (Jericho, NY), supports FLI and FLC animation files and WAV files and lets you create royalty-free multimedia screen savers without programming. \$199.

Phone: (800) 224-2778 or (516) 935-7060.

Circle 1332 on Inquiry Card.

Argus MeshMaker Pro 2.0, Argus Interware (Jericho, NY), runs on Windows and Unix machines in addition to Macs. A common file format lets you exchange data among the three platforms. From \$1000.

Phone: (516) 931-4725.

Circle 1335 on Inquiry Card.

What's New Software

PLAN YOUR MARKETING STRATEGY

Plan Write for Marketing helps you write your marketing plan by providing features such as a word processor, an integrated spreadsheet, and a chart generator. The Business Resource Software (Austin, TX) program presents the marketing plan in a structured outline format, with each entry representing a concept critical to the documented marketing plan. You can customize the content of the outline structure and associated rationales. A sample plan is included with the \$129.95 package. Phone: (800) 423-1228 or (512) 251-7541.

Circle 1315 on Inquiry Card.

UNIX DEVELOPMENT TOOL

A Motif/X Window System client, Exemplar, the Man Page and Source Code Example Browser (\$275), provides an integrated view of man pages with associated sample code fragments. Developers view a man page and then click on the mouse to simultaneously display a file with a working sample program for the items on that man page. From Melillo Consulting (Somerset, NJ), Exemplar features intelligent search capabilities for hard-to-find man pages, point-

and-click access to related include files, and see-also lists. The program is available for AIX, HP-UX, OSF/1, Solaris, SunOS, and UnixWare platforms. Phone: (908) 873-0075.

Circle 1317 on Inquiry Card.

INTELLIGENT CALL-CENTER REPORTING

An add-on to the Distributed Call Center application, Desktop Reports for Windows (\$495 per user) delivers call-center reporting in a client/server environment. From Teloquent Communications (Billerica, MA), the software lets you set up a given query related to any call-center activity by entering the parameters of the query. Reports can be user defined to create custom reports or redefined with default selections and group criteria. Phone: (800) 468-6434 or (508) 663-7570.

Circle 1316 on Inquiry Card.

MULTILINGUAL SUPPORT

Accent Special Edition (\$189), an advanced multilingual word processor, provides language support for spelling checking, hyphenation, thesaurus, and the Berlitz Interpreter dictionary in English, French, German, Spanish, and Italian. From Accent Soft-

ware International (Exton, PA), the program lets you export or import text to or from programs such as Word, WordPerfect, and Ami Pro. You can import graphics files from TIFF, PCX, EPS, WMF, GIF, and BMP formats. Phone: (800) 535-5256 or +44 923 208 435.

Circle 1320 on Inquiry Card.

HELP WITH FORMS

Syncware Fill for Windows (\$49.95), from Syncware (Aurora, CO), lets you accurately type over a screen image of a preprinted form. You can fill in similar or recurring forms from databases, mailing lists, or spreadsheets using saved templates. The forms can be read in from a scanner, fax software, or a collection of preprinted forms on CD-ROM. Phone: (800) 308-3690 or (303) 369-6900.

Circle 1307 on Inquiry Card.

WATERMARKING DOCUMENTS

A background printing utility for Windows, Working Watermarker for Windows (\$49.95) lets you print a watermark graphic onto a page behind any document. The program works with any application, including those that do not support graphics. From Working Software (Santa Cruz, CA), the program lets you create your own watermarks or use the ones provided. Phone: (800) 229-9675 or (408) 423-5696.


Circle 1326 on Inquiry Card.

PUT PHOTO-REALISM IN YOUR CHARTS

An analysis and presentation software tool, First Impression is based on a multidimensional data structure that can graphically represent data in many dimensions to reveal subtle trends and relationships within the data. You can use the program to create photo-realistic 3-D charts, with objects rendered in true 3-D space, using infinite light sources and perspective. The complete user interface has context-sensitive tab dialog boxes so that, as a Windows applications developer, you can customize your charts by pointing and clicking on options. The changes are automatically incorporated into the application. First Impression costs \$249.

Contact: VisualTools, Lenexa, KS, (800) 884-8665 or (913) 599-6500.

Circle 1302 on Inquiry Card.



Software Update

PCBoard 15.2, Clark Development (Murray, UT), adds Fido networking, Internet-UUCP support, a credit accounting system, enhanced QWK networking, dBase file access, and PCMail 1.0. From \$150.

Phone: (800) 356-1686 or (801) 261-1686.

Circle 1331 on Inquiry Card.

SiteMeter 5.0, McAfee (Santa Clara, CA), supports metering across WANs; automates load balancing and license sharing over TCP/IP and IPX; consolidates multiserver metering and reporting under



one centralized graphical administration console; and adds agentless metering, a flexible enforcement option, and VIP metering, among other features. From \$40 per node for 10 workstations.

Phone: (408) 988-3832.

Circle 1329 on Inquiry Card.

Link&Locate 386 2.0, Systems & Software (Irvine, CA), runs up to 50 percent faster than older versions, provides 32-bit COFF support, has improved run-time support, and offers enhanced control of segment ordering and greater ease of use. \$895.

Phone: (714) 833-1700.

Circle 1333 on Inquiry Card.

XCAD 3.0, Xitron Software (Cincinnati, OH), adds DWG/IGES file compatibility, an XDS C language interface, a macro facility, support for unlimited layers, a customizable toolbar, and a 2-D/3-D symbols library. \$495.

Phone: (513) 762-7638.

Circle 1334 on Inquiry Card.

BYTE WEARHOUSE

Official BYTE Merchandise for Technology Experts.



MOCK TURTLENECK.

Outer Banks 100% cotton mock turtleneck with 20th Anniversary logo embroidered on left chest. White. Sizes: M-XL. M-BYT 4, L-BYT 5, XL-BYT 6. \$25.85.



CERAMIC MUG.

11 oz. ceramic mug with gold band and 3-color, 2-sided logo. BYT 8. \$4.50.



MOUSE PAD.

Hard top mouse pad. 4-color with 20th anniversary logo and tag line and repeating text background. 7.5" x 8.5" x 3/16". BYT 7. \$5.25.



SWEATSHIRT.

11 oz. cross grain Lee sweatshirt with 20th Anniversary logo embroidered on left chest, features generous athletic cut and side gussets. 95% cotton, 5% polyester. Ash. Sizes: M-XL. M-BYT 1, L-BYT 2, XL-BYT 3. \$31.20.

BALL CAP.

Soft brushed cotton free-form ball cap with adjustable Velcro closure back and 20th Anniversary logo embroidered on front. Black. BYT 11. \$14.75.



PARKER VECTOR PEN.

Parker Vector Sport Roller Ball Pen. Black with 3-color BYTE logo repeated on barrel and cap. BYT 10. \$6.25.



PARKER PEN.

Parker Insignia ball point pen. Laque black with 3-color BYTE logo on clip emblem. BYT 9. \$34.50.



T-SHIRT.

100% Cotton Oneita Power-T. White with 1-color "technology" print on both sides and 4-color 20th anniversary logo on front. Sizes: L-XL. L-BYT 13, XL-BYT 14. \$8.00.

COMPUTER TOOL KIT.

Deluxe computer service tool kit in black vinyl zipper case features: 2 nut drivers, 3 prong parts retriever, tweezers, torx driver, IC Extractor, one Phillips and 2 slotted screwdrivers. 1-color 20th Anniversary logo. BYT 12. \$20.10.



Ordering: Credit card phone orders: Call 1-800-676-HALO (4256) (in IL, call 708/647-4902). We accept VISA, MasterCard, American Express and Discover. Merchandise in stock will ship within 2-3 business days of receipt. If an item is out of stock, the customer will be notified and given the option to backorder, substitute or cancel the item. Rush orders can be shipped the same day received if the order is placed by 2:00 p.m. CST. Rush orders will incur a \$10 additional charge and express freight charges will be billed at cost.

Shipping: Include the following amounts for shipping via U.P.S. Ground. Up to \$50.00-add \$5.75, \$50.01 to \$100.00-add \$7.75, over \$100.00-add 8% to total. Air freight is additional. Shipping charges apply to domestic US orders only. International orders will incur a \$12 documentation charge and will be billed at actual cost plus associated duties and taxes. F.O.B Point: Niles, IL 60714

Sales Tax: We are expected to collect applicable sales tax on all purchases, including shipping and handling charges, sent to CO, FL, GA, MI, NM, NC, TN, TX, WI and on purchase totals only in CA, IA, IL, IN, OH, SC, and VA. Sales Tax Chart: CA 7.75%, CO 3.8%, FL 6%, GA 6%, IA 6%, IL 8.25%, IN 5%, MI, 6%, NC 6%, NM 5.82%, OH 7%, SC 6%, TN, 8.25%, TX 8.25%, VA 4.5%, and WI 5.5%.


What's New Software

WINDOWS ON UNIX

Based on the Windows NT 3.5 server, WinDD distributed desktop software runs on 486 or Pentium servers to deliver Windows applications to Unix desktops without software emulation. Currently available for the TekXpress family of X Window System terminals, WinDD enables desktops to simultaneously access PC, Unix, midrange, and mainframe applications. Multiuser access capabilities for NT allow a standard PC server to become an application server running CPU-related tasks at native processor speeds. Only compressed screen images and input commands are transferred between the X terminal and the PC. WinDD/Xpress, the local client application on the X terminal, displays the unmodified Windows environment at 486-class or higher speeds in a movable window on the screen. Prices for WinDD start at \$3495.

Contact: Tektronix, Wilsonville, OR, (503) 682-3411.

Circle 1303 on Inquiry Card.



CONTROL FOR VISUAL BASIC

A version-control system designed for Visual Basic group development, SourceWorks/VB (\$295) gives all developers simultaneous read and write access to all files while preventing unintentional overwriting of any source file. From ViewPoint Technologies (Sherborn, MA), the system uses unique Visual Basic-sensitive differencing to flag revisions of files, and it tracks all files in a project, along with their revisions, by team member. The program does not require a designated system administrator.

Phone: (508) 655-9595.

Circle 1321 on Inquiry Card.

DO OVER WINDOWS

The Do-Over utility (\$59) from Kansmen (Milpitas, CA) lets you change the look and feel of Windows. You can select the color and font of menu bars, dialog boxes, backgrounds, text, buttons, borders, and frames. The Do-Bar mini-application provides one-button access to each running program. You can locate the Do-Bar along any edge of the screen. When you want to switch

from one application to another, you simply click on the desired application's icon on the Do-Bar; the application then opens and maximizes.

Phone: (408) 263-9881.

Circle 1327 on Inquiry Card.

STATISTICS IN WINDOWS

The StatMost for Windows program (\$299) combines statistical-analysis tools and powerful, flexible graphics with an advanced report editor. From Data-Most (Salt Lake City, UT), Stat-Most's comprehensive data sheet performs advanced data management, statistical analysis, numerical computation, time-series analysis, Fourier transform, nonlinear parameter estimation, and model development. You can put multiple plot types and axes in one document and choose from different axis scales. The program supports OLE 2.0.

Phone: (801) 484-3860.

Circle 1323 on Inquiry Card.

OBJECTS FOR UNIX

A complete C++ framework for cross-platform Unix systems development, ObjectSystems (\$875

per user) is an object-oriented layer that sits between the application and Unix and hides the details of system calls, error detection, and cryptic flags. With ObjectSystems, programmers don't have to write code to interface an application with Unix. From ObjectSpace (Dallas, TX), the software has an expandable hierarchy that contains more than 120 classes. ObjectSystems supports IPC mechanisms, such as pipes, sockets, message queues, shared memory, and semaphores. Phone: (214) 934-2496.

Circle 1324 on Inquiry Card.

HELP-AUTHORING TOOL

HelpBreeze—Work Group Edition (\$379) is designed for development teams creating large-scale Windows help systems. The help-authoring tool lets you divide large help systems into manageable modules that you can compile and test individually. The workgroup tools let you create hypertext links between modules by selecting a target topic from a list. Information can be shared among team members with or without a network. The software is from Solution-soft (Sunnyvale, CA). Phone: (408) 736-1431.

Circle 1325 on Inquiry Card.

Software Update

PixelFX 3.0, Mentalix (Plano, TX), features integrated print management; an API that enables image scanning, file conversion, and OCR to be performed from a Unix shell or third-party application; support for 10 new scanners; and support for the WPG image file format. \$1599.

Phone: (214) 423-9377.

Circle 1336 on Inquiry Card.

PageKeeper 2.0, Caere (Los Gatos, CA), adds PKDirect, on-line automation, and image-only scan capability; it also improves the integration of E-mail. \$149.

Phone: (800) 535-7226 or (408) 395-7000.

Circle 1337 on Inquiry Card.

ATEasy 2.01, Geotest (Irvine, CA), includes new functions in its internal built-in library; new statements in its programming language; automatic subroutines for driver and systems initialization; and functions for measuring time, formatting test-log results, and calculating checksum for communications and file versioning. \$99.

Phone: (800) 886-1201 or (714) 263-2222.

Circle 1338 on Inquiry Card.

Robofax Pro 4.0, FaxQuest, a division of Applied Systems Engineering (Sunnyvale, CA), adds smart dialing, runs up to four lines at once, provides LAN support, and simultaneously runs multiple decision trees. \$1395.

Phone: (800) 995-9141 or (408) 736-1485.

Circle 1339 on Inquiry Card.

DaVinci eMail 3.0, On Technology (Cambridge, MA), features an enhanced BBS, a configurable toolbar, new message tracking, colored messages, collapsible hierarchical file folders, time zone support, simple MAPI support, and animated icons. From \$199. Phone: (617) 374-1400.

Circle 1340 on Inquiry Card.



NETWORLD+INTEROP

DARRELL BROWN
DIR. INFO. SYSTEMS
ASTONIAN TECHNOLOGIES
DETROIT, MI 48215

LAS VEGAS CONVENTION CENTER
MARCH 28-30, 1995

Exhibit Hours: Tuesday 10am-6pm • Wednesday 10am-6pm • Thursday 10am-4pm

ONE OF THE MOST POWERFUL NETWORKING TOOLS EVER.

It gives you more control over the flow of vital business information. It protects the biggest equipment investment you'll ever make. It saves you tons of time. What one networking tool can do all this? NetWorldSM+Interop[®] 95 Las Vegas.

See more than 600 leading vendors demonstrating all their latest products. Watch ATM, high-speed networking, the Internet, client-server and more work together. Best of all, test solutions that are vital to your business on the world's most diverse, fully deployable gigabit network: the InteropNet[™].

You can also get hands-on experience at our Network

Applications Test Drive Center. See in-depth, multivendor demonstrations of the hottest high-speed networking technologies at our exclusive Solutions Showcases[™]. Check out new, cutting-edge Internet products and services on the expo floor. Even tour the InteropNet to get a first-hand look at how the most talked about technologies are being implemented in a real, live network environment.

Don't miss the industry's premier interoperability event. NetWorld+Interop is the fastest, easiest way to see all the top networking solutions. So what are you waiting for? Order your FREE show badge today.

SAVE \$50—MAIL/FAX THIS FOR YOUR FREE PASS!

Name _____ M50
Company _____
Address _____
City, State, Zip _____
Phone/Fax _____


Fax: 415-525-0199 • Mail: N+I 95, P.O. Box 5855, San Mateo, CA 94402-0856

NETWORLD+INTEROP[®]

EXHIBITION RUNS MARCH 28-30 • CONFERENCE RUNS MARCH 27-31
LAS VEGAS CONVENTION CENTER • CALL 800-488-2883 FOR MORE INFORMATION

© 1994 SOFTBANK Exposition and Conference Company (SOFTBANK Expo). Interop is a registered trademark of SOFTBANK Expo. NetWorld is a service mark of Novell Inc. All other names are the property of their respective holders.

In the Changing World of Technology, One Size Does Not Fit All



*Made in
the U.S.A.*

From Notebook to Desktop

Quatech's PCD2-F Internal Interface Adapter allows you to add PCMCIA capability to your desktop. The adapter is easy to install, and supports Type I, Type II and Type III memory and I/O cards. The PCD2-F and Quatech's PCMCIA I/O cards conform to 2.1 Specifications. The I/O cards support hot-swapping and include configuration software.

Communication cards for PCMCIA include single channel and dual channel RS-232 or RS-422/485 asynchronous serial adapters, a multi-protocol adapter, and an enhanced parallel port. Check out Quatech's complete line of communication and data acquisition cards for PCMCIA.

High-speed Communication Adapters

Quatech's communication adapters for the AT bus meet asynchronous or synchronous and serial or parallel communication requirements with protocols such as RS-232, RS-422, RS-485, Current Loop, and IEEE488.

Expand your system with the DS-100, a dual channel RS-232 adapter. The QS-100D is a four channel RS-232 adapter. Both feature optional 16550 UARTS, all AT interrupts and flexible addressing. The QS-100D supports OS/2, UNIX, Xenix, DOS, and Windows®. The MPA-102 is a dual channel multi-protocol adapter utilizing an AMD 85C30-10 SCC. Other communication adapters for the AT bus are also available.



Call **1-800-553-1170** for more information and a FREE handbook of our complete line of PCMCIA, communication and data acquisition products.

Foreign Distributor Inquiries Welcome

Made in the U.S.A. 662 Wolf Ledges Parkway, Akron, Ohio 44311 (Phone 216-434-3154/Fax 216-434-1409). International Distributors: **Australia**/Interworld Electronics 61-3-563-5011, **Belgium**/Acal NV/SA 32-27-205983, **Brazil**/Intercomp Electronica Ltda (Sao Paulo) 55-11-8532733, Medusa (Rio de Janeiro) 55-21-2554745, **Canada** (Western)/Interworld VCR 604-984-4171 (Toronto 905-513-7027), **Denmark**/Jes Rasmussen Aps. 45-4281-6838, **England**/Diamond Point International 44-634-722-390, **Finland**/Lab Hitech OY 358-0-682-1255, **France**/Eleco 33-1-69302880, **Germany**/Jupiter Electronic Systems 49-61-8175041, **Hong Kong**/Brio Technology Ltd. 852-581-1111, **India**/Computaccount 91-11-224-5159, **Israel**/RCM Ltd. 972-03-6487885, **Italy**/N.C.S. Computer Italia 39-331-770016, **Japan**/Nictrix Corporation (New Jersey) 201-947-2220, **Korea**/Sam Boo Enterprise Co. 82-2-5384001, **Netherlands**/ACAL Auriema 31-40-502602, **Saudi Arabia**/Integrated Computer Operations 966-3-895-1827, **Singapore**/Bliss Services Pte Ltd 65-338-1300, **South Africa**/Eagle Technology 27-21-234943, **Spain**/SANTA Barbara SA 34-3-418-81-16, **Sweden**/SYSTEC 46-13-1101-40, **Switzerland**/Technosoft Ltd. 41-64-519040.

Circle 114 on Inquiry Card (RESELLERS: 115).



BYTE

BUYER'S GUIDE

**Essential Products
and Services for
Technology Experts**

Mail Order

Top mail-order vendors offer the latest hardware and software products at the best prices.

192

Hardware/Software Showcase

Your full-color guide to in-demand hardware and software products, categorized for quick access.

219

Buyer's Mart

The BYTE classified directory of computer products and services, organized by subject so you can easily locate the right product.

227



COMPUTER DISCOUNT WAREHOUSE™



IBM ThinkPad 360C

- ◆ i486SX/33 CPU ◆ 4MB RAM std., 20MB max.
- ◆ 170MB or 340MB hard drive
- ◆ 8.4" active-matrix color display ◆ Accelerated local bus video, 1MB RAM ◆ PCMCIA: accepts 2) Type II or 1) Type III ◆ Preloaded software: PC-DOS, Windows™, Lotus Organizer and more ◆ TrackPoint II pointing device

360C, 170MB HD\$1999.00 CDW 43403

360C, 170MB HD\$2399.00 CDW 43404



WHY PAY RETAIL?

CDW® Sells For Less



28,800bps PCMCIA Fax Modem with XJACK™

- Data: V.34 (28.8K bps) and V.32bis (14.4K bps)
- Fax: 14,400 bps send/receive ◆ Flash ROM field upgradeable ◆ High-speed communications drivers
- Includes Windows™ data/fax software: FaxWork V3.0 for Megahertz ◆ Five-year warranty and unlimited free technical support from Megahertz

28.8K with XJACK\$449.88 CDW 46849

14.4K with XJACK\$229.00 CDW 37757



HARDWARE, SOFTWARE & PERIPHERALS AT DISCOUNT PRICES

NETWORKING PRODUCTS

NOVELL

Netware V4.02

5 User CD	\$794.06
10 User CD	\$1397.42
25 User CD	\$2644.66
50 User CD	\$5444.81
100 User CD	\$9594.13

Netware V3.12

5 User 3.5"	\$616.44
10 User 3.5"	\$1397.42
25 User 3.5"	\$2644.22
50 User 3.5"	\$2786.57
100 User 3.5"	\$5959.84

Call for Pricing on Novell NetWare upgrades!

PERSONAL NETWORK V1.0

1 User	\$99.80
5 User	\$259.52

NOVELL PRICING IS SUBJECT TO CHANGE. PLEASE CALL CDW FOR THE MOST CURRENT PRICING.



TC5143 Ethernet coax	\$116.47
TC5143 Ethernet coax 6pk	\$667.25
TC5143 Ethernet 10BT	\$89.95
TC5143 Ethernet 10BT 6pk	\$469.88
TC6242 ARCNET 8-bit coax	\$66.86
TC6245 ARCNET coax	\$179.99
TC6240 ARCNET passive 4 port hub coax	\$39.50
TC5055 Ethernet 8 port hub 10BT	\$239.47
TC4045 Token Ring 16/4	\$303.63

CDW Carries the Complete Line of TONS Products. Call for Details!

ARTISOFT

NodeRunner 2000A	\$215.58
NodeRunner 2000T	\$169.05
NodeRunner 2000C	\$169.05
NodeRunner/SI 2000A	\$7.13
NodeRunner/SI 2000T	\$73.62
NodeRunner/SI 2000C	\$73.62
LANtastic V6.0	\$79.50
LANtastic V6.0 5 user	\$322.90
LANtastic V6.0 Starter Kit	\$229.13
Central Station II	\$389.13
Simply LANtastic starter kit	\$153.79
T-Runner 8 port 10BT	\$187.35
T-Runner 12 port 10BT	\$209.62

SMC®

Ultra16 Ethernet coax	\$96.10
Ultra16 coax 6pk	\$509.88
Ultra16 Ethernet 10BT	\$96.10
Ultra16 10BT 6pk	\$459.23
Ultra16 10BT 24pk	\$1573.71
Ultra16 Ethernet combo	\$100.99
Ultra16 combo 6pk	\$566.15
Ultra16 combo 24pk	\$1977.30
EtherCard+ Elite coax	\$119.64
EtherCard+ Elite coax 6pk	\$628.73
EtherCard+ Elite 10BT	\$119.12
EtherCard+ Elite 10BT 6pk	\$718.61
EtherCard+ Elite combo	\$139.57
3608 Ethernet 8 port hub 10BT	\$348.55
3512 Ethernet 12+2 port hub 10BT	\$348.55
PC650WS ARCNET coax	\$119.83
PC650WS ARCNET TP	\$119.88
ARCNET 8 port active hub coax	\$229.41
TokenCard Elite 16/4	\$249.88

3Com®

3C503 Etherlink II	\$159.44
3C509B Etherlink III coax	\$114.14
3C509B Etherlink III coax 5pk	\$479.65
3C509B Etherlink III 10BT	\$111.14
3C509B Etherlink III 10BT 5pk	\$442.36
3C509B Etherlink III combo	\$123.77
3C509B Etherlink III 5pk	\$326.78
3C579 Etherlink EISA coax	\$229.91
3C579 Etherlink EISA 10BT	\$229.91
3C1627 12 port Linkbuilder 10BT	\$609.94

OTHER TOP-QUALITY NAME BRANDS

Eagle NE2000+ coax	\$76.63
Eagle NE2000+ 10BT	\$69.45
Eagle NE3200 coax w/TPA	\$429.61
National Semi NE2000+ coax	\$73.74
National Semi NE2000+ 10BT	\$67.46

If You Don't See What You Are Looking For, Call. CDW Carries the Best Networking Selection in the Industry!

NETWORKING PRODUCTS

Xircom

PE310BC pocket Ethernet coax	\$309.89
PE310B2 pocket Ethernet coax	\$267.80
PE310BT pocket Ethernet 10BT	\$268.31
PT316CTP pocket Token Ring II	\$455.89
PPX03 Parallel port multiplexor	\$77.80

IBM

IBM Token Ring 16/4 ISA	\$309.49
IBM Token Ring 16/4 MCA	\$489.58
IBM Token Ring MAU	\$489.58

intel.

EtherExpress PRO/10 Fish 10BT	\$115.07
EtherExpress PRO/10 Fish 10BT 5pk	\$482.72
EtherExpress PRO/10 Fish combo	\$115.07
EtherExpress PRO/10 Fish 5pk	\$505.98
EtherExpress 16 coax	\$99.33
EtherExpress 16 coax 5pk	\$454.13
EtherExpress 16 10BT	\$99.33
EtherExpress 16 10BT 5pk	\$454.13
EtherExpress 16 10BT 20pk	\$1698.38
EtherExpress MCA 10BT	\$189.52
EtherExpress 16 combo	\$116.77
EtherExpress 16 combo 5pk	\$454.72
EtherExpress Flash 10BT	\$111.88
EtherExpress Flash 10BT 5pk	\$515.62
EtherExpress Flash combo	\$129.79
EtherExpress Flash 5pk	\$819.73
TokenExpress 16/4	\$349.50
NetportExpress II COAX	\$198.07
NetportExpress II 10BT	\$368.85

TERMINALS

Link MC5 amber/green/white	\$209.88
Link MAX900 amber/green/white	\$309.78
Link MC80 14" color	\$419.50
Wyse 55 amber/green/white	\$223.21
Wyse 60 amber/green/white	\$279.60
Wyse 160 amber/green/white	\$329.88

ASP

Multiprotocol print server 10BT HP MIO	\$247.75
Multiprotocol print server 10BT pocket	\$287.30
Multiprotocol 2 printer server combo	\$309.61
Multiprotocol 4 printer server combo	\$499.82
SNAP starter kit-2 computers, 1 printer	\$119.10
SNAP add-on transmitter	\$49.50
Fax Authority ISO network fax server	\$499.86

TAPE & REMOVABLE MEDIA DRIVES

COLORADO MEMORY SYSTEMS INC.

Jumbo 250 internal	\$159.84
Jumbo 350 internal	\$179.91
Jumbo 700 internal	\$328.74
Trakker 250 parallel port	\$299.44
Trakker 350 parallel port	\$339.62
Trakker 700 parallel port	\$499.00
PowerTape 2.4GB SCSI internal	\$937.58
PowerTape 2.4GB SCSI external	\$1077.99
PowerDAT 4GB SCSI internal	\$997.74

iomega

Tape 250MB internal	\$156.66
Bernoulli 150MB Insider SCSI	\$413.03
Bernoulli 150MB Insider IDE	\$399.71
Bernoulli 230MB Insider SCSI	\$454.44
Bernoulli 230MB Transportable	\$454.44
150MB cartridge	\$92.80
230MB cartridge	\$99.61

MICROSOLUTIONS

Backpack 3.5" 1.44MB floppy parallel	\$149.89
Backpack 5.25" 1.2MB floppy parallel	\$165.38
Backpack 340MB HD parallel	\$439.75
Backpack 250MB tape backup parallel	\$295.39

TAPE & REMOVABLE MEDIA DRIVES

CONNER

Tape*Stor 250MB internal	\$151.08
Tape*Stor 420MB internal	\$197.56
Tape*Stor 420MB parallel port	\$337.29
Tape*Stor 850MB internal	\$288.71
Tape*Stor 850MB parallel port	\$429.96



TD-250 250MB IDE internal	\$158.63
FS8500 305MB IDE internal	\$313.53
SideCar II 305MB parallel	\$313.53
1200-4 4GB SCSI external	\$2045.39

MULTIMEDIA AND CD

Creative Labs

Digital School House CD 2X kit internal	\$298.96
Edutainment CD 2X kit internal	\$435.14
Game Blaster CD 2X kit internal	\$379.80
Multimedia Office CD 2X kit internal	\$549.96
Omni CD 3X kit internal	\$289.76
SoundBlaster 16 ASP MCD	\$178.95
SoundBlaster 16 ASP SCSI-2	\$198.95
SoundBlaster AWE32	\$299.95
SoundBlaster 16 MCD	\$148.95
SoundBlaster 16 SCSI-2	\$178.95
SoundBlaster 16 value edition	\$98.95
SoundBlaster Pro value edition	\$74.95
SoundBlaster value edition	\$53.66

Chicon CDS635 CD-ROM kit internal	\$248.73
Chicon CDS335 CD-ROM kit external	\$349.64
Diamond 4000 Quad CD kit internal	\$429.47
Diamond 5000 Quad CD kit internal	\$154.51
Ensoniq Soundscape wavetable	\$188.88
Logitech SoundMan Wave	\$119.49
Microsolutions 2X CD parallel	\$329.38
NEC 2V	\$174.52
NEC 2V Deluxe	\$289.88
NEC 3V Plus	\$388.72
NEC 3V Plus Kit	\$458.93
NEC 4X	\$388.94
NEC 4X Kit	\$458.76
NEC 4Xe	\$487.64
NEC 4Xe Kit	\$554.29
NEC 4X Pro	\$697.80
Orchid SoundWave 32+ SCSI	\$194.82
Pioneer DRM604X 4X 6 disc	\$979.00
Pioneer DRM1804X 4X 16 disc	\$1999.85
Plexor 4plex quad external	\$349.07
Plexor 4plex quad internal	\$438.48
Sigma Designs RealMagic Lite	\$289.93
Sigma Designs RealMagic	\$379.89
Sigma Designs RealMagic CD Kit	\$659.22
Sony CDU-55E 2X internal	\$139.90
Sony CDU-55S SCSI 2X internal	\$199.50
Sun Moon Star CD 2X kit internal	\$138.69
Sun Moon Star CD 2X kit internal w/sound	\$214.93
Teac SuperQuid 4X internal	\$349.89
Toshiba 3501 SCSI 4X internal	\$339.75
Toshiba 3501 SCSI 4X external	\$439.48
Turtle Beach Monte Carlo	\$87.85
Turtle Beach Tropez	\$197.67
Turtle Beach Monterey	\$319.90

DIGITIZERS & SCANNERS



DB III 12X12 4 button	\$248.90
DB III 12X12 16 button	\$248.90
DB III 12X12 pressure pen	\$399.85
Slate 12X12 16 button	\$248.98

DIGITIZERS & SCANNERS

Canon

IX4015 color scanner	\$698.28
IX 3010 scanner	\$396.13

EPSON®

ActionScanner ES600C	\$894.25
ES-1200-ProPC	\$1237.36



ScanJet 3P	\$479.75
ScanJet 3P document feeder	\$179.57
ScanJet IICX W/ISA interface	\$699.88
ScanJet IICX document feeder	\$468.50
ScanJet IICX transparency adapter	\$332.26

MICROTEK

Scanmaker IIG grayscale	\$395.26
Scanmaker II color	\$523.84
Scanmaker IIR color	\$765.38
Scanmaker IIRH color	\$1084.80
Scanmaker 35T slide scanner	\$978.72

Summagraphics.

Summagraphics III 12 X 12 16 button	\$253.90
Summagraphics III 16 X 12 4 button	\$524.44

MONITORS

Mag Innovation DX15F	\$339.00
Mag Innovation MX15F	\$457.44
Mag Innovation DX17F	\$643.63
Mag Innovation MX17F	\$709.45
Mag Innovation MX21F	\$1686.52
Magnavox CM2089 14" 28	\$238.80
Magnavox CM2089 14" 28 NI	\$258.00
Magnavox CM2015 15" 1024	\$298.89
Magnavox CM2015 15" 1280	\$358.85
Magnavox CM4017 17" 31	\$629.85
Magnavox CM4018 17" 28	\$719.10
Magnavox CM20M5 20"	\$977.43
Nanao F550W 17"	\$977.43
Nanao F550W 17"	\$1234.56
Nanao T2-17 17"	\$1279.86
NEC 2V 14"	\$328.86
NEC XE15 15"	\$548.56
NEC XE17 17"	\$986.43
NEC XE21 21"	\$1989.62
NEC XP15 15"	\$666.49
NEC XP17 17"	\$1245.78
NEC XP21 21"	\$2466.36
Sony 158F 15"	\$447.92
Sony 175F 17"	\$879.48
Sony 175F 17"	\$969.98
Sony 20SE1 20"	\$1895.00

VIDEO CARDS

ADS VGA to TV Elite internal	\$136.82
ADS VGA to TV Elite external	\$186.83
ATI Graphics Xpression ISA 2MB	\$218.80
ATI Graphics Xpression VLB 2MB	\$216.80
ATI Graphics Xpression PCI 2MB	\$216.80
ATI Graphics Pro Turbo ISA 2MB	\$389.79
ATI Graphics Pro Turbo VLB 2MB	\$389.79
ATI Graphics Pro Turbo PCI 2MB	\$389.79
ATI Graphics Pro Turbo PCI 4MB	\$589.83
Diamond SpeedStar Pro ISA 1MB	\$59.69
Diamond SpeedStar 64 ISA 2MB	\$197.40
Diamond Stealth 64 VLB 2MB VRAM	\$348.88
Diamond Stealth 64 PCI 2MB VRAM	\$348.88
Hercules Dynamite Pro ISA 1MB	\$153.40
Hercules Dynamite 64 VLB 2MB	\$197.48
Hercules Dynamite Pro VLB 1MB	\$149.36
Hercules Dynamite Pro VLB 2MB	\$193.26
Hercules Terminator 64 PCI 2MB	\$339.00
Hercules Terminator 64 VLB 2MB	\$339.00
Intel Smart Video Recorder Pro	\$416.99
Orchid Fahrenheit 64 VLB 2MB	\$157.53
Orchid Fahrenheit 64 PCI 2MB	\$157.53
Orchid Fahrenheit Pro 64 VLB 2MB	\$299.47
Orchid Fahrenheit Pro 64 PCI 2MB	\$299.47

If You Find a Better Price, Call CDW® Before You Buy (800) 959-4CDW

NASDAQ
BUY WITH CONFIDENCE
CDW® IS A NASDAQ
TRADED COMPANY
TICKER SYMBOL: CDW
D & B RATED 4A1
Duns 10-762-7952

MAGNAVOX

Magnavox CM2015

15" color monitor

- ◆ 15" flat square CRT
- ◆ .28mm dot pitch
- ◆ Max. resolution: 1024 x 768 (NI)
- ◆ Front mounted controls
- ◆ DPMS and Energy Star power management
- ◆ 1 year warranty



Extra Value!

ONLY! \$298.89 CDW 44910

WHY SETTLE FOR LESS?

CDW® SERVICES YOU BETTER



EPSON®

Stylus Color 720 dpi Color Ink Jet Printer

- ◆ Selectable print resolutions: 720 x 720 dpi, 360 dpi, or 180 dpi
- ◆ Color print speed: 5.5 min/page
- ◆ Nozzles: 64 black, 48 color
- ◆ Emulation: ESC/P2 Color
- ◆ Auto sheet feeder 100 sheets letter or legal
- ◆ Cartridge life (characters): black-1.5 million/color-1.2 million
- ◆ Parallel and serial interface

ONLY! \$509.53 CDW 40804

CDW® CARRIES OVER 20,000 PRODUCTS. IF YOU DON'T SEE IT, CALL!

COMPUTERS

TOSHIBA

T1910 200MB mono	1299.87
T1960CS 200MB dual color	1748.86
T1960CS 200MB dual color	2145.86
T1960CS 320MB dual color	2314.92
T1960CT 200MB act color	2734.81
T1960CT 320MB act color	2999.87
T2400CS 250MB dual color	2734.81
T2400CS 250MB dual color	2859.88
T2400CT 250MB act color	3325.97
T2400CT 320MB act color	3448.83
T3400CT 250MB act color	2225.61
T3600CT 250MB act color	3448.73
T4700CT 200MB act color	3419.55
T4700CT 320MB act color	3669.48
T4800CT 500MB act color	4797.79
T4850CT 475 520MB act color	5134.81
T4900CT P75 772MB act	6399.00

AST

Ascentia 4/50D 340MB pas color	2724.78
Ascentia 4/50D 340MB act color	3754.03
Ascentia 4/75 340MB pas color	3225.65
Ascentia 4/75 510MB act color	5026.68
Advantage! 6000 4/66 420MB CD	1586.12
Advantage! 6000 4/66 540MB CD	1718.23
Advantage! 8000 5/90 540MB CD	2184.00
Advantage! 8000 5/90 730MB CD	2569.00
Bravo MS 4/66 270MB	1597.40
Bravo LC 4/100 270MB	1889.80
Bravo LC 4/100 540MB	1818.77
Bravo MST 5/90 540MB	2384.44

Canon

Innova SubNB 4/33S 170MB pas color	1399.00
Innova SubNB 4/33S 260MB pas color	1499.00
NEW! Innova desktops	CALL!

IBM ThinkPad Portables

510Cs 4/50SLC2 200MB pas color	1799.00
360 4/33S 170MB mono	1899.00
360C 4/33S 170MB act color	1999.00
360C 4/33S 340MB act color	2399.00
360CSE 4/50D 340MB pas color	3049.00
360CSE 4/50D 540MB pas color	3449.00
360CE 4/50D 340MB act color	3799.00
360CE 4/50D 540MB act color	4199.00

PC300 Series desktops

PC330 4/50 8MB, 364MB	1389.00
PC330 4/66 8MB, 364MB	1689.00
PC330 5/100 16MB, 540MB	2743.00
PC350 4/66 8MB, 540MB	1899.00
PC350 4/100 8MB, 540MB	2475.00
PC350 5/60 8MB, 364MB	2299.00

NEC

Versa V 4/50 250MB dual color	2559.97
Versa V 4/50 250MB act color	3307.88
Versa V 4/50 340MB act color	3464.55
Versa V 4/50 540MB act color	3845.18
Versa S 4/33S 210MB mono	1305.82
Versa S 4/33S 210MB pas color	1449.92
Versa S 4/50 260MB act color	2411.36
Versa M 4/75 250MB dual cr	3483.77
Versa M 4/75 340MB act cr	3656.77
Versa M 4/75 340MB true cr	4419.11
Versa M 4/75 540MB act cr	4702.36
Versa M 4/75 540MB hi-res cr	4798.22
Versa M 4/75 540MB hi-res cr	5259.36
Versa M 4/100 340MB act color	4749.85
Versa M 4/100 810MB act color	5652.07
Versa M 4/100 540MB hi-res color	5517.84
Versa M 4/100 540MB true color	5421.98
Versa M 4/100 810MB hi-res cr	6035.56
Ready 4/33S 270MB CD	1949.45
Ready 4/66 340MB CD	1489.97
Ready 4/66 420MB 2X CD	1556.30
Ready 5/60 420MB 2X CD	1939.55

PACKARD BELL

Force 52CD 4/50SX 420MB MM	1449.17
Force 54CD 4/66 420MB MM	1449.17
Force 57CD 4/66 540MB MM	1659.84
Force102CD 5/90 540MB MM	2158.82
Force103CD 5/90 810MB MM	2199.66

COMPUTERS

TEXAS INSTRUMENTS

TM4000M 4/50SX 200MB dual color	2765.29
TM4000M 4/50SX 340MB act color	3138.85
TM4000M 4/50DX 340MB dual cr	2997.58
TM4000M 4/50DX 455MB act cr	3597.54
TM4000M 4/75 344MB act color	4058.42
TM4000M 4/75 455MB dual color	4039.78
TM4000M 4/100 524MB act color	5499.29

DOT MATRIX & LASER PRINTERS

OKIDATA

184 Turbo	219.14	ML590	429.51
ML320	304.45	ML591	579.86
ML321	427.40	PaceMark 3410	1219.49
ML380	214.95	OL400E	599.99
ML395	987.32	OL410E	547.84
ML395C	1039.74	OL410E/PS	
ML520	369.12	ipgm 600dpi	919.15
ML521	495.16	OL510	905.90

Canon

BJ10SX	244.88	BJ230	388.00
BJ200E	236.01	BJC600e color	465.16
BJC4000 720dpi + color			395.64
LBP430 300dpi 4ppm laser			579.00
LBP660 600dpi 5ppm laser			966.56

EPSON

AP2250	96.55	LQ2550	898.08
AP3250	146.31	DPX5000 Plus	1354.86
AP3260	167.82	DPX8000	2259.45
LX300	185.02	Stylus 300	186.85
FX870	269.48	Stylus 400	198.70
FX1170	359.00	Stylus 800+	209.88
AP5000+	229.71	Stylus Color	608.53
LQ1070	365.35	ActionLaser 1100	429.79
LQ870	454.44	ActionLaser 1500	529.85
LQ1170	623.51	ActionLaser 1600	757.45

IBM LEXMARK LASER PRINTERS

WinWriter 100 inkjet	287.67
WinWriter 200 laser	457.57
WinWriter 400 laser	758.47
WinWriter 600 laser	927.00
ValueWriter 300 (4037 5E 5PPM)	547.17
ValueWriter 600 laser	815.87
Cyber R 600dpi laser	1429.27
ExecJet IIC	327.60

Digital Corporation

DECwriter 500i inkjet	291.73
Color upgrade for 500i	44.41
DECwriter 1152 4 ppm	629.85
DECwriter 5100 8 ppm	1111.48

Panasonic

1150	133.49
1624	385.20
2023	182.27
2130	204.40
2135 Color	247.43
2624	409.49
3123	249.00
4400 Laser	454.90
5400 Laser	599.96

TEXAS INSTRUMENTS

microMac Color inkjet	334.76
microWriter basic	485.61
microWriter PS23	639.65
microLaser Pro 600 PS23	1197.02
microLaser Pro 600 PS65	1524.25
microLaser Pro E	1395.49
microLaser Power Pro 600 PS65	1629.50

HEWLETT PACKARD

DeskJet 540	289.75
DeskJet 560C	479.89
DeskJet 1200C	1347.01
DeskJet 1200C PS	1889.11
LaserJet 4L	869.56
LaserJet 4P	959.47
LaserJet 4MP	1387.21
LaserJet 4 plus	1479.25
LaserJet 4SI	1968.72
LaserJet 4SI MX	2998.95
LaserJet 4SI MX	4399.89

COSTAR

LabelWriter XL DOS/Win	144.46
LabelWriter XL Plus DOS/Win	224.89

HARD DRIVES & CONTROLLERS

Maptor

170MB IDE	157.07	345MB SCSI	225.55
270MB IDE	177.90	540MB IDE	264.75
345MB IDE	193.41		

MICROPOLIS

2210A 1050MB IDE	734.97
2210 1050MB SCSI	734.97
4110A 1050MB IDE	859.65
4110 1050MB SCSI	826.89
2217 1.7GB SCSI	1038.46
1936 3GB SCSI	1899.69

CONNER

210MB IDE	177.90	850MB IDE	439.39
425MB IDE	231.43	1.27GB IDE	564.63
540MB IDE	302.24		

All Conner drives listed include complete installation hardware and software.

Seagate

200MB IDE	173.14	427MB IDE	224.56
261MB IDE	162.37	1.0GB SCSI-2	584.36
341MB IDE	205.91		

WESTERN DIGITAL

Cavlar 210MB IDE	175.35	Cavlar 730MB IDE	317.63
Cavlar 420MB IDE	223.03	Cavlar 1GB IDE	499.98
Cavlar 540MB IDE	279.99		

CONTROLLERS

Accugolic IDE W/1PAR, 2SER, 1GAME	35.06
Accugolic IDE W/BIOS	48.90
Accugolic VLB IDE	89.76
Adaptac AVA1506 SCSI-2 CD KIT	54.95
Adaptac 1542CF SCSI-2	265.45
Adaptac AVA2825 SCSI-2/IDE VLB	168.87
Adaptac 2842 VLB SCSI-2	257.23
Promise DC2000 IDE ISA Cache	94.50
Promise DC4030 IDE VLB Cache	115.29
Promise 2300+ EIDE VLB	59.87

MODEMS & COMMUNICATIONS

Robotics

SPORTSTER MODEMS

V.34 28.8K internal w/fax	224.90
V.34 28.8K external w/fax	242.06
14.4K internal w/fax	98.45
14.4K external w/fax	114.79

COURIER MODEMS

V.34 internal w/fax	367.60
V.34 external w/fax	422.32

Hayes

ACCURA 144 internal w/fax	91.70
ACCURA 144 external w/fax	111.18
ACCURA 288 V.34 internal w/fax	188.13
ACCURA 288 V.34 external w/fax	228.44
OPTIMA 144 external w/fax	374.30
OPTIMA 144 pocket w/fax	296.93
OPTIMA 288 V.34 internal w/fax	365.14
OPTIMA 288 V.34 external w/fax	421.54

PRACTICAL PERIPHERALS

14.4 internal w/fax	89.96
14.4 Mini Tower w/fax	109.02
V.34 28.8 internal w/fax	196.59
V.34 28.8 Mini Tower w/fax	209.64
Practical Pro Series	CALL!

BOCA

Online Express 14.4 internal w/fax	66.63
Online Express 14.4 external w/fax	79.78
V.34 28.8 internal w/fax	164.88
V.34 28.8 external w/fax	224.30

MICROCOM

Deskport ES 14.4	146.39
Deskport Fast ES V.FC 28.8	179.94
Deskport Fast EP V.FC 28.8	244.30

BATTERY BACKUP AND UPS

American Power Conversion

BackUPS 280	99.53
BackUPS 400	144.28
BackUPS 450	175.81
BackUPS 600	243.00
BackUPS 900	345.76
BackUPS 1250	449.29
SmartUPS 400	299.69
SmartUPS 600	363.38
SmartUPS 900	514.61
SmartUPS 1250	644.24
SurgeArrest Network	24.07
SurgeArrest Pro	33.58
SurgeArrest Network + Phone	48.65
Line-R 600	119.09

Tripp Lite

BC250	84.97
BC400	149.94
BC500	178.73
BC500 LAN	182.93
BC600 LAN	282.49
BC750	299.80
BC800 LAN	364.08
BC1250 LAN	439.00

Tripp Lite Smart UPS Series

SMART 250 LAN	221.54
SMART 400 LAN	284.31
SMART 500 LAN	285.80
SMART 600 LAN	282.49
SMART 750 LAN	357.02
SMART 900 LAN	439.81
SMART 1250 LAN	579.00
Isobar 4 OUTLET	38.95
Isobar 6 OUTLET	46.38

PCMCIA

3Com Etherlink IIIB combo	239.70
Hayes OPTIMA 144 w/fax	189.82
IBM Token Ring 16/4	412.46
Linksys Ethernet combo	167.56
Maxtor MobileMax 105MB HD	320.31
Megahertz 14.4 data/fax	216.70
Megahertz 14.4 Gold data/fax XJack	229.00
Megahertz V.34 XJack	440.88
National Semi NEA100T ethernet 10BT	172.96
New Media Bus Toaster SCSI-2 host	222.42
New Media Wave Jammer sound card	252.61
Trantor Slim SCSI-2	256.65
Turtle Beach Audio Advantage	129.38
USR Sportster 14.4 Kbps	185.99
USR Sportster V.34	386.67
Xircom Ethernet 10BT	196.58
Xircom Ethernet coax	199.83
Xircom Ethernet combo	198.29
Xircom Ethernet 10/100	239.99

NEW!

The Databrick™

Now with PCMCIA option!

The newest addition to Datalux's family of space-saving computer products! This 1.4kg unit measures only 26x12x5cm (10"x5"x2"), yet is powerful — 486SX to 486 DX2/66 with local bus video. Intended for situations where space saving is most important, it provides a rugged, portable, flexible PC solution, bridging the gap between a laptop and a desktop PC. Databrick drives both VGA and Datalux LCD monitors, making it ideal for industrial control, vehicle, POS, institutional and presentation systems. It can be configured as a diskless unit (booting from PCMCIA devices or from a network) or a stand-alone system with hard disk, powerful enough for today's CAD or desktop publishing programs. Hinged lid is removable.



Orders and Information: **1 800-DATALUX**
24-hour faxed data sheets: **703 662-1675**

Space-Saver Keyboards



The popular 1.0kg desk and .4kg portable flat models save 60% of the normal desk space, with full-travel, tactily responsive keys. Footprint is only 28x16 cm (11x6"), but the 100 keys have standard left-to-right spacing. Both models are XT/AT/PS2 compatible and are available in many languages.



The popular 1.0kg desk and .4kg portable flat models save 60% of the normal desk space, with full-travel, tactily responsive keys. Footprint is only 28x16 cm (11x6"), but the 100 keys have standard left-to-right spacing. Both models are XT/AT/PS2 compatible and are available in many languages.



LCD Monitors

Datalux stand-alone monitors are available in both 1.8 kg. desk/wall (which folds for portability) and 2.7 kg mobile/industrial, 64-grey shade, mono or 256 color DUAL SCAN versions. Both are 9.4" diagonal 640 x 480 VGA and can be fitted with optional touch screen with integrated touch controller. The mobile/industrial unit (pictured with swivel



Desk/Wall Package

The Databrick combined with our LCD monitor is an ideal solution when you need a complete, compact PC and screen in a single unit. When folded or mounted on a wall, this 4 kg unit measures only 29x24x11 cm (4.5x9.5x11") and is rugged enough to survive as a touch system in harsh environments such as kitchens or factories.

DATALUX

**American Made
Space-Saving Computer Products**

DATALUX Corporation
155 Aviation Drive
Winchester, VA 22602
Phone (703) 662-1500
Fax (703) 662-1682

Circle 160 on Inquiry Card.

Datalux International, LTD
Euro House
Curtis Road, 11 Old Water Yard
Dorking, Surrey, UK RH41EJ
Phone 44 + [0] 306-876718
Fax 44 + [0] 306-876742

EPP Aware
New double speed drive available



Printer Port Connections Are The New Tools Of The Trade.



nce you discover just how easy it is to install a backpack CD-ROM drive to your computer, you'll never be inconvenienced by conventional installation methods again. Just plug backpack into your computer and you're ready to go. No interface cards, hardware conflicts or expansion slots required. Because of its unique printer port interface, backpack fits all IBM PC compatibles and portables regardless of CPU speed. In addition, a built-in audio circuit with both headphone and line output jacks allows for connection of sound cards or Hi-Fi. You can run thousands of your favorite multimedia

programs and view Kodak™ Photo CDs too, with CD-ROM backpack. Compact and versatile, you can expect backpack to go wherever you go, bringing with you the wealth of information CD-ROM storage makes possible. Printer pass-through is included. Tape drive, hard drive and diskette backpack drives are also available. Call today for ordering information and a dealer nearest you.



backpack
CD-ROM Drive

MicroSolutions

132 W. Lincoln Hwy. DeKalb, Illinois 60115 Telephone 815.756.3411 Fax 815.756.2928
Call Toll Free 800.295.1214

Circle 167 on Inquiry Card (RESELLERS: 168).




Photo CD symbol
is a trademark used
under license.

SECURITY WILL CALL WINDOW NOW OPEN
NO SURCHARGE FOR MC, VISA AE & DISCOVER

TOSHIBA LAPTOP MEMORY


[illegible]

Circle 184 on Inquiry Card (RESELLERS: 185).



With Backpack's unique printer port connection, family support has never been easier.

Adding additional storage to your IBM compatible, laptop or notebook has never been easier. The *backpack*® family of no-slot drives plugs directly into your parallel printer port to provide you with additional storage instantly. Using them one at a time, or daisy chaining up to four together, there are no interface cards to install so you don't have to open the cabinet of your computer. And because your printer attaches



directly to the *backpack* drive, you don't have to disrupt your print operations. With the *backpack* family of diskette, hard, tape or CD-ROM drives, you can easily transport your information wherever you go—just plug *backpack* into the parallel printer port of any IBM compatible or portable. And, of course, all *backpack* drives work with Windows.™ With *backpack*, there's no hassle. Just sit back and enjoy the new member of the family.

**Just plug and play.
It's the no-hassle approach
to additional storage.**

MicroSolutions

132 W. Lincoln Hwy. DeKalb, Illinois 60115 Telephone 815.756.3411 FAX 815.756.2928
Call Toll Free 800.295.1214

Circle 169 on Inquiry Card (RESELLERS: 170).



Before You Buy

**TI ▽ AST ▽ ZDS
COMPAQ
IBM ▽ NEC
TOSHIBA**

Shop and Compare

Don't Settle for Less

PCs Compleat	Supplier 2	Supplier 3
Guaranteed Lowest Price	YES	
The Best Brand Names	YES	
30-day Money Back Guarantee	YES	
Never a Restocking Fee	YES	
30-day Price Protection	YES	
PC Computing Five Star Award	YES	
Lifetime Toll-Free Technical Support	YES	
FREE Hardware Configuration	YES	
FREE Software Installation	YES	
Same Day Shipment	YES	
Pre-Installed Software Discount	YES	
All Major Credit Cards Accepted	YES	
Never a Hidden Surcharge	YES	
\$4.95 Shipping on Most Peripherals	YES	
Compaq Authorized for Direct Marketing	YES	
Hewlett Packard and IBM Authorized	YES	
90 Days Same As Cash	YES	
Low Cost Business Leases	YES	
Volume Purchase Agreements	YES	
Customer Satisfaction Is Top Priority	YES	



BYTE-2/95

PCs COMPLEAT
THE BEST: BRANDS · PRICE · DELIVERY · SERVICE

Open 24 Hours
Weekdays
Weekends & Holidays
8 A.M. TO 8 P.M. E.T.

CALL TODAY!

800-298-4727

International (508) 624-6400

Call for
FREE
Product Guide
800-298-4727

Toshiba Direct

A Solution For Every Computing Need

Satellite Notebooks

(Selected Models)

Model	Processor	Screen	Hard Drive	Price
T1960	486DX2/50	9.5" Dual Scan	320MB	\$2329
T1960	486DX2/50	8.4" Active	320MB	\$2919
T2400	486DX2/50	9.5" Dual Scan	320MB	\$2879
T2400	486DX2/50	8.4" Active	320MB	\$3419

Business Lease: \$85/mo.

T4700, T4800 and T4850

- ▲ Brilliant color display with local bus video
- ▲ 2 PCMCIA slots (Type II, Type III)
- ▲ Microsoft Sound System, built-in microphone, audio out port
- ▲ MS-DOS, UltraFont, Indeo video compression software, Windows for Workgroups 3.11 and Run Time for Windows

**as low as
\$3429**

Model	Processor	Screen	Hard Drive	Price
T4700	486DX2/50	9.5" Active	200MB	\$3429
T4700	486DX2/50	9.5" Active	320MB	\$3629
T4800	486DX4/75	9.5" Active	500MB	\$4799
T4850	486DX4/75	10.4" Active	500MB	\$5199
T4850	486DX4/75	10.4" Active	772MB	\$5569


Business Lease: \$129/mo.

T4900

- ▲ 75MHz Mobile Pentium Processor
- ▲ 8MB RAM expandable to 40MB
- ▲ 772MB hard drive
- ▲ 10.4" active matrix color display
- ▲ 1 Type II and 1 Type III PCMCIA slots
- ▲ Accupoint integrated pointing device
- ▲ MS-DOS 6.21, Windows for Workgroups 3.11, Windows Sound System 2.0, Indeo Video, and Runtime Video for Windows

\$6399

**75MHz
Pentium**



**10.4" Active Matrix
Color Display**

T4900

TOSHIBA

NEC

Pentium Power and Unparalleled Displays

Versa M and Versa P

- ▲ 2 Type II or 1 Type III PCMCIA slots
- ▲ Removable hard drive and floppy drive
- ▲ Removable screen
- ▲ Integrated speaker, microphone
- ▲ MS-DOS, Windows 3.1, Windows Sound System, Video for Windows Run Time

NEW!

**as low as
\$3589**

Processor	Hard Drive	Screen	Price
486DX4/75	340MB	Dual Scan	\$3589
486DX4/75	540MB	Active	\$4729
486DX4/75	540MB	High Res.	\$5099
486DX4/100	810MB	Active	\$5569
Pentium 75	540MB	Active	\$5389
Pentium 75	810MB	Active	\$5899

Business Lease: \$118/mo.



Versa V

- ▲ 4MB expandable to 20MB
- ▲ 2 Type II PCMCIA slots or 1 Type III
- ▲ Removable floppy - add second battery
- ▲ MS-DOS 6.21, Windows 3.1, built-in trackball

**as low as
\$2499**

Processor	Screen	Hard Drive	Price
486DX2/50	9.5" Dual Scan	250MB	\$2499
486DX2/50	9.5" Dual Scan	340MB	\$2669
486DX2/50	9.5" Active	250MB	\$3249
486DX2/50	9.5" Active	340MB	\$3399
486DX2/50	9.5" Active	540MB	\$3779
486DX4/75	9.5" Active	340MB	\$3879
486DX4/75	9.5" Active	540MB	\$4249

Business Lease: \$92/mo.

Versa S

- ▲ Upgradable hard drive
- ▲ SurePoint integrated pointing device
- ▲ 2 Type II PCMCIA slots or 1 Type III
- ▲ Only 4.5 lbs.

**as low as
\$1229**

Processor	Screen	Hard Drive	Price
486SX/33	9.5" Mono	210MB	\$1229
486SX/33	9.5" Dual Scan	210MB	\$1429
486SX/33	9.5" Active	210MB	\$2179
486DX2/50	9.5" Active	260MB	\$2369
486DX2/50	9.5" Active	350MB	\$2549

Business Lease: \$50/mo.

**New
Low
Prices**

AST

You Can't Beat Its Value

Ascentia 900N

- ▲ 486DX2/50 or 486DX4/75 processor
- ▲ 4MB/8MB RAM exp. to 32MB
- ▲ 2 Type II or 1 Type III PCMCIA slots

Model	Screen	Hard Drive	Price
4/50 Model 343W	10.3" Dual Scan	340MB	\$2719
4/50 Model 343W	9.5" Active	340MB	\$3629
4/75 Model 343W	10.3" Dual Scan	340MB	\$3219
4/75 Model 513W	10.4" Active	510MB	\$5029

Business Lease: \$100/mo.

Ascentia 900N
10.4" Active Matrix screen
now available!



Ascentia 900N

Ascentia 800N

- ▲ 486DX2/50 processor
- ▲ 4MB RAM expandable to 20MB
- ▲ Removable hard drive and floppy drive
- ▲ 2 Type II or 1 Type III PCMCIA slots

Model	Hard Drive	Price
4/50d Model 253W	250MB	\$2349
4/50d Model 343W	340MB	\$2499

Business Lease: \$86/mo.

**Ask about our Complete
Advantage Multimedia Bundles!**



AST, AST logo are trademarks of
AST Research, Inc. All rights reserved.

Texas Instruments

With Software Installed FREE of Charge

TravelMate 4000M

- ▲ Brilliant color display
- ▲ 16-bit sound card
- ▲ Integrated Pointing device
- ▲ 2 Type II or 1 Type III PCMCIA slot

**NEW
DX4/100!**

Processor	Screen	Hard Drive	Price
486SX/25	8.2" Enhanced Color	120MB	\$1879
486SX2/50	9.5" Dual Scan	200MB	\$2759
486SX2/50	8.4" Active	340MB	\$3099
486DX2/50	9.5" Dual Scan	340MB	\$3049
486DX2/50	8.4" Active	455MB	\$3649
486DX4/75	9.5" Dual Scan	455MB	\$3999
486DX4/75	8.4" Active	340MB	\$4889
486DX4/75	8.4" Active	455MB	\$5249
486DX4/100	9.5" Active	525MB	\$5549

**as low as
\$1879**

**TravelMate 4000M
Full Multimedia
Mobile Computing**

CD-ROM Docking System

Transform your TravelMate 4000M into the
Ultimate Mobile Multimedia System with the
Portable CD-ROM docking system.

- ▲ Double-speed CD-ROM drive
- ▲ 250ms access time
- ▲ Built-in speakers
- ▲ SCSI II connector

\$81999



TM 4000M



**TM 4000M Shown with
optional docking system**

**TEXAS
INSTRUMENTS**

Compaq

New Low Prices on LTE Elites

LTE Elite

- ▲ 4/8MB RAM exp. to 20/24MB
- ▲ Built-in AC adapter
- ▲ Removable hard drive
- ▲ 2 Type II or 1 Type III PCMCIA slots
- ▲ Integrated trackball
- ▲ MS-DOS 6.2, Windows 3.1, MS Video for Windows Run Time

Processor	Display	Hard Drive	Price
486DX2/40	9.5" Dual Scan	170MB	\$2739
486DX2/40	8.4" Active	170MB	\$3219
486DX2/40	8.4" Active	340MB	\$3689
486DX2/50	9.5" Active	340MB	\$4539
486DX4/75	9.5" Active	340MB	\$5099
486DX4/75	9.5" Active	510MB	\$5479

Business Lease: \$103/mo.

**NEW Low
Prices!**



LTE Elite

Contura 400

- ▲ 486DX2/40 processor
- ▲ 4MB RAM expandable to 20MB
- ▲ 2 Type II or 1 Type III PCMCIA slots
- ▲ Large built-in trackball
- ▲ MS-DOS, Windows 3.1, Tabworks, Lotus Organizer

Display	Hard Drive	Price
9.5" Dual Scan	250MB	\$2459
8.4" Active	250MB	\$3119

Business Lease: \$90/mo.



Contura 400

COMPAQ

IBM®

Premium Performance and Rock Solid Support

NOW AVAILABLE! ThinkPad® 755CE CSE and CD

- ▲ 486DX4/100 processor w/16KB cache
- ▲ 8MB RAM expandable to 40MB
- ▲ 340MB, 540MB or 810MB hard drive
- ▲ Huge 10.4" brilliant screen (active or dual scan)
- ▲ Built-in sound, speaker, microphone
- ▲ Built-in 14.4 data/fax modem
- ▲ Infrared ports for wireless data transfer
- ▲ Built in telephone answering machine & speaker phone
- ▲ 2 PCMCIA Type II slots
- ▲ Over 15 popular software titles included!

The Multimedia ThinkPad755CD also includes:
Removable full-size CD-ROM drive
Enhanced video, stereo speakers,
MIDI/joystick port and
lots more multimedia
software!

**Call
For
Prices**



ThinkPad 755CD

ThinkPad® 360 and 360E Notebooks

- ▲ 4MB RAM exp. to 20MB
- ▲ Modular design, removable hard drive & floppy drive
- ▲ 2 Type II or 1 Type III PCMCIA slot
- ▲ TrackPoint II pointing device
- ▲ IBM DOS 6.3, Windows 3.1 and 8 free titles
- ▲ Port Replicator and Docking Station available

Processor	Screen	Hard Drive	Price
486SL/33	9.5" Mono	170MB	\$1839
486SL/33	9.5" Mono	340MB	\$2229
486SL/33	9.5" Dual Scan	170MB	\$2199
486SL/33	9.5" Dual Scan	340MB	\$2659
486SL/33	8.4" Active	170MB	\$2489
486SL/33	8.4" Active	340MB	\$2779
486DX2/50	9.5" Dual Scan	340MB	\$2889
486DX2/50	9.5" Dual Scan	540MB	\$3259
486DX2/50	8.4" Active	340MB	\$3299
486DX2/50	8.4" Active	540MB	\$3639

ThinkPad® 510 subnotebook

- ▲ IBM 486BL2/50 processor
- ▲ 4MB RAM exp. to 20MB
- ▲ 200MB hard drive
- ▲ 7.7" color display
- ▲ Type II PCMCIA slot
- ▲ TrackPoint II pointing device
- ▲ 3.5" external floppy drive
- ▲ Weighs only 4.0 lbs.
- ▲ IBM DOS 6.3, Windows 3.1 and 8 free titles

\$1699



The One Name Behind 3 Out Of 4 Multiprocessor Computers.

POWERED BY

COROLLARY

Surprised?

You shouldn't be. After all, Corollary built the world's first multiprocessor PC and developed the first shrink-wrapped multiprocessor operating system, SCO MPX. And we invented the C-bus[®] architecture, the multiprocessor system bus used in 75% of the installed SCO MPX systems.

Now, Corollary is introducing a new multiprocessor standard, C-bus[®] II. Licensed by over a half-dozen major system manufacturers, C-bus II offers greater performance and memory addressability.

Corollary's multiprocessor Pentium[™] chip systems are available from our extensive value-added distributor network. This open systems approach enables you to order systems "custom-built" for your application.

Remember, real multiprocessor computers all have one thing in common — Corollary.




COROLLARY

2802 Kelvin, Irvine, CA 92714
800-338-4020 Fax 714-250-4043 In Europe +32-3-825-37-94

BRAZIL +55-21-445-2727, CZECHOSLOVAKIA +42-2-311-8885, GERMANY +49-6214-108-168, +49-211-50-840, HUNGARY +36-1-116-9450, ITALY +39-75-500-4625, JAMAICA +1-809-929-7395, NORWAY +47-55-299-680, POLAND +48-2-642-5262, RUSSIA +70-95-216-4656, +7-812-218-0450, SAUDI ARABIA +966-1-477-1650, SOUTH AFRICA +27-11-804-3772, SPAIN +34-1-467-8210, TAIWAN +886-2-717-4518, UNITED ARAB EMIRATES +971-4-221-338

©1994 Corollary, Inc. All trademarks and copyrights acknowledged.


Circle 178 on Inquiry Card (RESELLERS: 179).



BLAZE THROUGH APPLICATIONS AT THE SPEED OF ALPHA ON A NEKOTECH PERSONAL POWER STATION.

ALPHA™
GENERATION

No matter your application – from CAD to Multimedia to general business – you can blast into the ionosphere on an Alpha powered Mach Personal Power Station. The award winning Mach family from NekoTech starts with the world's fastest processor – the 64-bit Alpha from Digital Semiconductor, a Digital Equipment Corporation business, and pushes it beyond the envelope. NekoTech's Mach series blazes through Windows NT™



applications with speeds starting at 166Mhz on up to 275Mhz. Which means you're going to spend less time staring at your screen. And more time looking at results. Alpha powered Mach Personal Power Stations run all your favorite Alpha compatible Windows NT, as well as other 16-bit Windows and DOS applications. And best of all, they're priced to compete, starting at just \$4,595. Call NekoTech today to learn more.

NekoTech
Division of  **Inventory
Conversions, INC.**

Irvine, CA - 714-580-0055 • Hampton, NH - 603-926-0300

© NekoTech 1994. Digital and the AlphaGeneration logo are registered trademarks of Digital Equipment Corporation. Windows NT is a trademark of Microsoft Corporation.

Circle 243 on Inquiry Card.

YOUR FIRST SOURCE FOR MEMORY

LAPTOP AND NOTEBOOK MEMORY

AST

Ascentia 800n	4MB	\$185
Ascentia 900n	8MB	\$359
Bravo NB 486	4MB	\$205
PowerExec 4/25SL, Color, Plus	8MB	\$359
	16MB	\$599
	4MB	\$185
	16MB	\$629

COMPAQ

Contura Aero 4/25, 4/35c	4MB	\$179
Contura 3/20, 3/25, 3/25c	8MB	\$299
	4MB	\$148
	8MB	\$298
Contura 400 models	4MB	\$185
	8MB	\$369
Contura 4/25, 4/25c, 4/25c	4MB	\$169
	8MB	\$299
LTE Elite	4MB	\$179
	8MB	\$319
	16MB	\$599
LTE Lite 20, 25, 25c, 25c	4MB	\$200
	8MB	\$349
	16MB	\$729
LTE Lite 4/25c	4MB	\$180
	8MB	\$339

IBM

ThinkPad 300	8MB	\$339
ThinkPad 340, 355, 360, 730	4MB	\$169
	8MB	\$320
	16MB	\$659
ThinkPad 700, 720, 755 and CL57SX	4MB	\$199
	8MB	\$379
	16MB	\$669
ThinkPad 710T	32MB	\$1399
	4MB	\$179
	8MB	\$315
	4MB	\$146
	8MB	\$288

NEC

UltraLite Versa (all models)	4MB	\$189
	8MB	\$349
(Excluding 40E & 50E models)	16MB (3.3 V)	\$619

Texas Instruments

TravelMate 4000 (all models)	4MB	\$189
	16MB	\$1189

Toshiba

T2000, 2000SX, SXe	4MB	\$169
T2200SX, T1800 Series	8MB	\$329
T3400	4MB	\$185
	8MB	\$359
T4400, T6400 (all models)	4MB	\$179
	8MB	\$339
	16MB	\$675
T1900, T4500, T4600, T4700 (all models)	4MB (3.3 V)	\$189
	8MB (3.3 V)	\$349
	16MB (3.3 V)	\$759

Zenith

Z-Note 425 Series	4MB (3.3 V)	\$155
	8MB (3.3 V)	\$369
Z-Star	4MB	\$159
	8MB	\$369

STANDARD SIMMS

30-PIN

1 x 3-70ns (3-chip/1MB)	\$36
1 x 9-70ns (1MB)	\$37
4 x 9-70ns (4MB)	\$128
16 x 9-70ns (16MB)	\$595

72-PIN

512 x 36-70ns (2MB)	\$73
1 x 36-70ns (4MB)	\$145
2 x 36-70ns (8MB)	\$295
4 x 36-70ns (16MB)	\$555

First Source International Always Includes Installation Instructions!

PERSONAL COMPUTER MEMORY

AST

Premiera GX P/100, P/90	8MB	\$515-001	\$309
	32MB	\$515-001	\$607
Premiera MTE, SE P/60	4MB	\$51159-001	\$190
	16MB	\$51159-003	\$712
Bravo 386-SX, WS/286, 386	2MB	\$500510-002	\$88
	4MB	\$500510-008	\$195
Bravo 3/25c	2MB	\$500710-004	\$89
	8MB	\$500824-002	\$304
Advantage! Plus 486DX/33, DX2-50, DX2-66	4MB	\$51168-001	\$179
	8MB	\$500824-001	\$304
Advantage! and Advantage! Pro 386SX/20, 25, Bravo 3/33c	2MB	\$500962-001	\$80
	8MB	\$500962-002	\$272
Advantage! Pro 486DX/33, SX/25	2MB	\$500987-001	\$86
Bravo LC, LC II, LP and MT	4MB	\$500987-002	\$159
	16MB	\$500987-004	\$549
	32MB	\$500987-005	\$1089

COMPAQ

Presario 500, 700 and 900 series	4MB	\$147522-001	\$159
	16MB	\$147524-001	\$549
	32MB	\$147525-001	\$1019
ProLinea 3/25c, 3/25c	2MB	\$141738-001	\$89
	8MB	\$141742-001	\$304
Presario 600 and 800 series, ProLinea 4/25, 4/33, 4/50, 4/66	2MB	\$141683-001	\$95
	4MB	\$141684-001	\$179
	8MB	\$141685-001	\$309
DeskPro 386-20, 25, 385-20c, 25c	1MB Module	\$113131-001	\$62
	4MB Module	\$113132-001	\$192
DeskPro 386c/16	1MB Module	\$113646-001	\$62
	4MB Module	\$112534-001	\$194
	4MB Board	\$113634-001	\$259
DeskPro 3/25i, 33i, 4/25iS, 33i, 66i, 286N, 386N, SX/20, 20N, SystemPro LT and M Series	1MB	\$118688-001	\$49
	2MB	\$118689-001	\$95
	4MB	\$118690-001	\$170
	8MB	\$118877-001	\$356
DeskPro 386-33, 486-33, SystemPro and SystemPro E series	2MB	\$115144-001	\$109
	8MB	\$116561-001	\$376

DELL

Optiplex ME and V models, PowerEdge XE models	4MB	\$310-3325	\$159
Performance L, M and T models	16MB	\$310-3327	\$549
Power Desktop and Low Profile Power Desktop models	4MB	\$310-2507	\$169
	16MB	\$310-2625	\$609

\$6 FedEx Economy Two-Day Service Up to 3lbs. Federal Express

HEWLETT-PACKARD

Vectra 486 M, MI, N, NI and XM models	2MB	D2281A	\$95
	8MB	D2152A	\$354
	4MB	D2156A	\$179
	16MB	D2676A	\$611
Vectra VL2, XP, XU, M2, N2 and XM2 models	2MB	D2974A	\$179
	8MB	D2975A	\$356
Netserver LM, LC and LF models	16MB	D2297A	\$609
	32MB	D2298A	\$1152

IBM

Aptiva 300, 500 and 700 series	4MB	n/a	\$159
	16MB	n/a	\$509
Valuepoint Performance models	4MB	92G9201 or 73G3131	\$179
	8MB	92G7520 or 73G3132	\$354
PS/2 355X, LS, 40SX, 50Z, 555X, LS, 655X, LS, 70, XStation	2MB	6450604	\$87
Valuepoint Cxx models	4MB	34F2933 or 87P9977	\$179
PS/2 90 XP, 95 XP, P75 (pairs) 56, 57 (all models)	4MB	6450128	\$169
PS/1 Consultant, Essential, Expert models, PS/1 Pro M2123	4MB	6450130	\$356
PS/2 355X, LS, 40SX, PS/Valuepoint	8MB	6450129	\$356

IBM, continued

PS/2 80-A21, A31, A16	4MB	6451060	\$195
Expansion boards for PS/2 80286 based models	4-16MB w/4MB	6450609 (use 72-pin)	\$299
Expansion boards for PS/2 80386 based models	2-14MB w/2MB	34F3077 (use 72-pin)	\$205
	4-16MB w/4MB	34F3011 (use 72-pin)	\$299

NEC

Image 425, 435, 466	4MB	410-12002	\$148
Ready 425, 433	4MB	n/a	\$148
PowerMate 386SX/20; vi, 16i, 25i, 486/50i, 33i	8MB	OP-410-2101	\$304
PowerMate SX Plus	2MB Board	n/a	\$215
	4MB Board	n/a	\$299

ZENITH

Z-400+, Z-Station SEH, SEN, SH, SN, DEH, DH and Xen	4MB	ME-100	\$179
Z-300/400 Series, Z-420/SX, Z-425/SX, Z-433/DX, SX	16MB	ME-90	\$610
Z-Select 100 models	4MB	AME-0070	\$179
	8MB	AME-0073	\$354
Zenith Z-386/20, 25, 33, 33c	1MB	ZA3800ME	\$49
	4MB	ZA3800MK	\$179

LASER PRINTER MEMORY

HP LaserJet 4L	1MB	C2024A	\$48
HP LaserJet III, IIIi, IIIiX, IIId	2MB	33475B	\$95
HP LaserJet II, IIId	2MB	33477B	\$169
HP LaserJet 4P, 4M, Color LaserJet	2MB	33444B	\$95
	4MB	33445B	\$169
HP LaserJet IIId, 4, 4M, 4Si, 4SiMX, XL300, Deskjet 1200c	1MB	C2063A	\$48
	2MB	C2064A	\$94
	4MB	C2065A	\$174
	8MB	C2066A	\$339
HP LaserJet 4P, 4M, Color LaserJet	2MB	C3131A	\$95
	4MB	C3132A	\$179
HP Deskjet 500, 500C, 520, 520C, 550C, 560, 560C	256K	22707B	\$40



100% GUARANTEED
Memory Guaranteed - 100%
Compatible in form, fit & function

LIFETIME WARRANTY
On all Paragon Memory products

EASY TO INSTALL
All products user installable,
installation instructions included
with most memory products

FREE SUPPORT
Free technical support & direct dial
lines for immediate response

SPECIAL PRICING
Government & educational pricing,
special volume pricing

PLUS . . .
Overnight delivery available
No surcharge on credit cards
Corporate PO's, APO/FPO's welcome

Call for any memory
upgrade not listed

CALL NOW FOR YOUR FREE CATALOG!

First Source International
The Only Source
For Computer Hardware & Software

TERMS & CONDITIONS: Defective memory products for replacement only. Opened software is non-refundable. Returns are subject to a 20% restocking fee. Freight charges are non-refundable. A Return Merchandise Authorization (RMA) number is required for all returns, please contact our customer service department. Memory products are third party manufacturers' products and are for your convenience. Due to the nature of the industry, the price of memory products may be higher than advertised. Prices and availability are subject to change without notice. Purchase prices at the time of order are final. First Source International cannot be responsible for errors in typographic or photographic reproductions. Trademarks and registered trademarks are of their respective companies.

MAIL OR FAX ORDERS TO:
(714) 448-7750 • FAX: (714) 448-7760
Compuserve Address: 75151,2421
First Source International
7 Journey • Aliso Viejo, California 92656




HOURS

Monday - Friday • 7am - 5pm, PST
Saturday, 9am - 3pm (orders only)

Call the Upgrade Experts
ORDER NOW
800-515-9866

International Orders Call **714-448-7750**

Circle 163 on Inquiry Card (RESELLERS: 164).




SciTech

SOFTWARE FOR SCIENCE

Best Sellers

at great prices!




MICROSOFT® FORTRAN POWERSTATION

Develop & run Fortran programs of virtually any size & complexity with Microsoft FORTRAN PowerStation family of 32-bit development systems! Migrate Fortran code from other platforms with little or no modification! Get unparalleled price/performance!

Save time in code development and maintenance using the Windows integrated development environment. Call NOW to order or request a FREE Test Drive Kit!

DOS & Windows price\$339
Windows NT price\$519



MICROSOFT® IMSL® MATH & STATS LIBRARIES

Complement Microsoft FORTRAN PowerStation with Microsoft IMSL mathematical and statistical libraries! Seamless interface with FORTRAN PowerStation allows you to port Fortran code developed on other platforms — including calls to the

IMSL libraries — to the PC. 1,000 precoded, tested, robust routines. Reduce application development time by using the extensive online Help.


DOS & Windows price\$495
Windows NT price\$495

IMSL C NUMERICAL AND GRAPHICAL LIBRARIES from Visual Numerics™

Optimized for Microsoft Visual C++ Compilers

Save 75-95% of source code development. Mathematical, statistical, 2D and 3D graphical subroutines written in C. Includes full online documentation with hundreds of copy-and-paste code examples. FORTRAN libraries also available.



Windows NT price\$1,149



PV-WAVE

Effectively manage, analyze, explore, interpret, and visualize your most complex equations and largest data sets. Solve problems, uncover and convey more knowledge using integrated numerics, statistics, mathematics and advanced graphics, including 2D, 3D, 4D, animation, contours, meshes, surfaces, overlaid plots and much, much more.

Windows price\$969



RESEARCH STATION™ FOR WINDOWS™


A single framework for all types of electronic data-text, graphics, images, video and voice. Access, combine, view and manage data from many sources; automate routine tasks; track, exchange and present information in one integrated environment.

Windows price\$995

STATlab

Explore and analyze your data graphically with STATlab, a powerful statistical tool for data analysis with user-friendly point-and-click analysis and interactive exploratory graphics. STATlab includes descriptive statistics, factor analysis, multiple regression, clustering, powerful statistical mapping, an integrated data dictionary, flexible import/export (Q+E, ODBC) and more.

Windows price\$595




NEW Version 2.0

Question

Easy-to-use survey software for Windows that makes it easy to design, administer and analyze survey data. Questionnaire design automatically creates validated data entry screens. Includes comprehensive descriptive and multivariate statistics including correspondence analysis, t tests, multiple regression and easy-to-customize graphics. Lexical analysis lets you process open-ended questions. Disponible en version française.

Our price\$595



To order or for more information call
1.800.622.3345
ask for our free 116-page catalog with
more than 1,750 products!

Resellers call 1.800.622.3320

SciTech

Tel: 312-486-9191 Fax: 312-486-9234
SciTech International, Inc. 2525 N. Elston Avenue, Chicago, IL 60647-2003

Circle 180 on Inquiry Card (RESELLERS: 181).

call 1-800-622-3345

4MB SPECIAL (30 DAY ONLY SALE)

4MBX9-70NS 30PIN \$127.50 / 1X36-70NS 72PIN \$152.75

(Limit 48 per Customer while supplies last. Prepaid Only)

HARD DRIVES

**ALL PRICES REDUCED!
GUARANTEED LOWEST HARD
DRIVE PRICES**



MODEL	SIZE	SPEED	TYPE	PRICE
ST3290A	290MB	15MS	IDE 3.5"	\$198
ST3391A	340MB	12MS	IDE 3.5"	\$218
ST3491A	420MB	12MS	IDE 3.5"	\$224
ST3655A	545MB	12MS	IDE 3.5"	\$268
ST3600N	525MB	10MS	SCSI-2	\$478
ST31200N	1020MB	10MS	SCSI	\$668
ST12550N	2100MB	9MS	SCSI	\$1498



MODEL	SIZE	SPEED	TYPE	PRICE
CPA210A	210MB	15MS	IDE	\$169
CPA340A	340MB	12MS	IDE	\$198
CPA420A	420MB	12MS	IDE	\$209
CPA540A	540MB	12MS	IDE	\$268
CPA810A	810MB	12MS	IDE	\$498
CPA1060A/S	1060MB	10MS IDE/SCSI		\$558



MODEL	SIZE	SPEED	TYPE	PRICE
7290	290MB	15MS	IDE	\$178
7345A	345MB	14MS	IDE	\$197
7405A	405MB	14MS	IDE	\$228
7546A	456MB	12MS	IDE	\$288



MODEL	SIZE	SPEED	TYPE	PRICE
1210	212MB	13MS	3.5" IDE	\$168
2340	340MB	12MS	3.5" IDE	\$198
2420	425MB	12MS	3.5" IDE	\$218
2540	540MB	12MS	3.5" IDE	\$298

CONTROLLERS

8 Bit	2 Hard Drives MFM	\$49
8 Bit	2 Hard Drives RLL	\$69
16 Bit	Hard and Floppy 1 Interface	\$34
SCSI	DTC-3280 (Supports 7 drives)	\$139
SCSI	Adaptec 1742A 32 BIT EISA	\$418
SCSI	Adaptec 2842 BUX (VLS)	\$349
SCSI	Adaptec 1542 CF Bus Mastering kit	\$214
ESDI	DTC282 24 ESDI	\$149
IDE	Hard only 16bit	\$9
IDE	Hard and Floppy w/IO	\$18
Cables	Hard Drive	\$9
Cables	Hard and Floppy	\$14

COPROCESSORS

80386 MACHINES:		8086 MACHINES:	
80387-16MHz	\$38	8087-3.5MHz	\$38
80387-20MHz	\$44	8087-2.5MHz	\$44
80387-25MHz	\$59	8087-1.0MHz	\$78
80387-33MHz	\$69		
80387-40MHz	\$74		
80387-SX16	\$38	80287-8MHz	\$24
80387-SX20	\$44	80287-10MHz	\$48
80387-SX33	\$68	80287-XL	\$78
80387-SL	\$79		

CPU'S

intel		80486 DX/25	
80486 SX/25	\$78	80486 DX/25	\$118
80486 SX/33	\$98	80486 DX/33	\$158
80486 DX/25	\$118	PENTIUM 66	\$574
80486 DX/33	\$158	PENTIUM 90	\$698
80486 DX/50	\$298		

CPU COOLING FAN \$9

386 to 486 CPU DOUBLERS

Cyrilx		Single Chip Upgrade, Clock Doubling Technology, Compatible with 386DX CPU, Standard DOS, Windows & OS/2 Compatible, Uses Industry Standard Mother Chip, Easy to Install - About 15 Minutes	
Cx486DX2-16/32	\$238		
Cx486DX2-20/40	\$248		
Cx486DX2-25/50	\$288		
Cx486DX2-33/66	\$334		
Cx486SX2-20/40	\$224		
Cx486SX2-25/50	\$250		
486DL40	\$118		
486DL33	\$99		

800-982-2925
For U.S. and Canadian Orders only
HOURS: M-F 9AM-5PM / SAT 10AM-3PM PST
TECHNICAL & CUSTOMER SERVICE CALL:
(702) 294-0204
PURCHASE ORDERS & INTERNATIONAL ORDERS
FAX TO: **(702) 294-1168**

PROCESSOR UPGRADES



**IMPROVE PERFORMANCE
UP TO 500%**

MACHINE TYPE	UPGRADE	PRICE
286 16-16 MHz (X2)	(IBM 486SX2-50MHz)	\$238
386SX 16-20 MHz (X2)	(TMSX2-20/40 MHz)	\$218
386SX 25 MHz (X2)	(IBM SX2-25/40 MHz)	\$318
386SX 33 MHz (X2)	(IBM SX2-33/66 MHz)	\$358
386DX 16-20 MHz (X2)	(T1 SX2-20/40 MHz)	\$248
386DX 25 MHz (X2)	(T1 SX2-25/50 MHz)	\$318
386DX 33 MHz (X2)	(IBM 8 LIGHTNING-33/66)	\$478
386SX 16 MHz (X3)	(IBM 8 LIGHTNING-16/48)	\$418
386SX 20 MHz (X3)	(IBM 8 LIGHTNING-20/60)	\$458
386SX 25 MHz (X3)	(IBM 8 LIGHTNING-25/75)	\$478
386DX 16-20 MHz (X3)	(IBM 8 LIGHTNING-20/60)	\$598
386DX 25 MHz (X3)	(IBM 8 LIGHTNING-25/75)	\$478
386DX 33 MHz (X3)	(IBM 8 LIGHTNING-33/99)	\$688

FLOPPY DRIVES

LIQUIDATIONS

360K 1/2 HT (5-1/4")	\$24
1.2 MB 1/2 HT (5-1/4")	\$39
720K 1/2 HT (3-1/2")	\$19
1.44 (3-1/2")	\$39

D-RAM CHIPS

DESCRIPTION	120NS	100NS	80NS	70NS	60NS
64 X 4	\$2.25	\$2.45	\$2.95		
256 X 1	\$1.85	\$2.40	\$3.00	\$3.15	\$3.20
256 X 4	\$5.45	\$5.95	\$6.45	\$6.95	
1MEX X 1	\$4.40	\$4.90	\$5.75	\$6.45	\$6.75
1MEXX4			\$26.00	\$29.00	\$34.00
256X16 VRAM (WE)				\$49.00	\$59.00
256X16 VRAM (CAS)				\$39.00	\$49.00

MEMORY BOARDS

BOCA AT PLUS

16 BIT MEMORY BOARD FOR 286, 386	
OK - \$84.00 2MEG - \$150.00	
4MEG - \$238.00 8MEG - \$398.00	
BOCARAM-2 PLUS	
For PS/2 2 to 8MB (uses 1MEG SIMMS)	
2MB \$119 4MB \$188 8MB \$348	
2-8 MB FOR PS/2 50, 60,	
2MB \$119, 4MB \$188, 8MB \$348	

SIMM MODULES

CALL FOR CURRENT PRICES

30 PIN SIMM MODULES

DESCRIPTION	100NS	80NS	70NS	60NS	50NS	40NS
256X9	\$9	\$12	\$15	\$17		
1MEGX3	\$35	\$35	\$37	\$41	\$49	\$54
1MEGX9	\$34	\$39	\$40	\$46	\$64	\$78
4MEGX9	\$129	\$144	\$148			
16 MEGX 9 (36 CHIP)			\$668			

72 PIN SIMM MODULES

512Kx2 2MEG	\$88	\$94	\$108
1Kx2 4MEG	\$148	\$156	\$198
2Kx2 8MEG	\$302	\$309	\$378
4Kx2 16MEG	\$578	\$588	\$618
8Kx2 32MEG	\$1175	\$1275	
16Kx2 64MEG	\$2695	\$2795	

**WE HAVE THE GUARANTEED
LOWEST PRICES CALL!**

CACHE MEMORY

	12ns	15ns	20ns	25ns
8KX8	5.95	5.45	4.95	
32X8	18.00	8.95	7.75	6.55
64x1		10.95	7.05	6.95
64x4		10.00	7.95	6.95
16x4		6.95	6.45	5.95
128x8		54.00	34.00	27.00

MEMORIES FOR THE NEW YEAR

IBM PS/2 Memory

MODEL	MEMORY	PART#/PRICE
AMBA Enterprise 386, Hurdle 386, Sprinta 386 (all models)	2MB 1MB	N/A \$93 N/A \$328
AMBA Enterprise 486, Hurdle 486, Sprinta 486 (all models)	4MB 16MB	N/A \$178 N/A \$648
PS/1 and 386/SX (2121)	2MB	92F9935 \$88
	4MB	92F9944 \$178
PS/2 30/286/25/286; Adpat Bnd 1497259	512K	30F5348 \$35
	2MB	30F5360 \$88
PS/2 35SX, LS, 40SX/70/60, 60/1, 121, Adpat Bnd 6450609, 340F3111	2MB	6450609 \$340F3111
340F3077, 352, 55SX, 65SX, 770, 55SX, 65SX 1 Sector 120 & 130	2-16MB 1MB	6450609 \$3568 6450603 \$39
	2MB	6450604 \$84
PS/2 50, 55SX, 60, 65SX	2-8MB	1497259 \$198
PS/1 Consultant, Essentials & Expert models x3, x4 & PS/Valpoint all models except CX series	16MB	96F9290 \$174
	16MB	96F9291 \$598
PS/2 70-A21, A61, B21, B61; PS/1 Consultant, Essentials & Expert models x11, x13 & x14, PS/Valpoint CX series 1MB	6450603	\$39
	2MB	6450608 \$89
PS/2 35SX, LS, 40SX, 55SX, LS, 65SX	4MB	34F3231 \$168
PS/2 90 XP, 95 XP, 975 (Point), 56 57 (all) 71, 77, PS/1 Pro 2123	2MB	6450608 \$178
PS/2 90, 95 XP, 975 (Point), 56 57 (all) PS/1 Consultant, Essentials, Expert models x11, x13 & x14, PS/1 Pro 2123, R5/6000	4MB	6450130 \$338
	8MB	6450129 \$338
PS/2 35SX, LS, 40SX	2-8MB	6450605 \$297
PS/2 70's and 80's	32 BIT BOARDS	4MB 34F3077 \$225
	2-16MB	34F3078 \$225
PS/2 80-A21, A31, A61	4MB	6451001 \$318
PS/2 80-041	1MB	6450375 \$78
PS/2 80 111, 121, 131, 181, 161	2MB	6450379 \$94

IBM Laptop Memory

Thinkpad 300, Ambra Trek	2MB	33C9288	\$128
Thinkpad 300, 350C, 360, PS/NOTE	8MB	33C9289	\$368
	8MB	6060376	\$338
Thinkpad 500, 510CS, 2618	16MB	6060379	\$648
	8MB	8180956	\$198
	8MB	8180959	\$388
CL575K	16MB	07G1422	\$208
Thinkpad 700, 720C, 720, 720C, 750C	16MB	07G1421	\$378
Thinkpad 710T	4MB	N/A	\$188
PS/Note N45SL	2MB	92F8604	\$108
PS/2, N51, SL, SX	2MB	07G1826	\$98
	4MB	07G1827	\$188
	8MB	07G1828	\$188
Laptop N435X, L405X & PSNOTE 182	2MB	79F0999	\$98
	4MB	79F1000	\$184
L405X, PSNOTE 182 only	2MB	79F1001	\$358

Laptop & Notebook

MODEL	MEMORY	PART#	PRICE
T1000 SE/IE/IE	1MB	PA8311U	\$29
T1000 SE/IE/IE	2MB	PA8312U	\$73
T2000 / T2000SX	2MB	PA8317U	\$128
T2000SX/T1000 LE	8MB	PA8314U	\$188
T1000 SE	8MB	PA8315U	\$188
T1000	2MB	PA8308U	\$98
T2000 SE	2MB	PA8320U	\$118
T2000 SE/T2000SX/T1000 T1850, C	2MB	PA2000U	\$118
	4MB	PA2001U	\$188
	4MB	PA2002U	\$358
T2400	8MB	PA7135E	\$138
T3100	2MB	PA8341U	\$108
T3100 E	2MB	PA8308U	\$108
T3100 SX	2MB	PA8310U	\$188
T3200 SX	2MB	PA8307U	\$118
T3200	2MB	PA8309U	\$198
T3200 SXC	2MB	PA8317U	\$108
	4MB	PA8319U	\$198
	4MB	PA8313U	\$184
	4MB	PA2006U	\$128
	4MB	PA2007U	\$198
	16MB	PA2009U	\$498
	8MB	PA2020U	\$398
	16MB	PA2021U	\$758
T4400 SX, SX, T5400 SX, DXC	2MB	PA2003U	\$125
	4MB	PA2004U	\$198
	8MB	PA2005U	\$358
	16MB	PA2010U	\$498
	32MB		\$1548
T4500, T4600, T1900C	4MB	PA2012U	\$198
(1.3 2VOLT) T4700	8MB	PA2013U	\$388
T5100	16MB	PA2014U	\$858
	2MB	PA8301U	\$94
T5200/T5200C/T5800/T5400	2MB	PA8304U	\$109
	8MB	PA8313U	\$418


Memory

MODEL#	MEMORY	PART#	PRICE
PREMIUM	4MB	501159-001	\$168
	8MB	501159-002	\$358
	16MB	501159-003	\$708
ADVANTAGE 386SX/20/25, PS SX/25	2MB	500962-001	\$88
BRAYO 3/275	8MB	500962-002	\$188
BRAYO N486	16MB	500962-003	\$798
ADVANTAGE PRO 486DX/33/50/25, BRAYO LC 4/255, 33, 33S, 50, 4/660	2MB	500967-001	\$88
	4MB	500967-002	\$164
	16MB	500967-004	\$578
PREMIUM 386/25, 33, 33T	1MB	500780-001	\$48
386SX/16, 20, 25	1MB	500780-002	\$48
ADVANTAGE 486/25, 33/39/SX20, BRAYO 4/33, 484/25	4MB	500718-004	\$68
PREMIUM 4/25, 33TE, SE 4/73	2MB	500780-005	\$68
ADVANTAGE 486/25, 33/39/SX20 POWER PREMIUM 3/23, 4, 33, 33S, 500/60	2MB	500780-006	\$68
PREMIUM 384/23TE, 486/25/SE, 25TE, 33, 33TE, PREMIUM 1/386/25, 33, 486/33	4MB	500780-007	\$178
486SX/20			
PREMIUM SERVER SE 4/73	4MB	500780-008	\$178
	8MB	500780-001	\$348
AST LAPTOP			
POWER EXEC 3/25SL, 3/25SL-CFL	4MB		\$178
	16MB		\$708
POWER EXEC 4/25SL	4MB		\$178
	16MB		\$708
PREMIUM EXEC 286, 386/30, 25/25C	4MB		\$168
BRAYO N486	16MB		\$798
ASCENTIA 900N	16MB		\$818
	32MB		\$1218

AutoBoot Commander™

**Control up to 96 file servers with just 1
keyboard, monitor and mouse!**

- Supports all 100% IBM compatible computers
- New KeyScan™ feature for keyboard-controlled scanning
- Built-in support for both PS/2-style and serial mice
- Add a second control center up to 150 feet away
- AutoBoot™ feature boots computers without operator intervention
- Each unit controls from 2 to 8 PCs;
cascade up to 12 units



**For Macintosh support, ask
about our new Mediator™ for Macintosh!**

COME SEE US AT

Networks Expo in Boston MA, Feb. 14-16, 1995 Booth #115 &
CeBIT in Hannover, Germany, March 8-15, 1995 Booth #M9, M10

Cybex Corporation
4912 Research Drive • Huntsville, AL 35805 USA
(205) 430-4000 • FAX (205) 430-4030



The Micro International 3600 Notebook

... speak softly
and carry the
fastest book.

\$3110

Dual-Scan Color with 250mb HD - 8mb RAM




The Micro International 7500 Notebook

... or experience
the value of a
"Pentium Lite"

\$1510


Mono with 486SX/33 - 120mb HD - 4mb RAM



Micro International, 10850 Seaboard Loop, Houston, Texas 77099. Top quality service and support *since 1984!*
Full information (including specifications, all options & prices) available by fax or mail on request.
Fax (713) 495-7791 Hours: 8-6 Mon-Fri, 10-1 Sat. Call today toll free:

1-800-967-5667

VM/386TM



Watch your productivity *SOAR!*

With VM/386 version 3.1 you will reach new heights in productivity. VM/386 is an multiple award winning Multiuser/Multitasking DOS product that allows a single host 386/486/Pentium PC host to act as a true MultiUser and/or MultiTasking server. The SingleUser version allows the host PC to run multiple applications at the same time. The user has complete control over their operating environment. Since VM/386 version 3.1 supports Windows 3.1 and DPMS programs it also supports standard DOS applications. You may run windows in one session while running a DOS communications program in another session.

Included free with all versions of VM/386 is Netpak which allows all sessions access to Novell, other networks, CD-ROMs, and other devices.

The MultiUser version includes all of the capabilities of Single User and enables up to 32 users to share a single host PC. The users can be local or remote, serial terminals, graphic stations, or PC's all sharing the processing power and peripherals of the host computer. Applications can run up to 10 times faster than on a Local Area Network. Other features include:

- | | | |
|-----------------------------------|---|----------------------------|
| ■ Remote Management | ■ Uses MS/PC DOS | ■ Low Cost |
| ■ True MultiTasking for all users | ■ Free Terminal Emulator with multiuser version | ■ Printer Sharing |
| ■ No hard disk reformatting | ■ Increased performance | ■ Hard Disk Sharing |
| ■ Simple Installation | ■ Connectivity support | ■ Modem/Fax Sharing |
| ■ Local or Remote capabilities | ■ Low Maintenance | ■ CD-ROM Sharing |
| | | ■ Other Peripheral Sharing |

With more than tens of thousands of installations world wide VM/386 has become a market leader in Multitasking/Multiuser solutions. Applications include: process control, manufacturing control, Retail Point of Sale, Accounting, Wordprocessing, Database, Bulletin Boards, Automotive, Video Store, Restaurant, Software Development, Insurance, Medical, Dental Office, General Business, Remote Access, and many more. For more information on VM/386 or the dealer nearest you please contact us at:



IGC, Inc.
180 Crossen Avenue
Elk Grove Village, IL 60007
U.S.A.

Phone (708) 364-9200
U.S. Sales (800) 866-5597
Fax (708) 593-2790
BBS (708) 593-2789

WE WILL BEAT ANY ADVERTISED PRICE!

**Lifetime
Warranty
on all
MEMORY PRODUCTS**

4901 Morena Blvd.
Suite 1111
San Diego, CA 92117

Fax (619) 581-0125
Customer Service
(619) 581-1439

**TOLL
FREE 800-581-6040**

No surcharge on
credit cards



P.O.s accepted
from
Universities and
Qualified Firms.

WE WANT YOUR BUSINESS!

At Pacific Coast Micro
we guarantee to beat
any advertised price.

Call us for the lowest
price & fastest service
on quality products you
can depend on. And
remember, all of our
memory products have
a Lifetime Warranty.



IDE HARD DRIVES

Pacific Coast Micro specializes in all your storage needs...If you see it advertised
at a lower price, we will BEAT IT!

2 Year Warranty **Maxtor**

MODEL	SIZE	SPEED	TYPE	PRICE
7345A	345MB	14MS	3.5" IDE	\$164
7405	405MB	10MS	3.5" IDE	180
7540	540MB	11MS	3.5" IDE	229

2 Year Warranty **CONNER**

MODEL	SIZE	SPEED	TYPE	PRICE
CFA210A	210MB	13MS	3.5" IDE	\$150
CFA420A	420MB	12MS	3.5" IDE	179
CFA540A	540MB	10MS	3.5" IDE	255
CFA1080A	1.08GB	10MS	3.5" IDE	459

2 Year Warranty **Seagate**

MODEL	SIZE	SPEED	TYPE	PRICE
ST3660	545MB	12MS	3.5" IDE	235
ST9145A6	120MB	11MS	2.5" IDE	210

1 Year Warranty **WESTERN DIGITAL**

MODEL	SIZE	SPEED	TYPE	PRICE
1210	212MB	13MS	3.5" IDE	\$152
2420	425MB	12MS	3.5" IDE	190
2540	540MB	12MS	3.5" IDE	235
2700	730MB	10MS	3.5" IDE	305
AC31000	1.6gb	10MS	3.5" IDE	459

2 Year Warranty **Quantum**

MODEL	SIZE	SPEED	TYPE	PRICE
LPS 540A	540MB	10MS	3.5" IDE	\$219

SCSI DRIVES

MODEL	SIZE	SPEED	TYPE	PRICE
MAXTOR MXT540SL	540mg	9MS	9MS	\$275
CONNER CFA340S	340mg	12MS	12MS	190
CONNER CFP1060S	1.06gb	9MS	9MS	559
SEAGATE BARRACUDA 1 MG CACHE, 7200 RPM, SCSI 2 FAST				
ST12550N	2.1gb	8MS	8MS	\$1275
ST31200N	1gb	9MS	9MS	559

SPECIALS


Maxtor

**540 mg
IDE
\$229**

CONNER

**CFS420A
420 mg IDE
\$179**

MOTHERBOARDS



SUPER MICRO P90 PCI

Byte Magazine - "Best Overall" and
PC Magazine - "Editor's Choice Award"

2mg to 128mg, 4-72 pin Simms, 512K
Cache, 4 PCI, 2 Vesa, 5 ISA, 75, 90, 100
Selectable 8 1/2 "x13

\$999

CYRIX 486 VLB

3VL, 5 ISA Slots, Ami Bios, Opti Chip Set, 256 K-Cache,
upgradeable to 486 DX CPU, 486 DLC 40 VLB W/CPU.....\$185

INTEL 486 VLB

3VL, 5 ISA Slots, Ami
Bios, Opti Chip Set,
Ziffsocket, 256 K-Cache
486 DX 33.....\$229
486 DX2-66.....319
486 DX4-100.....659
486 DX W/O CPU.....105

PENTIUM PCI

3 PCI-5 ISA Slots, Intel
Mercury Chip Set, Phoenix
Bios, Ziffsocket
586 P60.....\$689
586 P66.....809
Pentium Board w/o CPU...219

VIDEO cards....



Cirrus Logic	SVGA VLB 1-2, 1MB Upgradeable to 2MB	\$95
SpeedStar24x	ISA max 1024x768 NL	
	72MHz 24-bit, 16.7 mil. colors	\$119
SpeedStarVL	VL-Bus, 16 mil. WinMark, 1MB,	
	16.7 Mil. Colors, 72MHz	119
ViperVLB	VL-Bus, 74MHz, 2MG VRAM, Weiteck P9000,	
	60 Million WinMark, 2MB	299
Stealth 64 PCI or VLB	2MB	289
Stealth 64 PCI or VLB	4MB	459

CONTROLLER BOARDS

Promise DC4030VL-VLB, IDE Caching Controller	\$119
Adaptec 1542CK-ISA, SCSI Controller	189
Adaptec 2742T-EISA, SCSI Controller	289
IDE/IO card, 2s/1p/1g	15
IDE/IO-VLB, 2s/1p/1g	27
IDE/IO VLB Enhanced	35
IDE/IO VLB High Speed	45

CD ROMS

MITSUMI

FX001D Int., double
speed, 250MS,
16 bit card.....\$134

TEAC

CD-55A, QUADSPIN,
195MS, 600KB
Transfer rate.....\$299

NEC

NEC 3XCDR-510 95MS
Triple Spin.....\$339

TAPE DRIVES

Conner 250	\$145
Colorado Jumbo 250	149
DC2120 Tapes	15

MATH COs

83D8733	\$25
83D8740	33
83S8733	29

CPUs

I486DX2-66	\$245
I486DX33	139
CX486DLC-40	69
CX486DLC-33	59
586 P60	Call
586 P66	Call
586 P90	665
486 DX4100	Call



CREATIVE

DISCOVERY 16

Soundblaster 16,
2 Labtec Speakers,
Double Speed
CD ROM,
Aldus Photostyler,
The New Grolier
MultiMedia Encyclopedia
plus CD Bonus Pack

\$255

CACHE RAM

32K x 8-20	\$ 6.95
32K x 8-15	7.25
32K x 8-12	12.75

D RAM

256x1-80	\$2.00
256x4-80	5.00
256x4-70	5.75
1x1-70	5.75
1x1-80	5.00

SAME DAY SHIPPING AVAILABLE IF ORDER PLACED BY 2:30 P.M. P.S.T. HOURS: MON-FRI 7AM-5:30PM P.S.T. SAT. 9AM-2PM P.S.T.

Shipping is non-refundable • No cancellations on special order items • 20% Restocking fee on refunds within 30 days • No refunds after 30 days • Warranty replacement only • All prices final • Prices subject to change

Circle 187 on Inquiry Card.

Jameco Motherboards



- Motherboards also available without CPU! Call for details
- Diagnostic and operating system software available
- One-year warranty

105321	80286 16MHz w/CPU	\$69.95
115941	80386SX 40MHz w/CPU	\$89.95
117401	80386DX 40MHz w/CPU	\$149.95
79214	80486SX 25MHz w/CPU	\$199.95
116118	80486SLC 66MHz w/CPU	\$249.95
95222	80486DX 33MHz w/CPU	\$399.95
95169	80486DX 50MHz w/out CPU	\$149.95
95231	80486DX 50MHz w/CPU	\$449.95

Complete Line of IC's

RAM Memory

41371	41256-100	256KBx1	\$1.85
41398	41256-120	256KBx1	1.75
42251	511000P-80	1MBx1	6.25
42219	511000P-10	1MBx1	5.95

SIPPS

41451	41256A9A-10	256KBx9	\$12.95
41700	421000A9A-70	1MBx9	47.95
41718	421000A9A-80	1MBx9	46.95

SIMMS

41523	41256A9B-80	256KBx9	\$14.95
41486	41256A9B-10	256KBx9	11.95
41689	421000A8B-80	1MBx8	44.95
41742	421000A9B-60	1MBx9	49.95
41751	421000A9B-70	1MBx9	46.95
41769	421000A9B-80	1MBx9	45.95

NEW Network Gender Changers

- Slim-line - add only 0.44" to existing cable

117719:	Interfaces D-sub 15-pin female to D-sub 15-pin female	\$4.25
117743:	Interfaces D-sub 15-pin male to D-sub 15-pin male	4.95
117727:	Interfaces D-sub 15-pin slide-lock female to D-sub 15-pin locking stud male	4.25
117735:	Interfaces D-sub 15-pin captive-lock female to D-sub 15-pin locking stud male	4.25

Keyboards & Keypad



78271	32-key keypad - RS 232 interface	\$59.95
67432	101-key enhanced	39.95
17128	101-key enhanced (Fujitsu)	69.95

Computer Power Supplies

- Fits most popular desktop, mini vertical and vertical cases
- One-year warranty
- 8088/80286/80386 and compatible
- Built-in fan

19465	150 Watt (8088)	\$59.95
67467	200 Watt (8088/80286)	69.95
19545	200 Watt	79.95
19529	200 Watt mini	69.95
65728	300 Watt	119.95

Graphics/Memory Cards

- 8088/80286/80386 and compatible
- One-year warranty
- Expand your memory or enhance your graphics capabilities

67459	VGA card	\$49.95
104660	Super VGA card	89.95
91230	Monochrome graphics	39.95
93542	16-bit super VGA accelerator	99.95
112141	8MB memory card	129.95

Parallel Printer Cables and Adapter

28695	PPC Adapter	\$5.95
28716	PPC6 6' - straight cable	3.95
28708	PPC12 12' - straight cable	7.95
28741	PPR6 6' - right angle cable	5.95

9-Pin Serial Cable

31721	SAT6 9-pin serial cable	3.95
-------	-------------------------	------

DB25-Pin Extension Cable

39538	25M10M Male to male	6.95
-------	---------------------	------

VESA Graphics Accelerator

For use with AT/compatible computers with VESA local or ISA bus. Provides 1,500% acceleration over standard VGA!

- 1 MB on board memory, expandable to 2MB w/ (8) 256K x 4 DRAM chips
- 24-bit color at 640 x 480 pixels (w/1MB memory)
- Resolutions up to 1280 x 1024 (w/ 2MB memory)
- Includes PageComp 3.1 image editing software

101688 VESA graphics accelerator ...\$139.95

Floppy Disk Drives

- 8088/80286/80386 and compatible
- Additional accessories available

115810	SD800	3.5"/5.25" Combo	\$119.95
74384	FD235J	2.88MB 3.5"	114.95
40774	356KU	1.44MB 3.5"	79.95
17099	FD558	360KB 5.25"	89.95
17101	FD55G	1.2MB 5.25"	89.95
79396	SD540	360KB 5.25"	39.95

Floppy Controllers and I/O Cards

- One-year warranty
- 8088/80286/80386 and compatible

19895	8088 Multi I/O w/ floppy cntr.	\$69.95
19908	286/386 Multi I/O w/ floppy cntr.	59.95
19596	8088 Floppy controller	19.95
19617	Floppy Disk Two-drive controller	34.95
19668	Floppy Disk Four-drive controller	44.95
78713	Serial card 16450 UART	29.95
67053	Serial card 16550 UART	39.95
104678	Serial card - 4 serial port UNIX	69.95
117971	I/O Card 4 serial, 3 parallel	89.95
105611	I/O Card	29.95
105072	VESA IDE super I/O card	29.95

Conner IDE Hard Drives

- One-year warranty

113751	CFS210A	210MB	\$199.95
115764	CFS420A	426MB	249.95
93307	CFA540A	545MB	319.95

Silicon Valley IDE Disk Drive Adapter Cards

- One-year warranty

10233	ADP20	16-bit hard	\$22.95
10250	ADP20F	16-bit hard/floppy	24.95
10268	ADP50	8-bit hard	54.95
10276	ADP60	16-bit hard w/ BIOS	59.95
10284	ADP60F	16-bit hard/floppy w/ BIOS	69.95
74114	ADP65F	16-bit hard/quad floppy drive adapter	89.95
101670	ADP90VL	Super I/O card (VESA)	99.95

Input Devices & Accessories

104441:	PC/XT/386/486/PS2 and compatible computers	
•	Microsoft® Mouse compatible	
•	One-year warranty	• Weight: 1 lb.
104441	3 Button serial mouse	\$13.95
111860	Microsoft two-button mouse	49.95
105515	Dual port game card	19.95
110015	Trackball (serial)	29.95
94641	Pocket auto printer switch	17.95

JAMECO
ELECTRONIC COMPONENTS
COMPUTER PRODUCTS

Everything from Electronic Consumer Products to one of the Largest IC Selections Available!



Call for our new 1995 Catalog today.

Mention
V.I.P.# 285

© 1995 Jameco 2/95

Call 1-800-831-4242 to order today!

**New Hours:
6AM - 5PM PST**

VALUE

Mitsumi Internal CD-ROM Drive

- For use with AT/compatibles with minimum 640K RAM
- Disk capacity: 630MB
- Data transfer rate: 150 KB/second
- Access time: 350 ms
- Includes: CD-ROM drive, interface card, 40-pin interface cable, 4-pin audio cable, CD-ROM software and instruction manual

101311 CD-ROM Drive\$79.95

External 250MB Tape Back-up

- DOS environment supports QIC-40, QIC-80 and PC-36
- P/N 117786 can be used with Norton Back-up or PC Tools Back-up
- P/N 117751 includes easy to use software

117786 Tape backup without software ..\$149.95
117751 Tape backup with software 199.95

Over 6000 Products Stocked

HOT SPECIALS!

Part No.	Description	Price
106569	2400 Baud internal modem	\$29.95
106577	2400 Baud external modem	39.95
114905	9600 FAX/2400 bps modem	59.95
115490	Teac 1.44MB 3.5" drive	59.95
114884	XT/AT parallel card	24.95
116054	XT/AT 2MB memory card	99.95
114585	AT 4MB memory card	109.95
116062	XT/AT 32MB memory card	149.95
112580	Latin 101-key keyboard	39.95
116038	140 Watt power inverter	79.95
116046	300 Watt power inverter	149.95

Portable IC Tester

Our hand-held IC tester is an easy-to-operate, cost effective unit that includes excellent functions.

- Supports TTL, CMOS, DRAM 41, and DRAM 44 series
- Size: 7" L x 3.625" W
- One-year warranty

73525 Portable IC tester.....\$139.95

1 Socket 16K-2MB E(E)PROM Programmer

- Programs EPROM's, EEPROM's, and flash memories
- Programs 16KB to 2MB EPROM's
- Menu driven software
- Full screen buffer editor
- File formats supported: Intel Hex, Motorola S Hex, Tektronix Hex, and Binary
- 2 & 4-way Binary file splitting programs
- 2 & 4-way Binary file shuffler programs
- Includes adapter card, software and manual
- Size: 7" L x 5.5" W x 1.75" H
- One-year warranty

101400 1 Socket 16K-512KB\$129.95
78457 1 Socket 16K-2MB (above).....199.95
78465 4 Socket 16K-2MB Programmer...269.95
104651 1 Socket 16K-8MB Universal.....699.95

286 12MHz Bare-bones System

Includes motherboard, computer case, power supply & keyboard

- Intel 286 12MHz processor
- 1MB RAM
- 1.2MB (5.25") floppy disk drive
- IDE hard/floppy controller
- Five expansion slots
- Two serial & one parallel port

115705 286 12MHz\$149.95

486SX 25MHz Bare-bones System

Includes motherboard, case, power supply & keyboard

- Intel 80486SX-25 CPU
- Memory expandable to 32MB
- 256KB cache memory
- One-year warranty
- 1 parallel, 2 serial & 2 game ports

115959 486SX 25MHz\$349.95

Frequency Counter

- Five modes of operation: Period Mode, Frequency Ratio, Time Interval Mode, Totalize Mode, Self-Test Mode
- Frequency range from 5 Hz to 175 MHz
- Time interval range from 0.5 µs to 200,000 µs
- Totalize up to 99,999,999 counts
- Single and/or multiple events average
- Manual or TTL signal control (for totalizing only)
- 8 digit LED display

118201 Frequency Counter\$149.95

Pentium Heatsink/Fans

117348 Pentium 60/66 heatsink with fan 19.95
118092 Pentium 90/100 heatsink with fan 19.95

Monitors

- 78676:
 - 0.39 mm dot pitch
 - Max. resolution: 1024 x 768
- 66122:
 - Low radiation
 - 0.28 mm dot pitch
 - Max. resolution: 1024 x 768 (interlaced)
- 87978 14" Amber monochrome\$109.95
- 78676 14" Super VGA 269.95
- 66122 14" Super VGA (Low radiation) 349.95

14.4 bps Fax/Modem

- 286, 386, 486 IBM PC & compatible computers
- AT ISA bus compatible
- Includes Bitcom and Biffax software for DOS 3.0 or higher or Windows 3.1
- MNP5 and CCITT v.42 bis data compression
- MNP2-4 and CCITT v.42LAPM data correction
- Supports international CCIT & Bell standards
- Industry standard AT command set
- Tone, pulse and adaptive dialing
- Call progress detection

116599 Internal 14.4 Fax/Modem..... \$99.95

Short Haul Modem

- No external power required
- DCE/DTE selectable
- Xon-Xoff or Hardware handshaking
- RS232 interface
- Up to 38400 baud
- Will communicate over 18 miles (max.) of cable

116581 Short haul modem \$39.95

Get the Best Universal Diagnostics Toolkit on the market!

Works on any PC!

Featuring these two top-rated, award-winning diagnostic tools from MICRO 2000, Inc.:

New Version Release

Call for upgrade pricing & complete new features list!

Micro-Scope 6.0

Fully O/S independent diagnostic software...

MICRO-SCOPE Universal Computer Diagnostics was developed to satisfy the expanding need for accurate system diagnosis in the rapidly growing desktop computer market. Patterned after super-mini and mainframe diagnostic routines, MICRO-SCOPE runs independently of any standard operating system, and is therefore at home on any machine in the Intel world. Speed, ease-of-use, and razor sharp accuracy are a few of the advantages that arise from this system independence, together with an impressive list of functions including the ability to perform low level formatting on every drive currently manufactured, including all IDE drives.

◆ **LOW-LEVEL FORMAT**—Performs Low-level format on all drive types including IDE drives. This function cannot hurt IDE drives. ◆ **USE CONTROLLER BIOS**—Program will access BIOS format built into any hard disk controller—even Controllers yet to be invented. ◆ **O/S INDEPENDENT**—Does not rely on O/S for diagnostics. Talks to PC on hardware level. All tests are full function regardless of O/S (i.e. Novell, UNIX, OS/2). ◆ **TRUE HARDWARE DIAGNOSTICS**—Accurate testing of CPU, IRQ's, DMA's, memory, hard drives, floppy drives, video cards, etc. ◆ **BATCH CONTROL**—All tests, even destructive, may

be selected for testing. ◆ **ERROR LOGGING**—Automatically inputs errors during testing to an error log. ◆ **AUTOMAPPING**—Automatically bad sector maps errors found on hard disks. ◆ **IRQ DISPLAY**—Show bits enabled in IRQ chip for finding cards that are software driven. (Network, Tape Backup, etc.) ◆ **IRQ CHECK**—Talks directly to hardware and shows I/O address and IRQ of devices that respond. ◆ **MEMORY EXAMINE**—Displays any physical bit of memory under 1 Meg. Very useful for determining memory conflicts. Very useful for determining available memory space. ◆ **SECTOR EDITOR**—Allows the editing of any sector of floppy or hard disk media (even track 0). ◆ **AND MUCH MORE...**—We don't have enough space here for everything this software can do!

POST-PROBE

The only Power-On Self-Test card you need to debug any "dead" PC...

"This is the only card that will function in every system on the market. The documentation is extensive, and not only covers the expected POST Codes for different BIOS versions, but also includes a detailed reference to the bus signals monitored by the card." —Scott Mueller from his globally recognized book, 'Upgrading & Repairing PCs, Second Edition'

◆ Includes pads for voltmeter to attach for actual voltage testing under load. ◆ 4 LEDs monitor +5vdc -5vdc +12vdc -12vdc. ◆ Monitors Hi & Lo clock and OSC cycles to distinguish between clock chip or crystal failure. ◆ Monitors I/O Write and I/O Read to distinguish between write and read errors. ◆ Monitors memory write/ read to distinguish between address line failures and memory chip failures. ◆ Monitors ALE for proper CPU/DMA operation. ◆ Monitors Reset to determine if reset is occurring during POST, indicating short. ◆ Monitors progress of POST without POST codes. ◆ Reads POST codes from any IBM or compatible that emits POST codes. ISA/EISA/MCA. ◆ Compatible with Micro Channel computers. ◆ Dip switch allows easy selection of I/O ports to read. ◆ Includes tri-state **LOGIC PROBE** to determine actual chip failures. ◆ Manual includes chip layouts and detailed POST procedures for all major BIOS's. ◆ **AND MUCH MORE...**

Also ask about our other Universally Compatible Products—

Micro-Scope CLIENT: The practical answer to remote diagnostics (no modem required).

THE COMPUTER CONSULTANT: 100% accurate realtime benchmarking tool.

Micro-Scope CENSUS: Inventory software to see and record what's inside all of your PCs.

911-Recover: Foolproof data recovery for everyone.

Winners of these awards:



"You name it, this tests it. If you maintain PC's, you'll love it."
—Jerry Pournelle,
BYTE Magazine, May 94



Govt. Serv. #: GS-00K-94AGS-5396

Call Now for Special Pricing: **1-800-864-8008** or Fax (818) 547-0397

1100 East Broadway, Suite 301, Glendale, California • Phone 818/547-0125 • Fax 818/547-0397

International Orders please call: MICRO 2000 Australia: 61-42-574144 • MICRO 2000 Europe (UK): 44-462-483-483

Circle 174 on Inquiry Card.

MICRO 2000

Make your PC peripherals Macintosh compatible!

Mediator lets you use your PS/2 style peripherals as if they were connected directly to your Mac! Use the Cybex AutoBoot Commander™ in conjunction with the Mediator to control a mixture of PCs and Macs from a single keyboard, monitor and PS/2 mouse. Or allow several users to share your Macintosh with the PC-Expander Plus™. With the Mediator, going multiplatform is easy!

- Works with most Macintosh® computers with detachable monitors
- Supports VGA, SVGA and Macintosh HiRes video
- Supports PS/2 style keyboard, mouse or peripherals

For Sun® workstation support, ask about our Mediator for Sun!




Mediator™ for Macintosh

Control up to four PCs or file servers with just one keyboard, monitor and mouse!

Get the same great features of our AutoBoot Commander in a smaller, more 'personal' size. Measuring under 8" across, the Personal Commander lets you work smarter in cramped areas!

- Supports all 100% IBM compatible PCs, with optional Macintosh and Sun workstation support available
- KeyScan™ feature allows for keyboard controlled channel scanning and switching
- Built-in support for PS/2 and serial mice
- AutoBoot feature boots computers without operator help

To control more than four PCs, Macs, or Sun workstations, ask for our AutoBoot Commander!




Personal Commander™

COME SEE US AT
Networks Expo in Boston MA, Feb.14-16, 1995 Booth #115 &
CeBIT in Hannover, Germany, March 8-15, 1995 Booth #M9, M10

IBM, PC and PS/2 are registered trademarks of International Business Machines Corp. Mac is a registered trademark of Apple Computer, Inc.

Cybex Corporation
4912 Research Drive • Huntsville, AL 35805 USA
(205) 430-4000 • FAX (205) 430-4030



Own a PC? What would happen if you lost all your data?

Death, Taxes and Data Corruption

◆ Eventually your hard disc will crash. The floppy disc with your *only* copy of that vital contract will become corrupted. We live in an imperfect world and data loss is one of the dangers we all face. ◆ The wrong thing to do is worry about your data—the right thing to do is to protect yourself from the inevitable. Introducing a way to cheat fate—**911-Recover**.

Automatic Data Recovery

◆ **911-Recover** will automatically repair any software structure problems on hard or floppy discs even if the disc is not accessible from the operating system. ◆ **911-Recover** has a unique **Disc Analyzer** which is capable of determining the exact nature of any problem in your disc's partitions, master boot sector, volume boot sector, root directories, sub directories, 1st and 2nd File Allocation Tables (FATs) and the file structures themselves. ◆ You don't have to know all that technical stuff—but if you're a more advanced user, **911-Recover** offers some unique and extremely powerful features.



Repairs Files Damaged by Other "Recovery" Software

◆ Some competing data recovery programs can damage files that *could actually be recovered*. Don't worry—if your data is still on the disc, **911-Recover** can get it back! ◆ It's like having your own Data Recovery House in a box, except that you can do it yourself, and get your data back **RIGHT NOW!**

Be Prepared When Catastrophe Strikes... Order your copy now! Don't wait for your hard drive or floppies to crash.

Call: **800/864-8008**
or **818/547-0125**
Fax **818/547-0397**

System Independent – Works with MS DOS, Windows, Novell and O/S2.

MICRO 2000, Inc.
1100 E. Broadway, Suite 301
Glendale, CA 91205

**MICRO
2000**



Typhoon
SERIES

Announcing New Typhoon Laser Printers

**FORGET THE 'JET...
POWER UP A TYPHOON!**

Is your LaserJet® tossed about in the turbulence of a complex network? Our new Typhoon laser printers with VPT™ support 4 protocols and over 20 network operating systems. They'll handle your mixed-platform network.

Do you find your printer limiting? You need the versatility and power of a new Typhoon 8, 16 or 20. We've got desktop printers that handle paper sizes up to and beyond 11"x17" with 3 input trays and resolutions up to 1200 dpi!

So forget the 'Jet. Remember, even the biggest 'jets stay in the hangar when a Typhoon's around. Call us to solve your printing problems.



Adobe PostScript
yes
SCO OK

1-800-980-0374
Dataproducts

© 1994 Dataproducts Corporation. Dataproducts is a registered trademark and VPT is a trademark of Dataproducts Corporation. LaserJet is a registered trademark of Hewlett-Packard Company.

It's easy to get attached to your notebook.



Notebook to SCSI instantly.

Now notebook PC users won't have to give up their favorite desktop peripherals. Adaptec connects virtually any notebook to virtually any SCSI peripheral including CD-ROM, hard drives and tape drives. It's the quickest way to tap into your database or access high quality graphics from anywhere. The MiniSCSI™ Plus kit and the MiniSCSI EPP kit connect SCSI to your parallel port. The SlimSCSI™ kit is for PCMCIA connectivity. All three include software that is fully compatible with Windows and DOS. See your dealer or call **1-800-934-2766**.



adaptec

I/O. NOW MORE IMPORTANT THAN EVER.

©1994 Adaptec, Inc. All rights reserved. Adaptec, the Adaptec logo, IOWare and SlimSCSI are trademarks of Adaptec, Inc. which may be registered in some jurisdictions. MiniSCSI is a trademark of Trantor Systems Limited, an Adaptec company. All other trademarks belong to their respective owners.



The Series 2/Model SX-23e Digital Audio Processor

16-bit, 64x oversampling Sigma Delta
ISO/MPEG Layer I/II & Dolby AC-2 Coding
AES/EBU/ S/PDIF Digital I/O
Balanced & Unbalanced Analog I/O
0-26 dB Software Selectable Levels
Dual Stereo w/Cross-fading
90+ dB Broadcast Quality

We've Made It Perfectly Clear.

The most advanced, innovative and best sounding digital audio adapters come from Antex. That's why they're preferred by OEMs and integrators worldwide for broadcast, recording and multimedia applications.

The Antex product line capabilities include:

- Multiple compression formats - ISO/MPEG, Dolby AC-2, CDI, CD-ROM XA, MS ADPCM, IMA
- AES/EBU/ S/PDIF digital I/O
- Balanced/unbalanced analog I/O
- Digital level control
- Programmable floating point DSP
- Onboard EEPROM for software security
- 16-bit stereo, 64x oversampling Sigma Delta
- High-level DOS/Windows/NT drivers
- Dual-device and multiple adapters
- 32-voice wavetable synthesis
- SCSI/MIDI interfaces
- Waveform visualization tools

ANTEX
digital
AUDIO

The difference is clear.

800/338-4231 • 310/532-3092 • FAX 310/532-8509
16100 South Figueroa Street • Gardena, California USA 90248

Circle 176 on Inquiry Card (RESELLERS: 177).

RACK MOUNT PC SYSTEMS & ENCLOSURES

MULTIPLE DRIVE COMPUTER SYSTEMS AND ENCLOSURES



- ◆ Computers available with '386, '486, or Pentium processors
- ◆ 8 or 12 slots for Motherboards or passive backplanes
- ◆ All drive bays are shock mounted
- ◆ Accommodates full height & full length cards
- ◆ Card retainer to firmly hold plug-in cards
- ◆ 250W power supply w/ front panel on/off switch
- ◆ Front panel keylock/reset switches & LED status displays



DC 24V and 48V power supplies available for systems & enclosures

SYSTEMS WITH 9" MONO & 10" SVGA COLOR MONITORS

- ◆ Computers available with '386, '486, or Pentium processors
- ◆ 8 or 12 slots for motherboards or passive backplanes
- ◆ Shock Mounted cage for three half-height front panel drives
- ◆ Internal hard drive bracket holds two half-height drives
- ◆ 9" MONO or 10" SVGA color monitors with front panel controls
- ◆ 250W power supply with front panel ON/OFF switch
- ◆ Front panel keylock/reset switches and LED status displays



Available in both 20" and 24" deep models

**TFT COLOR
& EL VGA
models available!
Connects directly
to standard
VGA output!**

RACK MOUNT MONITORS



- ◆ 9" MONO & 10" SVGA color monitors
- ◆ Tinted Lexan shield for screen protection
- ◆ Power, Contrast & Brightness controls in front



- ◆ 14" SVGA & Multi-Sync color monitors
- ◆ Automatic degaussing
- ◆ Standard 15-pin input connector



- ◆ 17" Ultra VGA 0.26 dot pitch color monitor
- ◆ Microprocessor controlled digital adjustments
- ◆ Energy-Star & MPR-II compliant



**Call us for quotes on custom rack mount systems!
Ask us about Passive Backplanes and open-frame monitors!**

RACK MOUNT KEYBOARDS AND ENCLOSURES



- ◆ Vertical rack mount or desktop
- ◆ Sealed membrane 101 keys
- ◆ Selectable on/off audible tone
- ◆ XT or AT operation



- ◆ 101 K/B with mouse holder
- ◆ Full travel (4mm) keys
- ◆ Optional protective cover




- ◆ Standard 101 keyboard enclosure
- ◆ Storage space for K/B and mouse
- ◆ Slides for rack included

RACK MOUNT PRINTER



- ◆ Microline 184T dot matrix printer
- ◆ IBM compatible graphics characters
- ◆ All operator controls easily accessible
- ◆ Large storage for roll or fanfold paper
- ◆ Standard IBM parallel printer interface
- ◆ Serial printer interface also available
- ◆ Slides, power & signal cables included

UniMod™ MODULAR COMPUTER SYSTEMS



- ◆ Independent self-contained 4 or 8 slot computer modules
- ◆ Individual module power supply and filtered cooling fan
- ◆ Available with '386 or '486 CPU's & various memory & hard drive sizes
- ◆ 7" TTL Mono or 7" VGA color or mono monitors available for further flexibility
- ◆ Multiple configurations can be combined in 7 inches of vertical rack space
- ◆ Available with either AC or DC power supplies

**NOW
in both
4 & 8 Slots**



Call us for UniMod™ combinations and quotes

RECORTEC, INC.

1290 Lawrence Station Road, Sunnyvale CA 94089
Tel: (408) 734-1290 Fax: (408) 734-2140

RACKFAX™
(408) 734-9374

Fax-On-Demand System

800-729-7654

Call for free catalog



Circle 171 on Inquiry Card.



LASER POINTER \$49.95

For presenting, directing, and conferencing.


Metal plating with Solid brass body creates a sense of beauty.

Shock resistant of 2-meter height.

Runs on two "AAA" size batteries.

Attracts the attention of the audience.

Full 1 year factory warranty.



800-520-8435



Taiwan Patent 66982 & 80712
German Patent G 93 04 919.6
U.S.A. Patent 5, 193,099
Worldwide Patent Pending
FDA Approved

Available in black and silver.

ALSO AVAILABLE, THE SUPER INFINITER,
5 TIMES BRIGHTER FOR \$99.

Reps and Distributors Wanted

Quarton USA Ltd. Co.
7042 Alamo Downs Parkway, Suite 250
San Antonio, Texas 78238-4518, U.S.A.
Tel: (210) 520-8430
Fax: (210) 520-8433
Outside U.S.A. Fax 886-2-6432000
Quarton Inc., Taiwan

REMOTE CONTROL VIA TCP/IP!

NEW

Remotely Possible/Sockets

Avalan Technology announces the World's first remote control software to support TCP/IP via Windows Sockets. With

Remotely Possible/Sockets you can now control any PC on your network using any vendors TCP/IP product, including:

Microsoft (32/16 bit)
Novell's LAN WorkPlace
FTP Software
Distinct
NetManage

Wollongong
SCO
Beame & Whiteside
Frontier Technology
and others...

Remotely Possible/Sockets is licensed per user with packages starting at \$298.

Other products available from Avalan:

Remotely Possible/Dial - Supports over 200 modems at speeds up to 230,400 bps. including V.Fast, PCMCIA, and ISDN adapters. NASI, Int 14, and Telebit ACS support. \$199 licensed for 2 PC's.

Remotely Possible/LAN - Supports all networks including Novell Netware, Windows for Workgroups, and Netbios. Includes one Remotely Possible/Dial product. \$599 unlimited users per site.

"Package Rules Windows PCs
Over TCP/IP"
PC Week/Netweek 10/94



REMOTELY POSSIBLE

Features:

- ✓ Work from home via TCP/IP's SLIP and PPP.
- ✓ Remote control via any TCP/IP network including the Internet. Unlimited Address Books.
- ✓ Run DOS applications under Windows.
- ✓ Error free bi-directional file transfers.
- ✓ Print at either location or simultaneously at both.
- ✓ Connect monitors of different resolution and color.
- ✓ No TSR required, 100% DLL design requires no DOS memory; under 200Kb Windows memory.
- ✓ Runs over routers and bridges.
- ✓ Uses existing Windows drivers.
- ✓ Excellent free technical support with 24 hour BBS.
- ✓ Faster and more reliable than PC Anywhere, Carbon Copy, Close-Up and Reachout!

Introductory Offer

Remotely Possible/Sockets

Only \$99.00 a \$199.00 savings!

Plus S & H - Limited time only!


AVALAN
TECHNOLOGY

P.O. Box 6888
Holliston, MA 01746
Tel: 508-429-6482 Fax: 508-429-3179
E-mail: 76206.3602@compuserve.com

800-441-2281

In German Speaking Countries:
SoftKlone/Guarda Distributing

Tel: 49-89-395567 Fax: 49-89-392148



Serving you since 1979

JDR Microdevices®

1850 SOUTH 10TH STREET, SAN JOSE CA 95112-4108



**Special Prices for
Byte Buyers!**
Good Through 4/30/95
To receive these special
prices, you must mention
key code #1062

Conner IDE Hard Drives

Designed primarily for laptop and desktop computer systems, Conner hard drives offer low power consumption, high-reliability and a low-cost interface. Based on 3-1/2" IDE technology, these drives are designed to withstand intense amounts of shock. Each features a look-ahead read buffer, automatic head retraction and high-performance, voice actuated heads. The low power requirements enable battery operation in laptop and notebook environments. New power-saving commands support "Green PC" applications.



CFS-210A	213Mb, 14ms, 32Kb, IDE	179.95
CFS-420A	426Mb, 14ms, 32Kb, IDE	239.95
CFA-540A	540Mb, 12ms, 256Kb, IDE	299.95
CFA-850A	850Mb, 12ms, 256Kb, IDE	469.95
CFA-1275A	1.08Gb, 12ms, 256Kb, IDE	629.00

CONNER

FREE JDR CATALOGS!



**PC PRODUCTS
AND ELECTRONIC
COMPONENTS**

**CALL
TOLL-FREE**

1-800-538-5000

3-1/2" Floppy Drives

These value-priced 3-1/2" floppy drives offer compact size, high density & improved reliability!



FDD-1.44A	Beige faceplate	\$59.95
FDD-COMBO	3-1/2" & 5-1/4" combo drive	\$109.95

	Quantity:	250	50
3.5HD-BULK	3-1/2" 1.44Mb DS/HD disks	.43 ea	.49 ea
MD2H-BULK	5-1/4" 1.2Mb DS/HD disks	.41 ea	.45 ea

IDE F/H Controllers

Combine your most frequently used I/O ports in one card! This card integrates serial, parallel and game ports with an IDE hard disk interface & floppy controller.



MODULAR CIRCUIT TECHNOLOGY		
MCT-IDEIO	Multi-I/O IDE controller	\$49.95
MCT-IDEFH	IDE Floppy/Hard controller	\$29.95

\$49.95
BYTE Special

OverDrive™ Processors

BOXDX40DP100	Plugs into 33MHz 486SX or 486DX	\$529.00
BOXDX40DP100	Replaces 33MHz 486SX or 486DX CPU	\$529.00
BOXDX40DP75	Plugs into 25MHz 486SX or 486DX	\$439.95
BOXDX40DP75	Replaces 25MHz 486SX or 486DX CPU	\$439.95
BOXDX20DP-66	Plugs into 33MHz 486SX or 486DX	\$229.95
BOXDX20DP-66	Replaces 33MHz 486SX or 486DX CPU	\$229.95



intel

10BaseT Concentrators

This concentrator terminates all all your cables in one location and combines all of the signals to a single thin Ethernet or 10BaseT cable.



HUB-008	8 port version	\$169.95
HUB-016	16 port version with thick adaptor	\$399.95

90MHz PCI Motherboard

This motherboard supports both VESA Local Bus and PCI Local Bus.



• 90MHz Pentium™ Processor with 16Kb internal cache memory		\$1099 BYTE Special
MCT-M586-90		\$1099.00
MCT-M486VL-66	66MHz 486DX2 motherboard	\$399.95
MCT-M486VL-33	33MHz 486DX motherboard	\$329.95
MCT-M386SX-33	33MHz 386SX motherboard	\$129.95

SPECIALS FOR BYTE CUSTOMERS ONLY!

Fax/Modem/Phone Switch

This fax switch lets you use just one telephone line for your phone, fax, modem and answering machine.



- Accepts tone or pulse access codes
- User-programmable access codes and ring counter to control junk faxes

FAXM-SWITCH \$89.95

Dynamic RAM

**DUE TO CURRENT MARKET CONDITIONS,
CALL FOR CURRENT DRAM PRICES!**

Part #	Size	Speed	Type	Price
1MX9-80X3	1M x 9	80ns	SIMM	44.95
1MX9-60X3	1M x 9	60ns	SIMM	46.95
4MX9-80X9	4M x 9	80ns	SIMM	169.95
16MX9-70X9	16M x 9	70ns	SIMM	699.00
1MX36-70	1M x 36	70ns	SIMM	159.95
SPECIAL FOR BYTE CUSTOMERS ONLY!				
2MX36-70	2M x 36	70ns	SIMM	379.95
4MX36-70	4M x 36	70ns	SIMM	699.00

14,400 Fax/Modem

This external modem can give you up to 24 times the data transfer of a standard 2400 bps modem.



• 14,400/12,000/9600/4800/2400 bps modem and fax		\$99.95 BYTE Special
• Hayes AT command set compatible		
GVC-144EF		\$99.95

Discovery CD16



This multimedia kit includes the accessories you need to properly experience today's multimedia adventures! The kit combines a double-speed CD-ROM drive and matching Sound Blaster 16 card with a pair of matched high-performance speakers, plus an array of educational applications.

- 16-bit PC compatible ISA card requires Windows 3.1 and 386 or higher
- Double-speed CD-ROM drive reads data up to 300Kb per sec, 320ms access time
- MPC level 2 and Multisession Photo CD compatible CD-ROM is XA ready

DISC-CD16 \$239.95

JDR Price Guarantee

**If you purchased any item from
JDR Microdevices in the last
30 days and we've lowered
our price, call us with the
details and we'll promptly
refund the difference**

Microsoft Keyboard

This split keyboard features a built-in palm rest and a sloped, split-key design for less stress to your wrists. PC compatible keyboard features new graphical Task Manager for Windows 3.1



MS-KBD \$94.95



Sales 1-800-538-5000

**Toll-Free Fax Ordering
1-800-538-5005**

**Local/International
1-408-494-1400**

**Order
24-Hours-A-Day
By Phone or Fax**

KEY
CODE 1062

TERMS: For shipping & handling include \$5.00 for ground & \$7.50 for air. Orders over 1 lb. and foreign orders may require additional shipping charges—contact our Sales Dept. for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative. JDR, the JDR logo, JDR Microdevices, and the MCT logo are registered trademarks of JDR Microdevices. Modular Circuit Technology is a trademark of JDR Microdevices. Copyright 1995 JDR MICRODEVICES. Other trademarks are the property of their respective owners.

540MB IDE Drive \$219

28.8k V.FC Modem \$119

(800)-369-5411

Sales: 718-853-7888 Fax: 718-854-1820

Compustar Computers

61A Church Ave. Brooklyn, NY 11218

HARD DRIVES

Maxtor 540MB IDE Drive.....	\$219
Maxtor 546MB IDE Drive.....	\$239
Maxtor 420MB IDE Drive.....	\$179
Maxtor 340MB IDE Drive.....	\$159
Western Digital 420MB IDE Drive.....	\$199
Western Digital 540MB IDE Drive.....	\$239
Western Digital 730MB IDE Drive.....	\$349
Western Digital 1.0GIG IDE Drive.....	\$449
Micropolis 1.05GIG IDE or SCSI.....	\$529
Micropolis 1.7GIG SCSI Drive.....	\$889
Jumbo 350MB Tape Drive.....	\$169
Jumbo 700MB Tape Drive.....	\$299

CD-ROM DRIVES

Sony Double Speed Drive.....	\$109
Mitsumi Double Speed Drive.....	\$119
Panasonic Double Speed Drive.....	\$129
TEAC Quad (4x) Speed Drive.....	\$309
Toshiba 120ms Quad Speed Drive.....	\$349

SOUND CARDS

Sound Blaster Pro Deluxe.....	\$69
Sound Blaster 16 Basic.....	\$99
Sound Blaster AWE-32.....	\$239

MULTIMEDIA

MediaVision/Microsoft Multimedia Kit.....	\$239
<i>Includes: PAS 16, Sony DS CD-ROM, Speakers, MS CD-ROM Bundle</i>	
TEAC Quad Multimedia Kit.....	\$389
<i>Includes: SB16, TEAC 4x CD Drive, Stereo Speakers, CD Software</i>	

MOTHER BOARDS

All Mother Boards 256k Cache & ZIF Socket	
TYPHON 486DX/DX2 3VL/7 ISA AMI-BIOS.....	\$89
ASUS 486DX2/DX4 3VL/7 ISA 30/72pin ram slots.....	\$99
OPTI 486DX/P-5 3VL/7 ISA 30/72pin ram slots.....	\$259
OPTI P5 60/66MHz 2VL/4 PCI/3 ISA AMI-BIOS.....	\$289
INTEL P5 60/66MHz 3PCI/4 ISA AMI-BIOS.....	\$289
ASUS P54C 90MHz 2VL/4 PCI/3 ISA AMI-BIOS.....	\$289
OPTI P54C 90MHz 2VL/4 PCI/3 ISA AMI or AWARD.....	\$329
INTEL Platinum P54C 90MHz 3 PCI/4 ISA.....	\$329

PROCESSORS

AMD 486-66DX2.....	\$189	Intel 486-66DX2.....	\$209
AMD 486-80DX2.....	\$229	Intel 486-100DX4.....	\$489
AMD 486-100DX4.....	\$359	Pentium P5 60MHz.....	\$389
Pentium P5 66MHz.....	\$439	Pentium P54C 90MHz.....	\$589

GRAPHIC CARDS

<i>"Win Turbo / Win Boost" ATI Mach-64</i>	
ATI Mach-64 VLB or PCI 2MB VRAM.....	\$279
Diamond Stealth-64 VLB/PCI 1MB/2MB VRAM.....	\$189/\$299
Diamond Stealth-24 VLB 1MB DRAM.....	\$129
Orchid Kelvin-64 VLB/PCI 1MB/2MB RAM.....	\$159/\$199
Trident 9400CXi VLB 1MB DRAM.....	\$69
S-3 Chipset VLB 1MB DRAM.....	\$69

MEMORY

1X9 (3-Chip) 1MB 30pin SIMM.....	\$39
4X9 4MB 30pin SIMM.....	\$149
4MB 72pin SIMM.....	\$149
8MB 72pin SIMM.....	\$299
16MB 72pin SIMM.....	\$499

MODEMS

<i>All Modems Listed Are Internal</i>	
28.8k V.FC/v.32 Data/Fax Modem.....	\$119
14.4k v.32 Data/Fax Modem.....	\$69
US Robotics Sportster 28.8k V.FC Data/Fax Modem.....	\$199
ZOOM 14.4k v.32 Data/Fax Modem.....	\$79
ZOOM 28.8k v.34/V.FC Data/Fax Modem.....	\$189
"MultiMedia" 14.4k v.32 Data/Fax/Voice mail Modem.....	\$89

MONITORS

Arche 14" .28 dot pitch SVGA..NL.....	\$219
Arche 15" .28 dot pitch SVGA..NL.....	\$319
I-Three14" .28 dot pitch SVGA..NL.....	\$209
ViewSonic 15E 15" .28 dot pitch SVGA..NL.....	\$369

CONTROLLERS

VLB 2 IDE Drive Multi I/O Controller.....	\$19
VLB 4 IDE Drive Multi I/O Controller.....	\$39
VLB SCSI2, IDE, Multi I/O.....	\$149

ACCESSORIES

1.44MB/1.2MB Combo Floppy Drive.....	\$99
1.44MB 3.5" Floppy Drive.....	\$39
1.2MB 5.25" Floppy Drive.....	\$49
101-key Enhanced Soft Click Keyboard.....	\$19

NETWORK

<i>NetWare Tested & Approved</i>	
NE2000 EtherNet Combo Card (10Base-T & 10Base-2).....	\$35
NE2000 EtherNet 10-Base-T Card.....	\$29

POWER PRINTING - 150,000 cps



Plug the BuffPort™ into your PC and print to any parallel printer or device. Transfer data from your PC as fast as the printer can accept it, up to 150,000 cps. (A standard PC parallel port is typically limited to about 10,000 cps.) Use the BuffPort with the HWP for a 150,000 cps printer sharing system!

If you have an older printer that does not have an high-speed interface, then connect a CPR buffer to the end of your printer cable and send from the BuffPort at 100,000 cps. The CPR also works as a printer buffer with a standard PC parallel port, but would be limited to the PC port's speed.



BUFFALO is a registered trademark of Melco, Inc. BuffPort is a trademark of Buffalo, Inc.



SIMMs:

- 1 x 36 & 32
- 2 x 36 & 32
- 4 x 36
- 4 x 8, 1 x 3

PCMCIA



Printer Sharing:

- SL 6 ser. & 4 par.
- SLP 2 ser. & 8 par.
- HWP 5 parallel ports
- HXM 2 ser. & 2 par.
- HXS 4 serial ports
- ASB 5 parallel ports

(800) 345-2356

2805 19th St. SE, Salem, OR 97302-1520 FAX: (503) 585-4505

Typical glare filters too **dark?***Your solution is***GLAREBAN LITE®**

- Reduces glare yet increases light transmission.
- Perfect for today's VGA high resolution monitor.
- Straining over "washed out" monochrome terminal? Glareban Lite® enhances contrast - provides crisp, clean viewing.

VIZIFLEX SEELS, INC.

16 E. Lafayette St., Hackensack, NJ 07601
(201) 487-8080 • Fax: (201) 487-6637

Contact us for our **FREE** computer accessory catalog and promotional offers.

Circle 206 on Inquiry Card (RESELLERS: 207).

SILICON WAREHOUSE
HARD DRIVES**CONNER**

420 MB CFS420A 14MS 3.5" HH IDE \$193
540 MB CFA540A 12MS 3.5" HH IDE \$255
850 MB CFA850A 12MS 3.5" HH IDE \$349
1060 MB CFP1060S 9MS 3.5" HH SCSI \$559
1080 MB CFA1080A 12MS 3.5" HH IDE \$535
1275 MB CFA1275A 12MS 3.5" HH IDE \$555

Seagate

428 MB 3491A 12MS 3.5" HH IDE \$201
545 MB 3660A 12MS 3.5" HH IDE \$245
2150 MB 12550W 8MS 3.5" HH SCSI \$1185
2150 MB 12550W 8MS 3.5" HH SCSI \$1279
2150 MB 32550W 8MS 3.5" HH SCSI \$1219

WESTERN DIGITAL

425 MB AC2420 12MS 3.5" HH IDE \$206
540 MB AC2540 11MS 3.5" HH IDE \$254
730 MB AC2700 10MS 3.5" HH IDE \$303
1080 MB AC31000 10MS 3.5" HH IDE \$479

Maxtor®

546 MB 7546A 12MS 3.5" HH IDE \$239

MICROPOLIS®

1050 MB 4110 8.5MS 3.5" HH SCSI \$548
1050 MB 4110A 8.5MS 3.5" HH IDE \$548
1600 MB 2217A 9MS 3.5" HH IDE \$898
1800 MB 2217 9MS 3.5" HH SCSI \$898
4300 MB 3243 8.5MS 3.5" HH SCSI \$2099
9100 MB 1991 12MS 5.25" HH SCSI \$3249

Chicony**Genoa**
SYSTEMS CORPORATION**MAGITRONIC Motherboards**

486DX2 66 3 VLB AMD CPU AMI BIOS 256K \$336
PENTIUM 60 3 PCI 3 VLB 3 ISA INTEL CPU 256K \$669
PENTIUM 66 3 PCI 3 VLB 3 ISA INTEL CPU 256K \$789
PENTIUM 90 4 PCI 2 VLB 3 ISA INTEL CPU 256K \$979

Call for Memory, CD-ROMs, and All Other Pricing

(800) 347-4887

Government / University P.O.'s Accepted

Circle 225 on Inquiry Card (RESELLERS: 226).

RISC BASED MULTIPOINT CARDS

MS-DOS, LINUX, SCO UNIX, UNIXWARE-SVR4, XENIX

PROMOTION*
\$99 RI 11/12
\$199 DB 25

APPLICATION

On MS-DOS: Use to connect pool of modems, serial devices (POS). Software based on INT14 interface and communication library.

On UNIX: Connect terminals, modems, printers, serial devices

FEATURES

- 8/16 ports ➢ Easy Installation
- High Performance (115 Kbps)
- Full Modem Support (DB25)
- Half-Size SMD Card ➢ Hardware & Software Included ➢ 5 years warranty



*1st TIME BUYER

Cyclades Corporation • Fremont, CA (USA)

TEL 800.347.6601 or 510.770.9727 FAX 510.770.0355 e-mail cyclades@netcom.com

Visa & Mastercard welcome
30 days money back guarantee

Circle 229 on Inquiry Card (RESELLERS: 230).

Thinking of Bar Codes...**Think Videx!!**

If you need a quality bar code reader small enough to fit in the palm of your hand, Videx has a bar code reader for you.

The TimeWand I offers credit-card sized portability, ideal in time and document tracking applications. The rugged DuraWand can take the punishment typically found in

delivery and security applications. The TimeWand II offers the durability and computing power necessary in applications ranging from hospital patient care to warehouse inventory.

Call today to receive a free information kit on Videx portable bar code readers.

1105 N.E. Circle Blvd., Corvallis, OR 97330
503-758-0521 • Fax 503-752-5285



Videx, TimeWand, and DuraWand are registered trademarks of Videx, Inc. GCO462B

Circle 205 on Inquiry Card.

CONTROL
ALL YOUR PC SERVERS**FROM ONE KEYBOARD, MONITOR AND MOUSE***with MasterConsole®***COMPARE QUALITY AND PRICE PERFORMANCE!**

- Save Space, Cut Costs & Centralize Control with 100% Reliability
- "Plug and Play" Any Mix of ATs & PS/2s; Supports PS/2 & Serial Mouse & All Video
- Desktop or 19" Rackmount Models for 2, 4, 8, 16 PCs, Expand to 64
- Keyboard & Mouse Emulators for Error Free PC Operation and Autoboot
- AUTOSCAN™ to Monitor All PCs
- Remote Access up to 150 Feet
- Thousands in Use Worldwide GSA Schedule for US Fed. Govt.

**NEW**
P Models
shipping*"No other solution stacks up."***CALL TODAY!**
(908) 874-4072 X 71

RARITAN COMPUTER, INC. 10-1 Ilene Court, Belle Mead, NJ 08502 Fax (908) 874-5274

30-DAY MONEY BACK GUARANTEE FULL 1-YEAR WARRANTY**INTERNATIONAL:**

France: (33) 1-64 67 64 67
Germany: (49) 180-522-8222
Ireland: (353) 1-454-0589
Italy: (39) 2-66800548
Japan: (81) 3-3255-1517

Korea: (82) 2-412-5775

Netherlands: (31) 10-4423313

Sweden: (46) 020-788850

Switzerland: (41) 22-7532200

Taiwan: (886) 2-218-1117

United Kingdom: (44) 244-520222

INTERNATIONAL RESELLERS INQUIRIES WELCOME — CONTACT RCI (908) 874-4072Circle 218 on Inquiry Card
(RESELLERS: 219).

Rhetorex Voice Processing boards make CTI a reality.

If you're asking "what's CTI," you're missing one of the hottest new technologies going.

Computer Telephony Integration links PC-based computer applications to the telephone network, providing voice/fax mail, interactive voice response, voice/fax servers and more.

Interested? Maybe you're already developing a CTI application. Then it's time to discover Rhetorex.™

For the best value in CTI technology—from our 2 and 4 port DSP-based voice and fax processing boards, to our 24-port platform—give Rhetorex a call. And start making CTI a reality today.



RHETOREX

Rhetorex, Inc., 200 E. Hacienda Ave., Campbell, CA 95008-6617
Tel. (408) 370-0881; Fax (408) 370-1171

All trademarks identified by the ™ symbol are trademarks of Rhetorex, Inc.
All other trademarks belong to their respective owners. © 1993 Rhetorex, Inc.

Circle 203 on Inquiry Card.

LET YOUR COMPUTER DO THE TALKING!

Integrated Voice/Fax Mail

Integrates major voice/fax applications plus program control into one full-featured high performance software. PC-AT/386/486 based. Menu driven. Easy to use. Full support for Rhetorex, New Voice, Dialogic, Bicom, Pika, TTI and Intel voice and fax hardware. Supports up to 32 voice lines and up to 8 fax lines.

Hardware + Software Kits
2 voice lines kit starts at

\$595

Fax-on-Demand lines: 818-368-4566 or
818-368-8848

SigmaTech Software

Tel: (818) 368-6132 Fax: (818) 368-7859
10801 Bismarck Ave., Northridge, CA 91326 USA
(Resellers/Dealers/OEMs/Private labels are welcome)

- Automated Attendant
- Unlimited Audiotex
- Voice Mail
- Talking Yellow pages
- Telemarketing
- Fax Mail
- Fax-on-Demand
- Fax Broadcasting
- Date/Party lines
- Int'l Call Back

Circle 212 on Inquiry Card (RESELLERS: 213).

TARGET YOUR PREY!



Bag Your
Voice Processing
Objective

- ◆ VOICE MAIL
- ◆ AUTO-TRANSFER
- ◆ FAX-ON-DEMAND

Complete your mission
for as little as \$295.

CALL 1-800-685-4884

510-522-3800 • FAX 510-522-5556
We target developers/OEMs

TALKING TECHNOLOGY, INC.
1125 Atlantic Ave. • Alameda, CA 94501



Circle 204 on Inquiry Card.

\$499
q100



PC-in-a-Box

Portable OEM system with core functions of a PC. DOS applications run from ROM with no change. Complete development support is provided. Uses KS-9 F8680 CPU card with 256K SRAM, DOS, PCMCIA, LCD, keypad, 1 srl, 4 hr batt. \$599 q1

KILA
Boulder, CO 80301 USA

Tel 303.444.7737
Fax 303.786.9983

Circle 197 on Inquiry Card.

Rackmount Solutions

RACKMOUNT COMPONENTS - QTY 25 PRICING

Rackmount Chassis 19"x7"x17"	\$131
Rackmount VGA Monitor	\$531
Rackmount Monitor Shelf	\$113
Rackmount Cherry Keyboard Drawer	\$200
RACKMOUNT PLATFORMS - Qty 1 Pricing	
RMS486DX2-66 EISA	\$1593
RMS486DX-33	\$1136
RMS486SX-33	\$915
RMS386SX-33	\$665

RACKMOUNT CHASSIS - 15 Models up to 20 Board Slots
SLOT CPU BOARDS - EISA/ISA 486, 486SX, 386, 386SX
RACKMOUNT MONITORS - Super VGA & Monochrome
RACKMOUNT KEYBOARDS - High Quality Cherry KB
RACKMOUNT SWITCH - Video/KB up to 12 CPUs
RACKMOUNT CABINET - Modular from 21" to 96" high
Exclusive International Distributor Program now Available

VALLEY
TECHNOLOGY INC.

2468 Armstrong Street, Livermore CA 94550
(510) 447-2030 FAX: (510) 447-4559



Circle 210 on Inquiry Card.


PC-based Solutions for Industrial Automation

- Industrial PCs & Workstations
- Enclosures and Card Cages
- 486/386/286 CPU Cards
- RAM/ROM Disks
- Industrial I/O Cards
- RS-232/422/485

1-800-800-6889

1-408-245-6678 in CA
Fax: 408-245-8268

ADVANTECH
750 East Arques Ave.
Sunnyvale, CA 94086



New 88-page Solution Guide **FREE!**

Circle 192 on Inquiry Card.

World's Fastest A/D Cards



- ✓ 12 bit, 60 MSPS
- ✓ 8 bit 40 and 100 MSPS
- ✓ Very Deep Buffers
- ✓ Drivers in C, BASIC, Windows DLL, LabVIEW, LabWindows CVI

CSLITE	8 bit, 40MSPS	\$595
CS250	8 bit, 100MSPS	\$3500
CS1012	12 bit, 20MSPS	\$4995
CS6012	12 bit, 60MSPS	\$6995

GaGe
1-800-567-GAGE

Gage Applied Sciences Inc.
5465 Vanden Abeele, Montreal, QC, Canada H4S 1S1
From outside North America, call +1-514-337-6893
Fax: (514) 337-8411, BBS: (514) 337-4317

Circle 194 on Inquiry Card.

New PC Data Acquisition Boards




Measure volts, thermocouples, RTDs, strain gages, isolated high voltage, and more—up to 256 channels at 10µsec/channel. DOS, Windows, and icon-based software support included.



(216) 439-4091
Fax (216) 439-4093
Iotech, Inc. • 25971 Cannon Rd • Cleveland, OH 44146

Circle 196 on Inquiry Card.

The Intelligent Solution For Data Acquisition



DAP 3200e™ Data Acquisition Processor™

Analog I/O to 768K samples per second
Digital I/O to 1.6M samples per second
Up to 512 analog inputs on one DAP™
Up to 128 digital inputs on one DAP
Up to 66 analog outputs on one DAP
Up to 1024 digital outputs on one DAP

On-board 486; SX, SX2, DX2, or DX4
Real-Time Data Acquisition—Windows or OS/2
Real-Time Process Control—Windows or OS/2
On-board FFT, FIR, PID,
and more
VBX Custom Control

Ask for FREE catalog and demo diskette.
206-453-2345 / fax 206-453-3199
e-mail to info@mstarlabs.com

**MICROSTAR
LABORATORIES™**

2265 116th Avenue NE
Bellevue, WA 98004

Circle 199 on Inquiry Card.

Terminate SCSI Problems!

SCSI Vue™ Terminator

Features:

- Active Regulation
- Status Indicators
- Gold Contacts

Benefits:

- Improves SCSI Bus Performance
- Less Errors; More Reliable Data Transfer

- Diagnoses Problems
- Analyzes Signal Quality



**High-Performance
Active Diagnostic**

• DOS • MAC • UNIX •

SCSI Vue™ Gold Cables



The Ultimate SCSI Cables

3101 Whipple Rd., Union City, CA. 94587
Ph: 510-471-6442 Fax 510-471-6267

Circle 214 on Inquiry Card (RESELLERS: 215).

REMOVABLE STORAGE MODULES



FEATURES & OPTIONS:

- Supports most 3.5" hard drives
- IDE, or SCSI interfaces
- Hot removability
- Key lock ON/OFF security
- Fan cooling option
- Built-in SCSI ID selector switch option
- Ruggedized aluminum or low-cost plastic version
- Power/Drive activity LEDs
- Patent protected

RUGGED RACKMOUNT KEYBOARDS



- 19" rackmount keyboards
- 1U or 1.75" space
- 25 models
- Full travel and membrane types
- IBM PC XT/AT, PS2 compatible
- US and Intl. versions
- Spring-lock front panel
- Serial output 16mm, 2 button trackball

Call Elma at
510-656-3400

ELMA

ELMA Electronic Inc.
44350 Grimmer Blvd.
Fremont, CA 94538
Tel: (510) 656-3400
Fax: (510) 656-3783

Circle 220 on Inquiry Card (RESELLERS: 221).

CUSTOMIZE YOUR KEYBOARD

- Custom Key Imprinting - all brands!
- Custom Colored keys for IBM®, DEC®, Wyse®, Key Tronic®, Cherry®, and more!
- Custom and stock keytop label kits for software support & languages.
- Full color keyboard templates made to your exact specifications.
- Word Perfect Keyboards.
- Cyrillic, Arabic, Hebrew, etc. Keyboards



CUSTOM HOTLINE 800 937-1337
from the leader in Keytop Innovations™

Dept. BYTE, 260 Justin Dr.
Cottonwood, AZ 86326

**Hooleon
CORPORATION**

602 634-7515
FAX 602 634-4620

Circle 195 on Inquiry Card.

Let your **"TRUE COLORS SHINE
THROUGH"** when you advertise your
computer products in the

BYTE

HARDWARE/SOFTWARE SHOWCASE

Call for more details:
(603) 924-2695 or (603) 924-2598

Presenting...

AMREL's **Mighty MAVERICK** series
PENTIUM POWERED NOTEBOOKSPower • Speed • Performance
Upgradability At It's Best!

7.4" Active-Matrix Color LCD

15-pin SVGA Monitor Port
External Keyboard PortUpgradable CPU Design
up to 100MHzInternal 1-1.4M
Fax/Modem

RAM Upgradable to 32MB

Patented Retractable
Trackball3.5" 1.44MB Floppy Disk
Drive

3 Available Docking Solutions:

**Dockstation**

- Full Featured Docking Station
- Four 16-bit ISA Expansion slots
- Two 5.25" Drive Bays
- Auto Eject Function
- Electronic Security System

**Dockunder**

- Compact Docking Station
- Mobile, Office and Industrial use
- Plug & Play
- Built-in UPS
- CD-ROM option
- Remote Power On option

**Docklight**

- Port Expander
- All External Connections
- Plug & Play
- Pre-connect External Components

AMREL TECHNOLOGIES INC. 1-800-88-AMREL
(818)303-6688 • Fax: (818)303-8538 • 11801 Goldring Road, Arcadia, CA 91006

Circle 209 on Inquiry Card.

**3480 & 9-Track
Optical CD ROM Maker**

Windows NT, OS2, Novell Software

- 3480 from \$5995
- CD ROM Maker \$3795
- Optical Storage from \$995
- 9-Track \$995 Complete

CALL 1-800-938-TAPE

Get The Very Best For Less

**Laguna Data Systems**7340 Smoke Ranch Road, Suite C, Las Vegas, NV 89128
Tel: (702) 254-2648 • Fax: (702) 254-0910

Circle 198 on Inquiry Card.

Tape Solutions


QUALSTAR®

...The Tape Experts

- Top Quality
- High Performance
- Proven Reliability
- Easy to Use
- Best Price
- Total Support
- Factory Direct
- Made in the U.S.A.

9-TRACK #
3480/3490Data Interchange for
DOS, NOVELL, UNIX,
WINDOWS AND OS/26709 Independence Ave.
Canoga Park, CA 91303
FAX (818) 592-0116
Tel (818) 592-0061
Tel (800) 468-0680

Circle 202 on Inquiry Card.

IMAGING CARDSVideo Framegrabbers for
the PC/AT/486

- Real time grab/display
- Software with source code
- 60 & 50 Hz. Video
- Machine Vision since 1987
- Money back guarantee

MODEL **1-800-292-1160****-512VL:** VESA bus digitizer. Up to
768 x 480 res, 8 bit grayscale, over-
lay graphics. Fast 32 bit access.
Ideal for machine vision!.....\$795**-512/24:** Full 24 bit color board. 512
x 480 x 24 bit, RGB/Composite
IN/OUT\$595**-512:** 512 x 480 x 8 bit grayscale
machine vision workhorse. Multi res/
Multi image, 4 inputs, input/output
LUTS, ping pong buffers.....\$595**-02/-03:** Lower cost grayscale boards
also available. Custom boards our
specialty.

AMEX/VISA/MC/COD

Control Vision

Box 596 Pittsburg, KS 66762

316-231-6647 Fax: 231-5816

Circle 193 on Inquiry Card.

PC/Mainframe/Mini Information Exchange



- Tape Transfer and Format Conversion
- EBCDIC ↔ ASCII Data Manipulation
- AS/400, TK50, and 1/4" QIC Drives
- UNIX Tar and DEC Save Set Options
- Reseller Inquiries Invited

QuickCopy™ Tape Duplication**READ/WRITE 9-TRACK**
3480 • 8MM • DAT on
YOUR PC NOW!

Call Us ... (317) 842-2077 or

1-800-248-3475

Media Conversion Systems Since 1973

Circle 216 on Inquiry Card (RESELLERS: 217).

Smart Controller**Little
Genius™**
Starting at \$119, Qty 1Z-World's
C-programmable con-
trollers are ideal as the brains for
control and data acquisition applications.
Features include digital I/O to 400 lines, ADCs,
DACs, relays, solenoid drivers, RS232/RS485,
battery-backed RAM, clock, watchdog, LCDs,
keypads, enclosures and more. Use our simple,
yet powerful, Dynamic C™ development
system (\$195 integrated editor, compiler and
debugger) for quick project completion!1724 Picasso Avenue 24-Hour AutoFAX
Davis, CA 95616 916.753.0618.
916.757.3737 Call from your FAX.
916.753.5141 FAX Request catalog #18.

Circle 208 on Inquiry Card.

Let your "true colors shine
through" when you advertise your
computer products in **BYTE's****HARDWARE/SOFTWARE SHOWCASE**our newest, affordable, 4-color
advertising section!

Call for more details:

(603) 924-2695 or (603) 924-2598

ONE-LINE COMMUNICATIONS

THE CHOICE IS SIMPLE.

To integrate your legacy and LAN networks, choose the **CR Systems BRANCH COMMSERVER**, awarded the Certificate of Merit for "Best Internetworking Product" at the International Network+Interop Conference.

ONE BOX. ONE LINE.

The **CR Systems BRANCH COMMSERVER** combines into one box a bridge/router, gateway, converter, LAN hub, FRAD and CSU/DSU. PCs and SNA terminals can communicate with any host/server through one box and over one line. Protocols supported include SDLC, BSC, Async, IPX, IP, NetBIOS, Burroughs Poll Select, Univac UTS, X.25 and frame relay.



Call us today about your internetworking needs.
1-800-732-3664



Phone: 404-767-8230 FAX: 404-767-1372

Circle 234 on Inquiry Card.

GSS*GKS

Graphical Kernel System for MS Windows

GSS*GKS, a C and Fortran function library based on the ISO/ANSI GKS-standard, enables you to develop portable graphics applications including user interaction, coordinate transformation and object segmentation. GSS*GKS, which is well established as a DOS version, is now available for MS Windows. Take your existing GKS code, recompile and link it with the GSS*GKS libraries and get a real MS Windows application with access to the Windows print manager. When developing a new application you experience a powerful graphics functionality that can easily be integrated into the windowing environment. You may even add Windows elements such as menus or pushbuttons. Supported compilers are: MS C and Fortran, MS Visual C, Borland C, Watcom C and Fortran. In addition GSS*GKS libraries are available for Windows NT, OS/2, SCO UNIX, Interactive UNIX, Solaris and Onsite UNIX SVR 4.2, thus offering portable graphics functionality on all platforms.




EMATEK

GKS-Standard

EMATEK GmbH
Subbelrather Straße 17
D-50823 Cologne, Germany
Phone: +49-221-512074
Fax: +49-221-529666
Email: gsscgi@ematek.de

Circle 222 on Inquiry Card.



Numerical Analysis Software

Free HiQ numerical analysis and data visualization demonstration software for Macintosh. The demonstration package includes the HiQ demo program and an 84-page step-by-step demonstration manual that gives the user a comprehensive look at HiQ. Example problems include: signal processing, ordinary differential equations, linear algebra, numerical integration, and 3D visualization.


National Instruments

6504 Bridge Point Parkway, Austin, TX 78730
(512) 794-0100
(800) 433-3488 (U.S. and Canada)
Fax (512) 794-8411

Circle 200 on Inquiry Card.



For High-Quality Scientific Publishing, use **PCTeX** Typesetting Software.



Make all your documents and math formulas look their best!

For a free brochure & demo disk, call 800/808-7906

Personal TeX, Inc. 12 Madrona Street, Mill Valley, CA 94941
Fax: 415/388-8865 E-mail: pti@crl.com

Circle 201 on Inquiry Card.

Create FORMS for Windows or DOS applications



Integrate forms, logos, fonts, graphics, signatures, into Visual Basic, C/C++, FoxPro, Clipper, Clarion, programs. **Visual Forms**, in a Windows environment, creates PCL or metafile. Use **Template Maker** to position your X,Y coordinates for your data fields.

Custom and stock forms available. Digitized logos, signatures.

BYTECH

(914) 354-8666

BUSINESS SYSTEMS, INC.

5C Medical Park Dr.

Pomona, NY 10970

Circle 211 on Inquiry Card.

**A Complete 32bit
Multi-user, Multi-tasking
OS for the PC. Including:
C, C++, Ada, Pascal, and
Smalltalk Compilers.
TCP/IP, Slip and PPP.
With complete sources.
And 600 pages of
printed docs. All for
only \$57.95?**

Yup.

**Slackware
Professional Linux 2.1**

(800)546-7274 ACC Corp., Inc.
Tel: (203) 454-5500 Fax: 454-2582

Circle 227 on Inquiry Card (RESELLERS: 228).

SWIM-MOTIF
only
\$175.00

A very stable,
easy to use 3 CD
distribution of
the Linux OS
(a Unix clone)
including the
X windows GUI.



Now You Can Have It All

Introductory
Price
\$49

To order
your
copy of
LENNY LINK
CALL
800-737-8763

Now LENNY LINK gives the PC user full access to the data on any hard drive including hidden, system and encrypted files. With LENNY LINK you can copy, cut, move, slide and delete files, directories and subdirectories regardless of the attributes. All data can be copied from any PC including laptops and notebooks to any other PC with the included cable right through the serial port or parallel ports. The user friendly interface makes LENNY LINK the easiest to use data transfer program available.

CSP

Consolidated Software Products, Inc.

Circle 223 on Inquiry Card.

**Learn C++ & Windows™-Based Programming...
Simply, Quickly!**

With the OML Learning Series™ you can learn C/C++, object technology and Windows™-Based programming quickly and conveniently in the privacy of your home or office. The OML Learning Series features:

Visual Series™,
C/C++ Series™,
OOA/OOD Series™,
OLE Series™



Each series: \$249* (reg. \$400)
Any 2 series: \$399* (reg. \$750)
Any 3 series: \$549* (reg. \$1050)
All 4 series: \$649* (reg. \$1300)
LAN version: Call
* Limited Time Offer

800-6789-OML

Call us for
information,
and FREE
Demo
Software



Object
Management
Laboratory
TEL: 805-373-8111
FAX: 805-373-8116

Circle 231 on Inquiry Card.

*Got
Fuzzy
Numbers?*



Conventional spreadsheets can't cope with uncertain or fuzzy numbers.

But now there's FuziCalc. It was designed from the ground up using revolutionary fuzzy math technology to achieve breakthrough performance.


FuziCalc is perfect for projections, planning, and estimating. See for yourself. Call now for FREE info kit.

Call 800-472-6183

FuziCalc.
The Fuzzy Spreadsheet™

Circle 224 on Inquiry Card.

Imagine this: Your development team easily extracting legacy data into a generic object format—any size, any type, any relationship, any reference—all capable of annotation. Imagine compilable specifications, interactive testing and automated documentation. Imagine transaction management, logical navigation and readable code. Now think of how this would shorten your time to completion of software projects.



Think of Gamelon, the royalty-free, full cycle development toolkit that combines significant database features with a persistent store class library. Licenses for Windows, OS/2 and NT.

For C and C++. But don't just think of Gamelon, call **1.800.GAMELON** for a free evaluation disk.



gamelon™

Menai Corporation, Menlo Park, California, info@menai.com, FAX 415.853.6453

Circle 232 on Inquiry Card (RESELLERS: 233).

Are you looking for service, quality and dependability when it comes to your LAN products?



ALTA RESEARCH CORPORATION

Look no further. Alta Research, manufacturer of the Award-winning EtherCombo-16+ T/C, has adapters for all your Local Area Network needs:

- 16 bit Ethernet
- 32 bit Ethernet
- 16 Bit Token Ring
- MCA Token Ring
- Internal Concentrators
- PCMCIA Ethernet
- Low Cost Ethernet Solutions
- Network Operating System Bundles

Call Alta Research today for details on our Authorized Reseller Program

1-800-423-8535

Alta Research Corporation

614 South Federal Highway, Deerfield Beach FL 33441

Phone (305) 428-8535 Fax (305) 428-8678

Or contact a reseller near you:

Mainstreet Computer 1-800-333-9899 DataComm Warehouse 1-800-328-2261

Circle 186 on Inquiry Card.

DiskGuard™ Data Encryption/Decryption Card

DiskGuard is an innovative product specially designed for securing computer data from illegal read-write intention. Computer data in the hard disk is always "invisible" and in secret form without proper PASSWORD or DataKey. The unique and proprietary technique makes reverse engineering for hard disks which had been processed with DiskGuard to be mission impossible. (USA PATENTED)

- Compatible with AT-BUS/EISA-BUS/VL-BUS/PCI-BUS
- Compatible with DOS/WINDOWS/NetWare/UNIX/OS2...
- Coexists with data compression/caching tools and all applications

- No resident software
- Keeps original file size
- Automatic encryption/decryption
- No CPU execution time
- Retains disk access speed
- Transparent user interface

Modern World

Commitment to information technology
3F No. 347 Tun-Hua Rd.,
Taichung, Taiwan, R.O.C.
TEL:886-4-2965814 FAX:886-4-2930866



Circle 235 on Inquiry Card.

BYTE

Breaks the 4-Color Price Barrier with the Hardware/Software Showcase

See how affordable it is to advertise to BYTE's 500,000 computer professionals in this section!

Call for more advertising information:
(603) 924-2695 or (603) 924-2598

Something Missing?

Complete your BYTE collection by ordering Back Issues today!

	1992	1993	1994	1995
January				
February				
March				
April				
May				
June				
July				
August				
September				
October				
November				
December				
Special Issues				
	Windows '92	Windows '95		
	Portability '92	B Guide Summer '93		
		B Guide Fall '93		

Special Issues U.S. Delivery \$3.00 Foreign \$4.00
1990-91-92-93-94-95 U.S. Delivery \$6.00 Foreign \$8.00 Canada & Mexico \$6.50
All issues prior to 1990 U.S. Delivery \$3.00 Foreign \$4.00

All checks must be in U.S. funds and drawn on a U.S. bank.

The above prices include postage in the US.

Please indicate which issues you would like by checking(✓) the boxes. Send requests with payment to:

BYTE Back Issues, One Phoenix Mill Lane, Peterborough, N.H. 03458,
(603) 924-9281

Charge: ☐ MasterCard ☐ VISA ☐ American Express

Card # _____

Exp. Date _____

Signature _____

Name _____

Address _____

City _____


State _____ Zip _____

BYTE

Because the Experts decide.

All orders must be prepaid. Please allow four weeks delivery.

BYTE's Pan-European Postcard Deck Targets Influential European Technology Experts



The BYTE EURO-DECK offers a unique direct mail approach to increasing sales in the \$114 billion European computer market. Reach 50,000 BYTE subscribers for under 4¢ per reader!

Circulation of the BYTE EURO-DECK is targeted to computer experts in over 20 countries in Western Europe. Take full advantage of the benefits BYTE provides

with this affordable, direct channel to Europe. For information on the next BYTE EURO-DECK, call Joseph Mabe at 603/924-2533 or fax to 603/924-2683.

BYTE
EURO  **DECK**

THE BUYER'S MART

A DIRECTORY OF PRODUCTS AND SERVICES

THE BUYER'S MART is a unique classified section organized by product category to help readers locate suppliers. Each ad has Inquiry numbers to aid readers requesting information from advertisers.

AD FORMAT: Each ad will be designed and typeset by BYTE. Do NOT send logos or camera-ready artwork. Advertisers should furnish typewritten copy. 2"x1 1/8" ads can include headline (23 characters maximum), descriptive text (300 characters is the maximum recommended) plus company name, address, tele-

phone and fax number. 2"x2 1/2" ad has more space for descriptive text (850 characters is the maximum recommended).

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to: **THE BUYER'S MART**, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call: **Margot Swanson at 603-924-2656**.

FAX: 603-924-2683.

RATES (Jan. 1995)

	3-5 Issues	6-11 Issues	12 Issues
1 ad	\$731	\$701	\$614
2 ads/issue	-	-	584
3 ads/issue	-	-	556
1 ad	\$1,462	\$1,402	\$1,228
2 ads/issue	-	-	1,169
3 ads/issue	-	-	1,111

*****COLOR - Add \$100*****

ACCESSORIES

RADIOACTIVE?

Plot it on PC (+PalmTops) with **RM-60 RAD. MONITOR + ALARM**. Uses com port. ALPHA • BETA • GAMMA • X-RAY. MicroR:1000 X resolution of survey geigers. Track **RADON**, find sources. Check food, water, ceramic coffee mugs (**EYE OPENING**). Plot background, plane ride, TV, bricks. PC MAG & BYTE rev. Visa/MC/EURO. 45 day \$ back.

800-729-5397 or Tel/Fax: (302) 655-3800

Aware Electronics Corp.

P.O.Box 4299, Wilmington, DE 19807 ☆☆☆\$149.50☆☆☆

KEYBOARD, VIDEO, MOUSE, AUDIO

Extend signals from PC with **EXTENDER**
Split signals with **COMPANION/PC EXPANDER**
Switch signals among PCs with **COMMANDER**
Boosts signals up to 600 feet. Control up to 96 PCs with one keyboard, monitor and mouse.

CYBEX CORPORATION

4912 Research Dr., Huntsville, AL 35805
Phone: 205-430-4000 Fax: 205-430-4030

Inquiry 651.

STABILANT 22 CONTACT ENHANCER

"Highly recommended..." Jerry Pournelle

A long-term environmentally-safe, resident contact treatment; Stabilant 22 substantially improves the reliability of connectors and contacts for computers, bio-medical electronics, telecom, avionics, process control, CATV, video, audio, and automotive equipment.

D.W. Electrochemicals Ltd.

97 Newkirk Road (North) Unit 3, Richmond Hill,
Ontario L4C 3G4, Canada (905) 508-7500

Inquiry 652.

VGA Splitters

- Connect 2, 4, or more monitors to your computer
- Bright and crisp presentation simultaneously on all monitors - **Guaranteed**
- Works with all VGA, SVGA, and RGB monitors
- Supports 1280 x 1024 - **MADE IN USA**
- Special VGA extension cables to 250 ft

H&R TECHNOLOGY

Santa Ana, CA (714) 641-6607

800-959-6439

Inquiry 653.

BAR CODE

Labeling Software

On EPSON, IBM, OKI, or LaserJet. Easy WYSIWYG design. Any format/size. Up to 120 fields per label. 18 text sizes to 3" - readable at 100'. AIAG, KMart, Sears, MIL-STD, Penneys, 2of5, 128, UPC/EAN, Code 39. File Input & Scanned PCX graphics - \$279. Other programs from \$129.

Worthington Data Solutions

(408) 458-9938

800-345-4220

BAR CODE

Bar Code Readers

For PC, XT, AT, PS/2, Macintosh and Serial Terminals

- ★ Attaches as 2nd Keyboard or to any ADB port
- ★ Reads 2of5, 128, UPC/EAN, Code 39, etc.
- ★ External or Internal attachment on PC
- ★ Wand, CCD, Slot Badge, Magstripe or Laser
- ★ Two Scanners per Reader
- ★ 100+ Configurable Options
- ★ 2 Year Warranty, 30 Day \$ Back Guarantee
- ★ Direct From Manufacturer
- ★ **Top Rated by Independent Review**
- ★ Complete with CCD Scanner - \$624
- ★ Complete with Laser Scanner - \$1250
- ★ Complete Wand only Reader - \$329

Worthington Data Solutions

3004 Mission Street
Santa Cruz, CA 95060
408-458-9938
800-345-4220

Portable Reader

- ★ AA Battery Operated, 64K or 256K
- ★ Display messages and optional voice messages tell operator what to do. Messages are easily recorded (like answering machine) in any language. This unit is EASY!
- ★ Double duty as Non-portable Reader
- ★ 4x20 Supertwist LCD Display, 35 Rubber Keys
- ★ 2 Built-In Inventory Programs
- ★ Download tables and Pick Lists
- ★ Wand, CCD, or Laser Scanner Input
- ★ Serial Interface and Keyboard Interface
- ★ Reads 2of5, UPC/EAN, 128, Code 39, etc.
- ★ 2 year Warranty on Reader & Wand
- ★ 30 Day Money Back Guarantee
- ★ 64K Complete with Steel Wand - \$799
- ★ **New Smaller Size - weighs only 12.5 oz.**

Worthington Data Solutions

3004 Mission Street • Santa Cruz, CA 95060
408-458-9938 FAX 408-458-9964 800-345-4220

Cordless RF Bar Code Wand

A cordless RF bar code wand or laser with a range of 100 feet. Plug-N-Play. No software needed. Attaches as 2nd keyboard. For IBM and Macintosh or any serial device.

Complete Cordless Wand - \$695. Complete Cordless Laser - \$1775. Optional Range Extenders \$200 per 100' added.

Worthington Data Solutions

(408) 458-9938

(800) 345-4220

BAR CODE

Windows Bar Code Fonts

Add bar codes to any font based Windows program. Fonts designed for dot matrix, DeskJet and LaserJet. Print Codabar, 2 of 5, Code 128, UPC/EAN and Code 39 inside your Windows program. TrueType fonts, bitmaps and metafile support included. Only \$199.

Worthington Data Solutions

(408) 458-9938

(800) 345-4220

Portable Bar Code Reader

- Use as a PORTABLE, WEDGE, or SERIAL
- 9V Battery Operation with Lithium Backup
- 2x16 Supertwist LCD Display
- 54 Key Keyboard with Separate Numeric Keys
- Real-time Clock Supports Date & Time Stamps
- Reads all Popular Bar Codes (16 types)
- Wand, CCD, Laser, or Serial Input Devices
- Built-In Program Generator
- Create Your Own Custom Programs
- 6 Built-In Inventory Programs
- Up to 250 Programs Can Reside in Memory
- Create up to 250 Data Files per Program
- Up to 250 Look-Up Files in Memory
- Built-In Calculator
- Supports HAYES Compatible Modems
- 64K Memory with Data Compression
- 30-day \$\$ Back Guarantee - 1 Year Warranty
- Complete Unit with WAND Scanner - \$795

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BAR CODE READERS

For PC, XT, AT, PS/2, & Serial Terminals

- Emulates Keyboard: Works With Any Software
- Data Appears as Keyboard Input
- Uses Enhanced Decoding Algorithms
- Accepts Wand, Slot/Badge, CCD, Laser, Magnetic Stripe Reader, & RS232 Serial Input
- Reads All Popular Bar Codes (16 types)
- Reads HIGH, MEDIUM, & LOW density codes
- Auto-Discriminates Between Bar Code Types
- Easily Programmed with a Bar Code Menu
- Over 140 User Configurable Options
- Daisy Chain Up to 96 Readers
- Supports NOVELL Networks
- Supports US & INTERNATIONAL Keyboards
- Direct From Manufacturer
- 30-day \$\$ Back Guarantee, 1 Year Warranty
- Complete Unit with LASER Scanner - \$1095
- Complete Unit with WAND Scanner - \$395

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

THE BUYER'S MART

BAR CODE

Bar Code Printing Software LabelWorks for Windows

- Prints all Popular Bar Code Types (19 Types)
- Desktop Publishing Features: WYSIWYG, Scalable Fonts, Rulers, Guides, Lines, Shapes, Page Zooms (25%-400%), Templates
- Rotates Text, Bar Codes, and Graphics
- Supports Windows Compatible Fonts
- Choose From Over One Hundred Popular Label Formats or Design Your Own
- Rich Text Support: Mix Styles, Types, & Sizes
- Automatically Prints Serial Numbers
- Imports & Exports Graphic Files: TIFF, GIFF, BMP, PCX, WPG, WMF, TARGA
- Supports Virtually all Windows Compatible Printers (PostScript, Laser, & Dot Matrix)
- 30-day Money-Back Guarantee, \$295

CALL FOR FREE DEMO SOFTWARE

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BARCODE & MAG. STRIPE SYSTEMS

MADE IN THE USA

- **Keyboard Wedge with HP** Stainless Steel Wand **\$249**
- **Keyboard Wedge with SYMBOL** LS2000 Laser **\$849**
- **Keyboard Wedge with SYMBOL** LT1700 Laser **\$562**
- **Software Wedge Decoder with HP** Stainless Steel Wand or Laser Scanner (DOS & WIN) **\$149 +**
- **Mag. Stripe Encoder/Reader** (3 Trks) w/Software **\$1099**
- **Printing Software** (DOS, WIN, UNIX...) **\$149 +**
- **Portable Data Terminals** (64K-42MB) **\$599 +**
- **Complete POS System:** 486 40Mhz, 4MB RAM, monitor, POS Software, SP212 Receipt Printer, M-S Cash Drawer, pole display, HP stainless steel wand and magnetic stripe reader with decoder **\$1999**
- **Application Software:** Inven, Asset, Tools, Time & Attend.
- **Radio Frequency Terminals** (spread spectrum/narrow band)
- **FREE** Printing Software, Wand Holder/Laser Stand. 30 Day \$\$ Back • Spanish Dept. Avail.
- Direct from Mfg.

BARCODE INTERNATIONAL SYSTEMS (BIS)

12140 Severn Way, Riverside, CA 92503 (909) 270-0016 Int'l
(800) 653-4252 US • (800) 219-5178 CAN • FAX (909) 270-0920

Inquiry 654.

BAR CODE PRINTERS

Only \$1,495!

Reseller Pricing Available

Impeccable Print Quality, Rugged Performance!

THARO SYSTEMS, INC.

P.O. Box 798, Brunswick, OH 44212-0798
216-273-4408 Fax: 216-225-0099

Inquiry 655.

CAD

Circuit Design Software for Windows

Easy-to-use schematic entry, PCB design, and simulation software, starting at \$149 each. Complete PCB package with schematics, autorouter, and layout for 2-layer circuit boards, \$399. Enhanced version with autoplacement, more symbol libraries, and up to 16 layers, \$649. CAM file outputs.

Mental Automation, Inc.

5415 136th Place, SE-Bellvue WA 98006
(206) 641-2141 FAX (206) 649-0767 BBS (206) 641-2846

Inquiry 656.

CAD

ELECTRONICS CAD

Schematic Capture & PCB CAD

Analogue Simulation, Digital Simulation, etc.

Prices from \$195. Credit cards welcome.

For brochure use Inquiry # or contact us at:

NUMBER ONE SYSTEMS

1795 Granger Avenue, Los Altos, CA 94024

Tel/Fax: 415 968 9306

Inquiry 657.

CAD/CAM

CONTOURING MOTION CONTROL

FROM A PRINTER PORT!

Indexer LPT™ software

NEW

VERSION 3

\$249

VISA/MC

- Controls up to six step motors simultaneously.
- Linear and Circular Interpolation.
- New features to accommodate machine control.
- Easy-to-use DOS device driver. Super Manual.
- CAD-CAM interface available.

Ability Systems

Corporation, 1422 Arnold Ave.
Roslyn, PA 19001 (215) 657-4338
FAX: (215) 657-7815

Inquiry 658.

CD-RECORDABLE

Geared to CD-R technology

GEAR, the ultimate CD-Recordable tool for any CD-Standard

If you demand a simple, easy-to-use solution to create CDs, GEAR is everything you need. GEAR supports

all major CD-Recorders:

JVC High Technology
Kodak Philips
Ricoh Plasmon/Reflection
Sony Yamaha

GEAR is available for

- Windows/DOS • Apple Macintosh
- Sun Unix • Hewlett Packard Unix

Elektrotron

USA

10 Presidential Boulevard, Bala Cynwyd, PA 19004, USA

tel 610-617-0850 fax 610-617-0856

Europe, Asia, Rest of the World

P.O. Box 2436, 5600 CK Eindhoven, The Netherlands

tel 31-(0) 40-515065 fax 31-(0) 40-514920

E-mail Elektro@sci.kun.nl

Inquiry 659.

CD-ROM

CD-ROM TITLES

101 Best Games	\$13	Doom Mania	\$13
11 Mil BusinessPhbk	\$18	Family Dr. 3rd Ed.	\$17
70 Mil Home Phbk	\$23	Mathematics Lib.	\$13
Business Made Easy	\$15	Middle School Suite	\$18
Complete Algebra	\$18	MYST	\$47
Compton's Ency. '95	\$61	Windows Expert	\$12

CALL/WRITE/FAX FOR FREE PRICE LIST

Over 500 titles

ALLTEX COMPUTERS PHONE: (915) 675-5134

3900 N. 1st, Suite 7 FAX: (915) 676-4360

Abilene, TX 79603

MASTER CARD - VISA - COD - PREPAID

Inquiry 660.

* CD-ROM DRIVES *

* SCSI ADAPTERS *

* SOUND BOARDS *

* CD-ROM TITLES, MAC & DOS

* CD-ROM CADDIES & ACCESSORIES

Computers at Large

Saratoga, CA

Dedicated to CD-ROM technology.

PLEASE CALL FOR OUR PRICE LIST

800-642-4194 • 408-255-1081

Fax 408-255-2388 VISA & MasterCard accepted

Inquiry 661.

CD-ROM

We Buy, Sell & Trade

CD-ROMS & MEMORY CHIPS

Resellers Wanted

Call or write for a free product update

Consolidated CDROM, Inc.

515 67th Ave Philadelphia PA 19126 USA

+1-215-276-3657 / +1-215-276-3854 fax

1-800-8-CDROMS

Inquiry 662.

CD ROM TOWERS & JUKEBOX SERVERS FOR ALL OPERATING SYSTEMS!

No Device Drivers/ MSCDEX needed,

Complete Kit Networks CD Roms,

unlimited user license, DISCPORT.

"JES, NONE BETTER AT ANY PRICE"

Call NOW: 1 (800) 482-1866 305-271-0076

Inquiry 663.

Your Source for CD ROMS

MULTIPLATFORM: Amiga, Mac, MSDOS, Windows Unix

GRAPHICS Plus: Graphic apps/tools, +POV Raytracing ... \$19.95

AUDIO Plus: More than 10,000 files of Audio Apps/Tools ... \$19.95

MULTIMEDIA Plus: MM tools/Apps Plus libraries, Images ... \$19.95

MEDIA Plus: Textures, Fonts, Snds, Images, ROYALTY FREE ... \$34.95

LANGUAGE/OS: Largest collection of Languages/OS w/src ... \$34.95

LANGUAGE/OS II: Companion more L/OS w/ source ... \$34.95

Windows 3.X CD ROM's

BUSINESS TOOLS: Comprehensive collection of Bus Progs ... \$19.95

CLEARVIEW: VISUAL FILE MANAGER, Media previewer ... \$34.95

DIGITAL CINEMA: AVI, MPEG Video Libraries ... \$34.95

and Screen Saver ... \$34.95

Century FANTASTIC CINEMA: Multimedia video history ... \$44.95

of Science Fiction, Horror films ... \$44.95

IMAGES - JOSEPH BARNETT: Fine Art Photography ... \$34.95

Over the Shoulder Excel Tutorial: Proven Instructional ... \$59.95

Design, Interactive multimedia lessons ... \$59.95

for beginning, intermediate, and advanced ... \$59.95

VISA, MASTER CARD accepted

USA 1-3 discs add \$5, 5-12 \$10

Foreign 1-3 \$10, 5-12 \$15.00

KNOWLEDGE MEDIA

436 Nunneley, Suite B, Paradise, CA 95969

(800) 78 CD ROM, (916) 872-7487

FAX (916) 872-3826

Inquiry 664.

New and Updated CDROM Titles

Giga MS Windows CDROM, Thousands of Windows prgrms...\$29.95

Giga Games CDROM, Games for DOS/Windows...\$39.95

Space and Astronomy, Thousands NASA images/data...\$39.95

C User Group Library, C source code Dec 93...\$49.95

Simtel MSDOS CDROM, DOS Shareware/Freeware...\$29.95

QRZ Ham Radio CDROM, FCC Callsign Db & Shrw...\$29.95

Hobbes OS/2 CDROM, OS/2 Shareware/Freeware...\$29.95

Source Code CDROM, 650 Mb source, DOS/Unix...\$39.95

Gutenberg Project, Literature and docs...\$39.95

Linux Operating Sys, 386/486 OS, X11, full src...\$49.95

FreeBSD Operating Sys, Ver 1.0, kernel src, X/GNU...\$39.95

Libris Britannia, MSDOS Tech/Sci/Engineer...\$69.95

X11R5/Gnu CDROM, Full src, SPARC binaries...\$39.95

Nebula for NeXTSTEP, Prgrms for Intel NeXTSTEP...\$59.95

Ada Programming CDROM, Compilers, source, docs...\$39.95

Aminet CDROM, Amiga Shareware/Freeware...\$29.95

CDROM Caddies, Lifetime Guaranteed...\$4.95

Top quality CDROMs. 100% satisfied or full refund.

WALNUT CREEK CDROM

4041 Pike Lane, Ste D-212, Concord, CA 94520

1-800-786-9907 Visa/MC AMEx, Fax: 1-510-674-0821

Inquiry 665.

COMMUNICATIONS

Frame Relay, x.25, BSC, HDLC, SDLC
Use our rock solid, compliant, inexpensive and robust synchronous products for your PC project. On board protocol support reduces PC overhead.
• Support for MS-DOS, Windows, Unix, OS/2, Netware and others.
• CCITT and ISO compliant X.25, HDLC.
• Frame Relay blanket certified for any application.
• Test and datascopes programs for easy debugging.

Sangoma Technologies Inc.

Tel 1-800-388-2475 905-474-1990
Fax 905-474-9223

Inquiry 667.

Share Modems & Phone Lines!

Modern Assist PLUS is a full featured, non-dedicated modem server for IPX or NetBIOS networks. Data rates to 115,200 with serial ports or multipoint boards. Use ANY Windows fax or communication software or DOS programs which support INT 14 or NASI. \$249 two ports, \$749 unlimited.
Free 30-day trial on BBS.

SYNERGY SOLUTIONS, INC.

2150 South Country Club, Suite 1, Mesa, AZ 85210
(602)545-9797 FAX (602)545-9827 BBS (602)545-0232

Inquiry 668.

COMMUNICATIONS: FREE!

Cost-Free Communications!

Operate dial-up equipment with NO call or cabling costs: develop, demonstrate, test or teach anywhere - instantly! (Also ideal for programming voice systems)

PORTABLE PHONE-LINE SIMULATORS
Fax Scanner (9 or 18 volts) £28 (\$49)
One-way Dial-up ("Lite") £79 (\$135)
Two-way Dial-up ("Demo") £119 (\$199)
6-channel ISDN ("K384") £2850 (\$4850)

QUANTITY DISCOUNTS - DEALERS WANTED
FREELINK by GoodThinking (UK)
+44(0) 1844 291803 Fax: 292803 Access/Visa

Inquiry 669.

COMPUTER BOOKS

COMPUTER BOOK STORE

Now, on the Internet! 15% discount off most books from 140 publishers. UNIX, CD-ROMs, Windows, Internet, Macintosh. Electronic catalogs available by anonymous FTP from ftp.compubooks.com. Download catalog from CompuServe (GO CBK). Personal, technical service. Worldwide shipping. All major cards.

CompuBooks

RR1 Box 271D 512-321-9652
Cedar Creek TX 78612 USA Fax 512-321-4525

Orders only 800-880-6818

Inquiry 670.

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFWARE Computerowner's coverage provides replacement of hardware, media and purchased software. As little as \$49 a year covers accidents, theft, power surges and more. One call does it all.

1-800-800-1492

SAFWARE, The Insurance Agency Inc.

PO Box 02211, 2929 N. High St., Columbus, OH 43202
Now available in Ontario!!!

Inquiry 671.

COMPUTER MEMORY

MEMORY SIMM MODULES

Wholesale Prices-Domestic and Overseas
Absolutely The Lowest Prices on 30 and 72 Pin Simms

• 1x9-70 \$31.50
• 4x9-70 \$127.50

Lifetime Warranty on all Memory.

We have been The Leaders in Low Prices Since 1986.
Please Call or Fax. • BUY • SELL • TRADE

Windows Memory Corp.

920 Kline St., Suite 302, La Jolla, CA 92037
800-454-9701 Fax (619) 454-9703

Inquiry 672.

COMPUTER TELEPHONY

Write your own Voice Mail software

Create advanced, multi-line voice/fax mail systems with VOS™, the Editors' Choice. Complete language for computer/telephone integration. VOS supports databases, LANs, voice recognition, text-to-speech, conferencing, switching and more.

Call for free booklet *Get into Interactive Voice*.

Parity Software

US: 415-989-0330 fax: 415-989-0441
Europe: +45-3940.8803 fax: +45-3940-7803

Inquiry 673.

CROSS ASSEMBLERS

PC BASED DEVELOPMENT TOOLS

We offer low-cost efficient CROSS ASSEMBLERS and a superb line of SIMULATOR-DEBUGGERS with full built-in DISASSEMBLERS for Intel's MCS-48, 51, 85 and 96, and for the Z80 families of embedded controllers. Our new simulators for the 80C196KB and 80C196KC are unique in the market, and have been received with rave reviews. The price of our software includes unlimited free upgrade privileges!

Lear Com Company

2440 Kipling St., Ste. 206, Lakewood, CO 80151
(303) 232-2226 FAX (303) 232-8721

Inquiry 673.

DATA RECOVERY

We Can Save It!

All Platforms - All Storage Devices
Proprietary techniques so advanced we rescue data others simply abandon.

DRIVESAVERS

Restoring data since 1985

1-800-440-1904

415-883-4232

Inquiry 674.

Ontrack DATA RECOVERY

• Professional service recommended by major hard drive manufacturers • Expertise in virtually every operating system & media storage device • 24-hour support with weekend, priority, & on-site service available • For fast, successful results, call:

UK: 44-81-800-872-2599 • CA: 1-800-752-7557

UK: 44-81-974-5522 • GERMANY: 0130-815-198

Corp. Headquarters: 6321 Bury Drive, Eden Prairie, MN 55346

Inquiry 675.

The Data Recovery Company™ Total Recall™ Data Recovery

800/743-0594
719/380-1616 INTL
719/380-7022 FAX
2440 Waynoka Road
Colorado Springs, CO 80915

Don't take chances with your important data! Let our team of specialists quickly evaluate and recover your data from most storage systems and operating platforms. We have the experience you need to get back up and running, at a price you can afford to pay. References and referral programs available.

Inquiry 676.

DATA/DISK CONVERSION

THE #1 CHOICE in disk & tape conversion

for many leading corporations, government agencies, law firms, and companies in every industry-world-wide.

Free test • Satisfaction guaranteed

Graphics Unlimited Inc.

3000 Second St. North, Minneapolis, MN 55411
(612) 588-7571 FAX: (612) 588-8783
1-800-745-7571

Inquiry 677.

DATA/DISK CONVERSION

CONVERSION SERVICES

Convert any 9-track magnetic tape to or from over 5000 formats including 3 1/2", 5 1/4", 8" disk formats & word processors. Disk-to-disk conversions also available. Introducing CD-ROM conversions. Call for more info.

Pivar Computing Services, Inc.

165 Arlington Hgts. Rd., Dept. #B, Buffalo Grove, IL 60089
(800) Convert (708) 459-6010

Inquiry 678.

WE WROTE THE BOOK!

Deal *direct* with the company who developed the systems that most others use... **SHAFFSTALL!** Tape/Diskette Transfer/Conversion/Duplication. PC/Mini/Mainframe/Workstation Tape Transfer. WP to WP Document Conversion Services.

1-800-357-6250

317-842-2077

Shaffstall Corporation

(Fax) 317-842-8294

Inquiry 678.

DISK DUPLICATION

FULL SERVICE DISKETTE & CD REPLICATION

- Complete Packaging, Assembly & Printing
- Custom Labels & Silkscreening
- Available in all disk formats
- 100% virus checked & copy-verified

MANUFACTURING DISKETTES IN THE U.S. SINCE 1978

SYNCOM TECHNOLOGIES INC.

1000 SYNCOM DRIVE, MITCHELL, SD 57301

1-800-843-9862

Inquiry 679.

EDUCATION

B.S. & M.S. In COMPUTER SCIENCE

The American Institute For Computer Sciences offers an in-depth home study program to earn your Bachelor of Science at home. B.S. subjects covered are: MS/DOS, BASIC, PASCAL, C, C++, Data File Processing, Data Structures & Operating Systems. M.S. program includes subjects in Software Engineering and Artificial Intelligence. Ada and Using Windows courses also available. Accredited Member: World Association of Universities and Colleges.

AMERICAN INST. for COMPUTER SCIENCES

2101-BY Magnolia Ave., Suite 200, Birmingham, AL 35205

1-800-787-2427 • 1-205-323-6191

Inquiry 679.

COMPUTER SCIENCE B.S. DEGREE

B.S. degrees in computer science and other fields offered through home study. Grantham lesson materials. Personal help by mail, phone, fax, BBS. Emphasis on teaching and guiding you to professional competence. Our 44th year. Accredited member DETC.

Free Catalog: 1 (800) 955-2527

Grantham College of Engineering
Grantham College Road, Slidell, LA 70469-5700

Inquiry 680.

EMBEDDED FONTS

SwellFont™

A scaleable font from 6 pix & up. All sizes well formed.

Compile ANSI C code (4K) with pgm. For C programmers that supply graphics primitives for CRT or printer.

FAX 1-800-720-7974 for info.

**Schneider Software Systems
Corporation**

3430 List Pl #1006, Minneapolis, MN 55416

Inquiry 681.

THE BUYER'S MART

FLOPPY DISKETTE

3.5" FLOPPY DISK RELIABLE & DURABLE

- We are a manufacturer licensed by Sony Corporation.
- Our disks are all 100% Tested and Certified Error Free with guaranteed Clipping Level.
- Available products: 2HD, 2DD, video tape, CD jewelry box.
- Our own brand MEGA, DEM or bulk pack are also available.
- Duplicators & wholesalers are welcome.

YHC Cassette Ind. Ltd

75 Saintsbury Square
Scarborough, Ont.
Canada M1V 3K1
Tel: (416) 321-1179
Fax: (416) 321-8451

INMARK IND. LTD.

1A Man Fong Industrial Bldg.
7 Cheung Lee Street, Chai Wan,
Hong Kong
Tel: (852) 558-2203
Fax: (852) 897-3700

Inquiry 682.

FLOW CHARTS

COBOL STRUCTURE CHARTS

The new PowerStructure for Windows generates incredible structure charts DIRECTLY from your COBOL source - STRUCTURED or NOT! Forget manual flowcharting. PowerStructure will diagram your spaghetti code, do it in seconds, and free programmers for more important work. Now just \$149.

CyberMetrics

5541 S. Marine Drive, Tempe, AZ 85283
(602) 838-3310

Inquiry 683.

WINDOWS FLOWCHARTER \$129

RFFlow 3.0 is a professional drawing tool for flowcharts & org. charts. Requires Microsoft Windows; 200 shapes auto adjust in size; diagonal lines and curves; auto line routing and re-routing; OLE server; click on a shape to bring up a sub-chart; import/export bitmaps and metafiles; Call for free trial disk.

RFF ELECTRONICS

1053 Banyan Court, Loveland, CO 80538
Phone: (303) 663-5767 FAX: (303) 669-4889

FOREIGN LANGUAGES

OVER 150 LANGUAGES

Translation, Language Learning
Tutorials, Fonts, Dictionaries and
Language Systems for DOS, Mac and Windows.
Japanese, Chinese, Spanish speaking staff.
Call us first for best prices and expert support.
Character Language Resources
2130 Sawtelle Blvd. 304A, Los Angeles, CA 90025
800-569-2099 FAX 310-996-2303

Inquiry 684.

HARDWARE

Pre-Owned Electronics, Inc.™

THE Independent Provider, serving the Dealer,
Professional, Corporate, Government, and
Educational Buyer since 1985

APPLE II® & MACINTOSH® SYSTEMS • PARTS • EXCHANGE REPAIRS

Call for a Catalog... **800-274-5343**
INT'L: 617-275-4600 • FAX: 617-275-4848
205 BURLINGTON ROAD • BEDFORD, MA 01730

Inquiry 685.

HEWLETT-PACKARD

Buy - Sell - Trade

LaserJet ColorPro
DeskJet DraftPro
RuggedWriter DraftMaster
Electrostatic Plotters DesignJet

HP 9000 Workstations and Vectras also available.

Ted Dasher & Associates

4117 Second Ave., S. Birmingham, AL 35222
Phone: (205) 591-4747 Fax: (205) 591-1108
(800) 638-4833

Inquiry 686.

JAPAN MARKET

Japan's Computer Industry - in English!

Are you missing out on one of the fastest growing software markets in the world? Learn how to get in by subscribing to Japan's only English-language computer magazine - **Computing Japan**. Fax or call for a FREE TRIAL COPY. Subscriptions only US\$99 in North America and ¥9,000 per year elsewhere.

Computing Japan Magazine

USA and Canada:

111 Cedar St.
Sandpoint, ID 83864 USA
Ph: 208-263-8178
Fax: 208-263-6310

Elsewhere:

Hiroo AK Bldg. 4F
5-25-2, Hiroo, Shibuya-ku, Tokyo 150, Japan
Ph: +81-3-3445-2616
Fax: +81-3-3447-4925

Inquiry 687.

LANS

Little Big LAN

The most flexible network

- Peer to Peer LAN to 250 nodes
- \$75 total software cost, not per node!
- Link via serial, parallel, or Modems
- Also via Ethernet or Arcnet, or mix!
- Typically only 40k of RAM

Information Modes

817-387-3339 / P.O. Drawer F, Denton TX 76202
Fax 817-382-7407 Orders 800-628-7992

Inquiry 688.

LASERJET FORMS OVERLAY

FORMS OVERLAY for WINDOWS...

Forms Electric is the forms overlay solution for LaserJet & compatible printers. Use your preferred Windows applications to create HP PCL macros for use with Windows, DOS and non-PC applications. From US \$95.00 / UK £59.95.

...DOS, UNIX, HP and AS/400

Visual Software

USA Toll Free Fax Order Line: 1-800-894-3726
Tel & Fax: +44 1306 742425 CIS: 100023,1167

Inquiry 689.

SECURITY

EVERLOCK - EVERKEY

Software and hardware based copy protection. Features include - encryption, serialization, compression, remotely resettable date and execution limits, user data flags and more!

Call today and ask about our low cost Trial Kits and free demo disk.

Az-Tech Software, Inc.

201 East Franklin St., Richmond, MO 64085
(800) 227-0644 (816) 776-2700 FAX (816) 776-8398

Inquiry 690.

CRYPKEY SOFTWARE LICENSING SYSTEM

"Hardware key protection without the hardware key"

- CrypKey is a software protection tool, offering
- complete security from any disk copy program
 - complete compatibility with any MS-DOS or MS WINDOWS based machine
 - complete invisibility - no disk key, no hardware key, less support calls
 - instant disaster recovery
 - protect programs distributed on CD-ROM, BBS, or Internet!

CrypKey is a sales tool, allowing you to sell your program

- by increments - enable the options the customer purchased
- by number of runs - e.g., sell 100 calculations for \$100.00
- by time period - e.g., lease or demo your program for 60 days

CrypKey uses a numeric key that can be transmitted by phone, fax, or email. Sell your customers more options, more copies, more time or more runs instantly, just by making a telephone call. (great for overseas customers or distributors) CrypKey is produced by Kenonic Controls Ltd. - engineering and software since 1972.

Kenonic Controls Limited

7175-12th Street South East
Calgary, Alberta, Canada T2H 2S6
(403) 258-6200 • fax: (403) 258-6201

Inquiry 691.

SECURITY

THE ULTIMATE SOFTWARE SECURITY

- STOPCOPY family - UNCOPIABLE copy protection
- STOPVIEW software encryption
- NETLIMIT network license metering
- DOS, Windows, Macintosh, OS/2, support
- No source code changes required - for ANY of our products in ANY environment
- Our products destroy ALL of our competition
- Call for FREE demo disk, or to discuss our products' MANY options

BBI Computer Systems, Inc.

14105 Heritage Lane, Silver Spring, MD 20906
800/TRY-ABBI • 800/879-2224 • 301/871-1094 • FAX: 301/460-7545

Inquiry 692.

KEY-LOK™ SECURITY

Piracy survival 11 years proves effectiveness of powerful multilayered security. Algorithmic response. Programmable memory. Economical. Transparent to PARALLEL/SERIAL port, Counters/Real-Time-Clock. Multi-product/feature licensing. DOS/NT/UNIX/OS2. Access control systems and disk drive locks.

MICROCOMPUTER APPLICATIONS

3167 E. Otero Circle, Littleton, CO 80122
1-800-4KEYLOK (303) 770-1917 FAX: (303) 770-1863

Inquiry 693.

SOFTWARE

CAD to NC CODE Instantly! with FastPATH™

Path complex parts to whole nests!
Hands free, Automatic & Intelligent
Dos based, Suits all NC profilers.
Call FastCAM at (303) 667-5059
or Fax: (303) 667-1990
Ft. Collins, Colorado, U.S.A.

Inquiry 694.

SOFTWARE PACKAGING

FREE SOFTWARE PACKAGING CATALOG

Everything you will need to Package, Distribute, and Ship Your Software! From manuals and binders to mailers and shippers

LABELS • LABELS • LABELS

For your diskettes, plain or custom printed dot matrix or laser printer... free samples

FREE CATALOG

Hice & Associates

8586 Monticello Dr., West Chester, OH 45069
Phone/Fax: 513-779-7977

Inquiry 695.

SOFTWARE/BUSINESS

DATA ENTRY SOFTWARE

Full featured, heads-down data entry with two-pass verification, edit language, operator stats, much more! Designed for the PS/2®, PC, XT, AT or compatibles.

PCs from \$395 LAN version available

FREE 30 day trial

Computer Keyes
21929 Makah Rd.,
Woodway, WA 98020

Tel: 206/776/6443
Fax: 206/776-7210
USA: 800/356-0203

SOFTWARE/EDUCATION

DERIVE® NEW VERSION 3!

DERIVE, A Mathematical Assistant combines the power of computer algebra with the ease of a menu-driven interface. It solves symbolic & numeric equations, and does calculus, trig, vector & matrix algebra and more. It is programmable, & plots in 2 & 3D. Suggested List Price now only \$125!

Req: MS-DOS PC compatible & 512K.

SOFT WAREHOUSE, INC.

3660 Waiialae Ave. Ste. 304, Honolulu, HI 96816
Ph: (808) 734-5801 Fax: (808) 735-1105

Inquiry 696.

SOFTWARE/ENGINEERING

Circuit Simulation New LOW COST SPICE Tools

Introducing ICAP/4Lite Affordable SPICE

Experience Analog and Mixed signal simulation
like you've never seen before
"Just like being at the Bench."

includes:

- New IsSpice4; Real Time Interactive Display
- UNLIMITED Circuit Size!
- Integrated Schematic Editor
- Model Libraries, more than 5000 Parts
- Windows, Windows NT

Full SPICE programs starting at \$95. Complete systems with schematic entry, ISpice4, models, and waveform graphics only \$595.

Call or Fax for your Free Demo kit

P.O. Box 710, San Pedro, Ca 90733-0710

Tel (310) 833-0710

FAX (310) 833-9658

intusoft

Inquiry 697.

SAUNA: 3D THERMAL ANALYSIS

- Models: PCBs, stacked plates, heatsinks, multiboard enclosures.
- All heat transfer modes: convection, radiation, conduction
- Interactive menu-driven
- Thermal parameters library
- Fast "What if": dimension, mat'l, finish, analyses
- Easy to learn & use
- IBM PC & Macintosh II

Call or FAX for free evaluation program

Tatum Labs, Inc.

1287 N. Silo Ridge Drive, Ann Arbor, MI 48108

313-663-8810

FAX 313-663-3640

Inquiry 698.

SOFTWARE/GRAPHICS

New Version! AccuSoft Image Format Library 5.0

Programmers: Add support for 36 raster file formats instantly!

TIFF, JPEG, PCX, TARGA, DIB, DCX, GIF, BMP, WMF, PICT, WPG, EPS, Group 3, Group 4
New Formats: Photo CD, PhotoShop, ASCII, KoFax, RLE, LaserData, CALS, ATT, CLP, XWD, IMG, IFF, SUN, XBM, ICO, IOCA, CX2, XPM, CUT, Brooktrout, MAC, MSP.

Guaranteed to read all raster images in existence in the listed formats!

- * Import, export, scanning, conversion, compression
- * Printing, display, image processing
- * Supports all languages
- * Fax formats and multi-page images
- * Rotate, zoom, scale, color reduction
- * Thumbnails, sharpen, special-effects
- * Windows, NT, WinPro Gold 32, VBX, VBX32
- * Watcom, OS/2, MAC, UNIX, Clipper, FoxPro

AccuSoft Corp. Call 800-525-3577

Two Westboro Business Park Westboro, MA 01581 USA

TEL (508) 898-2770 FAX (508) 898-9662

Inquiry 699.

CAD Developers Kit

TG-CAD Professional 5.0, a C/C++ Win/DOS SDK. Read/Write/View PCX/GIF files & DXF to R12. Create fonts & text. Ray Tracing/Shading. Hundreds of 2D & 3D routines. Comes as DOS Lib., Win Lib. & Win DLL. Source available. 30 day limited guarantee. Free Technical White Paper available. Call or write today.

Disk Software, Inc., Box 941152, Plano, TX 75094

1-800-635-7760, Phone/Fax 214-423-7288

Inquiry 700.

SOFTWARE/GRAPHICS

FREE IMAGING SOFTWARE

Programmers, call now to get a free copy of LEAD's image management and compression utility. LEAD-TOOLS 4.0 Imagehandler™ for Windows. It's the only tool you'll ever need to handle images and a great way to evaluate our new LEADTOOLS 4.0 toolkit. (WIN32, DLL, DOS, VEX available)

FASTEST IMAGING TOOLKIT GUARANTEED!

LEADTOOLS compression, decompression, converts and processes raster images faster than any toolkit on the market. 30% to 50% faster!

Compare LEADTOOLS with any of our competitors - RISK FREE - and see for yourself.

30 DAY RISK FREE TRIAL!

Call for complete info and FREE demo disk!

800-637-1835



**LEAD
TECHNOLOGIES
INCORPORATED**

900 Baxter Street, Charlotte, NC 28204 704-332-5532 (Fax) 704-372-8161

Inquiry 701.

Sirlin's CAD ++ ENGINE™

- Programmers Toolkit supports Read/Write of AutoCAD DWG & DXF Files.
- Object oriented, modular, database-like access to CAD data.
- View, Print, Plot, and Pick modules.
- Available for C/C++ for DOS, Extended DOS, Windows, Sun, Macintosh and other Unix systems.

Sirlin Corporation

25 Orchard View Dr., Londonderry, NH 03053 USA

Phone: (603) 437-0727 • Fax: (603) 437-0737

Inquiry 702.

SOFTWARE/SCIENTIFIC

TEX Scientific Desktop Publishing

- Scalable Fonts • Font effects • Typeface customization
- Equations • Tables • Graphics • Foreign languages
- Multi-lingual spell & hyphenation • IDE • On-line help
- Dos, Dos-32 and Windows versions • From \$199

"TeX of Tomorrow"-Notices of AMS, March 1991
Call now for a **FREE DEMO DISK**

MicroPress, Inc.

68-30 Harrow Street, Forest Hills, NY 11375

Tel (718) 575-1816 Fax (718) 575-8038

Inquiry 703.

EXPERIMENTAL DATA FITTING

SCIENTIST™ is the leader in experimental data fitting. Fit combinations of user-defined algebraic and differential equations or Laplace transforms - also splines and interpolating functions. Includes 3D plotting and a scientific worksheet. Requires Windows. \$295. Model libraries also available.

MicroMath Scientific Software

1-800-942-6284 Fax: (801) 943-0299

Inquiry 704.

SOFTWARE/TYPESSETTING

MicroTEX

Includes LaTeX 2e

For documents as effective as your words!

Publish elegant documents - even with complex mathematical/scientific equations or in foreign languages.

- Exclusive Integrated Quick-Reviewer

• FREE demo disk • FREE shipping

Micro Programs Inc.

251 Jackson Ave., Syosset, NY 11791

Tel: (516) 921-1351 800-Tex4ALL Fax: (516) 921-1004

Inquiry 705.

SOFTWARE/VOICE/FAX

HIGH LEVEL C LIBRARIES

Multi-Voice and Multi-Fax are complete development C toolkits to access all the features for most voice and fax processing boards available today. It helps you write MULTI-LINE VOICE (and/or) FAX APPLICATION in minutes. Many example programs and libraries are delivered with fully commented source code. VISA/MC Accepted. Multi-Voice for Dialogic, Rhetorex, or Powerline II: \$599 Multi-Voice for Single Line Watson Board: \$99 Multi-Fax for CAS (Intel SatisFAXtion): \$199

ITI SOFTWARE

Fax-On-Demand for information: (514) 835-2216

Tel: 514-597-1692 Fax: 514-526-2362 BBS: 514-835-5945

UTILITIES

PEN PLOTTER EMULATOR

FPLot turns your printer into an HP pen plotter. Fast hi-res, no jagged lines. Vary line width, color. Screen preview - zoom, pan. Works with most CAD programs. Supports most printers. Requires DOS 2.1 or higher. \$119+\$3 S&H. VISA/MC/Chk/MO.

FPLot Corporation

24-16 Steinway St., Suite 605, Astoria, NY 11103

718-545-3505

Inquiry 706.

WINDOWS

*FREE INTERNET

217-322-1111

Full Access 14.4K 8/N/1 All Nodes
Service is FREE *You Pay L.D. Charge
Voice Help 1-217-322-1212

Inquiry 707.

MARKET TO EUROPE!

The **BYTE EURODECK** offers you a unique opportunity to sell your computer products to BYTE's 50,000 European Subscribers!

Call **Joseph** for more info!

(603) 924-2533

Inquiry 708.

The Best Resource for Direct Buyers

BYTE's jumbo deck is a fast, convenient way to find great deals on computer products and services. Each mailing is loaded with essential hardware and software product information for purchasing direct from the manufacturer - and it's absolutely free! The next edition of the Jumbo BYTE Deck will arrive in your mailbox soon. Don't miss it!

Advertisers:

Call **Susan Rastellini** today

at (603) 924-2596 or fax your order
to (603) 924-2683

BYTE DECK

Inquiry 709.

ADVERTISER CONTACT INFORMATION

To order products or request FREE information, call advertisers directly or send in the response card by mail or fax! **Let them know you saw it in BYTE!**

Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.
A			D			J		
227-228	ACC CORP	224 800-546-7274	71	COREL DRAW	102 613-728-3733 ext.28	409	INTEGRIX INC	80DM 9 805-375-1055
153	ADAPTEC	214 408-945-8600	178-179	COROLLARY	200 714-250-4040	85-86	INTERGRAPH	121 800-763-0242
*	ADVANCED MICRO DEVICES (N.A.)	15 800-222-9323	234	CR SYSTEMS	223 800-732-3664	*	INTERTEKS SHOW	32IS 22
141-142	AERONICS, INC	109 512-258-8040	131	CREATIVE LABS INC	53 800-998-5227	196	IO TECH	221 216-439-4091
61	ALADDIN KNOWLEDGE SYS	79 800-223-4277	73-74	CTX INTERNATIONAL INC	95 909-595-6293**	129-130	ITERATED SYSTEMS	94 800-437-2285
186	ALTA RESEARCH CORP	225 800-423-8535	75-76	CURTIS INC	170 612-631-9512	K		
*	AMERICA ONLINE INC (N.A.)	104A-B 800-827-6364 ext 10258	156-157	CYBEX CORP	205 205-430-4030**	165	JAMECO ELECTRONICS	209 800-831-4242
192	AMERICAN ADVANTECH	220 800-800-6889	158-159	CYBEX CORP	212 205-430-4030**	*	JDR MICRODEVICES	217 800-538-5000
*	AMERICAN LUNG ASSOC	208NE 4	505-506	CYBEX CORP (INT'L)	CIII 205-430-4030**	145-146	JSB	168 800-359-3408
*	AMERICAN POWER CONVERSION	16A-B	229-230	CYCLADES CORP	219 800-347-6601	L		
62	AMERICAN POWER CONVERSION	16-17 800-800-4APC dept A2	E			197	KILA	220 303-444-7737
209	AMREL TECHNOLOGY, INC	222 800-88AMREL	518-519	DAEWOO (INT'L)	29 +31-2503-37214**	89-90	KINGSTON TECHNOLOGY	123 714-435-2600
176-177	ANTEX ELECTRONICS	214 310-532-3092	147	DATA FOCUS (INT'L)	157 703-818-1532**	400-401	KINGSTON TECHNOLOGY	80DM 5 714-435-2600
*	ARCADA (N.A.)	73 800-729-7894	147	DATA FOCUS (N.A.)	157 800-637-8034	513	KUO FENG CORP (INT'L)	150 +886-2-754-2829**
526	ARTEK SRL (INT'L)	69 +39 573 934745	160	DATALUX CORP	194 800-DATALUX	M		
152	ASPEN SYSTEMS	61 303-431-4606	*	DATAPRO (WORLD)	32IS 10-11 800-328-2776	184-185	L A TRADE	196 800-433-3726
239	AVALAN TECHNOLOGY	216 508-429-3179**	161-162	DATAPRODUCTS	213 818-887-8000	198	LAGUNA DATA SYSTEMS	222 800-938-TAPE
520	AXIS COMMUNICATIONS (INT'L)	15 +46 46 140500	538-539	DATASCAN TECHNOLOGY	32IS 32 +44 (0) 270 886161	402-403	LOCUS COMPUTING CORP	80DM 11 800-95LOCUS
B			*	DELL COMPUTER CORP (N.A.)	CIII 800-626-8260	138	LOGICIELS ET SERVICES DUHEM	156 +33149700455
410	BEAME & WHITESIDE SOFTWARE	80DM 15 800-463-6637	*	DELL COMPUTER CORP (N.A.)	CIV 800-626-8260	N		
450	BIX	237 800-695-4775	77	DELPHI INTERNET SERVICES	167 800-695-4005	534	MANCHESTER EQUIPMENT COMPANY	208NE 1 516-435-1199
528-529	BTRIEVE TECHNOLOGIES	32IS 16-17 512-794-1719	407-408	DIGIBOARD	80DM 3 800-755-0107	*	MCGRAW HILL NRI (N.A.)	128A-B
154	BUFFALO PRODUCTS	218 800-345-2356	*	DIGITAL	CII-1	150-151	MEDIA ON (N.A.)	173 800-552-7835
*	BYTE BACK ISSUES (WORLD)	32IS 9 603-924-2607	542-543	DIGITAL INFORMATION SERVICES (EUROPE)	32IS 9-11 +41-22-7910885**	91	MEGADRIVE SYSTEMS	63 800-664-MEGA ext 330
*	BYTE EDITORIAL SURVEY	166 603-924-9281	237	DIGITAL WINDOWS NT SERVER	8-9 800-DIGITAL	232-233	MENAI CORP	224 800-GAMELON
63	BYTE ON CD ROM	171	F			174	MICRO 2000	211 800-864-8008
*	BYTE READER	175 603-924-9281	220-221	ELMA ELECTRONIC	221 510-656-3400	173	MICRO 2000	213 800-864-8008
*	BYTE REPRINTS (INT'L)	173 603-924-2525	222	EMATEK GMBH	223 +49 221 529666	167-168	MICRO SOLUTIONS COMPUTER PRODUCTS	195 800-295-1214
*	BYTE SUB MESSAGE	132	522-523	ERGOTRON EUROPE	32IS 7 +31 20 696.60.65	169-170	MICRO SOLUTIONS COMPUTER PRODUCTS	197 800-295-1214
*	BYTE WAREHOUSE	187 800-676-HALO	507-508	EUTRON	32IS 31 +39 35 201003	175	MICRO-INTERNATIONAL, INC	206 800-967-5667
211	BYTECH BUSINESS SYSTEMS	223 914-354-8666	78-79	EXABYTE CORP	19 800-EXABYTE	199	MICROSTAR LABORATORIES	221 206-453-2345
C			G			92	MICROWAY	90 508-746-7341
143	CALIFORNIA PC PRODUCTS INC	174 800-394-4122	509-510	FAST HARDLOCK	32IS 20 +49-89-539800-20	103-104	MINUTEMAN	100 214-446-7363
*	CEBIT AWARDS	32IS 26	540	FIRST INTERNATIONAL COMP	32IS 4 +886-2-718-2782**	235	MODERN WORLD	225
65	CETDC	128 +886-2-725-1111**	163-164	FIRST SOURCE INTERNATIONAL	202 714-448-7750	*	MOTOROLA SEMICONDUCTOR PRODUCT	40-41 512-891-2429
501	CHERRY MIKROSCHEIDER GMBH	32IS 14-15 +49-9643-18-206	531	FISKARS POWERS SYS (INT'L)	21 +358 0 452661	O		
502-503	COMPEX INC (INT'L)	117 714-630-7302	530	FLUKE EUROPE B.V. (INT'L)	73 +31-40-644210**	93-94	NANAO USA CORP (N.A.)	69 310-325-5202
524	COMPEXPO / COMPAIR	32IS 25 +36-1-117-0436**	80	FRAME TECHNOLOGY (N.A.)	21 800-U4FRAME ext 618	200	NATIONAL INSTRUMENTS	223 512-794-0100
191	COMPUSTAR COMPUTERS	218 718-854-1820**	224	FUZICALC	224 800-472-6183	243	NEKOTECH	201 714-580-0055
69	COMPUTER ASSOCIATES - VISUAL OBJECTS	55 800-225-5224 dept 14500	H			*	NETWORLD + INTEROP 95 LAS VEGAS	189 800-488-2883
67	COMPUTER ASSOC - REALIA	84 800-225-5224 dept 26500	194	GAGE APPLIED SCIENCES, INC	220 514-337-6893	166	NEVADA COMPUTER	204 800-982-2925
68	COMPUTER ASSOC - UNICTR	125 800-225-5224 dept 10500	*	GATEWAY 2000	80A-H 800-846-2058	95	NOVELL, INC (N.A.)	117 800-554-4446 ext 420
70	COMPUTER ASSOCIATES - VISUAL EXPRESS	36 800-225-5224 dept 27500	*	GATEWAY 2000	81 800-846-2058	97	NSTL	183 610-941-9600
155	COMPUTER DISCOUNT WAREHOUSE	192-193 800-959-4CDW	82	GLENCO ENGINEERING (INT'L)	133 708-808-0300	246-247	NSTL / PENTIUM	169 800-220-NSTL
64	COMPUTER PRESS ASSOC	135 201-663-5140**	81	GLENCO ENGINEERING (N.A.)	133 800-562-2543	*	NSTL / SOFTWARE DIGEST	147 800-257-9402
*	COMPUTER PROFS' BOOK SOCIETY (N.A.)	176 A-B	214-215	GRANITE DIGITAL	221 510-471-6442	98	NUMBER NINE (N.A.)	150 800-GET-NINE
*	COMPUTER PROFS' BOOK SOCIETY (N.A.)	177 717-794-2191	511	GREY MATTER LTD (INT'L)	71 +44-(0)364-53071**	P		
504	COMPUTER QUICK	32IS 13 415-861-8330	I			231	OBJECT MANAGEMENT LABORATORY	224 800-6789-OML
544	COMPUTERLANE UNLTD	208NE 3 800-526-3482	527	HITACHI	32IS 23	144	OBJECTS, INC	114 508-777-2800
223	CONSOLIDATED SOFTWARE PRODUCTS	224 800-737-8763	195	HOOLEON CORP	221 602-634-7515	512	OLIVETTI S.P.A.	32IS 18-19 +39-2-45361
193	CONTROL VISION	222 316-231-6647	525	HYPERSYSTEMS	32IS 24 +39-11-434-2350	101-102	OMNCOMP GRAPHICS CORP	153 713-464-2990
72	COREL CD CREATOR	27 613-728-3733 ext.28	236	IBM OS/2 WARP	2-3 800-3 IBM-OS2	517	ON TIME MARKETING	32IS 28 +49-40-437472
			148-149	ICONOVEX INC	38 800-943-0292	*	OPEN COMPUTING	179
			182-183	IGC INC	207 800-866-5597	*	ORACLE CORP	59 800-633-0542 ext 4969
			136-137	INFORMATION FOUNDATION	176 800-438-8649	*	OSBORNE MCGRAW-HILL	74-75 800-822-8158
			84	INTEGRAND RESEARCH	134 209-651-1203			

FREE PRODUCT INFORMATION

For free product information from companies featured in this issue, circle the appropriate inquiry number below and mail this card today. For quickest response, fax to 1-416-620-9790!

Product Category Information

To receive information for an entire category, circle the appropriate number on the adjacent card.

Hardware

- Accessories/Supplies 1
- Add-in Boards 2
- Bar Coding 3
- Communications/Networking 4
- Computer Systems 5
- Data Acquisition 6
- Diagnostic Equipment 53
- Disks & Optical Drives 7
- Diskettes/Duplicators 8
- Fax Boards/Machines 9
- Graphics Tablets/Mice/ 10
- Pen Input 11
- Keyboards 12
- LAN Hardware 13
- Laptops & Notebooks 14
- Mail Order 15
- Memory/Chips/Upgrades 16
- Miscellaneous Hardware 17
- Modems/Multiplexors 18
- Monitors & Terminals 19
- Multimedia/CD-ROM 20
- Printers/Plotters 21
- Programmable Hardware 22
- Scanners/OCR/Digitizers 52
- Security 23
- Tape Drives 24
- UPS/Power Management 25

Software

- Business 26
- CAD/CAM 27
- Communications/Networking 28
- Data Acquisition 29
- Database 30
- Educational 31
- Engineering/Scientific 32
- Entertainment 33
- Graphics 34
- Macintosh 35
- Mail Order 36
- Mathematical/Statistical 37
- Miscellaneous Software 38
- On-Line Services 39
- Operating Systems 54
- OS/2 40
- Programming Languages/ 41
- Tools 42
- Security 43
- Shareware 44
- Software Duplication 45
- Spreadsheets 46
- Unix 47
- Utilities 48
- Windows 49
- Word Processing 50
- General 51
- Books/Publications 52
- Recruitment 53
- Miscellaneous 54

Fill out this coupon carefully. Please Print.

Name _____ Title _____
 Company _____ Address _____
 City _____ Country _____ Code _____
 Phone _____ Fax _____

A. My job function is best classified as (check one):

- ☐ 1 Company Management
- ☐ 2 IS/MIS/IT Management
- ☐ 3 Systems Engineering/Integration
- ☐ 4 Systems/Networking Consulting
- ☐ 5 Departmental Management (non-IS/MIS)
- ☐ 6 Technical Services Support
- ☐ 7 Other (please describe)

13 [] Other (please specify):

C. Please indicate which specific fields of interest are important to you so that BYTE may serve you with supplemental information that best meets your needs (select all that apply):

- ☐ 14 UNIX and Workstations
- ☐ 15 Networking (LANs, WANs, and Telecommunications)
- ☐ 16 Multimedia
- ☐ 17 Reselling/Systems Integration
- ☐ 18 Applications Development
- ☐ 19 Other (explain):

B. What is your organization's primary business activity at this location (check one):

- ☐ 8 Business Services (Finance, Banking, Insurance, Healthcare, Professional)
- ☐ 9 Commerce/Industry (Retail, Wholesale, Construction, Mining, Manufacturing, Transportation)
- ☐ 10 Reseller/OEM (VAR, VAD, Systems/Network Integrator, Computer Product Manufacturer)
- ☐ 11 Government (Federal, State, Municipal, Military)
- ☐ 12 Computer Services (Support, Training, Consulting)

D. My responsibilities require that I be involved with the following operating system environments (check all that apply):

- ☐ 20 DOS
- ☐ 21 OS/2
- ☐ 22 Mac/OS

- ☐ 23 UNIX (any, including Solaris)
- ☐ 24 Windows
- ☐ 25 Windows/NT
- ☐ 26 NetWare
- ☐ 27 Other (please describe):

E. The number of employees at my location and company-wide area (check one in each column):

	At My Location	Company-Wide
10,000 or more	☐ 28 []	☐ 33 []
5,000 to 9,999	☐ 29 []	☐ 34 []
1,000 to 4,999	☐ 30 []	☐ 35 []
100 to 999	☐ 31 []	☐ 36 []
Under 100	☐ 32 []	☐ 37 []

February 1995 90 97 99
 Valid until April 30, 1995

Inquiry Numbers 1-187

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136
137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153
154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187

Inquiry Numbers 375-561

375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391
392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408
409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425
426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442
443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459
460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476
477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493
494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527
528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544
545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561

Inquiry Numbers 749-935

749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765
766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782
783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799
800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816
817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833
834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850
851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867
868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884
885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901
902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918
919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935

Inquiry Numbers 1123-1309

1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139
1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156
1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173
1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190
1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207
1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224
1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241
1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258
1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275
1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292
1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309

Inquiry Numbers 188-374

188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204
205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238
239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289
290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306
307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323
324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357
358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374

Inquiry Numbers 562-748

562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578
579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595
596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612
613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629
630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646
647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663
664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680
681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697
698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714
715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731
732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748

FREE PRODUCT INFORMATION

For free product information from companies featured in this issue, circle the appropriate inquiry number below and mail this card today. For quickest response, fax to 1-416-620-9790!

See reverse side
for card.

1. For FREE product information from individual companies, circle the corresponding inquiry numbers on the Response Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-416-620-9790.

3. Product information will be rushed to you from the selected companies!

BYTE

TNT MAILFAST

FRG/BOS/700252/MO1

P.O. Box 66

Hounslow

TW5 9RT

England

Place
Postage
Here

BYTE 

FREE PRODUCT INFORMATION

For free product information from companies featured in this issue, circle the appropriate inquiry number below and mail this card today. For quickest response, fax to 1-416-620-9790!

Product Category Information

To receive information for an entire category, circle the appropriate number on the adjacent card.

Hardware

- Accessories/Supplies 1
- Add-in Boards 2
- Bar Coding 3
- Communications/Networking 4
- Computer Systems 5
- Data Acquisition 6
- Diagnostic Equipment 53
- Disks & Optical Drives 7
- Diskettes/Duplicators 8
- Fax Boards/Machines 9
- Graphics Tablets/Mice/ 10
- Pen Input 10
- Keyboards 11
- LAN Hardware 12
- Laptops & Notebooks 13
- Mail Order 14
- Memory/Chips/Upgrades 15
- Miscellaneous Hardware 16
- Modems/Multiplexors 17
- Monitors & Terminals 18
- Multimedia/CD-ROM 19
- Printers/Plotters 20
- Programmable Hardware 21
- Scanners/OCR/Digitizers 22
- Security 52
- Tape Drives 23
- UPS/Power Management 24

Software

- Business 25
- CAD/CAM 26
- Communications/Networking 27
- Data Acquisition 28
- Database 29
- Educational 30
- Engineering/Scientific 31
- Entertainment 32
- Graphics 33
- Macintosh 34
- Mail Order 35
- Mathematical/Statistical 36
- Miscellaneous Software 37
- On-Line Services 38
- Operating Systems 39
- OS/2 54
- Programming Languages/ 40
- Tools 40
- Security 41
- Shareware 42
- Software Duplication 43
- Spreadsheets 44
- Unix 45
- Utilities 46
- Windows 47
- Word Processing 48
- General 49
- Books/Publications 49
- Recruitment 50
- Miscellaneous 51

Fill out this coupon carefully. Please Print.

Name _____ Title _____
 Company _____ Address _____
 City _____ Country _____ Code _____
 Phone _____ Fax _____

A. My job function is best classified as (check one):

- ☐ 1 Company Management
- ☐ 2 IS/MIS/IT Management
- ☐ 3 Systems Engineering/Integration
- ☐ 4 Systems/Networking Consulting
- ☐ 5 Departmental Management (non-IS/MIS)
- ☐ 6 Technical Services Support
- ☐ 7 Other (please describe)

B. What is your organization's primary business activity at this location (check one):

- ☐ 8 Business Services (Finance, Banking, Insurance, Healthcare, Professional)
- ☐ 9 Commerce/Industry (Retail, Wholesale, Construction, Mining, Manufacturing, Transportation)
- ☐ 10 Reseller/OEM (VAR, VAD, Systems/Network Integrator, Computer Product Manufacturer)
- ☐ 11 Government (Federal, State, Municipal, Military)
- ☐ 12 Computer Services (Support, Training, Consulting)

13 Other (please specify):

C. Please indicate which specific fields of interest are important to you so that BYTE may serve you with supplemental information that best meets your needs (select all that apply):

- ☐ 14 UNIX and Workstations
- ☐ 15 Networking (LANs, WANs, and Telecommunications)
- ☐ 16 Multimedia
- ☐ 17 Reselling/Systems Integration
- ☐ 18 Applications Development
- ☐ 19 Other (explain):

D. My responsibilities require that I be involved with the following operating system environments (check all that apply):

- ☐ 20 DOS
- ☐ 21 OS/2
- ☐ 22 Mac/OS

23 UNIX (any, including Solaris)

- ☐ 24 Windows
- ☐ 25 Windows/NT
- ☐ 26 NetWare
- ☐ 27 Other (please describe):

E. The number of employees at my location and company-wide area (check one in each column):

	At My Location	Company-Wide
10,000 or more	☐ 28	☐ 33
5,000 to 9,999	☐ 29	☐ 34
1,000 to 4,999	☐ 30	☐ 35
100 to 999	☐ 31	☐ 36
Under 100	☐ 32	☐ 37

February 1995

90 97 99

Valid until April 30, 1995

Inquiry Numbers 1-187

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136
137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153
154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187

Inquiry Numbers 375-561

375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391
392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408
409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425
426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442
443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459
460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476
477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493
494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527
528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544
545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561

Inquiry Numbers 749-935

749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765
766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782
783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799
800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816
817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833
834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850
851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867
868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884
885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901
902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918
919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935

Inquiry Numbers 1123-1309

1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139
1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156
1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173
1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190
1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207
1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224
1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241
1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258
1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275
1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292
1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309

Inquiry Numbers 188-374

188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204
205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238
239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289
290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306
307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323
324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357
358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374

Inquiry Numbers 562-748

562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578
579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595
596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612
613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629
630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646
647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663
664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680
681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697
698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714
715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731
732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748

FREE PRODUCT INFORMATION

For free product information from companies featured in this issue, circle the appropriate inquiry number below and mail this card today. For quickest response, fax to 1-416-620-9790!

See reverse side
for card.

1. For FREE product information from individual companies, circle the corresponding inquiry numbers on the Response Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-416-620-9790.

3. Product information will be rushed to you from the selected companies!

BYTE

TNT MAILFAST

FRG/BOS/700252/MO1

P.O. Box 66

Hounslow

TW5 9RT

England

Place
Postage
Here

BYTE 

ADVERTISER CONTACT INFORMATION

Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.
P			S			U		
187	PACIFIC COAST MICRO	208 619-581-6040	117-118	ROSE ELECTRONICS	172 800-333-9343	124-125	UNLIMITED SYSTEMS	158 619-622-1400
105-106	PC POWER & COOLING	45 800-722-6555	180-181	SCITECH INTERNATIONAL	203 800-622-3345	244-245	UPSONIC (INT'L)	31 +44-1-793-875-787
190	PC'S COMPLEAT	198-199 508-624-6400	532-533	SEH COMPUTERTECHNIK GMBH	32IS 24 +49-521-94226-0	244-245	UPSONIC (N.A.)	31 800-UPSONIC
521	PEGASUS LTD	32IS 28 +972-3-5182422	119	SEQUITER SOFTWARE INC	101 403-437-2410	V		
107	PERSOFT INC	163 800-368-5283	216-217	SHAFFSTALL CORP	222 800-248-3475	205	VIDEX, INC	219 503-758-0521
201	PERSONAL TEX	223 800-808-7906	212-213	SIGMA TECH SOFTWARE	220 818-368-6132	126-127	VIEWSONIC	56-57 909-869-7976
541	PHILIPS MONITORS	32IS 2-3 +31 40 73 39 83**	225-226	SILICON WAREHOUSE	219 800-347-4887	206-207	VIZIFLEX SEELS	219 201-487-8080
108-109	PINNACLE MICRO	7 714-727-3300	87-88	SMILE INTERNATIONAL INC (N.A.)	29 800-253-2872	W		
110	PKWARE INC	96 414-354-8699	241-242	SMITH MICRO SYSTEMS & SOFTWARE	164 714-362-2345	516	WALKER, RICHER & QUINN	32IS 29 206-217-7100
111	PKWARE INC	118 414-354-8699	120	SOFTWARE SECURITY	154 203-656-3932**	238	WATCOM CLIENT SERVER	25 519-886-3700
135	POWERSOFT CORP (N.A.)	71 800-395-3525	536-537	SOLID COMPUTER GMBH (INT'L)	177 +49-89-3159146**	139-140	WIBU (INT'L)	156 +49-721-93172-22**
132-133	PROXIMA CORP	141 800-447-7694	535	SPIDER GRAPHICS	208NE 2 408-956-1231	139-140	WIBU (U.S.)	156 301-570-3497
Q			99-100	STAC STORAGE & COMM	127 800-677-6232 ext 214	172	WORLDWIDE TECHNOLOGIES	210 215-922-0116**
240	QNX SOFTWARE SYSTEMS LTD	12-13 800-676-0566 ext 1002	514-515	STAC STORAGE & COMM (INT'L)	CIV +44-344-302900	Z		
202	QUALSTAR CORP	222 800-468-0680	121	STATSOFT	89 918-583-4149	128	ZEOS INTERNATIONAL	48-49 800-554-5226
112-113	QUARTERDECK OFFICE SYS	39 310-392-9851	*	SUNSOFT (N.A.)	64A-B 800-227-9227	208	Z-WORLD ENGINEERING	222 916-757-3737
188-189	QUARTON USA	216 800-520-8435	T			* Correspond directly with company. ** Indicates FAX Number		
114-115	QUATECH INC	190 800-553-1170	204	TALKING TECHNOLOGY INC	220 800-685-4884	Regional Edition Definitions:		
R			122	TEKTRONIX	11 800-835-6100 ext 1053	N.A. - Ads only appear in North America Edition		
116	RAINBOW TECHNOLOGIES	51 800-852-8569	123	TOSHIBA AMERICA INC	34-35 800-457-7777	IS/INT'L - Ads only appear in International Edition		
218-219	RCI	219 908-874-4072 ext 71	210	TRI VALLEY TECHNOLOGY INC	220 510-447-2030	MW - Ads only appear in Midwest Region Edition		
171	RECORTEC INC	215 800-729-7654	404-405	TRIPP LITE	80DM 12 312-755-8741	PC - Ads only appear in Pacific Coast Region Edition		
203	RHETOREX, INC	220 408-370-0881				SO - Ads only appear in Southern Region Edition		
						NE - Ads only appear in Northeast Region Edition		

BYTE ADVERTISING SALES STAFF

William M. Dwyer, Vice President of Sales, 1900 O'Farrell Street, Suite 200, San Mateo, CA 94403, Tel. (415) 513-6864, Fax: (415) 513-6867
Diane Lieberman, Director, Inside Advertising Sales, One Phoenix Mill Lane, Peterborough, NH 03458, Tel. (603) 924-2518, Fax: (603) 924-2683

NEW ENGLAND

ME, NH, VT, MA, RI, CT, ONTARIO
CANADA & EASTERN CANADA
Sanford L. Fibish (617) 860-6344
McGraw-Hill Publications
24 Hartwell Avenue
Lexington, MA 02173
FAX: (617) 860-6899

EAST COAST

NY, NYC, NJ, DE, PA
Kim Norris (212) 512-2645
Jonathan Sawyer (603) 924-2665
McGraw-Hill Publications
1221 Avenue of Americas—28th Floor
New York, NY 10020
FAX: (212) 512-2075

SOUTHEAST

NC, SC, GA, FL, AL, TN, MS, AR, LA,
KY, DC, MD, VA, WV
MaryAnn Goulding (404) 843-4782
Brian Higgins (603) 924-2651
McGraw-Hill Publications
4170 Ashford-Dunwoody Rd., Suite 520
Atlanta, GA 30319
FAX: (404) 252-4056

MIDWEST

IL, MO, KS, IA, ND, SD, MN,
WI, NE, IN, MI, OH
Lori Silverstein (614) 899-4906
Ed Ware (603) 924-2664
McGraw-Hill Publications
921 Eastwind Drive, Suite 118
Westerville, OH 43081
FAX: (614) 759-3142

SOUTHWEST

ROCKY MOUNTAIN
CO, OK, TX
Jennifer Walker (214) 701-8496
Kevin Lary (603) 924-2527
McGraw-Hill Publications
14850 Quorum Dr., Suite 380
Dallas, TX 75240
FAX: (214) 991-6208

NORTH PACIFIC

NORTHERN CA, OR, ID, MT, WY, UT
Roy J. Kops (415) 513-6861
James Ball (603) 924-2662
SILICON VALLEY, HI, WA, AK,
W. CANADA
Susan Werner (415) 513-6862
James Ball (603) 924-2662
McGraw-Hill Publications
1900 O'Farrell Street, Suite 200
San Mateo, CA 94403
FAX: (415) 513-6867

SOUTH PACIFIC

ORANGE COUNTY
SAN DIEGO COUNTY
Beth Dudas (714) 753-8140
Mark Spero (714) 753-8140
Brad Dixon (603) 924-2574
McGraw-Hill Publications
15635 Alton Pkwy., Suite 290
Irvine, CA 92718
FAX: (714) 753-8147

Peterborough, NH Office: Inside Sales FAX: 603-924-2683

Hardware/Software Showcase
Mark Stone (603) 924-2695
Ellen Perham (603) 924-2598
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

The Buyer's Mart/Classifieds
Margot L. Swanson (603) 924-2656
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE Deck
Susan Rastellini (603) 924-2596
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

EURO-DECK
Joseph Mabe (603) 924-2533
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

Regional Advertising Sections
Ed Ware (603) 924-2664
Fax: (603) 924-2683

INTERNATIONAL ADVERTISING SALES STAFF

Gary Lucas, European Sales Director, 34 Dover Street, London W1X 4BR, England, Tel. +44 71 4956780, Fax: +44 71 4956734

UNITED KINGDOM, BENELUX
Gary Lucas (+44 71 495 6780)
Jonathan McGowan
(+44 71 495 6781)
McGraw-Hill Inc.
34 Dover St.
London W1X 4BR
England
FAX: +44 71 4956734

GERMANY, SWITZERLAND, AUSTRIA
Jürgen Heise
McGraw-Hill Inc.
Liebigstrasse 19
D-60323 Frankfurt
Germany
Tel: +49 69 7140 7140
FAX: +49 69 7140 7146

ITALY, FRANCE, SPAIN, PORTUGAL, SCANDINAVIA
Zena Coupé, Amanda Blaskett
A-Z International Sales Ltd.
70 Chalk Farm Road
London NW1 8AN
England
Tel: +44 71 2843171
FAX: +44 71 2843174

ISRAEL
Dan Ehrlich
Ehrlich Communications Intl.
P.O. Box 99
Herzliya 46101
Israel
Tel: +972 9 586245
Tel: +972 9 586246
FAX: +972 9 585685

TAIWAN
Janet Wang
Third Wave Publishing Corp.
2nd Fl., No. 19-2, Lane 231
Fu Hsing North Road
Taipei 105
Taiwan R.O.C.
Tel: +886 2 7136959
Tel: +886 2 7189467
FAX: +886 2 7189467

HONG KONG
Zoe Yen
Third Wave Publishing Corp.
Unit 2, 6F Hing Wah Center
82-84 To Kwa Wan Road
Kowloon, Hong Kong
Tel: +852 764 3830
FAX: +852 764 3857

KOREA
Young-Seoh Chinn
JES Media International
6th Fl., Donghye Bldg.
47-16, Myungil-Dong
Kangdong-Gu
Seoul 134-070, Korea
Tel: +82 2 4813411
FAX: +82 2 4813414

JAPAN
Masaki Mori
Transworld Media Inc.
702, 2-26-3 Nishigotanda
Shinagawa-ku,
Tokyo 141
Japan
Tel: +81 3 33887466
FAX: +81 3 37860674

A. Suzuki
Nexus, Inc.
2-35-8, Unok, Ota-ku
Tokyo 146
Japan
Tel: +81 3 37573721
FAX: +81 3 37572266

AUSTRALIA
Phil Bush
National Advertising Services
7-13 Parraween Street
Cremorne NSW 2090,
Australia
Tel: +61 2 908 9329
FAX: +61 2 953 8274

SINGAPORE, INDIA, INDONESIA, PAKISTAN, PHILIPPINES, OTHER ASIAN AND PACIFIC COUNTRIES
Jenny Kao
Third Wave Publishing Corp.
2nd Fl., No. 19-1, Lane 231
Fu Hsing North Road
Taipei 105, Taiwan
R.O.C.
Tel: +886 2 7136959 ext. 226
FAX: +886 2 7189467

MALAYSIA
H.K. Lim
Servex (Malaysia) Sdn. Bhd.
5th Floor, Bena Tower
160, Jalan Ampang
50450 Kuala Lumpur
Malaysia
Tel: +60 3 2624592
FAX: +60 3 2624591

Subscription Customer Service
U.S. 1-800-232-2983
Outside U.S. +1-609-426-7676

For a New Subscription
U.S. 1-800-257-9402
Outside U.S. +1-609-426-5526

INDEX TO ADVERTISED PRODUCTS

For **FREE** product information from individual advertisers, circle the corresponding inquiry numbers on the response card!

To receive information for an entire product category, circle the category number on the response card!

Category No.
Inquiry No.

Page No.

HARDWARE

1 ACCESSORIES/SUPPLIES

141-142	AERONICS INC	109
176-177	ANTEX ELECTRONICS	214
521	PEGASUS LTD	32IS 28
188-189	QUARTON USA	216
206-207	VIZIFLEX SEELS	219

2 ADD-IN BOARDS

153	ADAPTEC	214
176-177	ANTEX ELECTRONICS	214
75-76	CURTIS INC	170
407-408	DIGIBOARD	80DM 3
165	JAMECO ELECTRONICS	209
98	NUMBER NINE (N.A.)	150
101-102	OMNCOMP GRAPHICS CORPORATION	153
114-115	QUATECH INC	190
225-226	SILICON WAREHOUSE	219
535	SPIDER GRAPHICS	208NE 2
204	TALKING TECHNOLOGY INC	220

3 BAR CODING

205	VIDEX INC	219
-----	-----------	-----

4 COMMUNICATIONS/ NETWORKING

186	ALTA RESEARCH CORPORATION	225
520	AXIS COMMUNICATIONS (INT'L)	15
178-179	COROLLARY	200
229-230	CYCLADES CORPORATION	219
161-162	DATAPRODUCTS	213
*	DELL COMPUTER CORP (N.A.)	32A-D
522-523	ERGOTRON EUROPE	32IS 7
530	FLUKE EUROPE BV (INT'L)	73
400-401	KINGSTON TECHNOLOGY	80DM 5
402-403	LOCUS COMPUTING CORPORATION	80DM 11
218-219	RCI	219
203	RHETOREX INC	220
117-118	ROSE ELECTRONICS	172
532-533	SEH COMPUTERTECHNIK GMBH	32IS 24
212-213	SIGMA TECH SOFTWARE	220
536-537	SOLID COMPUTER GMBH (INT'L)	177
204	TALKING TECHNOLOGY INC	220
124-125	UNLIMITED SYSTEMS	158

5 COMPUTER SYSTEMS

152	ASPEN SYSTEMS	61
160	DATALUX CORPORATION	194
*	DELL COMPUTER CORP (N.A.)	CIII
*	DELL COMPUTER CORP (N.A.)	CIV
542-543	DIGITAL INFORMATION SERV (EUROPE)	32IS 9-11
237	DIGITAL WINDOWS NT SERVER	8-9
*	GATEWAY 2000	80A-H
*	GATEWAY 2000	81
*	GATEWAY 2000	96A-D
409	INTEGRIX INC	80DM 9
85-86	INTERGRAPH	121
197	KILA	220
534	MANCHESTER EQUIPMENT CO	208NE 1

Category No.
Inquiry No.

Page No.

150-151	MEDIA ON (N.A.)	173
243	NEKOTECH	201
97	NSTL	183
246-247	NSTL / PENTIUM	169
*	NSTL / SOFTWARE DIGEST	147
512	OLIVETTI S.P.A.	32IS 18-19
187	PACIFIC COAST MICRO	208
190	PC'S COMPLEAT	198-199
171	RECORTREC INC	215
536-537	SOLID COMPUTER GMBH (INT'L)	177
210	TRI VALLEY TECHNOLOGY INC	220
128	ZEOS INTERNATIONAL	48-49

6 DATA ACQUISITION

192	AMERICAN ADVANTECH	220
538-539	DATASCAN TECHNOLOGY	32IS 32
194	GAGE APPLIED SCIENCES, INC.	220
196	IO TECH	221
199	MICROSTAR LABORATORIES	221
114-115	QUATECH INC	190

53 DIAGNOSTIC EQUIPMENT

530	FLUKE EUROPE BV (INT'L)	73
-----	-------------------------	----

7 DISK & OPTICAL DRIVES

75-76	CURTIS INC	170
214-215	GRANITE DIGITAL	221
527	HITACHI	32IS 23
89-90	KINGSTON TECHNOLOGY	123
91	MEGADRIEVE SYSTEMS	63
167-168	MICRO SOLUTIONS COMP PROD	195
169-170	MICRO SOLUTIONS COMP PROD	197
108-109	PINNACLE MICRO	7

8 DISKETTES/ DUPLICATORS

141-142	AERONICS INC	109
---------	--------------	-----

10 GRAPHICS TABLETS/ MICE/PEN INPUT

521	PEGASUS LTD	32IS 28
-----	-------------	---------

11 KEYBOARDS

501	CHERRY MIKROSCHALTER GMBH	32IS 14-15
160	DATALUX CORPORATION	194
220-221	ELMA ELECTRONIC	221
195	HOOLEON CORPORATION	221

12 LAN HARDWARE

502-503	COMPEX INC (INT'L)	117
156-157	CYBEX CORPORATION	205
158-159	CYBEX CORPORATION	212
505-506	CYBEX CORPORATION (INT'L)	CIII
522-523	ERGOTRON EUROPE	32IS 7
163-164	FIRST SOURCE INT'L	202
530	FLUKE EUROPE BV (INT'L)	73
105-106	PC POWER & COOLING	45
532-533	SEH COMPUTERTECHNIK GMBH	32IS 24

Category No.
Inquiry No.

Page No.

13 LAPTOPS & NOTEBOOKS

209	AMREL TECHNOLOGY INC	222
540	FIRST INTERNATIONAL COMPUTER	32IS 4
*	JDR MICRODEVICES	217
175	MICRO-INTERNATIONAL INC	206
190	PC'S COMPLEAT	198-199
123	TOSHIBA AMERICA INC	34-35
128	ZEOS INTERNATIONAL	48-49

14 MAIL ORDER

*	AMERICAN LUNG ASSOCIATION	208NE 4
*	BYTE SUB MESSAGE	32IS 26
191	COMPUSTAR COMPUTERS	218
155	COMPUTER DISCOUNT WAREHOUSE	192-193
544	COMPUTERLANE UNLIMITED	208NE 3
165	JAMECO ELECTRONICS	209
166	NEVADA COMPUTER	204
190	PC'S COMPLEAT	198-199
172	WORLDWIDE TECHNOLOGIES	210

15 MEMORY/CHIPS/ UPGRADES

*	ADVANCED MICRO DEVICES (N.A.)	15
163-164	FIRST SOURCE INT'L	202
165	JAMECO ELECTRONICS	209
184-185	L A TRADE	196
*	MOTOROLA SEMICONDUCTOR PRODS	40-41
172	WORLDWIDE TECHNOLOGIES	210

16 MISCELLANEOUS HARDWARE

143	CALIFORNIA PC PRODUCTS INC	174
84	INTEGRAND RESEARCH	134
101-102	OMNCOMP GRAPHICS CORPORATION	153
187	PACIFIC COAST MICRO	208
105-106	PC POWER & COOLING	45
521	PEGASUS LTD	32IS 28

17 MODEMS/ MULTIPLEXORS

*	JDR MICRODEVICES	217
124-125	UNLIMITED SYSTEMS	158

18 MONITORS & TERMINALS

73-74	CTX INTERNATIONAL INC	95
518-519	DAEWOO (INT'L)	29
160	DATALUX CORPORATION	194
513	KUO FENG CORPORATION (INT'L)	150
93-94	NANAO USA CORP (N.A.)	69
541	PHILIPS MONITORS	32IS 2-3
87-88	SMILE INTERNATIONAL INC (N.A.)	29
126-127	VIEWSONIC	56-57

19 MULTIMEDIA/CD-ROM

153	ADAPTEC	214
176-177	ANTEX ELECTRONICS	214
193	CONTROL VISION	222
131	CREATIVE LABS INC	53
243	NEKOTECH	201

INDEX TO ADVERTISED PRODUCTS

Category No. Inquiry No.		Page No.	Category No. Inquiry No.		Page No.	Category No. Inquiry No.		Page No.
101-102	OMNCOMP GRAPHICS CORPORATION	153	99-100	STAC STORAGE & COMM	127	238	WATCOM CLIENT SERVER	25
132-133	PROXIMA CORPORATION	141	514-515	STAC STORAGE & COMM (INT'L)	CIV			
			516	WALKER, RICHER & QUINN	32IS 29			
20	PRINTERS/PLOTTERS		29	DATABASE		41	SECURITY	
520	AXIS COMMUNICATIONS (INT'L)	15	528-529	BTRIEVE TECHNOLOGIES	32IS 16-17	61	ALADDIN KNOWLEDGE SYSTEMS	79
161-162	DATAPRODUCTS	213	525	HYPERSYSTEMS	32IS 24	507-508	EUTRON	32IS 31
534	MANCHESTER EQUIPMENT CO	208NE 1				509-510	FAST HARDLOCK	32IS 20
122	TEKTRONIX	11				82	GLENCO ENGINEERING (INT'L)	133
						81	GLENCO ENGINEERING (N.A.)	133
21	PROGRAMMABLE HARDWARE		30	EDUCATIONAL		116	RAINBOW TECHNOLOGIES	51
154	BUFFALO PRODUCTS	218	*	MCGRW HILL NRI (N.A.)	128A-B	120	SOFTWARE SECURITY	154
509-510	FAST HARDLOCK	32IS 20				139-140	WIBU	156
*	JDR MICRODEVICES	217	31	ENGINEERING/ SCIENTIFIC				
116	RAINBOW TECHNOLOGIES	51	85-86	INTERGRAPH	121	45	UNIX	
208	Z-WORLD ENGINEERING	222	129-130	ITERATED SYSTEMS	94	147	DATA FOCUS	157
			201	PERSONAL TEX	223	80	FRAME TECHNOLOGY (N.A.)	21
			180-181	SCITECH INTERNATIONAL	203	136-137	INFORMATION FOUNDATION	176
						*	SUNSOFT (N.A.)	64A-B
52	SECURITY		33	GRAPHICS				
501	CHERRY MIKROSCHALTER GMBH	32IS 14-15	72	CORELCD CREATOR	27	46	UTILITIES	
116	RAINBOW TECHNOLOGIES	51	71	COREL DRAW	102	61	ALADDIN KNOWLEDGE SYSTEMS	79
139-140	WIBU	156	222	EMATEK GMBH	223	*	ARCADA (N.A.)	73
			93-94	NANAO USA CORP (N.A.)	69	*	CONSOLIDATED SOFTWARE PRODUCTS	224
23	TAPE DRIVES		132-133	PROXIMA CORPORATION	141	138	LOGICIELS ET SERVICES DUHEM	156
141-142	AERONICS INC	109				174	MICRO 2000	211
78-79	EXABYTE CORPORATION	19	35	MAIL ORDER		173	MICRO 2000	213
198	LAGUNA DATA SYSTEMS	222	155	COMPUTER DISCOUNT WAREHOUSE	192-193	110	PKWARE INC	96
167-168	MICRO SOLUTIONS COMP PROD	195	504	COMPUTER QUICK	32IS 13	111	PKWARE INC	118
169-170	MICRO SOLUTIONS COMP PROD	197	511	GREY MATTER LTD (INT'L)	71			
202	QUALSTAR CORP	222				47	WINDOWS	
216-217	SHAFFSTALL CORP	222	36	MATHEMATICAL/ STATISTICAL		410	BEAME & WHITESIDE SOFTWARE	80DM 15
			200	NATIONAL INSTRUMENTS	223	224	FUZICALC	224
24	UPS/POWER MANAGEMENT		201	PERSONAL TEX	223	148-149	ICONOVEX INC	38
62	AMERICAN POWER CONVERSION	16-17	121	STATSOFT	89	232-233	MENAI CORPORATION	224
531	FISKARS POWERS SYSTEMS (INT'L)	21	37	MISCELLANEOUS SOFTWARE		93-94	NANAO USA CORP (N.A.)	69
103-104	MINUTEMAN	100	517	ON TIME MARKETING	32IS 28	107	PERSOFT INC	163
105-106	PC POWER & COOLING	45				48	WORD PROCESSING/ DTP	
404-405	TRIPP LITE	80DM 12	38	ON-LINE SERVICES		80	FRAME TECHNOLOGY (N.A.)	21
244-245	UPSONIC (N.A.)	31	*	AMERICA ONLINE INC (N.A.)	104A-B	148-149	ICONOVEX INC	38
			450	BIX	237			
			77	DELPHI INTERNET SERVICES	167			
SOFTWARE			39	OPERATING SYSTEMS		49	BOOKS/PUBLICATIONS	
25	BUSINESS		227-228	ACC CORPORATION	224	63	BYTE ON CD ROM	171
147	DATA FOCUS	157	236	IBM OS/2 WARP	2-3	*	BYTE READER	175
132-133	PROXIMA CORPORATION	141	182-183	IGC INC	207	*	COMPUTER PROFS' BOOK SOC (N.A.)	177
			95	NOVELL INC (N.A.)	117	*	OSBORNE MCGRAW-HILL	74-75
26	CAD/CAM		240	QNX SOFTWARE SYSTEMS LTD	12-13			
526	ARTEK SRL (INT'L)	69	112-113	QUARTERDECK OFFICE SYSTEMS	39	51	MISCELLANEOUS	
85-86	INTERGRAPH	121				*	BYTE BACK ISSUES (WORLD)	32IS 9
			40	PROGRAMMING LANGUAGES/TOOLS		*	BYTE EDITORIAL SURVEY	166
27	COMMUNICATIONS/ NETWORKING		211	BYTECH BUSINESS SYSTEMS	223	*	BYTE REPRINTS (INT'L)	173
239	AVALAN TECHNOLOGY	216	68	COMPUTER ASSOC - UNICENTER	125	*	BYTE SUB MESSAGE	132
410	BEAME & WHITESIDE SOFTWARE	80DM 15	70	COMPUTER ASSOC - VISUAL EXPRESS	36	*	BYTE WAREHOUSE	187
502-503	COMPEX INC (INT'L)	117	69	COMPUTER ASSOC - VISUAL OBJECTS	55	65	CETDC	128
67	COMPUTER ASSOC REALIA	84	147	DATA FOCUS	157	524	COMPEXPO / COMPAIR	32IS 25
234	CR SYSTEMS	223	222	EMATEK GMBH	223	64	COMPUTER PRESS ASSOCIATION	135
163-164	FIRST SOURCE INT'L	202	92	MICROWAY	90	*	DATAPRO (WORLD)	32IS 10-11
182-183	IGC INC	207	231	OBJECT MANAGEMENT LABORATORY	224	*	DIGITAL WINDOWS NT SERVER	CII-1
145-146	JSB	168	144	OBJECTS INC	114	*	INTERTEK SHOW	32IS 22
95	NOVELL INC (N.A.)	117	517	ON TIME MARKETING	32IS 28	235	MODERN WORLD	225
*	ORACLE CORPORATION	59	135	POWERSOFT CORPORATION (N.A.)	71	*	NETWORLD + INTEROP 95 LAS VEGAS	189
107	PERSOFT INC	163	119	SEQUIETER SOFTWARE INC	101	*	OPEN COMPUTING	179
241-242	SMITH MICRO SYSTEMS & SOFTWARE	164						
536-537	SOLID COMPUTER GMBH (INT'L)	177						

EDITORIAL INDEX

For more information on any of the companies covered in articles, columns, or news stories in this issue, circle the appropriate inquiry number on the response card. Each page number refers to the first page of the article or section in which the company name appears.

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.			
A										
1320	Accent Software International	186	1314	DSP Development	185	1184	MCR Software	165		
1318	ACIUS	185	E		1317	Mellillo	186			
1346, 1348	Actix Systems	136	1358	Easel	80DM 7	1336	Mentalix	188		
1146	ADIT	32IS 3	1359	Elsa	136	1336	Metaphor Computer Systems	33		
1308	Advanced Micro Devices	32	1153	Epson America	26, 80DM 13	1336	Michelin	159		
1308	AG Group	184	1153	EUnet Communications Services	32IS 3	1336	MicroAge	42		
1308	Alliance Semiconductor	105	1154	Europe Online	32IS 3	1336	Micron	32		
1308	American Megatrends	24	F		1001	Micropolis	115			
1308	America Online	131	1339	Facia Reco Associates	85	1010	Microsoft	30, 37, 42, 76, 105, 111, 119, 165, 238, 80DM 7, 80DM 13		
1308	Ameritech Library Services	42	1339	Fargo Electronics	24	1177	Microsoft Europe	32IS 3		
1308	Analog Devices	91	1332	FaxQuest	188	1174	Microtest	165		
1180	Apple Computer	26, 32, 103, 165, 238, 80DM 13	1332	Firefly Software	185	1368	Mirage Multimedia Systems	136		
1147	Apple Computer Europe	32IS 3	1332	Firefox International	32IS 3	1369	miroComputer	136		
1290	Applied Concepts	182	1332	Firefly Software	185	1370, 1371	Miros	85		
1335	Argus Interware	185	1155	Firefox International	32IS 3	1372	Mirror Technologies	136		
1422	Aristo	32IS 22	1360	Focus Information Systems	136	1172	Modular Software Systems	165		
1464	Artisoft	24, 32IS 27	1361, 1362, 1363	ForeFront	185	1372	Moody's Investor Services	76		
1277	Ascend Communications	180	1328	France Telecom Transpac	32IS 3	1372	Motorola	32, 33		
1182	askSam Systems	165	1157	FTP Software	32IS 3	1372	Mountain Network Solutions	24, 30		
1182	AST Research	26	1294	Fujitsu Computer Products of America	65, 182	1002	Mustang Software	131, 184		
1182	AT&T	42, 103	G		1306	MySoftware Company	185			
1349	ATI Technologies	136	1364	Gateway 2000	26	1313	Mystic Software	184		
1350, 1351	ATS Interact	32IS 25	1365, 1366	General Magic	103	N				
1432	Avid Technology	24	1338	Genoa Systems	136	1276	National MicroComputers	180		
1425	Aydin Controls	32IS 21	1178	Geotest	188	1276	National Semiconductor	32, 129		
B										
1281	Binary Software Development	129	1178	Great Bear Technology	165	1276	NEC	65		
1281	BIS Strategic Decisions	32	H		1176	NEC Technologies	26, 28			
1281	BookLink Technologies	24	1310	Hamilton Software	184	1176	Network General	165		
1281	Borland International	22, 30, 37, 42, 80DM 7	1310	Hewlett-Packard	23, 24, 32, 42, 65	1176	Next	80DM 7		
1352	Brilliant Computer Products	136	I		1164	Nokia Mobile Phones	32IS 3			
1148	British Telecom	32IS 3	1009	IBM	24, 26, 28, 32, 33, 37, 42, 65, 85, 119, 129, 165, 80DM 7	1459	Nomis	32IS 30		
1148	Brooktree	105	1158	IBM International Solutions Centre	32IS 3	1011	Novell	42, 119, 32IS 3, 80DM 13		
1148	Brooktrout Networks Group	32	1159	IDT	32IS 3	1165	Nth Graphics	136		
1148	The Burton Group	42	1451	IMSI	32IS 27, 32IS 28	O				
1315	Business Resource Software	186	1452	Insignia Solutions	32IS 30	1324	ObjectSpace	188		
C										
1337	Caere	188	1453	Instat	32	1324	Odyssey Development	24		
1149	Campbell Services	42	1454	Intasoft	32IS 30	1166	Oleane	32IS 3		
1289	Chipcom	181	1285	Integrix	181	1340	On Technology	42, 188		
1449	Chorus Systems	32IS 27	1160	InterAccess	32, 151, 80DM 13	1340	Open Systems Advisors	42		
1150	Cirrus Logic	105	1160	Internet Way	32IS 3	1296	Orchid Technology	136, 182		
1150	Cisco Systems	32	1160	Intuit	103	P				
1150	Cisco Systems Europe	32IS 3	1160	Iona	80DM 7	1374	Palindrome	42		
1331	Citizen America	24	1160	ISDN*tek	24	1284	Panamax	181		
1331	Clark Development	186	1161	Isis Distributed Systems	80DM 7	1284	Panasonic Communications	28		
1331	Collabra Software	42	1161	Isocor	42, 32IS 3	1274	Patricia Seybold Group	80DM 7		
1173	Colorado Memory Systems	165	J		1274	Pentax Technologies	180			
1173	Compaq Computer	26, 80DM 13	1007	Jazz Multimedia	105	1274	Penware	103		
1173	Complete Logic Systems	129	1446	JBA	32IS 27	1167	Pipex	32IS 3		
1151	Compudyne	159	1446	JVC	28	1434	Portable Add-ons	32IS 22		
1151	CompuServe	32IS 3	K		1283	PowerSoft	111			
1286	ConnectSoft	24	1327	Kansmen	188	1375	Practical Peripherals	181		
1286	Consumer Technology Northwest	181	1301	Keithley Metrabyte	185	1375	PraeTek	136		
1286	Coromandel Industries	22	1428	KK Systems	32IS 21	V				
1286	Cosytech	159	L		1327	VideoLogic	105, 136			
1275	Cray Computer	65	1327	Lead Technologies	30	1384	ViewPoint Technologies	188		
1275	Crystal Computer	180	1162	Learned Information	32IS 3	1293	ViewSonic	182		
1275	Cygnus Support	42	1309	Lenel Systems International	184	1465	Virgin Interactive Entertainment	32IS 31		
D										
1323	Dassault	159	1278	Leunig Communications	180	1302	VisualTools	186		
1323	DataMost	188	1278	Lexmark	23	1171	Vodafone	32IS 3		
1323	Dataquest	30	1278	LSI Logic	32	1427	Vortex Computersysteme	32IS 21		
1424	Datasonix	28, 32IS 21	1278	Lyra	23	W				
1282	Dayna Communications	180	M		1302	Weitek	105			
1273	DEC	24, 28, 32, 42, 85, 182	1367	Magnet Interactive Studios	24	1385	Western Digital/Paradise	136		
1273	Delrina	24	1367	Matrox Graphics	136	1326	WordPerfect	24		
1152	Deutsche Telekom	32IS 3	1367	Matsushita	28	1326	Working Software	186		
1353	DFI	136	1367	Maxoptix	28	1298	Worthington Data Solutions	182		
1354			1183	McAfee Associates	165, 186	X				
1008	Diamond Multimedia Systems	105, 136	1329			1299	Xerox	42, 238		
1355, 1356, 1357			R		1326	Xerox Desktop Document Systems	24			
E										
1320	Accent Software International	186	1377	Radius	136	1334	Xing Technology	105		
1318	ACIUS	185	1378, 1379, 1380	Radlinx	181	1299	Xionics	180		
1346, 1348	Actix Systems	136	1319	Ray Dream	185	1334	Xircor	24		
1146	ADIT	32IS 3	S					1334	Xitron Software	186
1308	Advanced Micro Devices	32	1168	Renater	32IS 3	1279	Xnet Technology	180		
1308	AG Group	184	1446	Rexon Europe	32IS 28	Y				
1308	Alliance Semiconductor	105	1169	Ricoch	28	1458	The York Group	32IS 28		
1308	American Megatrends	24	1447	RIPE NCC	32IS 3	Z				
1308	America Online	131	1447	Roderick Manhattan Group	32IS 28	1271	Zenith Data Systems	33, 180		
1308	Ameritech Library Services	42	1447	RoundBook Publishing Group	37	1271	Zitel	28		
1308	Analog Devices	91	T							
1180	Apple Computer	26, 32, 103, 165, 238, 80DM 13	1175	S&S Software International	165					
1147	Apple Computer Europe	32IS 3	1300	Scltor	184					
1290	Applied Concepts	182	1163	Sharp	24, 103					
1335	Argus Interware	185	1005	Sigma Designs	105					
1422	Aristo	32IS 22	1382	Silicon Graphics	65					
1464	Artisoft	24, 32IS 27	1426	Smart Storage	30					
1277	Ascend Communications	180	1426	SMTech	32IS 25					
1182	askSam Systems	165	1000	Software AG	111					
1182	AST Research	26	1325	Solutionsoft	188					
1182	AT&T	42, 103	1004	Sony Electronics	28, 103					
1349	ATI Technologies	136	1295	Specialix	182					
1350, 1351	ATS Interact	32IS 25	1381	Spider Graphics	136					
1432	Avid Technology	24	1382	Spry	42					
1425	Aydin Controls	32IS 21	1330	SPSS	185					
F										
1281	Binary Software Development	129	1383	STB Systems	136					
1281	BIS Strategic Decisions	32	1383	S3	105					
1281	BookLink Technologies	24	1433	Summagraphics	32IS 25					
1281	Borland International	22, 30, 37, 42, 80DM 7	1170	Sun Microsystems	32, 32IS 3					
1352	Brilliant Computer Products	136	1170	Symantec	80DM 7					
1148	British Telecom	32IS 3	1304	Symmetrical Technologies	184					
1148	Brooktree	105	1307	Synware	186					
1148	Brooktrout Networks Group	32	1333	Systems & Software	186					
1148	The Burton Group	42	U							
1315	Business Resource Software	186	1423	Tadpole Technology	24, 26, 32IS 22					
G										
1337	Caere	188	1312	T.A.L. Enterprises	185					
1149	Campbell Services	42	1312	Taligent	80DM 7					
1289	Chipcom	181	1312	Tandy	103					
1449	Chorus Systems	32IS 27	1272	Tektronix	24, 181, 188					
1150	Cirrus Logic	105	1303	Teloquent Communications	186					
1150	Cisco Systems	32	1316	Texas Instruments	26, 32, 91					
1150	Cisco Systems Europe	32IS 3	1322	Thinking Machines	65					
1331	Citizen America	24	1322	TopSpeed	184					
1331	Clark Development	186	1322	Toshiba	26					
1331	Collabra Software	42	1003	Traveling Software	129					
1173	Colorado Memory Systems	165	1003	Tseng Labs	105					
1173	Compaq Computer	26, 80DM 13	V							
1173	Complete Logic Systems	129	1316	Uniface	80DM 7					
1151	Compudyne	159	1006	VideoLogic	105, 136					
1151	CompuServe	32IS 3	1384	ViewPoint Technologies	188					
1286	ConnectSoft	24	1293	ViewSonic	182					
1286	Consumer Technology Northwest	181	1465	Virgin Interactive Entertainment	32IS 31					
1286	Coromandel Industries	22	1302	VisualTools	186					
1286	Cosytech	159	1171	Vodafone	32IS 3					
1275	Cray Computer	65	1427	Vortex Computersysteme	32IS 21					
1275	Crystal Computer	180	W							
1275	Cygnus Support	42	1006	Weitek	105					
H										
1320	Accent Software International	186	1385	Western Digital/Paradise	136					
1318	ACIUS	185	1326	WordPerfect	24					
1346, 1348	Actix Systems	136	1326	Working Software	186					
1146	ADIT	32IS 3	1298	Worthington Data Solutions	182					
1308	Advanced Micro Devices	32	X							
1308	AG Group	184	1299	Xerox	42, 238					
1308	Alliance Semiconductor	105	1385	Xerox Desktop Document Systems	24					
1308	American Megatrends	24	1334	Xing Technology	105					
1308	America Online	131	1299	Xionics	180					
1308	Ameritech Library Services	42	1334	Xircor	24					
1308	Analog Devices	91	1334	Xitron Software	186					
1180	Apple Computer	26, 32, 103, 165, 238, 80DM 13	1279	Xnet Technology	180					
1147	Apple Computer Europe	32IS 3	Y							
1290	Applied Concepts	182	1458	The York Group	32IS 28					
1335	Argus Interware	185	Z							
1422	Aristo	32IS 22	1271	Zenith Data Systems	33, 180					
1464	Artisoft	24, 32IS 27	1271	Zitel	28					
1277	Ascend Communications	180								
1182	askSam Systems	165								
1182	AST Research	26								
1182	AT&T	42, 103								
1349	ATI Technologies	136								

BIX: Your Coach to the Internet!




Photo by Dana Simmons

The Internet connects you with more than 10 million people, at universities, companies, and other online services. Now, get full access to the Internet free of charge when you subscribe to BIX! You'll also get expert assistance from BIX moderators who can help you find your way around the Internet.

These experts can guide you through the many services and features available, and help you find the information you're looking for. Anytime you need help, just join our special 'internet' conference and get fast answers to your questions.

As you become more familiar with the Internet, you'll be able to download files from all over the world using FTP, connect to other sites and services through telnet, read and reply to Usenet Newsgroups, access utilities like finger and whois, and much more! BIX and the Internet together provide the largest and most effective technical resource for computing professionals.

And with over 600 local access numbers in the U.S., plus telnet access via the Internet, BIX makes it easy to connect. Try BIX today through our special 5 for Free offer - and become part of the top technical team!

New Member
5 hours for Free
Introductory Offer

Give BIX a try with our new 5 for Free Offer! Join BIX today and get 5 hours of evening and weekend access for free!

Take the rest of the calendar month to explore BIX, and then continue for our standard \$13 monthly membership fee.

Further details and complete rate information are provided during registration. Using any communications program, dial 1-800-695-4882. At the "logon" prompt enter bix. Then at the "name?" prompt enter bix.byte39. If you have any questions, call us at 1-800-695-4775 (voice). Or fax us at 617-491-6642.

Send Internet mail to info@bix.com. Windows users can order BIXnav, our graphical interface for BIX, for easy point and click access. Details are available during registration.

BIX

If you can hack it

Under the 5 for Free plan, daytime rates (\$9/hr.) apply for access during prime time hours. The 5 for Free offer is valid for first-time members only.

Circle 450 on Inquiry Card.

Needed: A GUI Revolution

**Users of the world unite!
It's time to overthrow the GUI
status quo.**

History tells us that revolutions don't always result in a better lot for the masses. New regimes frequently become as unresponsive and entrenched as the ones they displace.

Take the revolution in computer interface design. Roughly 10 years ago, the windowing Xerox/Apple/Microsoft GUI marched into town, smoking a cigar and proclaiming liberation. We peasants were dazzled by the newcomer's shining uniform of pull-down menus and multiple windows—and we needed something to show us the typefaces we wanted to print on our new laser printers—so we welcomed the upstart. We cheered as the old command-line interface hurriedly packed its bags and fled into exile.

Sadly, the new interface soon grew accustomed to the pleasures of the palace. Improvements dwindled. The interface grew spoiled, fat, and irritable.

Today, we await the next round of excess from our master, be it System 8.0 or Cairo or whatever, knowing that we will be forced to pay for any benefits with bushels of memory, CPU speed, and disk space. In return, what will we get? Drag-and-drop icons? Phooey.


I yearn for a new revolution. Self-interest is a factor. I'm getting older. My increasing eyestrain now blurs even 12-point type on a 0.28-dot-pitch monitor. My repetitively stressed fingers and wrists cry out for relief.

In spite of my afflictions, year by year I move more and more of my life onto my machines. I do not think I am atypical. My hard disks have become so crowded with directories and subdirectories that I spend too much time looking for things (as opposed to working with them).

And now that I teach, it's clear from the reactions of my students that interfaces are not obvious. Why does the Mac Trashcan erase files but not disks? Why does the Windows Program Manager delete icons without deleting the associated files? What is "the desktop"—is it the screen, a place somewhere between the hard drive and the floppy drive, or a physical desktop? Why do all current interfaces assign primacy to applications when what matters is the work created with them? Isn't calling a letter to your mother a "word processing document" as dumb as calling your house a "hammer building"?

Sure, the past decade has brought significant change to the internal workings of operating systems, but all the advances in multitasking and multimedia have done little to alter the conventional look and feel of interfaces. What I want is change in the *externals*.

I'm not demanding sweeping reform that throws out everything all at once. We could start small and renovate slowly. For starters, there's color. At the moment, it's



PETER LOPEZ © 1995

little more than decoration; all-important menus and dialog boxes are largely black on white. Must we forever cater to the needs of monochrome users? Color systems outsell monochrome systems by an overwhelming majority. Let the monochrome minority suffer.

Why not use color to group files, objects, or commands in a visually informative way? The priority-based color coding in the Mac Finder is only a hint of what could be done. Why not make destructive menu commands (e.g., delete, cut, and clear) flash in red, and commands for creating (e.g., new, open, and record) flash in blue? Why not divide the menu bar or the entire screen into colored regions organized by time or function?

Speaking of menus, why must we continue to put up with pull-down lists? A number of experiments have successfully used circular menus. Users let muscle memory guide their actions as they pull their pointing devices to choices around a circle; this turns out to be faster and easier than reading and selecting from text in a vertical menu. Pen-based systems have suggested all sorts of new menu approaches that are worth reconsidering.

And what of the file cabinet directory metaphor, in which programs and documents are icons or line entries of equal importance? Why not hide the programs altogether? Or let the user group files and programs into project relationships (rather than directory relationships) by freehand drawing with a pointing device?

You know, these suggestions are not radical or even very original. But shouldn't we try new things rather than wallow in the status quo? It's time to whine and demand and invent! And—who knows—maybe someday little more will remain of the faded Xerox/Apple/Microsoft interface than a muddy footprint and a smudge of cigar ash on the palace carpet. ■

Former BYTE editor and columnist Ezra Shapiro teaches journalism at California State University, Northridge, and writes for a variety of computer publications. You can reach him on the Internet at ezra@earthlink.net or on BIX c/o "editors."

PC-EXTENDER *Plus*™

Extend the distance between your PC and a keyboard, VGA monitor, and mouse up to 250 feet!

- Supports PC, PC/XT, PC/AT, PS/2 and 100% compatibles
- Supports monochrome or color VGA monitors
- PS/2 style or Microsoft/Logitech serial mouse support available
- Offers conversion from RGB color to gray-scale



COME SEE US AT
Networks Expo in Boston Massachusetts, USA Feb.14-16, 1995 Booth #115 &
CeBIT in Hannover, Germany, March 8-15, 1995 Booth #M9, M10

**For Macintosh
support, ask
about our new
Mediator for Macintosh!**

Cybex Corporation
4912 Research Drive • Huntsville, AL 35805 USA
(205) 430-4000 • FAX (205) 430-4030
Dealer Program Available **Made in USA**



PC, PC/XT, PC/AT and PS/2 are registered trademarks of IBM Corporation. Macintosh is a registered trademark of Apple Computer, Inc. Microsoft and Logitech are trademarks of their respective companies.

Remote Control Software. Rated #1. Over and Over and Over...

☒ #1 Overall
Evaluation

☒ #1 Overall
Power

☒ #1 Overall
Usability

☒ #1 Performance

☒ #1 Versatility


☒ #1 Ease of
Learning

☒ #1 Ease of Use

Stac[®]

STORAGE & COMMUNICATIONS

1201 19th Place • Vero Beach, FL 32960 U.S.A.
Phone (407) 770-4777 • Fax (407) 770-4779



The 45-page review for *Software Digest* covered all the bases. It was the most extensive review ever done on remote control software. In the end, the experts called ReachOut Remote Control simply "the best program in the...evaluation." It outscored the competition in not one, not two or three, but in seven categories. In its report for *Software Digest's* June '94 issue, National Software Testing Laboratories wrote:

NSTL recommends ReachOut Remote Control for its excellence in almost every category. No other program matches its number of features or ease of use, and it is the unanimous choice for best program in the testers' general usability evaluation.

The recommendation confirms the findings of exhaustive corporate evaluations. And it parallels assessments by such leading publications as *Byte*, *LAN Magazine*, *PC User*, *Network Computing*, *Government Computer News* and *InfoWorld*.

But why not judge for yourself? We will be happy to send you more information on the NSTL report. Better yet, take advantage of our 60-day money-back guarantee and order your copy of ReachOut today. In Europe call (+44) 344 302900; fax 344 302922. All other countries, call U.S.A. (619) 794-4333; fax (619) 794-4575 for your nearest dealer location.

Before you know it, you'll be using ReachOut. Over and over and over...

THE MOST COMPREHENSIVE REVIEW OF REMOTE CONTROL SOFTWARE

SOFTWARE DIGEST RATING	OVERALL EVALUATION	PROGRAM
★★★★	8.5	Reachout Remote Control
★★★	7.5	Close-Up
★★★	7.3	Norton pcANYWHERE for Windows
★★★	7.3	Carbon Copy for Windows

Circle 514 on Inquiry Card (RESELLERS: 515).